

\*\*\*\*\*  
\*\*\*\*\*  
IDIS Conformance test report  
12-JUL-2011 16:40:14  
iCTT version 1.0.3  
Licensed to: KEMA-IDIS Cert.  
Tester: Bas Roelofsen  
\*\*\*\*\*  
\*\*\*\*\*

\*\*\*\*\*  
\* Identification \*  
\*\*\*\*\*

```
Manufacturer = {  
  Name = '\ITRON Metering Systems'  
  ThreeLettersId = '\ACE'  
}  
DeviceUnderTest = {  
  IDISDeviceType = 101  
  IDISFunctionType = [EXTENSION_D, EXTENSION_L, EXTENSION_M]  
  SerialNr = 21444421  
}
```

\*\*\*\*\*  
\* Summary \*  
\*\*\*\*\*

PASSED	1287
FAILED	0
DISABLED	0
INAPPLICABLE	211
INCONCLUSIVE	0
FATAL	0
TOTAL	1498

\*\*\*\*\*  
Test Case 1 : Discovery, 1 item(s)  
\*\*\*\*\*  
    (1) Meter Discovery  
        PASSED

\*\*\*\*\*  
Test Case 2 : Connect and release, 4 item(s)  
\*\*\*\*\*  
    (1) Connect Public  
        PASSED  
    (2) Release Public  
        PASSED  
    (3) Connect Management  
        PASSED  
    (4) Release Management  
        PASSED

\*\*\*\*\*  
Test Case 3 : Get public object-list, 1 item(s)

\*\*\*\*\*

Public Get Current association 0-0:40.0.0.255 (@9)

(1) .object\_list

PASSED

```
<_Data>
  <Array Qty="0172" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <Unsigned Value="00" />
      <OctetString Value="0100010801FF" />
      <Structure Qty="0002" >
        <Array Qty="0003" >
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="03" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
          </Structure>
        </Array>
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <Unsigned Value="00" />
      <OctetString Value="0100010802FF" />
      <Structure Qty="0002" >
        <Array Qty="0003" >
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="03" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
          </Structure>
        </Array>
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Structure>
  </Array>
</_Data>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```



```
IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020802FF" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100020804FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>
</Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```



```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030800FF" />
    <Structure Qty="0002" >
      <Array Qty="0003" >
        <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0800FF" />
  <Structure Qty="0002" >

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0100330700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100470700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100200700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100340700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

    IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100480700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="0A" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="0B" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0102000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A90101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A10200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A50100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000150001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00500FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00702FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0000A00703FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00704FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0065FF" />
  <Structure Qty="0002" >
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600900FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Array>
  </Structure>
</Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600981FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600680FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600603FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600602FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600600FF" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000618001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000618002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8003FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C01FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C06FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" />
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0000603C05FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600404FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00020F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100000910FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00008C0000FF" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000003FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0100000004FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000005FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000006FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000007FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000008FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100000009FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0011" />
    <Unsigned Value="00" />
    <OctetString Value="0000290000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="000F" />
    <Unsigned Value="01" />
    <OctetString Value="0000280000FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="02" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0002" >
    <Structure Qty="0002" >
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
</Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00012B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600103FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600104FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```



```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0008" />
  <Unsigned Value="00" />
  <OctetString Value="0000010000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010000090BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0014" />
```

```
IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="00000D0000FF" />
<Structure Qty="0002" >
  <Array Qty="000A" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000B" />
  <Unsigned Value="00" />
  <OctetString Value="00000B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000060030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000061620AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B00FF" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0012" />
  <Unsigned Value="00" />
  <OctetString Value="00002C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000208FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0102000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Array>

```



```
IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100100800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100010400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="0100020400FF" />
<Structure Qty="0002" >
<Array Qty="0009" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```
IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="0100030400FF" />
<Structure Qty="0002" >
  <Array Qty="0009" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="00" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="0100040400FF" />
<Structure Qty="0002" >
<Array Qty="0009" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100090400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
      </Structure>
```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100010600FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />

```

```
IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >

```

```
IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100020604FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020608FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0005" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100030601FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
```

```

        IDIS Reg No 0001 Kema_Report.txt
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030602FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030603FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >

```

```
IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100040601FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```
IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />

```



```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0100090607FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600715FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600709FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600714FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600713FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```
IDIS Reg No 0001 Kema_Report.txt
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100482000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100342000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0100202000FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342100FF" />
  <Structure Qty="0002" >

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0100482200FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100202200FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2300FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100482400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0100342400FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B04FF" />
    <Structure Qty="0002" >
      <Array Qty="0002" >
        <Structure Qty="0003" >
```



```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100481800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100341800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100470400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100330400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030700FF" />
    <Structure Qty="0002" >
      <Array Qty="0003" >
        <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0101090700FF" />
  <Structure Qty="0002" >

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="004A" />
  <Unsigned Value="00" />
  <OctetString Value="0000180600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0001180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0002180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
</Array>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0003180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0004180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        IDIS Reg No 0001 Kema_Report.txt
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0001180202FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0001180203FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
</Array>
```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0001180206FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0001180207FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >

```



```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```
IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0002180202FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >

```



```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0004180201FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0004180206FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0004600100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
        </Array>
        <Array Qty="0000" >
            </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0001600101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
        </Array>
        <Array Qty="0000" >
            </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0002600101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00010A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
```



```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0001180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0016" />
<Unsigned Value="00" />
<OctetString Value="00010F0001FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00020F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00030F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0004180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
    </Structure>
  </Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
</Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00040F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0013" />
  <Unsigned Value="01" />
  <OctetString Value="0000140000FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0000160000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0032" />
  <Unsigned Value="01" />
  <OctetString Value="00001A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000F" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0D" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0E" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0F" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0033" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0034" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0200FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0035" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0037" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0500FF" />
<Structure Qty="0002" >
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0038" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636205FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636206FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000150000FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0000620100FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0000636202FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="01" />
<OctetString Value="0000636201FF" />
<Structure Qty="0002" >
  <Array Qty="0008" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0001" >
        <Integer Value="01" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100636100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636204FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0001180300FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />

```

```
IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="01" />
<OctetString Value="0003180300FF" />
<Structure Qty="0002" >
  <Array Qty="0008" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0001" >
        <Integer Value="01" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0004180500FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636203FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100050801FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>

```



```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070808FF" />
    <Structure Qty="0002" >
      <Array Qty="0003" >
        <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080802FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0100080804FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100080806FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000160030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="0100470400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="0100330400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```



```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600105FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Array>

```

```
        IDIS Reg No 0001 Kema_Report.txt
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
</Array>
</_Data>
```

```
*****
Test Case 4 : Get mngmt object-list, 1 item(s)
*****
```

```
Mngmt Get Current association 0-0:40.0.0.255 (@9)
(1) .object_list
```

PASSED

```
<_Data>
  <Array Qty="0172" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <Unsigned Value="00" />
      <OctetString Value="0100010801FF" />
      <Structure Qty="0002" >
        <Array Qty="0003" >
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="01" />
            <Array Qty="0000" >
            </Array>
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="01" />
            <Array Qty="0000" >
            </Array>
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="03" />
            <Enum Value="01" />
            <Array Qty="0000" >
            </Array>
          </Structure>
        </Array>
      </Structure>
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010802FF" />
    <Structure Qty="0002" >
      <Array Qty="0003" >
        <Structure Qty="0003" >
          <Integer Value="01" />
          <Enum Value="01" />
          <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010808FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="01000F0802FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="01000F0804FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040805FF" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100040807FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100330700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100470700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />

```

```
IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100200700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100340700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100480700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0102000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A90101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A10200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A50100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
```



```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000150001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00500FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00702FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00703FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
</Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00704FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
</Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="0000A0065FF" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0001" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600900FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600981FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600680FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600603FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600602FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000618001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000618002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```



```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8003FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C06FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C05FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600404FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="00020F0000FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100000910FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00008C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000001FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000003FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000004FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000005FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```



```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100000006FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000007FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000008FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000009FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0011" />
  <Unsigned Value="00" />
  <OctetString Value="0000290000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="02" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="09" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0001 Kema_Report.txt
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00012B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000600100FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600103FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600104FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>

```



```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0008" />
  <Unsigned Value="00" />
  <OctetString Value="0000010000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="05" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="010000090BFF" />
<Structure Qty="0002" >
<Array Qty="0003" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0014" />
  <Unsigned Value="00" />
  <OctetString Value="00000D0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000B" />
  <Unsigned Value="00" />
  <OctetString Value="00000B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="00000F0000FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000060030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000061620AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D00FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0012" />
  <Unsigned Value="00" />
  <OctetString Value="00002C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="00000F0002FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0102000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```



```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100100800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100010400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```
IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="0100020400FF" />
<Structure Qty="0002" >
  <Array Qty="0009" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="03" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="03" />
    </Structure>
  </Array>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100030400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100040400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="0100090400FF" />
<Structure Qty="0002" >
<Array Qty="0009" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
```



IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100010608FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />

```



```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0100020601FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100020606FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
</Structure>
</Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030607FF" />

```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```



```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />

```

```
IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100090600FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
  </Structure>
</Array>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090604FF" />
  <Structure Qty="0002" >

```

```
<Array Qty="0005" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```



```

        IDIS Reg No 0001 Kema_Report.txt
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100090607FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100090608FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000600A02FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600715FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600709FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600714FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600713FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="01000C2700FF" />
<Structure Qty="0002" >
<Array Qty="0003" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="01000C2D00FF" />
<Structure Qty="0002" >
<Array Qty="0003" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100482000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100342000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Array>

```



```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2300FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100482400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100342400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482500FF" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100202500FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```



```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B04FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
        </Array>
        <Array Qty="0000" >
            </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100481800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
        </Array>
        <Array Qty="0000" >
            </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100341800FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100470400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100330400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="03" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```



```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0101090700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="004A" />
  <Unsigned Value="00" />
  <OctetString Value="0000180600FF" />
<Structure Qty="0002" >
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0001180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0002180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0003180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
```



IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0004180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="02" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180207FF" />

```





```
IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```



```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0003180202FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180206FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0005" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0004180201FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0004180202FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0004180203FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```



```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0004180205FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    </Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0004180206FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >

```

```
IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0001600100FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00010A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0001180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00010F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00020F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00030F0001FF" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0004180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00040F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0001600B04FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0013" />
  <Unsigned Value="01" />
  <OctetString Value="0000140000FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0000160000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0032" />
  <Unsigned Value="01" />
  <OctetString Value="00001A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000F" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0D" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0E" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0F" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0033" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0034" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0200FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0035" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0037" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0038" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636205FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636206FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
  </Structure>

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0000150000FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000620100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636202FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Array>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636201FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0100630200FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
```



IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0100636100FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636204FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >

```

```
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Array>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Structure>
  </Structure>
  <Structure Qty="0003" >
  </Structure>
</Structure>
```



IDIS Reg No 0001 Kema\_Report.txt

```
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0002180500FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636203FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Array>
  </Structure>
  </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Array>
  </Structure>
  </Array>
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060806FF" />
    <Structure Qty="0002" >
      <Array Qty="0003" >
        <Structure Qty="0003" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060808FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="0100070802FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0001 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100070804FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```
IDIS Reg No 0001 Kema_Report.txt
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000160030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
```

```

IDIS Reg No 0001 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100470400FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="0100330400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```



```

IDIS Reg No 0001 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600105FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</_Data>

```

```

*****
Test Case 5 : Get public attributes, 15 item(s)
*****

```

Public Get SAP Assignment 0-0:41.0.0.255 (@4)

```

(1) .logical_name
    PASSED
    <Data>
      <OctetString Value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list
    PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0001" />
          <OctetString Value="\ACE1010721444421" />
        </Structure>
      </Array>
    </Data>

```

Public Get Current association 0-0:40.0.0.255 (@9)

```

(3) .logical_name
    PASSED
    <Data>
      <OctetString Value="0000280000FF" />
    </Data>
(4) .associated_partners_id
    PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="10" />
        <LongUnsigned Value="0001" />
      </Structure>
    </Data>
(5) .application_context_name
    PASSED
    <Data>
      <Structure Qty="0007" >

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Unsigned Value="02" />
        <Unsigned Value="10" />
        <LongUnsigned Value="02F4" />
        <Unsigned Value="05" />
        <Unsigned Value="08" />
        <Unsigned Value="01" />
        <Unsigned Value="01" />
    </Structure>
</Data>
(6) .xDLMS_context_info
    PASSED
    <Data>
        <Structure Qty="0006" >
            <BitString Value="000000000001001000010100" />
            <LongUnsigned Value="00EF" />
            <LongUnsigned Value="00EF" />
            <Unsigned Value="06" />
            <Integer Value="00" />
            <OctetString Value="000000000000" />
        </Structure>
    </Data>
(7) .authentication_mechanism_name
    PASSED
    <Data>
        <Structure Qty="0007" >
            <Unsigned Value="02" />
            <Unsigned Value="10" />
            <LongUnsigned Value="02F4" />
            <Unsigned Value="05" />
            <Unsigned Value="08" />
            <Unsigned Value="02" />
            <Unsigned Value="00" />
        </Structure>
    </Data>
(8) .association_status
    PASSED
    <Data>
        <Enum Value="02" />
    </Data>
(9) .security_setup_reference
    PASSED
    <Data>
        <OctetString Value="00002B0000FF" />
    </Data>

```

Public Get Security - Receive frame counter - broadcast key  
0-0:43.1.1.255 (@33)

```

(10) .logical_name
    PASSED
    <Data>
        <OctetString Value="00002B0101FF" />
    </Data>
(11) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />

```

IDIS Reg No 0001 Kema\_Report.txt  
</Data>

Public Get Security - Receive frame counter - unicast key  
0-0:43.1.0.255 (@37)

(12) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00002B0100FF" />  
</Data>  
(13) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="027D71FA" />  
</Data>

Public Get COSEM logical device name 0-0:42.0.0.255 (@42)

(14) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00002A0000FF" />  
</Data>  
(15) .value  
PASSED  
<Data>  
<OctetString Value="\ACE1010721444421" />  
</Data>

\*\*\*\*\*  
Test Case 6 : Get mngmt attributes, 1127 item(s)  
\*\*\*\*\*

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)

(1) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000290000FF" />  
</Data>  
(2) .SAP\_assignment\_list  
PASSED  
<Data>  
<Array Qty="0001" >  
<Structure Qty="0002" >  
<LongUnsigned Value="0001" />  
<OctetString Value="\ACE1010721444421" />  
</Structure>  
</Array>  
</Data>

Mngmt Get Current association 0-0:40.0.0.255 (@9)

(3) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000280000FF" />  
</Data>  
(4) .associated\_partners\_id  
PASSED

```

<Data>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <LongUnsigned Value="0001" />
  </Structure>
</Data>
(5) .application_context_name
    PASSED
  <Data>
    <Structure Qty="0007" >
      <Unsigned Value="02" />
      <Unsigned Value="10" />
      <LongUnsigned Value="02F4" />
      <Unsigned Value="05" />
      <Unsigned Value="08" />
      <Unsigned Value="01" />
      <Unsigned Value="03" />
    </Structure>
  </Data>
(6) .xDLMS_context_info
    PASSED
  <Data>
    <Structure Qty="0006" >
      <BitString Value="000000000001101000011101" />
      <LongUnsigned Value="00EF" />
      <LongUnsigned Value="00EF" />
      <Unsigned Value="06" />
      <Integer Value="00" />
      <OctetString Value="000000000000" />
    </Structure>
  </Data>
(7) .authentication_mechanism_name
    PASSED
  <Data>
    <Structure Qty="0007" >
      <Unsigned Value="02" />
      <Unsigned Value="10" />
      <LongUnsigned Value="02F4" />
      <Unsigned Value="05" />
      <Unsigned Value="08" />
      <Unsigned Value="02" />
      <Unsigned Value="05" />
    </Structure>
  </Data>
(8) .association_status
    PASSED
  <Data>
    <Enum Value="02" />
  </Data>
(9) .security_setup_reference
    PASSED
  <Data>
    <OctetString Value="00002B0000FF" />
  </Data>

```

- (10) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00002B0000FF" />  
</Data>
- (11) .security\_policy  
PASSED  
<Data>  
<Enum Value="00" />  
</Data>
- (12) .security\_suite  
PASSED  
<Data>  
<Enum Value="00" />  
</Data>
- (13) .client\_system\_title  
PASSED  
<Data>  
<OctetString Value="4C475A4954000002" />  
</Data>
- (14) .server\_system\_title  
PASSED  
<Data>  
<OctetString Value="\ACEeqG7E" />  
</Data>

Mngmt Get Security - Receive frame counter - broadcast key  
0-0:43.1.1.255 (@33)

- (15) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00002B0101FF" />  
</Data>
- (16) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

Mngmt Get Security - Receive frame counter - unicast key  
0-0:43.1.0.255 (@37)

- (17) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00002B0100FF" />  
</Data>
- (18) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="027D7380" />  
</Data>

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)

- (19) .logical\_name  
PASSED  
<Data>

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="00002A0000FF" />
    </Data>
(20) .value
        PASSED
        <Data>
            <OctetString Value="\ACE1010721444421" />
        </Data>

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255
(@46)
(21) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600100FF" />
        </Data>
(22) .value
        PASSED
        <Data>
            <OctetString Value="\0000000085003492" />
        </Data>

Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)
(23) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600101FF" />
        </Data>
(24) .value
        PASSED
        <Data>
            <OctetString Value="\E-meter equipment identifier" />
        </Data>

Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)
(25) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600102FF" />
        </Data>
(26) .value
        PASSED
        <Data>
            <OctetString Value="\Function location" />
        </Data>

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)
(27) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600103FF" />
        </Data>
(28) .value
        PASSED
        <Data>
            <OctetString Value="\Location information" />
        </Data>

```

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)

```
(29) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600104FF" />
      </Data>
(30) .value
      PASSED
      <Data>
        <OctetString Value="\General purpose identification"
/>
      </Data>
```

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)

```
(31) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600105FF" />
      </Data>
(32) .value
      PASSED
      <Data>
        <OctetString Value="\IDIS_CERTIF" />
      </Data>
```

Mngmt Get Currently active energy tariff 0-0:96.14.0.255 (@70)

```
(33) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600E00FF" />
      </Data>
(34) .value
      PASSED
      <Data>
        <OctetString Value="\TARIFF01" />
      </Data>
```

Mngmt Get Clock 0-0:1.0.0.255 (@75)

```
(35) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000010000FF" />
      </Data>
(36) .time
      PASSED
      <Data>
        <OctetString Value="07DB070C0210333100FF8780" />
      </Data>
(37) .time_zone
      PASSED
      <Data>
        <Long Value="FFC4" />
      </Data>
(38) .status
```



```

                IDIS Reg No 0001 Kema_Report.txt
                PASSED
                <Data>
                <Unsigned Value="80" />
                </Data>
(39) .daylights_savings_begin
                PASSED
                <Data>
                <OctetString Value="FFFF03FE07020000008000FF" />
                </Data>
(40) .daylights_savings_end
                PASSED
                <Data>
                <OctetString Value="FFFF0AFE07030000008000FF" />
                </Data>
(41) .daylights_savings_deviation
                PASSED
                <Data>
                <Integer Value="3C" />
                </Data>
(42) .daylights_savings_enabled
                PASSED
                <Data>
                <Bool Value="01" />
                </Data>
(43) .clock_base
                PASSED
                <Data>
                <Enum Value="01" />
                </Data>

```

Mngmt Get Local Time 1-0:0.9.1.255 (@86)

```

(44) .logical_name
                INAPPLICABLE
                Optional object is not implemented
(45) .value
                INAPPLICABLE
                Optional object is not implemented

```

Mngmt Get Local Date 1-0:0.9.2.255 (@90)

```

(46) .logical_name
                INAPPLICABLE
                Optional object is not implemented
(47) .value
                INAPPLICABLE
                Optional object is not implemented

```

Mngmt Get Clock Time Shift Limit 1-0:0.9.11.255 (@94)

```

(48) .logical_name
                PASSED
                <Data>
                <OctetString Value="010000090BFF" />
                </Data>
(49) .value
                PASSED
                <Data>
                <Unsigned Value="3C" />

```

```
</Data>
(50) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Activity Calendar 0-0:13.0.0.255 (@100)
(51) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000D0000FF" />
    </Data>
(52) .calendar_name_active
    PASSED
    <Data>
        <OctetString Value="\CALENDAR_____ " />
    </Data>
(53) .season_profile_active
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFF0101FF000000008000FF" />
                <OctetString Value="01" />
            </Structure>
        </Array>
    </Data>
(54) .week_profile_table_active
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0008" >
                <OctetString Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
            </Structure>
        </Array>
    </Data>
(55) .day_profile_table_active
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="01" />
                <Array Qty="0001" >
                    <Structure Qty="0003" >
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="00000000" />
        <OctetString Value="00000A0064FF" />
        <LongUnsigned Value="0001" />
    </Structure>
</Array>
</Structure>
</Array>
</Data>
(56) .calendar_name_passive
    PASSED
    <Data>
        <OctetString Value="\CALENDAR_____ " />
    </Data>
(57) .season_profile_passive
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFF0101FF000000008000FF" />
                <OctetString Value="01" />
            </Structure>
        </Array>
    </Data>
(58) .week_profile_table_passive
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0008" >
                <OctetString Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
            </Structure>
        </Array>
    </Data>
(59) .day_profile_table_passive
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="01" />
                <Array Qty="0001" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0001" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(60) .activate_passive_calendar_time
      PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get Special Days Table 0-0:11.0.0.255 (@113)
(61) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000B0000FF" />
      </Data>
(62) .entries
      PASSED
      <Data>
        <Array Qty="0000" >
          </Array>
        </Data>

Mngmt Get Register activation - Energy 0-0:14.0.1.255 (@117)
(63) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000E0001FF" />
      </Data>
(64) .register_assignment
      PASSED
      <_Data>
        <Array Qty="0040" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010801FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010802FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010803FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010804FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010805FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010806FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010807FF" />
          </Structure>
        </Array>
      </_Data>

```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030805FF" />
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050803FF" />
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070801FF" />
</Structure>
```

```
IDIS Reg No 0001 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080807FF" />
</Structure>
```



```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080808FF" />
    </Structure>
</Array>
</_Data>
(65) .mask_list
    PASSED
<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF01" />
            <Array Qty="0008" >
                <Unsigned Value="01" />
                <Unsigned Value="09" />
                <Unsigned Value="11" />
                <Unsigned Value="19" />
                <Unsigned Value="21" />
                <Unsigned Value="29" />
                <Unsigned Value="31" />
                <Unsigned Value="39" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF02" />
            <Array Qty="0008" >
                <Unsigned Value="02" />
                <Unsigned Value="0A" />
                <Unsigned Value="12" />
                <Unsigned Value="1A" />
                <Unsigned Value="22" />
                <Unsigned Value="2A" />
                <Unsigned Value="32" />
                <Unsigned Value="3A" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF03" />
            <Array Qty="0008" >
                <Unsigned Value="03" />
                <Unsigned Value="0B" />
                <Unsigned Value="13" />
                <Unsigned Value="1B" />
                <Unsigned Value="23" />
                <Unsigned Value="2B" />
                <Unsigned Value="33" />
                <Unsigned Value="3B" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF04" />
            <Array Qty="0008" >
                <Unsigned Value="04" />
                <Unsigned Value="0C" />
                <Unsigned Value="14" />
            </Array>
        </Structure>
    </Array>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Unsigned Value="1C" />
        <Unsigned Value="24" />
        <Unsigned Value="2C" />
        <Unsigned Value="34" />
        <Unsigned Value="3C" />
    </Array>
</Structure>
</Array>
</Data>
(66) .active_mask
    PASSED
    <Data>
        <OctetString Value="\TARIFF01" />
    </Data>

```

Mngmt Get Register activation - Maximum Demand 0-0:14.0.2.255 (@123)

```

(67) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000E0002FF" />
    </Data>
(68) .register_assignment
    PASSED
    <_Data>
        <Array Qty="0028" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010601FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010602FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010603FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010604FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010605FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010606FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010607FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
            </Structure>
        </Array>
    </_Data>

```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="0100010608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="0100030606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="0100090604FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090605FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090606FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090607FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090608FF" />
    </Structure>
</Array>
</_Data>
(69) .mask_list
    PASSED
<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF01" />
            <Array Qty="0005" >
                <Unsigned Value="01" />
                <Unsigned Value="09" />
                <Unsigned Value="11" />
                <Unsigned Value="19" />
                <Unsigned Value="21" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF02" />
            <Array Qty="0005" >
                <Unsigned Value="02" />
                <Unsigned Value="0A" />
                <Unsigned Value="12" />
                <Unsigned Value="1A" />
                <Unsigned Value="22" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF03" />
            <Array Qty="0005" >
                <Unsigned Value="03" />
                <Unsigned Value="0B" />
                <Unsigned Value="13" />
                <Unsigned Value="1B" />
                <Unsigned Value="23" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF04" />

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Array Qty="0005" >
            <Unsigned Value="04" />
            <Unsigned Value="0C" />
            <Unsigned Value="14" />
            <Unsigned Value="1C" />
            <Unsigned Value="24" />
        </Array>
    </Structure>
</Array>
</Data>
(70) .active_mask
    PASSED
    <Data>
        <OctetString Value="\TARIFF01" />
    </Data>

Mngmt Get Tariffication script table 0-0:10.0.100.255 (@129)
(71) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000A0064FF" />
    </Data>
(72) .scripts
    PASSED
    <_Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0002" >
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0001FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF01" />
                    </Structure>
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0002FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF01" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0002" />
                <Array Qty="0002" >
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0001FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF02" />
                    </Structure>
                    <Structure Qty="0005" >

```

```

IDIS Reg No 0001 Kema_Report.txt
  <Enum Value="01" />
  <LongUnsigned Value="0006" />
  <OctetString Value="00000E0002FF" />
  <Integer Value="04" />
  <OctetString Value="\TARIFF02" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0002" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF03" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF03" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0002" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF04" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF04" />
    </Structure>
  </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Get Predefined Scripts - MDI reset / end of billing  
period 0-0:10.0.1.255 (@135)

(73) .logical\_name  
PASSED

```

<Data>
  <OctetString Value="00000A0001FF" />
</Data>

```

IDIS Reg No 0001 Kema\_Report.txt

(74) .scripts  
INAPPLICABLE  
Optional access right not available

Mngmt Get End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(75) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00000F0000FF" />  
</Data>  
(76) .executed\_script  
PASSED  
<Data>  
<Structure Qty="0002" >  
<OctetString Value="00000A0001FF" />  
<LongUnsigned Value="0001" />  
</Structure>  
</Data>  
(77) .type  
PASSED  
<Data>  
<Enum Value="01" />  
</Data>  
(78) .execution\_time  
PASSED  
<Data>  
<Array Qty="0001" >  
<Structure Qty="0002" >  
<OctetString Value="00000000" />  
<OctetString Value="FFFFFF01FF" />  
</Structure>  
</Array>  
</Data>

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)

(79) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000620100FF" />  
</Data>  
(80) .capture\_objects  
PASSED  
<Data>  
<Array Qty="0005" >  
<Structure Qty="0004" >  
<LongUnsigned Value="0008" />  
<OctetString Value="0000010000FF" />  
<Integer Value="02" />  
<LongUnsigned Value="0000" />  
</Structure>  
<Structure Qty="0004" >  
<LongUnsigned Value="0003" />  
<OctetString Value="0100010801FF" />  
<Integer Value="02" />  
<LongUnsigned Value="0000" />  
</Structure>  
</Array>  
</Data>



```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(81) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(82) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(83) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(84) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000006" />
    </Data>
(85) .profile_entries
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000012" />
    </Data>

Mngmt Get Disconnect control scheduler 0-0:15.0.1.255 (@158)
(86) .logical_name
    PASSED
    <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="00000F0001FF" />
    </Data>
(87) .executed_script
        PASSED
    <Data>
        <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>
(88) .type
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(89) .execution_time
        PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="FFFFFFFF" />
                <OctetString Value="FFFFFFFFFFFF" />
            </Structure>
        </Array>
    </Data>

Mngmt Get Disconnecter script table 0-0:10.0.106.255 (@164)
(90) .logical_name
        PASSED
    <Data>
        <OctetString Value="00000A006AFF" />
    </Data>
(91) .scripts
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                        <LongUnsigned Value="0046" />
                        <OctetString Value="000060030AFF" />
                        <Integer Value="01" />
                        <Integer Value="00" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0002" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                        <LongUnsigned Value="0046" />
                        <OctetString Value="000060030AFF" />
                        <Integer Value="02" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

```

```
        IDIS Reg No 0001 Kema_Report.txt
        <Integer Value="00" />
    </Structure>
</Array>
</Structure>
</Array>
</Data>
```

Mngmt Get Disconnect control 0-0:96.3.10.255 (@169)

```
(92) .logical_name
    PASSED
    <Data>
        <OctetString Value="000060030AFF" />
    </Data>
(93) .output_state
    PASSED
    <Data>
        <Bool Value="00" />
    </Data>
(94) .control_state
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(95) .control_mode
    PASSED
    <Data>
        <Enum Value="06" />
    </Data>
```

Mngmt Get Event Object - Disconnect Control log  
0-0:96.11.2.255 (@177)

```
(96) .logical_name
    PASSED
    <Data>
        <OctetString Value="0000600B02FF" />
    </Data>
(97) .value
    PASSED
    <Data>
        <Enum Value="44" />
    </Data>
```

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)

```
(98) .logical_name
    PASSED
    <Data>
        <OctetString Value="0000636202FF" />
    </Data>
(99) .capture_objects
    PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0047" />
        <OctetString Value="0000110000FF" />
        <Integer Value="03" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(100) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(101) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(102) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(103) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000008" />
    </Data>
(104) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000002A" />
    </Data>

Mngmt Get Load Mgmt script table 0-0:10.0.103.255 (@192)
(105) .logical_name
        PASSED
    <Data>
        <OctetString Value="00000A0067FF" />
    </Data>
(106) .scripts
        PASSED
    <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    <Array Qty="0002" >
        <Structure Qty="0002" >
            <LongUnsigned Value="0001" />
            <Array Qty="0001" >
                <Structure Qty="0005" >
                    <Enum Value="02" />
                    <LongUnsigned Value="0046" />
                    <OctetString Value="000160030AFF" />
                    <Integer Value="01" />
                    <Integer Value="00" />
                </Structure>
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <LongUnsigned Value="0002" />
            <Array Qty="0001" >
                <Structure Qty="0005" >
                    <Enum Value="02" />
                    <LongUnsigned Value="0046" />
                    <OctetString Value="000160030AFF" />
                    <Integer Value="02" />
                    <Integer Value="00" />
                </Structure>
            </Array>
        </Structure>
    </Array>
</Data>

```

Mngmt Get Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)

(107) .logical\_name  
PASSED

```

    <Data>
        <OctetString Value="000160030AFF" />
    </Data>

```

(108) .output\_state  
PASSED

```

    <Data>
        <Bool Value="00" />
    </Data>

```

(109) .control\_state  
PASSED

```

    <Data>
        <Enum Value="00" />
    </Data>

```

(110) .control\_mode  
PASSED

```

    <Data>
        <Enum Value="06" />
    </Data>

```

Mngmt Get Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)

(111) .logical\_name  
INAPPLICABLE

Optional object is not implemented

(112) .output\_state  
INAPPLICABLE

```

                IDIS Reg No 0001 Kema_Report.txt
Optional object is not implemented
(113) .control_state
        INAPPLICABLE
Optional object is not implemented
(114) .control_mode
        INAPPLICABLE
Optional object is not implemented

Mngmt Get Limiter 0-0:17.0.0.255 (@213)
(115) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000110000FF" />
        </Data>
(116) .monitored_value
        PASSED
        <Data>
            <Structure Qty="0003" >
                <LongUnsigned Value="0003" />
                <OctetString Value="01005A0700FF" />
                <Integer Value="02" />
            </Structure>
        </Data>
(117) .threshold_active
        PASSED
        <Data>
            <LongUnsigned Value="0000" />
        </Data>
(118) .threshold_normal
        PASSED
        <Data>
            <LongUnsigned Value="0000" />
        </Data>
(119) .treshold_emergency
        PASSED
        <Data>
            <LongUnsigned Value="0000" />
        </Data>
(120) .min_over_threshold_duration
        PASSED
        <Data>
            <DoubleLongUnsigned Value="000000B4" />
        </Data>
(121) .min_under_threshold_duration
        PASSED
        <Data>
            <DoubleLongUnsigned Value="000000B4" />
        </Data>
(122) .emergency_profile
        PASSED
        <Data>
            <Structure Qty="0003" >
                <LongUnsigned Value="0000" />
                <OctetString Value="07D0010106000000008000FF" />
                <DoubleLongUnsigned Value="00000001" />
            </Structure>

```

```

</Data>
(123) .emergency_profile_group_id_list
      PASSED
      <Data>
        <Array Qty="0003" >
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
        </Array>
      </Data>
(124) .emergency_profile_active
      PASSED
      <Data>
        <Bool Value="00" />
      </Data>
(125) .actions
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0001" />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Structure>
      </Data>

```

Mngmt Get Supervision monitor 1 - Fuse supervision L1  
 1-0:31.4.0.255 (@226)

```

(126) .logical_name
      PASSED
      <Data>
        <OctetString Value="01001F0400FF" />
      </Data>
(127) .thresholds
      PASSED
      <Data>
        <Array Qty="0001" >
          <DoubleLongUnsigned Value="00000000" />
        </Array>
      </Data>
(128) .monitored_value
      PASSED
      <Data>
        <Structure Qty="0003" >
          <LongUnsigned Value="0005" />
          <OctetString Value="01001F0400FF" />
          <Integer Value="02" />
        </Structure>
      </Data>
(129) .actions
      PASSED
      <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Structure>
    </Array>
</Data>

```

Mngmt Get Supervision monitor 2 - Fuse supervision L2  
1-0:51.4.0.255 (@232)

```

(130) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100330400FF" />
    </Data>
(131) .thresholds
        PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000000" />
        </Array>
    </Data>
(132) .monitored_value
        PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0005" />
            <OctetString Value="0100330400FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(133) .actions
        PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0001" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Structure>
        </Array>
    </Data>

```

Mngmt Get Supervision monitor 3 - Fuse supervision L3  
1-0:71.4.0.255 (@238)



```

IDIS Reg No 0001 Kema_Report.txt
(134) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100470400FF" />
      </Data>
(135) .thresholds
      PASSED
      <Data>
        <Array Qty="0001" >
          <DoubleLongUnsigned Value="00000000" />
        </Array>
      </Data>
(136) .monitored_value
      PASSED
      <Data>
        <Structure Qty="0003" >
          <LongUnsigned Value="0005" />
          <OctetString Value="0100470400FF" />
          <Integer Value="02" />
        </Structure>
      </Data>
(137) .actions
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
              <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
              <LongUnsigned Value="0000" />
            </Structure>
          </Structure>
        </Array>
      </Data>

Mngmt Get Error Register 0-0:97.97.0.255 (@245)
(138) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000616100FF" />
      </Data>
(139) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>

Mngmt Get Alarm Register 0-0:97.98.0.255 (@249)
(140) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000616200FF" />
      </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(141) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>

Mngmt Get Alarm Filter 0-0:97.98.10.255 (@253)
(142) .logical_name
      PASSED
      <Data>
        <OctetString Value="000061620AFF" />
      </Data>
(143) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>

Mngmt Get Event Object - Standard Event Log 0-0:96.11.0.255
(@257)
(144) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600B00FF" />
      </Data>
(145) .value
      PASSED
      <Data>
        <Enum Value="02" />
      </Data>

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)
(146) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000636200FF" />
      </Data>
(147) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600B00FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(148) .capture_period

```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(149) .sort_method
      PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(150) .sort_object
      PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0000" />
      <OctetString Value="000000000000" />
      <Integer Value="00" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(151) .entries_in_use
      PASSED
  <Data>
    <DoubleLongUnsigned Value="0000001F" />
  </Data>
(152) .profile_entries
      PASSED
  <Data>
    <DoubleLongUnsigned Value="0000010C" />
  </Data>
```

Mngmt Get Event Object - Fraud Detection Log 0-0:96.11.1.255  
(@272)

```
(153) .logical_name
      PASSED
  <Data>
    <OctetString Value="0000600B01FF" />
  </Data>
(154) .value
      PASSED
  <Data>
    <Enum Value="FF" />
  </Data>
```

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)

```
(155) .logical_name
      PASSED
  <Data>
    <OctetString Value="0000636201FF" />
  </Data>
(156) .capture_objects
      PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(157) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(158) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(159) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(160) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000006" />
    </Data>
(161) .profile_entries
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000056" />
    </Data>

Mngmt Get Consumer Message Text 0-0:96.13.0.255 (@288)
(162) .logical_name
    PASSED
    <Data>
        <OctetString Value="0000600D00FF" />
    </Data>
(163) .value
    PASSED
    <Data>
        <OctetString Value="\ " />
    </Data>

Mngmt Get Consumer Message Code 0-0:96.13.1.255 (@292)
(164) .logical_name

```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>
  <OctetString Value="0000600D01FF" />
</Data>
(165) .value
      PASSED
      <Data>
        <OctetString Value="\\" />
      </Data>

Mngmt Get Image transfer 0-0:44.0.0.255 (@297)
(166) .logical_name
      PASSED
      <Data>
        <OctetString Value="00002C0000FF" />
      </Data>
(167) .image_block_size
      PASSED
      <Data>
        <DoubleLongUnsigned Value="000000A8" />
      </Data>
(168) .image_transferred_block_status
      PASSED
      <Data>
        <BitString Value="" />
      </Data>
(169) .image_first_not_transferred_block_number
      PASSED
      <Data>
        <DoubleLongUnsigned Value="FFFFFFFF" />
      </Data>
(170) .image_transfer_enabled
      PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(171) .image_transfer_status
      PASSED
      <Data>
        <Enum Value="00" />
      </Data>
(172) .image_to_activate_info
      PASSED
      <Data>
        <Array Qty="0000" >
          </Array>
      </Data>
```

```
Mngmt Get Image transfer activation scheduler 0-0:15.0.2.255
(@310)
(173) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000F0002FF" />
      </Data>
(174) .executed_script
```

```

        IDIS Reg No 0001 Kema_Report.txt
        PASSED
    <Data>
        <Structure Qty="0002" >
            <OctetString Value="00000A006BFF" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>
(175) .type
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(176) .execution_time
        PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="17370000" />
                <OctetString Value="07FE0C01FF" />
            </Structure>
        </Array>
    </Data>

Mngmt Get Predefined Scripts - Image activation
0-0:10.0.107.255 (@316)
(177) .logical_name
        PASSED
    <Data>
        <OctetString Value="00000A006BFF" />
    </Data>
(178) .scripts
        INAPPLICABLE
        Optional access right not available

Mngmt Get Active firmware version 1-0:0.2.0.255 (@321)
(179) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100000200FF" />
    </Data>
(180) .value
        PASSED
    <Data>
        <OctetString Value="330301010102" />
    </Data>

Mngmt Get Active firmware version signature 1-0:0.2.8.255
(@325)
(181) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100000208FF" />
    </Data>
(182) .value
        PASSED
    <Data>

```

```
                IDIS Reg No 0001 Kema_Report.txt
                <OctetString Value="4784F221" />
            </Data>
```

Mngmt Get Active firmware version 1 1-1:0.2.0.255 (@329)

```
(183) .logical_name
        PASSED
        <Data>
            <OctetString Value="0101000200FF" />
        </Data>
```

```
(184) .value
        PASSED
        <Data>
            <OctetString Value="330302010100" />
        </Data>
```

Mngmt Get Active firmware version signature 1 1-1:0.2.8.255 (@333)

```
(185) .logical_name
        PASSED
        <Data>
            <OctetString Value="0101000208FF" />
        </Data>
```

```
(186) .value
        PASSED
        <Data>
            <OctetString Value="F6B03FC4" />
        </Data>
```

Mngmt Get Active firmware version 2 1-2:0.2.0.255 (@337)

```
(187) .logical_name
        PASSED
        <Data>
            <OctetString Value="0102000200FF" />
        </Data>
```

```
(188) .value
        PASSED
        <Data>
            <OctetString Value="300003000A16" />
        </Data>
```

Mngmt Get Active firmware version signature 2 1-2:0.2.8.255 (@341)

```
(189) .logical_name
        PASSED
        <Data>
            <OctetString Value="0102000208FF" />
        </Data>
```

```
(190) .value
        PASSED
        <Data>
            <OctetString Value="2A595F0A" />
        </Data>
```

Mngmt Get Active energy import (+A) 1-0:1.8.0.255 (@346)

```
(191) .logical_name
        PASSED
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Data>
  <OctetString Value="0100010800FF" />
</Data>
(192) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(193) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>
```

Mngmt Get Active energy export (-A) 1-0:2.8.0.255 (@352)

```
(194) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100020800FF" />
  </Data>
(195) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(196) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>
```

Mngmt Get Active energy (|+A|+|-A|)

Combined total 1-0:15.8.0.255 (@358)

```
(197) .logical_name
      PASSED
  <Data>
    <OctetString Value="01000F0800FF" />
  </Data>
(198) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(199) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
```



IDIS Reg No 0001 Kema\_Report.txt  
</Data>

Mngmt Get Active energy (|+A|-|-A|)  
Combined total 1-0:16.8.0.255 (@364)

(200) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100100800FF" />  
</Data>  
(201) .value  
PASSED  
<Data>  
<DoubleLong Value="00000000" />  
</Data>  
(202) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="1E" />  
</Structure>  
</Data>

Mngmt Get Reactive energy QI (+Ri) 1-0:5.8.0.255 (@370)

(203) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100050800FF" />  
</Data>  
(204) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>  
(205) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="20" />  
</Structure>  
</Data>

Mngmt Get Reactive energy QII (+Rc) 1-0:6.8.0.255 (@376)

(206) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100060800FF" />  
</Data>  
(207) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>  
(208) .scaler\_unit  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>
```

Mngmt Get Reactive energy QIII (-Ri) 1-0:7.8.0.255 (@382)

(209) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0100070800FF" />
</Data>
```

(210) .value  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(211) .scaler\_unit  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>
```

Mngmt Get Reactive energy QIV (-Rc) 1-0:8.8.0.255 (@388)

(212) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0100080800FF" />
</Data>
```

(213) .value  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(214) .scaler\_unit  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>
```

Mngmt Get Reactive energy import (+R)

(QI+QII) 1-0:3.8.0.255 (@394)

(215) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0100030800FF" />
</Data>
```

(216) .value  
PASSED

IDIS Reg No 0001 Kema\_Report.txt

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(217) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>
```

Mngmt Get Reactive energy export (-R)

(QIII+QIV) 1-0:4.8.0.255 (@400)

```
(218) .logical_name
      PASSED
<Data>
  <OctetString Value="0100040800FF" />
</Data>
(219) .value
      PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(220) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>
```

Mngmt Get Apparent energy import (+VA)

(QI+QIV) 1-0:9.8.0.255 (@406)

```
(221) .logical_name
      PASSED
<Data>
  <OctetString Value="0100090800FF" />
</Data>
(222) .value
      PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(223) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1F" />
  </Structure>
</Data>
```

Mngmt Get Apparent energy export (-VA)

(QII+QIII) 1-0:10.8.0.255 (@412)

```

IDIS Reg No 0001 Kema_Report.txt
(224) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(225) .value
        INAPPLICABLE
        Optional object is not implemented
(226) .scaler_unit
        INAPPLICABLE
        Optional object is not implemented

Mngmt Get Active energy import (+A) rate 1 1-0:1.8.1.255 (@419)
(227) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100010801FF" />
        </Data>
(228) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(229) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1E" />
            </Structure>
        </Data>

Mngmt Get Active energy import (+A) rate 2 1-0:1.8.2.255 (@425)
(230) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100010802FF" />
        </Data>
(231) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(232) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1E" />
            </Structure>
        </Data>

Mngmt Get Active energy import (+A) rate 3 1-0:1.8.3.255 (@431)
(233) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100010803FF" />
        </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(234) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(235) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Active energy import (+A) rate 4 1-0:1.8.4.255 (@437)
(236) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010804FF" />
      </Data>
(237) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(238) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Active energy export (-A) rate 1 1-0:2.8.1.255 (@443)
(239) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020801FF" />
      </Data>
(240) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(241) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Active energy export (-A) rate 2 1-0:2.8.2.255 (@449)
(242) .logical_name

```

```

        IDIS Reg No 0001 Kema_Report.txt
        PASSED
    <Data>
        <OctetString Value="0100020802FF" />
    </Data>
(243) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(244) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 3 1-0:2.8.3.255 (@455)
(245) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100020803FF" />
    </Data>
(246) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(247) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 4 1-0:2.8.4.255 (@461)
(248) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100020804FF" />
    </Data>
(249) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(250) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Data>

Mngmt Get Reactive energy (+R) rate 1 1-0:3.8.1.255 (@467)
(251) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100030801FF" />
        </Data>
(252) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(253) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>

Mngmt Get Reactive energy (+R) rate 2 1-0:3.8.2.255 (@473)
(254) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100030802FF" />
        </Data>
(255) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(256) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>

Mngmt Get Reactive energy (+R) rate 3 1-0:3.8.3.255 (@479)
(257) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100030803FF" />
        </Data>
(258) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(259) .scaler_unit
        PASSED
        <Data>

```

```
                IDIS Reg No 0001 Kema_Report.txt
                <Structure Qty="0002" >
                  <Integer Value="00" />
                  <Enum Value="20" />
                </Structure>
            </Data>
```

Mngmt Get Reactive energy (+R) rate 4 1-0:3.8.4.255 (@485)

```
(260) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100030804FF" />
        </Data>
(261) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(262) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
          </Structure>
        </Data>
```

Mngmt Get Reactive energy (-R) rate 1 1-0:4.8.1.255 (@491)

```
(263) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100040801FF" />
        </Data>
(264) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(265) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
          </Structure>
        </Data>
```

Mngmt Get Reactive energy (-R) rate 2 1-0:4.8.2.255 (@497)

```
(266) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100040802FF" />
        </Data>
(267) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
```



```

    </Data>
(268) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (-R) rate 3 1-0:4.8.3.255 (@503)
(269) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100040803FF" />
    </Data>
(270) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(271) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (-R) rate 4 1-0:4.8.4.255 (@509)
(272) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100040804FF" />
    </Data>
(273) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(274) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QI) rate 1 1-0:5.8.1.255 (@515)
(275) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100050801FF" />
    </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(276) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(277) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QI) rate 2 1-0:5.8.2.255 (@521)
(278) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100050802FF" />
      </Data>
(279) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(280) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QI) rate 3 1-0:5.8.3.255 (@527)
(281) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100050803FF" />
      </Data>
(282) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(283) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QI) rate 4 1-0:5.8.4.255 (@533)
(284) .logical_name

```

```

        IDIS Reg No 0001 Kema_Report.txt
        PASSED
    <Data>
        <OctetString Value="0100050804FF" />
    </Data>
(285) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(286) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QII) rate 1 1-0:6.8.1.255 (@539)
(287) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100060801FF" />
    </Data>
(288) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(289) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QII) rate 2 1-0:6.8.2.255 (@545)
(290) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100060802FF" />
    </Data>
(291) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(292) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Data>

Mngmt Get Reactive energy (QII) rate 3 1-0:6.8.3.255 (@551)
(293) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100060803FF" />
        </Data>
(294) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(295) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>

Mngmt Get Reactive energy (QII) rate 4 1-0:6.8.4.255 (@557)
(296) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100060804FF" />
        </Data>
(297) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(298) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>

Mngmt Get Reactive energy (QIII) rate 1 1-0:7.8.1.255 (@563)
(299) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100070801FF" />
        </Data>
(300) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(301) .scaler_unit
        PASSED
        <Data>

```

```
        IDIS Reg No 0001 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy (QIII) rate 2 1-0:7.8.2.255 (@569)

```
(302) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100070802FF" />
        </Data>
(303) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(304) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
          </Structure>
        </Data>
```

Mngmt Get Reactive energy (QIII) rate 3 1-0:7.8.3.255 (@575)

```
(305) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100070803FF" />
        </Data>
(306) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(307) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
          </Structure>
        </Data>
```

Mngmt Get Reactive energy (QIII) rate 4 1-0:7.8.4.255 (@581)

```
(308) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100070804FF" />
        </Data>
(309) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
```

```
    </Data>
(310) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 1 1-0:8.8.1.255 (@587)
(311) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100080801FF" />
    </Data>
(312) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(313) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 2 1-0:8.8.2.255 (@593)
(314) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100080802FF" />
    </Data>
(315) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(316) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 3 1-0:8.8.3.255 (@599)
(317) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100080803FF" />
    </Data>
```

IDIS Reg No 0001 Kema\_Report.txt

```
(318) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(319) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy (QIV) rate 4 1-0:8.8.4.255 (@605)

```
(320) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100080804FF" />
      </Data>
(321) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(322) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Apparent energy import (+VA) rate 1 1-0:9.8.1.255 (@611)

```
(323) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(324) .value
      INAPPLICABLE
      Optional object is not implemented
(325) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Get Apparent energy import (+VA) rate 2 1-0:9.8.2.255 (@617)

```
(326) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(327) .value
      INAPPLICABLE
      Optional object is not implemented
(328) .scaler_unit
      INAPPLICABLE
```

Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 3 1-0:9.8.3.255  
(@623)

(329) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(330) .value  
INAPPLICABLE  
Optional object is not implemented  
(331) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 4 1-0:9.8.4.255  
(@629)

(332) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(333) .value  
INAPPLICABLE  
Optional object is not implemented  
(334) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 1 1-0:10.8.1.255  
(@635)

(335) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(336) .value  
INAPPLICABLE  
Optional object is not implemented  
(337) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 2 1-0:10.8.2.255  
(@641)

(338) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(339) .value  
INAPPLICABLE  
Optional object is not implemented  
(340) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 3 1-0:10.8.3.255  
(@647)

(341) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(342) .value



```

                IDIS Reg No 0001 Kema_Report.txt
                INAPPLICABLE
    Optional object is not implemented
(343) .scaler_unit
                INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 4 1-0:10.8.4.255
(@653)
(344) .logical_name
                INAPPLICABLE
    Optional object is not implemented
(345) .value
                INAPPLICABLE
    Optional object is not implemented
(346) .scaler_unit
                INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 1
1-0:15.8.1.255 (@659)
(347) .logical_name
                PASSED
                <Data>
                <OctetString Value="01000F0801FF" />
                </Data>
(348) .value
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000000" />
                </Data>
(349) .scaler_unit
                PASSED
                <Data>
                <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1E" />
                </Structure>
                </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 2
1-0:15.8.2.255 (@665)
(350) .logical_name
                PASSED
                <Data>
                <OctetString Value="01000F0802FF" />
                </Data>
(351) .value
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000000" />
                </Data>
(352) .scaler_unit
                PASSED
                <Data>
                <Structure Qty="0002" >
                <Integer Value="00" />

```

```
        IDIS Reg No 0001 Kema_Report.txt
        <Enum Value="1E" />
    </Structure>
</Data>
```

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 3  
1-0:15.8.3.255 (@671)

```
(353) .logical_name
        PASSED
    <Data>
        <OctetString Value="01000F0803FF" />
    </Data>
(354) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(355) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>
```

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 4  
1-0:15.8.4.255 (@677)

```
(356) .logical_name
        PASSED
    <Data>
        <OctetString Value="01000F0804FF" />
    </Data>
(357) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(358) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>
```

Mngmt Get Demand Register 1 - Active energy import (+A)  
1-0:1.4.0.255 (@684)

```
(359) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100010400FF" />
    </Data>
(360) .current_average_value
        PASSED
    <Data>
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(361) .last_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(362) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1B" />
            </Structure>
        </Data>
(363) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(364) .capture_time
        PASSED
        <Data>
            <OctetString Value="07DB070C02110000008000FF" />
        </Data>
(365) .start_time_current
        PASSED
        <Data>
            <OctetString Value="07DB070C02110000008000FF" />
        </Data>
(366) .period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000384" />
        </Data>
(367) .number_of_periods
        PASSED
        <Data>
            <LongUnsigned Value="0001" />
        </Data>

```

Mngmt Get Demand Register 2 - Active energy export (-A)  
1-0:2.4.0.255 (@697)

```

(368) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100020400FF" />
        </Data>
(369) .current_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(370) .last_average_value
        PASSED
        <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(371) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1B" />
            </Structure>
        </Data>
(372) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(373) .capture_time
        PASSED
        <Data>
            <OctetString Value="07DB070C02110000008000FF" />
        </Data>
(374) .start_time_current
        PASSED
        <Data>
            <OctetString Value="07DB070C02110000008000FF" />
        </Data>
(375) .period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000384" />
        </Data>
(376) .number_of_periods
        PASSED
        <Data>
            <LongUnsigned Value="0001" />
        </Data>

```

Mngmt Get Demand Register 3 - Reactive energy import (+R)  
1-0:3.4.0.255 (@710)

```

(377) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100030400FF" />
        </Data>
(378) .current_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(379) .last_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(380) .scaler_unit
        PASSED
        <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(381) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(382) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DB070C02110000008000FF" />
      </Data>
(383) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DB070C02110000008000FF" />
      </Data>
(384) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>
(385) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>

```

Mngmt Get Demand Register 4 - Reactive energy export (-R)  
 1-0:4.4.0.255 (@723)

```

(386) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040400FF" />
      </Data>
(387) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(388) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(389) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(390) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(391) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DB070C02110000008000FF" />
      </Data>
(392) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DB070C02110000008000FF" />
      </Data>
(393) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>
(394) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>

```

Mngmt Get Demand Register 5 - Apparent energy import (+VA)  
1-0:9.4.0.255 (@736)

```

(395) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100090400FF" />
      </Data>
(396) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(397) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(398) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(399) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(400) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DB070C02110000008000FF" />
      </Data>
(401) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DB070C02110000008000FF" />
      </Data>
(402) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>
(403) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>

```

Mngmt Get Demand Register 6 - Apparent energy export (-VA)  
1-0:10.4.0.255 (@749)

```

(404) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(405) .current_average_value
      INAPPLICABLE
      Optional object is not implemented
(406) .last_average_value
      INAPPLICABLE
      Optional object is not implemented
(407) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
(408) .status
      INAPPLICABLE
      Optional object is not implemented
(409) .capture_time
      INAPPLICABLE
      Optional object is not implemented
(410) .start_time_current
      INAPPLICABLE
      Optional object is not implemented
(411) .period
      INAPPLICABLE
      Optional object is not implemented
(412) .number_of_periods
      INAPPLICABLE
      Optional object is not implemented

```

Mngmt Get Last Average Demand Register 1 - Active energy import  
(+A) 1-0:1.5.0.255 (@762)

```

(413) .logical_name
      INAPPLICABLE
      Optional object is not implemented

```

- (414) .value  
INAPPLICABLE  
Optional object is not implemented
- (415) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented
- (416) .status  
INAPPLICABLE  
Optional object is not implemented
- (417) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Last Average Demand Register 2 - Active energy  
export (-A) 1-0:2.5.0.255 (@770)

- (418) .logical\_name  
INAPPLICABLE  
Optional object is not implemented
- (419) .value  
INAPPLICABLE  
Optional object is not implemented
- (420) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented
- (421) .status  
INAPPLICABLE  
Optional object is not implemented
- (422) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Last Average Demand Register 3 - Reactive energy  
import (+R) 1-0:3.5.0.255 (@778)

- (423) .logical\_name  
INAPPLICABLE  
Optional object is not implemented
- (424) .value  
INAPPLICABLE  
Optional object is not implemented
- (425) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented
- (426) .status  
INAPPLICABLE  
Optional object is not implemented
- (427) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Last Average Demand Register 4 - Reactive energy  
export (-R) 1-0:4.5.0.255 (@786)

- (428) .logical\_name  
INAPPLICABLE  
Optional object is not implemented
- (429) .value  
INAPPLICABLE



IDIS Reg No 0001 Kema\_Report.txt

Optional object is not implemented

(430) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(431) .status

INAPPLICABLE

Optional object is not implemented

(432) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 5 - Apparent energy  
import (+VA) 1-0:9.5.0.255 (@794)

(433) .logical\_name

INAPPLICABLE

Optional object is not implemented

(434) .value

INAPPLICABLE

Optional object is not implemented

(435) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(436) .status

INAPPLICABLE

Optional object is not implemented

(437) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 6 - Apparent energy  
export (-VA) 1-0:10.5.0.255 (@802)

(438) .logical\_name

INAPPLICABLE

Optional object is not implemented

(439) .value

INAPPLICABLE

Optional object is not implemented

(440) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(441) .status

INAPPLICABLE

Optional object is not implemented

(442) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Maximum Demand Register 1 - Active energy import (+A)  
1-0:1.6.0.255 (@810)

(443) .logical\_name

PASSED

<Data>

<OctetString Value="0100010600FF" />

</Data>

(444) .value

PASSED

IDIS Reg No 0001 Kema\_Report.txt

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(445) .scaler\_unit  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

(446) .status  
PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

(447) .capture\_time  
PASSED

```
<Data>
  <OctetString Value="07D0010106000000008000FF" />
</Data>
```

Mngmt Get Maximum Demand Register 2 - Active energy import (+A)  
- rate 1 1-0:1.6.1.255 (@818)

(448) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0100010601FF" />
</Data>
```

(449) .value  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(450) .scaler\_unit  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

(451) .status  
PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

(452) .capture\_time  
PASSED

```
<Data>
  <OctetString Value="07D0010106000000008000FF" />
</Data>
```

Mngmt Get Maximum Demand Register 3 - Active energy import (+A)  
- rate 2 1-0:1.6.2.255 (@826)

(453) .logical\_name

```

        IDIS Reg No 0001 Kema_Report.txt
        PASSED
    <Data>
        <OctetString Value="0100010602FF" />
    </Data>
(454) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(455) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(456) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(457) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 4 - Active energy import (+A)
- rate 3 1-0:1.6.3.255 (@834)
(458) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100010603FF" />
    </Data>
(459) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(460) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(461) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(462) .capture_time
        PASSED
    <Data>

```

```
IDIS Reg No 0001 Kema_Report.txt
<OctetString Value="07D0010106000000008000FF" />
</Data>
```

```
Mngmt Get Maximum Demand Register 5 - Active energy import (+A)
- rate 4 1-0:1.6.4.255 (@842)
```

```
(463) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010604FF" />
      </Data>
(464) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(465) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(466) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(467) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

```
Mngmt Get Maximum Demand Register 6 - Active energy export (-A)
1-0:2.6.0.255 (@850)
```

```
(468) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020600FF" />
      </Data>
(469) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(470) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(471) .status
      PASSED
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Data>
  <Unsigned Value="00" />
</Data>
(472) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000008000FF" />
  </Data>

Mngmt Get Maximum Demand Register 7 - Active energy export (-A)
- rate 1 1-0:2.6.1.255 (@858)
(473) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100020601FF" />
  </Data>
(474) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(475) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1B" />
    </Structure>
  </Data>
(476) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(477) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000008000FF" />
  </Data>
```

```
Mngmt Get Maximum Demand Register 8 - Active energy export (-A)
- rate 2 1-0:2.6.2.255 (@866)
(478) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100020602FF" />
  </Data>
(479) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(480) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Integer Value="00" />
        <Enum Value="1B" />
    </Structure>
</Data>
(481) .status
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(482) .capture_time
    PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 9 - Active energy export (-A)
- rate 3 1-0:2.6.3.255 (@874)
(483) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100020603FF" />
    </Data>
(484) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(485) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(486) .status
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(487) .capture_time
    PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 10 - Active energy export
(-A) - rate 4 1-0:2.6.4.255 (@882)
(488) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100020604FF" />
    </Data>
(489) .value
    PASSED
    <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(490) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(491) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(492) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 11 - Reactive energy import
(+R) 1-0:3.6.0.255 (@890)
(493) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100030600FF" />
    </Data>
(494) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(495) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(496) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(497) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 12 - Reactive energy import
(+R) - rate 1 1-0:3.6.1.255 (@898)
(498) .logical_name
        PASSED

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Data>
  <OctetString Value="0100030601FF" />
</Data>
(499) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(500) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1D" />
    </Structure>
  </Data>
(501) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(502) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000008000FF" />
  </Data>
```

Mngmt Get Maximum Demand Register 13 - Reactive energy import  
(+R) - rate 2 1-0:3.6.2.255 (@906)

```
(503) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100030602FF" />
  </Data>
(504) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(505) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1D" />
    </Structure>
  </Data>
(506) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(507) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000008000FF" />
```



</Data>

Mngmt Get Maximum Demand Register 14 - Reactive energy import  
 (+R) - rate 3 1-0:3.6.3.255 (@914)

(508) .logical\_name  
 PASSED

<Data>  
 <OctetString Value="0100030603FF" />  
 </Data>

(509) .value  
 PASSED

<Data>  
 <DoubleLongUnsigned Value="00000000" />  
 </Data>

(510) .scaler\_unit  
 PASSED

<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1D" />  
 </Structure>  
 </Data>

(511) .status  
 PASSED

<Data>  
 <Unsigned Value="00" />  
 </Data>

(512) .capture\_time  
 PASSED

<Data>  
 <OctetString Value="07D0010106000000008000FF" />  
 </Data>

Mngmt Get Maximum Demand Register 15 - Reactive energy import  
 (+R) - rate 4 1-0:3.6.4.255 (@922)

(513) .logical\_name  
 PASSED

<Data>  
 <OctetString Value="0100030604FF" />  
 </Data>

(514) .value  
 PASSED

<Data>  
 <DoubleLongUnsigned Value="00000000" />  
 </Data>

(515) .scaler\_unit  
 PASSED

<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1D" />  
 </Structure>  
 </Data>

(516) .status  
 PASSED

<Data>

```

                IDIS Reg No 0001 Kema_Report.txt
                <Unsigned Value="00" />
            </Data>
(517) .capture_time
                PASSED
                <Data>
                <OctetString Value="07D0010106000000008000FF" />
            </Data>

Mngmt Get Maximum Demand Register 16 - Reactive energy export
(-R) 1-0:4.6.0.255 (@930)
(518) .logical_name
                PASSED
                <Data>
                <OctetString Value="0100040600FF" />
            </Data>
(519) .value
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000000" />
            </Data>
(520) .scaler_unit
                PASSED
                <Data>
                <Structure Qty="0002" >
                    <Integer Value="00" />
                    <Enum Value="1D" />
                </Structure>
            </Data>
(521) .status
                PASSED
                <Data>
                <Unsigned Value="00" />
            </Data>
(522) .capture_time
                PASSED
                <Data>
                <OctetString Value="07D0010106000000008000FF" />
            </Data>

Mngmt Get Maximum Demand Register 17 - Reactive energy export
(-R) - rate 1 1-0:4.6.1.255 (@938)
(523) .logical_name
                PASSED
                <Data>
                <OctetString Value="0100040601FF" />
            </Data>
(524) .value
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000000" />
            </Data>
(525) .scaler_unit
                PASSED
                <Data>
                <Structure Qty="0002" >
                    <Integer Value="00" />

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Enum Value="1D" />
    </Structure>
</Data>
(526) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(527) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

```

Mngmt Get Maximum Demand Register 18 - Reactive energy export  
(-R) - rate 2 1-0:4.6.2.255 (@946)

```

(528) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100040602FF" />
    </Data>
(529) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(530) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(531) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(532) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

```

Mngmt Get Maximum Demand Register 19 - Reactive energy export  
(-R) - rate 3 1-0:4.6.3.255 (@954)

```

(533) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100040603FF" />
    </Data>
(534) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />

```

IDIS Reg No 0001 Kema\_Report.txt

```
</Data>
(535) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(536) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(537) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 20 - Reactive energy export  
(-R) - rate 4 1-0:4.6.4.255 (@962)

```
(538) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040604FF" />
      </Data>
(539) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(540) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(541) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(542) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 21 - Apparent energy import  
(+VA) 1-0:9.6.0.255 (@970)

```
(543) .logical_name
      PASSED
      <Data>
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="0100090600FF" />
    </Data>
(544) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(545) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1C" />
            </Structure>
        </Data>
(546) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(547) .capture_time
        PASSED
        <Data>
            <OctetString Value="07D0010106000000008000FF" />
        </Data>

```

Mngmt Get Maximum Demand Register 22 - Apparent energy import (+VA) - rate 1 1-0:9.6.1.255 (@978)

```

(548) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100090601FF" />
        </Data>
(549) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(550) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1C" />
            </Structure>
        </Data>
(551) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(552) .capture_time
        PASSED
        <Data>
            <OctetString Value="07D0010106000000008000FF" />
        </Data>

```

Mngmt Get Maximum Demand Register 23 - Apparent energy import  
(+VA) - rate 2 1-0:9.6.2.255 (@986)

```
(553) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100090602FF" />
      </Data>
(554) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(555) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(556) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(557) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 24 - Apparent energy import  
(+VA) - rate 3 1-0:9.6.3.255 (@994)

```
(558) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100090603FF" />
      </Data>
(559) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(560) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(561) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
```

IDIS Reg No 0001 Kema\_Report.txt

```
</Data>
(562) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 25 - Apparent energy import (+VA) - rate 4 1-0:9.6.4.255 (@1002)

```
(563) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100090604FF" />
      </Data>
(564) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(565) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(566) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(567) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 26 - Apparent energy export (-VA) 1-0:10.6.0.255 (@1010)

```
(568) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(569) .value
      INAPPLICABLE
      Optional object is not implemented
(570) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
(571) .status
      INAPPLICABLE
      Optional object is not implemented
(572) .capture_time
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Get Maximum Demand Register 27 - Apparent energy export  
(-VA) - rate 1 1-0:10.6.1.255 (@1018)

(573) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(574) .value  
INAPPLICABLE  
Optional object is not implemented  
(575) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(576) .status  
INAPPLICABLE  
Optional object is not implemented  
(577) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 28 - Apparent energy export  
(-VA) - rate 2 1-0:10.6.2.255 (@1026)

(578) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(579) .value  
INAPPLICABLE  
Optional object is not implemented  
(580) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(581) .status  
INAPPLICABLE  
Optional object is not implemented  
(582) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 29 - Apparent energy export  
(-VA) - rate 3 1-0:10.6.3.255 (@1034)

(583) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(584) .value  
INAPPLICABLE  
Optional object is not implemented  
(585) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(586) .status  
INAPPLICABLE  
Optional object is not implemented  
(587) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 30 - Apparent energy export  
(-VA) - rate 4 1-0:10.6.4.255 (@1042)



(588) .logical\_name  
         INAPPLICABLE  
         Optional object is not implemented  
 (589) .value  
         INAPPLICABLE  
         Optional object is not implemented  
 (590) .scaler\_unit  
         INAPPLICABLE  
         Optional object is not implemented  
 (591) .status  
         INAPPLICABLE  
         Optional object is not implemented  
 (592) .capture\_time  
         INAPPLICABLE  
         Optional object is not implemented

Mngmt Get Profile status - Load profile with period 1  
 0-0:96.10.1.255 (@1051)

(593) .logical\_name  
         PASSED  
         <Data>  
             <OctetString Value="0000600A01FF" />  
         </Data>  
 (594) .status  
         PASSED  
         <Data>  
             <Unsigned Value="08" />  
         </Data>

Mngmt Get Load profile with period 1  
 i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(595) .logical\_name  
         PASSED  
         <Data>  
             <OctetString Value="0100630100FF" />  
         </Data>  
 (596) .capture\_objects  
         PASSED  
         <Data>  
             <Array Qty="0004" >  
                 <Structure Qty="0004" >  
                     <LongUnsigned Value="0008" />  
                     <OctetString Value="0000010000FF" />  
                     <Integer Value="02" />  
                     <LongUnsigned Value="0000" />  
                 </Structure>  
                 <Structure Qty="0004" >  
                     <LongUnsigned Value="0001" />  
                     <OctetString Value="0000600A01FF" />  
                     <Integer Value="02" />  
                     <LongUnsigned Value="0000" />  
                 </Structure>  
                 <Structure Qty="0004" >  
                     <LongUnsigned Value="0003" />  
                     <OctetString Value="0100010800FF" />  
                     <Integer Value="02" />  
                 </Structure>

```

        IDIS Reg No 0001 Kema_Report.txt
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(597) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(598) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(599) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(600) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="0000001A" />
    </Data>
(601) .profile_entries
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000C4C" />
    </Data>

```

Mngmt Get Profile status - Load profile with period 2  
0-0:96.10.2.255 (@1066)

```

(602) .logical_name
    PASSED
    <Data>
        <OctetString Value="0000600A02FF" />
    </Data>
(603) .status
    PASSED
    <Data>
        <Unsigned Value="AC" />
    </Data>

```

Mngmt Get Load profile with period 2  
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

```

IDIS Reg No 0001 Kema_Report.txt
(604) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100630200FF" />
      </Data>
(605) .capture_objects
      PASSED
      <Data>
        <Array Qty="0006" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600A02FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010801FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010802FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100020801FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100020802FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(606) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00015180" />
      </Data>
(607) .sort_method
      PASSED
      <Data>
        <Enum Value="01" />

```

```

                IDIS Reg No 0001 Kema_Report.txt
        </Data>
(608) .sort_object
        PASSED
        <Data>
            <Structure Qty="0004" >
                <LongUnsigned Value="0000" />
                <OctetString Value="000000000000" />
                <Integer Value="00" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Data>
(609) .entries_in_use
        PASSED
        <Data>
            <DoubleLongUnsigned Value="0000000D" />
        </Data>
(610) .profile_entries
        PASSED
        <Data>
            <DoubleLongUnsigned Value="000000A0" />
        </Data>

Mngmt Get Number of power failures in any phase 0-0:96.7.21.255
(@1082)
(611) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600715FF" />
        </Data>
(612) .value
        PASSED
        <Data>
            <LongUnsigned Value="0009" />
        </Data>

Mngmt Get Number of long power failures in any phase
0-0:96.7.9.255 (@1086)
(613) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600709FF" />
        </Data>
(614) .value
        PASSED
        <Data>
            <LongUnsigned Value="0004" />
        </Data>

Mngmt Get Time threshold for long power failure 0-0:96.7.20.255
(@1090)
(615) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600714FF" />
        </Data>
(616) .value

```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>  
  <LongUnsigned Value="00B4" />  
</Data>  
(617) .scaler_unit  
      PASSED  
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="07" />  
  </Structure>  
</Data>
```

Mngmt Get Duration of last long power failure in any phase  
0-0:96.7.19.255 (@1096)

```
(618) .logical_name  
      PASSED  
<Data>  
  <OctetString Value="0000600713FF" />  
</Data>  
(619) .value  
      PASSED
```

```
<Data>  
  <LongUnsigned Value="07B7" />  
</Data>  
(620) .scaler_unit  
      PASSED  
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="07" />  
  </Structure>  
</Data>
```

Mngmt Get Threshold for voltage sag 1-0:12.31.0.255 (@1102)

```
(621) .logical_name  
      PASSED  
<Data>  
  <OctetString Value="01000C1F00FF" />  
</Data>  
(622) .value  
      PASSED
```

```
<Data>  
  <LongUnsigned Value="00CF" />  
</Data>  
(623) .scaler_unit  
      PASSED  
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>
```

Mngmt Get Time threshold for voltage sag 1-0:12.43.0.255  
(@1108)

IDIS Reg No 0001 Kema\_Report.txt

```
(624) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000C2B00FF" />
      </Data>
(625) .value
      PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(626) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>
```

Mngmt Get Number of voltage sags in phase L1 1-0:32.32.0.255 (@1114)

```
(627) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100202000FF" />
      </Data>
(628) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

Mngmt Get Number of voltage sags in phase L2 1-0:52.32.0.255 (@1118)

```
(629) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100342000FF" />
      </Data>
(630) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

Mngmt Get Number of voltage sags in phase L3 1-0:72.32.0.255 (@1122)

```
(631) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100482000FF" />
      </Data>
(632) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
```

&lt;/Data&gt;

Mngmt Get Duration of last voltage sag in phase L1

1-0:32.33.0.255 (@1126)

(633) .logical\_name

PASSED

&lt;Data&gt;

&lt;OctetString Value="0100202100FF" /&gt;

&lt;/Data&gt;

(634) .value

PASSED

&lt;Data&gt;

&lt;LongUnsigned Value="0000" /&gt;

&lt;/Data&gt;

(635) .scaler\_unit

PASSED

&lt;Data&gt;

&lt;Structure Qty="0002" &gt;

&lt;Integer Value="00" /&gt;

&lt;Enum Value="07" /&gt;

&lt;/Structure&gt;

&lt;/Data&gt;

Mngmt Get Duration of last voltage sag in phase L2

1-0:52.33.0.255 (@1132)

(636) .logical\_name

PASSED

&lt;Data&gt;

&lt;OctetString Value="0100342100FF" /&gt;

&lt;/Data&gt;

(637) .value

PASSED

&lt;Data&gt;

&lt;LongUnsigned Value="0000" /&gt;

&lt;/Data&gt;

(638) .scaler\_unit

PASSED

&lt;Data&gt;

&lt;Structure Qty="0002" &gt;

&lt;Integer Value="00" /&gt;

&lt;Enum Value="07" /&gt;

&lt;/Structure&gt;

&lt;/Data&gt;

Mngmt Get Duration of last voltage sag in phase L3

1-0:72.33.0.255 (@1138)

(639) .logical\_name

PASSED

&lt;Data&gt;

&lt;OctetString Value="0100482100FF" /&gt;

&lt;/Data&gt;

(640) .value

PASSED

&lt;Data&gt;

&lt;LongUnsigned Value="0000" /&gt;

&lt;/Data&gt;

```
(641) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>
```

Mngmt Get Magnitude of last voltage sag in phase L1  
1-0:32.34.0.255 (@1144)

```
(642) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100202200FF" />
      </Data>
```

```
(643) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

```
(644) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>
```

Mngmt Get Magnitude of last voltage sag in phase L2  
1-0:52.34.0.255 (@1150)

```
(645) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100342200FF" />
      </Data>
```

```
(646) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

```
(647) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>
```

Mngmt Get Magnitude of last voltage sag in phase L3  
1-0:72.34.0.255 (@1156)

```
(648) .logical_name
      PASSED
      <Data>
```



```

                IDIS Reg No 0001 Kema_Report.txt
                <OctetString Value="0100482200FF" />
            </Data>
(649) .value
                PASSED
                <Data>
                    <LongUnsigned Value="0000" />
                </Data>
(650) .scaler_unit
                PASSED
                <Data>
                    <Structure Qty="0002" >
                        <Integer Value="00" />
                        <Enum Value="23" />
                    </Structure>
                </Data>

Mngmt Get Threshold for voltage swell 1-0:12.35.0.255 (@1162)
(651) .logical_name
                PASSED
                <Data>
                    <OctetString Value="01000C2300FF" />
                </Data>
(652) .value
                PASSED
                <Data>
                    <LongUnsigned Value="00FD" />
                </Data>
(653) .scaler_unit
                PASSED
                <Data>
                    <Structure Qty="0002" >
                        <Integer Value="00" />
                        <Enum Value="23" />
                    </Structure>
                </Data>

Mngmt Get Time threshold for voltage swell 1-0:12.44.0.255
(@1168)
(654) .logical_name
                PASSED
                <Data>
                    <OctetString Value="01000C2C00FF" />
                </Data>
(655) .value
                PASSED
                <Data>
                    <LongUnsigned Value="001E" />
                </Data>
(656) .scaler_unit
                PASSED
                <Data>
                    <Structure Qty="0002" >
                        <Integer Value="00" />
                        <Enum Value="07" />
                    </Structure>
                </Data>

```

Mngmt Get Number of voltage swells in phase L1 1-0:32.36.0.255 (@1174)

(657) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100202400FF" />  
</Data>  
(658) .value  
PASSED  
<Data>  
<LongUnsigned Value="0002" />  
</Data>

Mngmt Get Number of voltage swells in phase L2 1-0:52.36.0.255 (@1178)

(659) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100342400FF" />  
</Data>  
(660) .value  
PASSED  
<Data>  
<LongUnsigned Value="0002" />  
</Data>

Mngmt Get Number of voltage swells in phase L3 1-0:72.36.0.255 (@1182)

(661) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100482400FF" />  
</Data>  
(662) .value  
PASSED  
<Data>  
<LongUnsigned Value="0004" />  
</Data>

Mngmt Get Duration of last voltage swell in phase L1 1-0:32.37.0.255 (@1186)

(663) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100202500FF" />  
</Data>  
(664) .value  
PASSED  
<Data>  
<LongUnsigned Value="0101" />  
</Data>  
(665) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >

```
        IDIS Reg No 0001 Kema_Report.txt
        <Integer Value="00" />
        <Enum Value="07" />
    </Structure>
</Data>
```

Mngmt Get Duration of last voltage swell in phase L2

1-0:52.37.0.255 (@1192)

```
(666) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100342500FF" />
    </Data>
(667) .value
        PASSED
    <Data>
        <LongUnsigned Value="0101" />
    </Data>
(668) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>
```

Mngmt Get Duration of last voltage swell in phase L3

1-0:72.37.0.255 (@1198)

```
(669) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100482500FF" />
    </Data>
(670) .value
        PASSED
    <Data>
        <LongUnsigned Value="003C" />
    </Data>
(671) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>
```

Mngmt Get Magnitude of last voltage swell in phase L1

1-0:32.38.0.255 (@1204)

```
(672) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100202600FF" />
    </Data>
(673) .value
        PASSED
```

```
<Data>
  <LongUnsigned Value="0102" />
</Data>
(674) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Magnitude of last voltage swell in phase L2  
1-0:52.38.0.255 (@1210)

```
(675) .logical_name
      PASSED
<Data>
  <OctetString Value="0100342600FF" />
</Data>
(676) .value
      PASSED
<Data>
  <LongUnsigned Value="0102" />
</Data>
(677) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Magnitude of last voltage swell in phase L3  
1-0:72.38.0.255 (@1216)

```
(678) .logical_name
      PASSED
<Data>
  <OctetString Value="0100482600FF" />
</Data>
(679) .value
      PASSED
<Data>
  <LongUnsigned Value="0102" />
</Data>
(680) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Threshold for missing voltage (voltage cut)  
1-0:12.39.0.255 (@1222)

```

IDIS Reg No 0001 Kema_Report.txt
(681) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000C2700FF" />
      </Data>
(682) .value
      PASSED
      <Data>
        <LongUnsigned Value="0067" />
      </Data>
(683) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

```

Mngmt Get Time threshold for voltage cut 1-0:12.45.0.255 (@1228)

```

(684) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000C2D00FF" />
      </Data>
(685) .value
      PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(686) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

```

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)

```

(687) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100636100FF" />
      </Data>
(688) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0000600713FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(689) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(690) .sort_method
      PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(691) .sort_object
      PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(692) .entries_in_use
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000009" />
    </Data>
(693) .profile_entries
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000032" />
    </Data>

```

Mngmt Get Event Object - Power Quality Log 0-0:96.11.4.255 (@1245)

```

(694) .logical_name
      PASSED
    <Data>
      <OctetString Value="0000600B04FF" />
    </Data>
(695) .value
      PASSED
    <Data>
      <Enum Value="54" />
    </Data>

```

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)

```

(696) .logical_name
      PASSED
    <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="0000636204FF" />
    </Data>
(697) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B04FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(698) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(699) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(700) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(701) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000B" />
    </Data>
(702) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="000000B6" />
    </Data>

Mngmt Get Instantaneous voltage L1 1-0:32.7.0.255 (@1260)
(703) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100200700FF" />

```

```

                IDIS Reg No 0001 Kema_Report.txt
    </Data>
(704) .value
        PASSED
    <Data>
        <LongUnsigned Value="00E0" />
    </Data>
(705) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Average voltage L1 1-0:32.24.0.255 (@1266)
(706) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100201800FF" />
    </Data>
(707) .value
        PASSED
    <Data>
        <LongUnsigned Value="00DF" />
    </Data>
(708) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Instantaneous current L1 1-0:31.7.0.255 (@1272)
(709) .logical_name
        PASSED
    <Data>
        <OctetString Value="01001F0700FF" />
    </Data>
(710) .value
        PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(711) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="21" />
        </Structure>
    </Data>

Mngmt Get Sliding Average current L1 (for fuse supervision)

```



1-0:31.4.0.255 (@1278)

```
(712) .logical_name
      PASSED
      <Data>
        <OctetString Value="01001F0400FF" />
      </Data>
(713) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(714) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(715) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
(716) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(717) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DB070C02110E16008000FF" />
      </Data>
(718) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DB070C02110C37008000FF" />
      </Data>
(719) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(720) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="005A" />
      </Data>
```

Mngmt Get Instantaneous voltage L2 1-0:52.7.0.255 (@1291)

```
(721) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100340700FF" />
      </Data>
```

IDIS Reg No 0001 Kema\_Report.txt

(722) .value  
PASSED  
<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(723) .scaler\_unit  
PASSED  
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>

Mngmt Get Average voltage L2 1-0:52.24.0.255 (@1297)

(724) .logical\_name  
PASSED  
<Data>  
  <OctetString Value="0100341800FF" />  
</Data>

(725) .value  
PASSED  
<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(726) .scaler\_unit  
PASSED  
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>

Mngmt Get Instantaneous current L2 1-0:51.7.0.255 (@1303)

(727) .logical\_name  
PASSED  
<Data>  
  <OctetString Value="0100330700FF" />  
</Data>

(728) .value  
PASSED  
<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(729) .scaler\_unit  
PASSED  
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="21" />  
  </Structure>  
</Data>

Mngmt Get Sliding Average current L2 (for fuse supervision)  
1-0:51.4.0.255 (@1309)

```

IDIS Reg No 0001 Kema_Report.txt
(730) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100330400FF" />
      </Data>
(731) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(732) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(733) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
(734) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(735) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DB070C02110F01008000FF" />
      </Data>
(736) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DB070C02110D23008000FF" />
      </Data>
(737) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(738) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="005A" />
      </Data>

Mngmt Get Instantaneous voltage L3 1-0:72.7.0.255 (@1322)
(739) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100480700FF" />
      </Data>
(740) .value

```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(741) .scaler\_unit  
      PASSED

<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>

Mngmt Get Average voltage L3 1-0:72.24.0.255 (@1328)

(742) .logical\_name  
      PASSED

<Data>  
  <OctetString Value="0100481800FF" />  
</Data>

(743) .value  
      PASSED

<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(744) .scaler\_unit  
      PASSED

<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>

Mngmt Get Instantaneous current L3 1-0:71.7.0.255 (@1334)

(745) .logical\_name  
      PASSED

<Data>  
  <OctetString Value="0100470700FF" />  
</Data>

(746) .value  
      PASSED

<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(747) .scaler\_unit  
      PASSED

<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="21" />  
  </Structure>  
</Data>

Mngmt Get Sliding Average current L3 (for fuse supervision)  
1-0:71.4.0.255 (@1340)

(748) .logical\_name

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>
  <OctetString Value="0100470400FF" />
</Data>
(749) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(750) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(751) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
(752) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(753) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DB070C02110F29008000FF" />
      </Data>
(754) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DB070C02110E0E008000FF" />
      </Data>
(755) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(756) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="005A" />
      </Data>
```

Mngmt Get Instantaneous current  
(sum over all phases) 1-0:90.7.0.255 (@1353)

```
(757) .logical_name
      PASSED
      <Data>
        <OctetString Value="01005A0700FF" />
      </Data>
(758) .value
```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(759) .scaler\_unit  
      PASSED

<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="21" />  
  </Structure>  
</Data>

Mngmt Get Instantaneous net frequency; any phase 1-0:14.7.0.255  
(@1359)

(760) .logical\_name  
      INAPPLICABLE  
      Optional object is not implemented

(761) .value  
      INAPPLICABLE  
      Optional object is not implemented

(762) .scaler\_unit  
      INAPPLICABLE  
      Optional object is not implemented

Mngmt Get Instantaneous active power (|+A|+|-A|) 1-0:15.7.0.255  
(@1365)

(763) .logical\_name  
      PASSED  
      <Data>  
        <OctetString Value="01000F0700FF" />  
      </Data>

(764) .value  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000001" />  
      </Data>

(765) .scaler\_unit  
      PASSED  
      <Data>  
        <Structure Qty="0002" >  
          <Integer Value="00" />  
          <Enum Value="1B" />  
        </Structure>  
      </Data>

Mngmt Get Instantaneous active import power (+A) 1-0:1.7.0.255  
(@1371)

(766) .logical\_name  
      PASSED  
      <Data>  
        <OctetString Value="0100010700FF" />  
      </Data>

(767) .value  
      PASSED  
      <Data>

```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(768) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>

Mngmt Get Instantaneous active export power (-A) 1-0:2.7.0.255
(@1377)
(769) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100020700FF" />
    </Data>
(770) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000001" />
    </Data>
(771) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>

Mngmt Get Instantaneous reactive import power (+R)
1-0:3.7.0.255 (@1383)
(772) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100030700FF" />
    </Data>
(773) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(774) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>

Mngmt Get Instantaneous reactive export power (-R)
1-0:4.7.0.255 (@1389)
(775) .logical_name

```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>
  <OctetString Value="0100040700FF" />
</Data>
(776) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(777) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
```

Mngmt Get Instantaneous apparent import power (+VA)  
1-0:9.7.0.255 (@1395)

```
(778) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(779) .value
      INAPPLICABLE
      Optional object is not implemented
(780) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Get Instantaneous apparent export power (-VA)  
1-0:10.7.0.255 (@1401)

```
(781) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(782) .value
      INAPPLICABLE
      Optional object is not implemented
(783) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Get Average Import Power (+A) 1-0:1.24.0.255 (@1407)

```
(784) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100011800FF" />
      </Data>
(785) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(786) .last_average_value
      PASSED
      <Data>
```



```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(787) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(788) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(789) .capture_time
        PASSED
    <Data>
        <OctetString Value="07DB070C02111000008000FF" />
    </Data>
(790) .start_time_current
        PASSED
    <Data>
        <OctetString Value="07DB070C02110200008000FF" />
    </Data>
(791) .period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000003C" />
    </Data>
(792) .number_of_periods
        PASSED
    <Data>
        <LongUnsigned Value="000F" />
    </Data>

```

Mngmt Get Average Net Power (|+A|-|-A|) 1-0:16.24.0.255 (@1420)

```

(793) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(794) .current_average_value
        INAPPLICABLE
        Optional object is not implemented
(795) .last_average_value
        INAPPLICABLE
        Optional object is not implemented
(796) .scaler_unit
        INAPPLICABLE
        Optional object is not implemented
(797) .status
        INAPPLICABLE
        Optional object is not implemented
(798) .capture_time
        INAPPLICABLE
        Optional object is not implemented

```

```

IDIS Reg No 0001 Kema_Report.txt
(799) .start_time_current
      INAPPLICABLE
      Optional object is not implemented
(800) .period
      INAPPLICABLE
      Optional object is not implemented
(801) .number_of_periods
      INAPPLICABLE
      Optional object is not implemented

Mngmt Get Average Total Power (|+A|+|-A|) 1-0:15.24.0.255
(@1433)
(802) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000F1800FF" />
      </Data>
(803) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(804) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(805) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(806) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(807) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DB070C02111100008000FF" />
      </Data>
(808) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DB070C02110300008000FF" />
      </Data>
(809) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="0000003C" />
      </Data>
(810) .number_of_periods

```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>  
  <LongUnsigned Value="000F" />  
</Data>
```

Mngmt Get Instantaneous Power factor (+A/+VA) 1-0:13.7.0.255 (@1446)

```
(811) .logical_name  
      INAPPLICABLE  
      Optional object is not implemented  
(812) .value  
      INAPPLICABLE  
      Optional object is not implemented  
(813) .scaler_unit  
      INAPPLICABLE  
      Optional object is not implemented
```

Mngmt Get Last Average Power factor (+A/+VA) 1-0:13.5.0.255 (@1452)

```
(814) .logical_name  
      INAPPLICABLE  
      Optional object is not implemented  
(815) .value  
      INAPPLICABLE  
      Optional object is not implemented  
(816) .scaler_unit  
      INAPPLICABLE  
      Optional object is not implemented  
(817) .status  
      INAPPLICABLE  
      Optional object is not implemented  
(818) .capture_time  
      INAPPLICABLE  
      Optional object is not implemented
```

Mngmt Get Minimum Power factor (+A/+VA) 1-0:13.3.0.255 (@1460)

```
(819) .logical_name  
      INAPPLICABLE  
      Optional object is not implemented  
(820) .value  
      INAPPLICABLE  
      Optional object is not implemented  
(821) .scaler_unit  
      INAPPLICABLE  
      Optional object is not implemented  
(822) .status  
      INAPPLICABLE  
      Optional object is not implemented  
(823) .capture_time  
      INAPPLICABLE  
      Optional object is not implemented
```

Mngmt Get Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)

```
(824) .logical_name  
      INAPPLICABLE
```

```

                IDIS Reg No 0001 Kema_Report.txt
Optional object is not implemented
(825) .value
        INAPPLICABLE
Optional object is not implemented
(826) .scaler_unit
        INAPPLICABLE
Optional object is not implemented

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1475)
(827) .logical_name
        PASSED
        <Data>
        <OctetString Value="0000180600FF" />
        </Data>
(828) .comm_speed
        PASSED
        <Data>
        <Enum Value="03" />
        </Data>

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1479)
(829) .logical_name
        INAPPLICABLE
Optional object is not implemented
(830) .comm_speed
        INAPPLICABLE
Optional object is not implemented

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(831) .logical_name
        PASSED
        <Data>
        <OctetString Value="0001180100FF" />
        </Data>
(832) .mbus_port_reference
        PASSED
        <Data>
        <OctetString Value="0000180600FF" />
        </Data>
(833) .capture_definition
        PASSED
        <Data>
        <Array Qty="0000" >
        </Array>
        </Data>
(834) .capture_period
        PASSED
        <Data>
        <DoubleLongUnsigned Value="00000000" />
        </Data>
(835) .primary_address
        PASSED
        <Data>
        <Unsigned Value="00" />
        </Data>
(836) .identification_number

```

```

                IDIS Reg No 0001 Kema_Report.txt
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000000" />
                </Data>
(837) .manufacturer_id
                PASSED
                <Data>
                <LongUnsigned Value="0000" />
                </Data>
(838) .version
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(839) .device_type
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(840) .access_number
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(841) .status
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(842) .alarm
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(843) .logical_name
                PASSED
                <Data>
                <OctetString Value="0002180100FF" />
                </Data>
(844) .mbus_port_reference
                PASSED
                <Data>
                <OctetString Value="0000180600FF" />
                </Data>
(845) .capture_definition
                PASSED
                <Data>
                <Array Qty="0000" >
                </Array>
                </Data>
(846) .capture_period
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000000" />

```

```

                IDIS Reg No 0001 Kema_Report.txt
    </Data>
(847) .primary_address
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(848) .identification_number
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(849) .manufacturer_id
        PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(850) .version
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(851) .device_type
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(852) .access_number
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(853) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(854) .alarm
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(855) .logical_name
        PASSED
    <Data>
        <OctetString Value="0003180100FF" />
    </Data>
(856) .mbus_port_reference
        PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(857) .capture_definition
        PASSED
    <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Array Qty="0000" >
        </Array>
    </Data>
(858) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(859) .primary_address
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(860) .identification_number
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(861) .manufacturer_id
        PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(862) .version
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(863) .device_type
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(864) .access_number
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(865) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(866) .alarm
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(867) .logical_name
        PASSED
    <Data>
        <OctetString Value="0004180100FF" />
    </Data>
(868) .mbus_port_reference

```

```

                IDIS Reg No 0001 Kema_Report.txt
                PASSED
(869) .capture_definition
                PASSED
                <Data>
                <OctetString Value="0000180600FF" />
                </Data>
(870) .capture_period
                PASSED
                <Data>
                <Array Qty="0000" >
                </Array>
                </Data>
(871) .primary_address
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(872) .identification_number
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000000" />
                </Data>
(873) .manufacturer_id
                PASSED
                <Data>
                <LongUnsigned Value="0000" />
                </Data>
(874) .version
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(875) .device_type
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(876) .access_number
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(877) .status
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(878) .alarm
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>

```



Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255  
(@1571)

```
(879) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180201FF" />
      </Data>
(880) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(881) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(882) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(883) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255  
(@1579)

```
(884) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180202FF" />
      </Data>
(885) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(886) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(887) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

```

                IDIS Reg No 0001 Kema_Report.txt
(888) .capture_time
        PASSED
        <Data>
        <OctetString Value="07D0010106000000008000FF" />
        </Data>

Mngmt Get M-Bus Value channel 1, instance 3 0-1:24.2.3.255
(@1587)
(889) .logical_name
        PASSED
        <Data>
        <OctetString Value="0001180203FF" />
        </Data>
(890) .value
        PASSED
        <Data>
        <DoubleLongUnsigned Value="00000000" />
        </Data>
(891) .scaler_unit
        PASSED
        <Data>
        <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
        </Structure>
        </Data>
(892) .status
        PASSED
        <Data>
        <Unsigned Value="00" />
        </Data>
(893) .capture_time
        PASSED
        <Data>
        <OctetString Value="07D0010106000000008000FF" />
        </Data>

Mngmt Get M-Bus Value channel 1, instance 4 0-1:24.2.4.255
(@1595)
(894) .logical_name
        PASSED
        <Data>
        <OctetString Value="0001180204FF" />
        </Data>
(895) .value
        PASSED
        <Data>
        <DoubleLongUnsigned Value="00000000" />
        </Data>
(896) .scaler_unit
        PASSED
        <Data>
        <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
        </Structure>

```

```

                IDIS Reg No 0001 Kema_Report.txt
      </Data>
(897) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(898) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255
(@1603)
(899) .logical_name
      PASSED
      <Data>
        <OctetString Value="0002180201FF" />
      </Data>
(900) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(901) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(902) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(903) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255
(@1611)
(904) .logical_name
      PASSED
      <Data>
        <OctetString Value="0002180202FF" />
      </Data>
(905) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(906) .scaler_unit

```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
(907) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(908) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 2, instance 3 0-2:24.2.3.255  
(@1619)

```
(909) .logical_name
      PASSED
      <Data>
        <OctetString Value="0002180203FF" />
      </Data>
(910) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(911) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(912) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(913) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 2, instance 4 0-2:24.2.4.255  
(@1627)

```
(914) .logical_name
      PASSED
      <Data>
        <OctetString Value="0002180204FF" />
      </Data>
```

IDIS Reg No 0001 Kema\_Report.txt

```
(915) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(916) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(917) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(918) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255  
(@1635)

```
(919) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180201FF" />
      </Data>
(920) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(921) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(922) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(923) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255

```
(@1643)
(924) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180202FF" />
      </Data>
(925) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(926) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(927) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(928) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Value channel 3, instance 3 0-3:24.2.3.255
(@1651)
(929) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180203FF" />
      </Data>
(930) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(931) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(932) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(933) .capture_time
```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

<Data>  
<OctetString Value="07D0010106000000008000FF" />  
</Data>

Mngmt Get M-Bus Value channel 3, instance 4 0-3:24.2.4.255  
(@1659)

(934) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0003180204FF" />  
</Data>  
(935) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>  
(936) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="FF" />  
</Structure>  
</Data>  
(937) .status  
PASSED  
<Data>  
<Unsigned Value="00" />  
</Data>  
(938) .capture\_time  
PASSED  
<Data>  
<OctetString Value="07D0010106000000008000FF" />  
</Data>

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255  
(@1667)

(939) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0004180201FF" />  
</Data>  
(940) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>  
(941) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="FF" />  
</Structure>  
</Data>

```

IDIS Reg No 0001 Kema_Report.txt
(942) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(943) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255
(@1675)
(944) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004180202FF" />
      </Data>
(945) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(946) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(947) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(948) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Value channel 4, instance 3 0-4:24.2.3.255
(@1683)
(949) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004180203FF" />
      </Data>
(950) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(951) .scaler_unit
      PASSED

```



IDIS Reg No 0001 Kema\_Report.txt

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
(952) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(953) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000008000FF" />
  </Data>
```

Mngmt Get M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1691)

```
(954) .logical_name
      PASSED
  <Data>
    <OctetString Value="0004180204FF" />
  </Data>
(955) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(956) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(957) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(958) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000008000FF" />
  </Data>
```

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)

```
(959) .logical_name
      PASSED
  <Data>
    <OctetString Value="0001600100FF" />
  </Data>
(960) .value
      PASSED
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Data>
    <OctetString Value="\M-Bus Channel1 equipment
identifier" />
  </Data>

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)
(961) .logical_name
      PASSED
  <Data>
    <OctetString Value="0002600100FF" />
  </Data>
(962) .value
      PASSED
  <Data>
    <OctetString Value="\M-Bus Channel2 equipment
identifier" />
  </Data>

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)
(963) .logical_name
      PASSED
  <Data>
    <OctetString Value="0003600100FF" />
  </Data>
(964) .value
      PASSED
  <Data>
    <OctetString Value="\M-Bus Channel3 equipment
identifier" />
  </Data>

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)
(965) .logical_name
      PASSED
  <Data>
    <OctetString Value="0004600100FF" />
  </Data>
(966) .value
      PASSED
  <Data>
    <OctetString Value="\M-Bus Channel4 equipment
identifier" />
  </Data>

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)
(967) .logical_name
      PASSED
  <Data>
    <OctetString Value="0001600101FF" />
  </Data>
(968) .value
      PASSED
  <Data>
    <OctetString Value="\M-Bus Channel1 configurator" />
  </Data>

```

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)  
 (969) .logical\_name

PASSED

<Data>

<OctetString Value="0002600101FF" />

</Data>

(970) .value

PASSED

<Data>

<OctetString Value="\M-Bus Channel2 configurator" />

</Data>

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)  
 (971) .logical\_name

PASSED

<Data>

<OctetString Value="0003600101FF" />

</Data>

(972) .value

PASSED

<Data>

<OctetString Value="\M-Bus Channel3 configurator" />

</Data>

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)  
 (973) .logical\_name

PASSED

<Data>

<OctetString Value="0004600101FF" />

</Data>

(974) .value

PASSED

<Data>

<OctetString Value="\M-Bus Channel4 configurator" />

</Data>

Mngmt Get Profile status for M-Bus Master Load profile 1  
 0-1:96.10.3.255 (@1731)

(975) .logical\_name

PASSED

<Data>

<OctetString Value="0001600A03FF" />

</Data>

(976) .status

PASSED

<Data>

<Unsigned Value="00" />

</Data>

Mngmt Get Profile status for M-Bus Master Load profile 2  
 0-2:96.10.3.255 (@1735)

(977) .logical\_name

PASSED

<Data>

<OctetString Value="0002600A03FF" />

</Data>

```
(978) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

Mngmt Get Profile status for M-Bus Master Load profile 3  
0-3:96.10.3.255 (@1739)

```
(979) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003600A03FF" />
      </Data>
```

```
(980) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

Mngmt Get Profile status for M-Bus Master Load profile 4  
0-4:96.10.3.255 (@1743)

```
(981) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004600A03FF" />
      </Data>
```

```
(982) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

Mngmt Get M-Bus Master Load profile for channel 1  
0-1:24.3.0.255 (@1747)

```
(983) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180300FF" />
      </Data>
```

```
(984) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0001600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Data>
(985) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(986) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(987) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(988) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000011" />
    </Data>
(989) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000010A" />
    </Data>

```

Mngmt Get M-Bus Master Load profile for channel 2  
0-2:24.3.0.255 (@1758)

```

(990) .logical_name
        PASSED
    <Data>
        <OctetString Value="0002180300FF" />
    </Data>
(991) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0002600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Data>
(992) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(993) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(994) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(995) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000011" />
    </Data>
(996) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000010A" />
    </Data>

```

Mngmt Get M-Bus Master Load profile for channel 3  
0-3:24.3.0.255 (@1769)

```

(997) .logical_name
        PASSED
    <Data>
        <OctetString Value="0003180300FF" />
    </Data>
(998) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0003600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Data>
(999) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(1000) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1001) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1002) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000011" />
    </Data>
(1003) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000010A" />
    </Data>

```

Mngmt Get M-Bus Master Load profile for channel 4  
0-4:24.3.0.255 (@1780)

```

(1004) .logical_name
        PASSED
    <Data>
        <OctetString Value="0004180300FF" />
    </Data>
(1005) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0004600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>

```

IDIS Reg No 0001 Kema\_Report.txt

```
</Data>
(1006) .capture_period
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000E10" />
        </Data>
(1007) .sort_method
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1008) .sort_object
        PASSED
        <Data>
          <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Data>
(1009) .entries_in_use
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000011" />
        </Data>
(1010) .profile_entries
        PASSED
        <Data>
          <DoubleLongUnsigned Value="0000010A" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 1  
0-1:24.4.0.255 (@1791)

```
(1011) .logical_name
        PASSED
        <Data>
          <OctetString Value="0001180400FF" />
        </Data>
(1012) .output_state
        PASSED
        <Data>
          <Bool Value="01" />
        </Data>
(1013) .control_state
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
(1014) .control_mode
        PASSED
        <Data>
          <Enum Value="06" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 2



0-2:24.4.0.255 (@1799)

(1015) .logical\_name  
PASSED

<Data>  
<OctetString Value="0002180400FF" />  
</Data>

(1016) .output\_state  
PASSED

<Data>  
<Bool Value="01" />  
</Data>

(1017) .control\_state  
PASSED

<Data>  
<Enum Value="00" />  
</Data>

(1018) .control\_mode  
PASSED

<Data>  
<Enum Value="06" />  
</Data>

Mngmt Get M-Bus Master Disconnect control object 3

0-3:24.4.0.255 (@1807)

(1019) .logical\_name  
PASSED

<Data>  
<OctetString Value="0003180400FF" />  
</Data>

(1020) .output\_state  
PASSED

<Data>  
<Bool Value="01" />  
</Data>

(1021) .control\_state  
PASSED

<Data>  
<Enum Value="00" />  
</Data>

(1022) .control\_mode  
PASSED

<Data>  
<Enum Value="06" />  
</Data>

Mngmt Get M-Bus Master Disconnect control object 4

0-4:24.4.0.255 (@1815)

(1023) .logical\_name  
PASSED

<Data>  
<OctetString Value="0004180400FF" />  
</Data>

(1024) .output\_state  
PASSED

<Data>  
<Bool Value="01" />

```

                IDIS Reg No 0001 Kema_Report.txt
    </Data>
(1025) .control_state
        PASSED
    <Data>
        <Enum Value="00" />
    </Data>
(1026) .control_mode
        PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255
(@1823)
(1027) .logical_name
        PASSED
    <Data>
        <OctetString Value="00010F0001FF" />
    </Data>
(1028) .executed_script
        PASSED
    <Data>
        <Structure Qty="0002" >
            <OctetString Value="00010A006AFF" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>
(1029) .type
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1030) .execution_time
        PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="FFFFFFFF" />
                <OctetString Value="FFFFFFFF" />
            </Structure>
        </Array>
    </Data>

```

```

Mngmt Get M-Bus Disconnect script table 0-1:10.0.106.255
(@1829)
(1031) .logical_name
        PASSED
    <Data>
        <OctetString Value="00010A006AFF" />
    </Data>
(1032) .scripts
        PASSED
    <_Data>
        <Array Qty="0008" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
            </Structure>
        </Array>
    </_Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Array Qty="0001" >
  <Structure Qty="0005" >
    <Enum Value="02" />
    <LongUnsigned Value="0046" />
    <OctetString Value="0001180400FF" />
    <Integer Value="01" />
    <Integer Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0002" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0001180400FF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0005" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0003180400FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0006" />
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0003180400FF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0007" />
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0004180400FF" />
            <Integer Value="01" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0008" />
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0004180400FF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Get Event Objects - M-Bus Master Control logs 1  
0-1:96.11.4.255 (@1834)

(1033) .logical\_name  
PASSED

```

<Data>
    <OctetString Value="0001600B04FF" />
</Data>

```

(1034) .value  
PASSED

```

<Data>
    <Enum Value="A4" />
</Data>

```

Mngmt Get Event Objects - M-Bus Master Control logs 2  
0-2:96.11.4.255 (@1838)

```
                IDIS Reg No 0001 Kema_Report.txt
(1035) .logical_name
        PASSED
        <Data>
          <OctetString Value="0002600B04FF" />
        </Data>
(1036) .value
        PASSED
        <Data>
          <Enum Value="AE" />
        </Data>
```

Mngmt Get Event Objects - M-Bus Master Control logs 3  
0-3:96.11.4.255 (@1842)

```
(1037) .logical_name
        PASSED
        <Data>
          <OctetString Value="0003600B04FF" />
        </Data>
(1038) .value
        PASSED
        <Data>
          <Enum Value="B8" />
        </Data>
```

Mngmt Get Event Objects - M-Bus Master Control logs 4  
0-4:96.11.4.255 (@1846)

```
(1039) .logical_name
        PASSED
        <Data>
          <OctetString Value="0004600B04FF" />
        </Data>
(1040) .value
        PASSED
        <Data>
          <Enum Value="C2" />
        </Data>
```

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255  
(@1850)

```
(1041) .logical_name
        PASSED
        <Data>
          <OctetString Value="0001180500FF" />
        </Data>
(1042) .capture_objects
        PASSED
        <Data>
          <Array Qty="0002" >
            <Structure Qty="0004" >
              <LongUnsigned Value="0008" />
              <OctetString Value="0000010000FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
              <LongUnsigned Value="0001" />
            </Structure>
          </Array>
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="0001600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1043) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1044) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1045) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1046) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(1047) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000056" />
    </Data>

```

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)

```

(1048) .logical_name
        PASSED
    <Data>
        <OctetString Value="0002180500FF" />
    </Data>
(1049) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="0002600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1050) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1051) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1052) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1053) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(1054) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000056" />
    </Data>

```

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

```

(1055) .logical_name
        PASSED
    <Data>
        <OctetString Value="0003180500FF" />
    </Data>
(1056) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="0003600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1057) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1058) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1059) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1060) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(1061) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000056" />
    </Data>

```

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

```

(1062) .logical_name
        PASSED
    <Data>
        <OctetString Value="0004180500FF" />
    </Data>
(1063) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
            </Structure>
        </Array>
    </Data>

```



```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="0004600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1064) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1065) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1066) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1067) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(1068) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000056" />
    </Data>

```

Mngmt Get Event Object - M-Bus Event Log 0-0:96.11.3.255 (@1894)

```

(1069) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000600B03FF" />
    </Data>
(1070) .value
        PASSED
    <Data>
        <Enum Value="68" />
    </Data>

```

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)

```

(1071) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000636203FF" />
    </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(1072) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(1073) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1074) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1075) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1076) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(1077) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000056" />
    </Data>

```

Mngmt Get IEC local port setup - IEC Optical port  
0-0:20.0.0.255 (@1910)

```

(1078) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(1079) .default_mode
        INAPPLICABLE

```

IDIS Reg No 0001 Kema\_Report.txt

Optional object is not implemented

(1080) .default\_baud  
INAPPLICABLE

Optional object is not implemented

(1081) .prop\_baud  
INAPPLICABLE

Optional object is not implemented

(1082) .response\_time  
INAPPLICABLE

Optional object is not implemented

(1083) .device\_addr  
INAPPLICABLE

Optional object is not implemented

Mngmt Get IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255  
(@1921)

(1084) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000160000FF" />  
</Data>

(1085) .comm\_speed  
PASSED  
<Data>  
<Enum Value="05" />  
</Data>

(1086) .window\_size\_transmit  
PASSED  
<Data>  
<Unsigned Value="01" />  
</Data>

(1087) .window\_size\_receive  
PASSED  
<Data>  
<Unsigned Value="01" />  
</Data>

(1088) .max\_info\_field\_lenght\_transmit  
PASSED  
<Data>  
<LongUnsigned Value="00F2" />  
</Data>

(1089) .max\_info\_field\_lenght\_receive  
PASSED  
<Data>  
<LongUnsigned Value="00F2" />  
</Data>

(1090) .inter\_octet\_time\_out  
PASSED  
<Data>  
<LongUnsigned Value="0032" />  
</Data>

(1091) .inactivity\_time\_out  
PASSED  
<Data>  
<LongUnsigned Value="001E" />  
</Data>

```

IDIS Reg No 0001 Kema_Report.txt
(1092) .device_address
        PASSED
        <Data>
          <LongUnsigned Value="0011" />
        </Data>

Mngmt Get S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(1093) .logical_name
        PASSED
        <Data>
          <OctetString Value="00001A0000FF" />
        </Data>
(1094) .initiator_electrical_phase
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
(1095) .delta_electrical_phase
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1096) .max_receiving_gain
        PASSED
        <Data>
          <Unsigned Value="2A" />
        </Data>
(1097) .max_transmitting_gain
        PASSED
        <Data>
          <Unsigned Value="00" />
        </Data>
(1098) .search_initiator_gain
        PASSED
        <Data>
          <Unsigned Value="06" />
        </Data>
(1099) .frequencies
        PASSED
        <Data>
          <Structure Qty="0002" >
            <DoubleLongUnsigned Value="0000F744" />
            <DoubleLongUnsigned Value="00012110" />
          </Structure>
        </Data>
(1100) .mac_address
        PASSED
        <Data>
          <LongUnsigned Value="0001" />
        </Data>
(1101) .mac_group_addresses
        PASSED
        <Data>
          <Array Qty="0005" >
            <LongUnsigned Value="0000" />
            <LongUnsigned Value="0000" />

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
    </Array>
</Data>
(1102) .repeater
        PASSED
    <Data>
        <Enum Value="02" />
    </Data>
(1103) .repeater_status
        PASSED
    <Data>
        <Bool Value="01" />
    </Data>
(1104) .min_delta_credit
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(1105) .initiator_mac_address
        PASSED
    <Data>
        <LongUnsigned Value="0C00" />
    </Data>
(1106) .synchronization_locked
        PASSED
    <Data>
        <Bool Value="01" />
    </Data>
(1107) .transmission_speed
        PASSED
    <Data>
        <Enum Value="03" />
    </Data>

Mngmt Get S-FSK Active Initiator 0-0:26.1.0.255 (@1950)
(1108) .logical_name
        PASSED
    <Data>
        <OctetString Value="00001A0100FF" />
    </Data>
(1109) .active_initiator
        PASSED
    <Data>
        <Structure Qty="0003" >
            <OctetString Value="4C475A4954000002" />
            <LongUnsigned Value="0C00" />
            <Unsigned Value="01" />
        </Structure>
    </Data>

```

```

Mngmt Get S-FSK MAC synchronisation timeouts 0-0:26.2.0.255
(@1955)
(1110) .logical_name
        PASSED

```

```

                IDIS Reg No 0001 Kema_Report.txt
    <Data>
      <OctetString Value="00001A0200FF" />
    </Data>
(1111) .search_initiator_timeout
      PASSED
    <Data>
      <LongUnsigned Value="0258" />
    </Data>
(1112) .synchronization_confirmation_timeout
      PASSED
    <Data>
      <LongUnsigned Value="001E" />
    </Data>
(1113) .timeout_not_addressed
      PASSED
    <Data>
      <LongUnsigned Value="0168" />
    </Data>
(1114) .timeout_frame_not_OK
      PASSED
    <Data>
      <LongUnsigned Value="0028" />
    </Data>

Mngmt Get S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(1115) .logical_name
      PASSED
    <Data>
      <OctetString Value="00001A0300FF" />
    </Data>
(1116) .synchronization_register
      PASSED
    <Data>
      <Array Qty="0003" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0C00" />
          <DoubleLongUnsigned Value="00000019" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0C01" />
          <DoubleLongUnsigned Value="00000005" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0000" />
          <DoubleLongUnsigned Value="00000000" />
        </Structure>
      </Array>
    </Data>
(1117) .desynchronization_listing
      PASSED
    <Data>
      <Structure Qty="0005" >
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000022" />
        <DoubleLongUnsigned Value="00000029" />
      </Structure>
    </Data>

```

```

                IDIS Reg No 0001 Kema_Report.txt
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
        </Data>
(1118) .broadcast_frames_counter
        PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0C00" />
                <DoubleLongUnsigned Value="0000000A" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0C01" />
                <DoubleLongUnsigned Value="0000000F" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0000" />
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
        </Array>
    </Data>
(1119) .repetitions_counter
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000003B" />
    </Data>
(1120) .transmissions_counter
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000055F" />
    </Data>
(1121) .CRC_OK_frames_counter
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000057D" />
    </Data>
(1122) .CRC_NOK_frames_counter
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(1123) .logical_name
        PASSED
    <Data>
        <OctetString Value="00001A0500FF" />
    </Data>
(1124) .max_frame_length
        PASSED
    <Data>
        <Unsigned Value="F2" />
    </Data>
(1125) .reply_status_list
        PASSED
    <Data>

```

```
        IDIS Reg No 0001 Kema_Report.txt
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Unsigned Value="00" />
            <Unsigned Value="07" />
        </Structure>
    </Array>
</Data>
```

```
Mngmt Get S-FSK Reporting system list 0-0:26.6.0.255 (@1978)
(1126) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(1127) .reporting_system_list
        INAPPLICABLE
        Optional object is not implemented
```

```
*****
Test Case 7 : Set mngmt attributes, 189 item(s)
*****
```

```
Mngmt Set Current association 0-0:40.0.0.255 (@9)
(1) .authentication_mechanism_name
        PASSED
    <Data>
        <Structure Qty="0007" >
            <Unsigned Value="02" />
            <Unsigned Value="10" />
            <LongUnsigned Value="02F4" />
            <Unsigned Value="05" />
            <Unsigned Value="08" />
            <Unsigned Value="02" />
            <Unsigned Value="05" />
        </Structure>
    </Data>
(2) .secret
        PASSED
    <Data>
        <OctetString Value="\12345678" />
    </Data>
```

```
Mngmt Set Security setup 0-0:43.0.0.255 (@24)
(3) .security_suite
        PASSED
    <Data>
        <Enum Value="00" />
    </Data>
```

```
Mngmt Set Device ID 2 0-0:96.1.1.255 (@50)
(4) .value
        PASSED
    <Data>
        <OctetString Value="\E-meter equipment identifier" />
    </Data>
```

```
Mngmt Set Device ID 3 0-0:96.1.2.255 (@54)
(5) .value
```



```

                IDIS Reg No 0001 Kema_Report.txt
                PASSED
                <Data>
                <OctetString Value="\Function location" />
                </Data>

Mngmt Set Device ID 4 0-0:96.1.3.255 (@58)
(6) .value
                PASSED
                <Data>
                <OctetString Value="\Location information" />
                </Data>

Mngmt Set Device ID 5 0-0:96.1.4.255 (@62)
(7) .value
                PASSED
                <Data>
                <OctetString Value="\General purpose identification"
/>
                </Data>

Mngmt Set Clock 0-0:1.0.0.255 (@75)
(8) .time
                PASSED
                <Data>
                <OctetString Value="07DB0C0506063B12008000FF" />
                </Data>
(9) .time_zone
                PASSED
                <Data>
                <Long Value="FFC4" />
                </Data>
(10) .daylights_savings_begin
                PASSED
                <Data>
                <OctetString Value="FFFF03FE07020000008000FF" />
                </Data>
(11) .daylights_savings_end
                PASSED
                <Data>
                <OctetString Value="FFFF0AFE07030000008000FF" />
                </Data>
(12) .daylights_savings_deviation
                PASSED
                <Data>
                <Integer Value="3C" />
                </Data>
(13) .daylights_savings_enabled
                PASSED
                <Data>
                <Bool Value="01" />
                </Data>

Mngmt Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(14) .value
                PASSED
                <Data>

```

```
                IDIS Reg No 0001 Kema_Report.txt
                <Unsigned Value="3C" />
            </Data>
```

Mngmt Set Activity Calendar 0-0:13.0.0.255 (@100)

```
(15) .calendar_name_passive
        PASSED
```

```
    <Data>
        <OctetString Value="\CALENDAR_____ " />
    </Data>
```

```
(16) .season_profile_passive
        PASSED
```

```
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFF0101FF000000008000FF" />
                <OctetString Value="01" />
            </Structure>
        </Array>
    </Data>
```

```
(17) .week_profile_table_passive
        PASSED
```

```
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0008" >
                <OctetString Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
            </Structure>
        </Array>
    </Data>
```

```
(18) .day_profile_table_passive
        PASSED
```

```
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="01" />
                <Array Qty="0001" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0001" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>
```

```
(19) .activate_passive_calendar_time
        PASSED
```

```
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
```

IDIS Reg No 0001 Kema\_Report.txt

</Data>

Mngmt Set Special Days Table 0-0:11.0.0.255 (@113)

(20) .entries

PASSED

<Data>

<Array Qty="0000" >

</Array>

</Data>

Mngmt Set Register activation - Energy 0-0:14.0.1.255 (@117)

(21) .register\_assignment

INAPPLICABLE

Optional access right not available

(22) .mask\_list

PASSED

<Data>

<Array Qty="0004" >

<Structure Qty="0002" >

<OctetString Value="\TARIFF01" />

<Array Qty="0008" >

<Unsigned Value="01" />

<Unsigned Value="09" />

<Unsigned Value="11" />

<Unsigned Value="19" />

<Unsigned Value="21" />

<Unsigned Value="29" />

<Unsigned Value="31" />

<Unsigned Value="39" />

</Array>

</Structure>

<Structure Qty="0002" >

<OctetString Value="\TARIFF02" />

<Array Qty="0008" >

<Unsigned Value="02" />

<Unsigned Value="0A" />

<Unsigned Value="12" />

<Unsigned Value="1A" />

<Unsigned Value="22" />

<Unsigned Value="2A" />

<Unsigned Value="32" />

<Unsigned Value="3A" />

</Array>

</Structure>

<Structure Qty="0002" >

<OctetString Value="\TARIFF03" />

<Array Qty="0008" >

<Unsigned Value="03" />

<Unsigned Value="0B" />

<Unsigned Value="13" />

<Unsigned Value="1B" />

<Unsigned Value="23" />

<Unsigned Value="2B" />

<Unsigned Value="33" />

<Unsigned Value="3B" />

</Array>

```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="\TARIFF04" />
        <Array Qty="0008" >
            <Unsigned Value="04" />
            <Unsigned Value="0C" />
            <Unsigned Value="14" />
            <Unsigned Value="1C" />
            <Unsigned Value="24" />
            <Unsigned Value="2C" />
            <Unsigned Value="34" />
            <Unsigned Value="3C" />
        </Array>
    </Structure>
</Array>
</Data>

```

Mngmt Set Register activation - Maximum Demand 0-0:14.0.2.255  
(@123)

```

(23) .register_assignment
        INAPPLICABLE
        Optional access right not available
(24) .mask_list
        PASSED

```

```

<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF01" />
            <Array Qty="0005" >
                <Unsigned Value="01" />
                <Unsigned Value="09" />
                <Unsigned Value="11" />
                <Unsigned Value="19" />
                <Unsigned Value="21" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF02" />
            <Array Qty="0005" >
                <Unsigned Value="02" />
                <Unsigned Value="0A" />
                <Unsigned Value="12" />
                <Unsigned Value="1A" />
                <Unsigned Value="22" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF03" />
            <Array Qty="0005" >
                <Unsigned Value="03" />
                <Unsigned Value="0B" />
                <Unsigned Value="13" />
                <Unsigned Value="1B" />
                <Unsigned Value="23" />
            </Array>
        </Structure>
    </Array>

```

```

        IDIS Reg No 0001 Kema_Report.txt
    <Structure Qty="0002" >
        <OctetString Value="\TARIFF04" />
        <Array Qty="0005" >
            <Unsigned Value="04" />
            <Unsigned Value="0C" />
            <Unsigned Value="14" />
            <Unsigned Value="1C" />
            <Unsigned Value="24" />
        </Array>
    </Structure>
</Array>
</Data>

```

Mngmt Set Tariffication script table 0-0:10.0.100.255 (@129)  
(25) .scripts

```

        PASSED
    <_Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0002" >
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0001FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF01" />
                    </Structure>
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0002FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF01" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0002" />
                <Array Qty="0002" >
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0001FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF02" />
                    </Structure>
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0002FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF02" />
                    </Structure>
                </Array>
            </Structure>

```

```

IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0002" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF03" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF03" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0002" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF04" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF04" />
    </Structure>
  </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Set End of billing period 1 scheduler 0-0:15.0.0.255  
(@140)

(26) .type

INAPPLICABLE

Optional access right not available

(27) .execution\_time

PASSED

```

<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <OctetString Value="00000000" />
      <OctetString Value="FFFFFF01FF" />
    </Structure>
  </Array>
</Data>

```

Mngmt Set Data of billing period 1 0-0:98.1.0.255 (@146)

(28) .capture\_objects

PASSED

```
<Data>
  <Array Qty="0005" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

Mngmt Set Disconnect control scheduler 0-0:15.0.1.255 (@158)

(29) .executed\_script

PASSED

```
<Data>
  <Structure Qty="0002" >
    <OctetString Value="00000A006AFF" />
    <LongUnsigned Value="0001" />
  </Structure>
</Data>
```

(30) .type

INAPPLICABLE

Optional access right not available

(31) .execution\_time

PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```
        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="FFFFFFFF" />
        <OctetString Value="FFFFFFFFFFFF" />
    </Structure>
</Array>
</Data>
```

Mngmt Set Disconnect control 0-0:96.3.10.255 (@169)

```
(32) .control_mode
    PASSED
    <Data>
        <Enum Value="06" />
    </Data>
```

Mngmt Set Disconnect Control Log 0-0:99.98.2.255 (@181)

```
(33) .capture_objects
    INAPPLICABLE
    Optional access right not available
```

Mngmt Set Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)

```
(34) .control_mode
    INAPPLICABLE
    Optional access right not available
```

Mngmt Set Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)

```
(35) .control_mode
    INAPPLICABLE
    Optional object is not implemented
```

Mngmt Set Limiter 0-0:17.0.0.255 (@213)

```
(36) .monitored_value
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0003" />
            <OctetString Value="01005A0700FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(37) .threshold_normal
    PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(38) .treshold_emergency
    PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(39) .min_over_threshold_duration
    PASSED
    <Data>
        <DoubleLongUnsigned Value="000000B4" />
    </Data>
(40) .min_under_threshold_duration
    PASSED
    <Data>
```



```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="000000B4" />
    </Data>
(41) .emergency_profile
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0000" />
            <OctetString Value="07D0010106000000008000FF" />
            <DoubleLongUnsigned Value="00000001" />
        </Structure>
    </Data>
(42) .emergency_profile_group_id_list
    PASSED
    <Data>
        <Array Qty="0003" >
            <LongUnsigned Value="0000" />
            <LongUnsigned Value="0000" />
            <LongUnsigned Value="0000" />
        </Array>
    </Data>
(43) .actions
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Structure>
    </Data>

```

Mngmt Set Supervision monitor 1 - Fuse supervision L1  
1-0:31.4.0.255 (@226)

```

(44) .thresholds
    PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000000" />
        </Array>
    </Data>
(45) .monitored_value
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0005" />
            <OctetString Value="01001F0400FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(46) .actions
    PASSED
    <Data>

```

```
        IDIS Reg No 0001 Kema_Report.txt
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Structure>
    </Array>
</Data>
```

Mngmt Set Supervision monitor 2 - Fuse supervision L2  
1-0:51.4.0.255 (@232)

```
(47) .thresholds
    PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000000" />
        </Array>
    </Data>
```

```
(48) .monitored_value
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0005" />
            <OctetString Value="0100330400FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
```

```
(49) .actions
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0001" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Structure>
        </Array>
    </Data>
```

Mngmt Set Supervision monitor 3 - Fuse supervision L3  
1-0:71.4.0.255 (@238)

```
(50) .thresholds
    PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000000" />
        </Array>
    </Data>
```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Array>
</Data>
(51) .monitored_value
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0005" />
            <OctetString Value="0100470400FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(52) .actions
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0001" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Structure>
        </Array>
    </Data>

Mngmt Set Error Register 0-0:97.97.0.255 (@245)
(53) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Set Alarm Register 0-0:97.98.0.255 (@249)
(54) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Set Alarm Filter 0-0:97.98.10.255 (@253)
(55) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Set Standard Event Log 0-0:99.98.0.255 (@261)
(56) .capture_objects
    INAPPLICABLE
    Optional access right not available

Mngmt Set Fraud Detection Log 0-0:99.98.1.255 (@276)
(57) .capture_objects

```

IDIS Reg No 0001 Kema\_Report.txt  
INAPPLICABLE  
Optional access right not available

Mngmt Set Consumer Message Text 0-0:96.13.0.255 (@288)  
(58) .value

PASSED  
<Data>  
<OctetString Value="\12345678" />  
</Data>

Mngmt Set Consumer Message Code 0-0:96.13.1.255 (@292)  
(59) .value

PASSED  
<Data>  
<OctetString Value="\ " />  
</Data>

Mngmt Set Image transfer 0-0:44.0.0.255 (@297)  
(60) .image\_transfer\_enabled

PASSED  
<Data>  
<Bool Value="01" />  
</Data>

Mngmt Set Image transfer activation scheduler 0-0:15.0.2.255  
(@310)

(61) .type  
INAPPLICABLE  
Optional access right not available  
(62) .execution\_time

PASSED  
<Data>  
<Array Qty="0001" >  
<Structure Qty="0002" >  
<OctetString Value="17370000" />  
<OctetString Value="07FE0C01FF" />  
</Structure>  
</Array>  
</Data>

Mngmt Set Demand Register 1 - Active energy import (+A)  
1-0:1.4.0.255 (@684)

(63) .period  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000384" />  
</Data>

(64) .number\_of\_periods  
PASSED

<Data>  
<LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 2 - Active energy export (-A)  
1-0:2.4.0.255 (@697)

(65) .period

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

<Data>  
  <DoubleLongUnsigned Value="00000384" />  
</Data>

(66) .number\_of\_periods  
PASSED

<Data>  
  <LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 3 - Reactive energy import (+R)  
1-0:3.4.0.255 (@710)

(67) .period  
PASSED

<Data>  
  <DoubleLongUnsigned Value="00000384" />  
</Data>

(68) .number\_of\_periods  
PASSED

<Data>  
  <LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 4 - Reactive energy export (-R)  
1-0:4.4.0.255 (@723)

(69) .period  
PASSED

<Data>  
  <DoubleLongUnsigned Value="00000384" />  
</Data>

(70) .number\_of\_periods  
PASSED

<Data>  
  <LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 5 - Apparent energy import (+VA)  
1-0:9.4.0.255 (@736)

(71) .period  
PASSED

<Data>  
  <DoubleLongUnsigned Value="00000384" />  
</Data>

(72) .number\_of\_periods  
PASSED

<Data>  
  <LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 6 - Apparent energy export (-VA)  
1-0:10.4.0.255 (@749)

(73) .period  
INAPPLICABLE

Optional object is not implemented

(74) .number\_of\_periods  
INAPPLICABLE

IDIS Reg No 0001 Kema\_Report.txt  
Optional object is not implemented

Mngmt Set Load profile with period 1  
i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(75) .capture\_objects  
PASSED

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600A01FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

(76) .capture\_period  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000384" />
</Data>
```

Mngmt Set Load profile with period 2  
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

(77) .capture\_objects  
PASSED

```
<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600A02FF" />
      <Integer Value="02" />
    </Structure>
  </Array>
</Data>
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(78) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00015180" />
    </Data>

Mngmt Set Time threshold for long power failure 0-0:96.7.20.255
(@1090)
(79) .value
    PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

Mngmt Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)
(80) .value
    PASSED
    <Data>
        <LongUnsigned Value="00CF" />
    </Data>

Mngmt Set Time threshold for voltage sag 1-0:12.43.0.255
(@1108)
(81) .value
    PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

```

Mngmt Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)  
(82) .value

PASSED

```
<Data>  
  <LongUnsigned Value="00FD" />  
</Data>
```

Mngmt Set Time threshold for voltage swell 1-0:12.44.0.255  
(@1168)

(83) .value

PASSED

```
<Data>  
  <LongUnsigned Value="001E" />  
</Data>
```

Mngmt Set Threshold for missing voltage (voltage cut)  
1-0:12.39.0.255 (@1222)

(84) .value

PASSED

```
<Data>  
  <LongUnsigned Value="0067" />  
</Data>
```

Mngmt Set Time threshold for voltage cut 1-0:12.45.0.255  
(@1228)

(85) .value

PASSED

```
<Data>  
  <LongUnsigned Value="001E" />  
</Data>
```

Mngmt Set Power Failure Event Log 1-0:99.97.0.255 (@1234)  
(86) .capture\_objects

INAPPLICABLE

Optional access right not available

Mngmt Set Power Quality Log 0-0:99.98.4.255 (@1249)  
(87) .capture\_objects

INAPPLICABLE

Optional access right not available

Mngmt Set Sliding Average current L1 (for fuse supervision)  
1-0:31.4.0.255 (@1278)

(88) .number\_of\_periods

PASSED

```
<Data>  
  <LongUnsigned Value="005A" />  
</Data>
```

Mngmt Set Sliding Average current L2 (for fuse supervision)  
1-0:51.4.0.255 (@1309)

(89) .number\_of\_periods

PASSED

```
<Data>  
  <LongUnsigned Value="005A" />
```



</Data>

Mngmt Set Sliding Average current L3 (for fuse supervision)

1-0:71.4.0.255 (@1340)

(90) .number\_of\_periods

PASSED

<Data>

<LongUnsigned Value="005A" />

</Data>

Mngmt Set Average Import Power (+A) 1-0:1.24.0.255 (@1407)

(91) .number\_of\_periods

PASSED

<Data>

<LongUnsigned Value="000F" />

</Data>

Mngmt Set Average Net Power (|+A|-|-A|) 1-0:16.24.0.255

(@1420)

(92) .number\_of\_periods

INAPPLICABLE

Optional object is not implemented

Mngmt Set Average Total Power (|+A|+|-A|) 1-0:15.24.0.255

(@1433)

(93) .number\_of\_periods

PASSED

<Data>

<LongUnsigned Value="000F" />

</Data>

Mngmt Set Measurement Period 3 for Instantaneous values

1-0:0.8.2.255 (@1468)

(94) .value

INAPPLICABLE

Optional object is not implemented

Mngmt Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)

(95) .mbus\_port\_reference

PASSED

<Data>

<OctetString Value="0000180600FF" />

</Data>

(96) .capture\_definition

PASSED

<Data>

<Array Qty="0000" >

</Array>

</Data>

(97) .capture\_period

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(98) .primary\_address

PASSED

```

                IDIS Reg No 0001 Kema_Report.txt
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(99) .mbus_port_reference
      PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(100) .capture_definition
      PASSED
    <Data>
      <Array Qty="0000" >
        </Array>
    </Data>
(101) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(102) .primary_address
      PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(103) .mbus_port_reference
      PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(104) .capture_definition
      PASSED
    <Data>
      <Array Qty="0000" >
        </Array>
    </Data>
(105) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(106) .primary_address
      PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(107) .mbus_port_reference
      PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(108) .capture_definition
      PASSED
      <Data>
        <Array Qty="0000" >
        </Array>
      </Data>
(109) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(110) .primary_address
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

Mngmt Set M-Bus Value channel 1, instance 1 0-1:24.2.1.255
(@1571)
(111) .scaler_unit
      INAPPLICABLE
      Optional access right not available

Mngmt Set M-Bus Value channel 1, instance 2 0-1:24.2.2.255
(@1579)
(112) .scaler_unit
      INAPPLICABLE
      Optional access right not available

Mngmt Set M-Bus Value channel 1, instance 3 0-1:24.2.3.255
(@1587)
(113) .scaler_unit
      INAPPLICABLE
      Optional access right not available

Mngmt Set M-Bus Value channel 1, instance 4 0-1:24.2.4.255
(@1595)
(114) .scaler_unit
      INAPPLICABLE
      Optional access right not available

Mngmt Set M-Bus Value channel 2, instance 1 0-2:24.2.1.255
(@1603)
(115) .scaler_unit
      INAPPLICABLE
      Optional access right not available

Mngmt Set M-Bus Value channel 2, instance 2 0-2:24.2.2.255
(@1611)
(116) .scaler_unit
      INAPPLICABLE
      Optional access right not available

Mngmt Set M-Bus Value channel 2, instance 3 0-2:24.2.3.255
(@1619)
(117) .scaler_unit

```

Optional access right not available

Mngmt Set M-Bus Value channel 2, instance 4 0-2:24.2.4.255  
(@1627)

(118) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 3, instance 1 0-3:24.2.1.255  
(@1635)

(119) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 3, instance 2 0-3:24.2.2.255  
(@1643)

(120) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 3, instance 3 0-3:24.2.3.255  
(@1651)

(121) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 3, instance 4 0-3:24.2.4.255  
(@1659)

(122) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 4, instance 1 0-4:24.2.1.255  
(@1667)

(123) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 4, instance 2 0-4:24.2.2.255  
(@1675)

(124) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 4, instance 3 0-4:24.2.3.255  
(@1683)

(125) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 4, instance 4 0-4:24.2.4.255  
(@1691)

(126) .scaler\_unit  
INAPPLICABLE

Optional access right not available

```
Mngmt Set M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)
(127) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel1 equipment
identifier" />
        </Data>

Mngmt Set M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)
(128) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel2 equipment
identifier" />
        </Data>

Mngmt Set M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)
(129) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel3 equipment
identifier" />
        </Data>

Mngmt Set M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)
(130) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel4 equipment
identifier" />
        </Data>

Mngmt Set M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)
(131) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel1 configurator" />
        </Data>

Mngmt Set M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)
(132) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel2 configurator" />
        </Data>

Mngmt Set M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)
(133) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel3 configurator" />
        </Data>

Mngmt Set M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)
(134) .value
```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>  
  <OctetString Value="\M-Bus Channel4 configurator" />  
</Data>
```

Mngmt Set M-Bus Master Load profile for channel 1  
0-1:24.3.0.255 (@1747)

(135) .capture\_objects  
PASSED

```
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0001600A03FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(136) .capture\_period  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000E10" />  
</Data>
```

Mngmt Set M-Bus Master Load profile for channel 2  
0-2:24.3.0.255 (@1758)

(137) .capture\_objects  
PASSED

```
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0002600A03FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(138) .capture\_period  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000E10" />  
</Data>
```

Mngmt Set M-Bus Master Load profile for channel 3  
0-3:24.3.0.255 (@1769)

```
(139) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0003600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(140) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>
```

Mngmt Set M-Bus Master Load profile for channel 4  
0-4:24.3.0.255 (@1780)

```
(141) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0004600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(142) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>
```

Mngmt Set M-Bus Master Disconnect control object 1  
0-1:24.4.0.255 (@1791)

```
(143) .control_mode
```

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>  
  <Enum Value="06" />  
</Data>
```

Mngmt Set M-Bus Master Disconnect control object 2  
0-2:24.4.0.255 (@1799)  
(144) .control\_mode  
PASSED

```
<Data>  
  <Enum Value="06" />  
</Data>
```

Mngmt Set M-Bus Master Disconnect control object 3  
0-3:24.4.0.255 (@1807)  
(145) .control\_mode  
PASSED

```
<Data>  
  <Enum Value="06" />  
</Data>
```

Mngmt Set M-Bus Master Disconnect control object 4  
0-4:24.4.0.255 (@1815)  
(146) .control\_mode  
PASSED

```
<Data>  
  <Enum Value="06" />  
</Data>
```

Mngmt Set M-Bus Disconnect control scheduler 0-1:15.0.1.255  
(@1823)  
(147) .executed\_script  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <OctetString Value="00010A006AFF" />  
    <LongUnsigned Value="0001" />  
  </Structure>  
</Data>
```

(148) .type  
INAPPLICABLE

Optional access right not available

(149) .execution\_time  
PASSED

```
<Data>  
  <Array Qty="0001" >  
    <Structure Qty="0002" >  
      <OctetString Value="FFFFFFFF" />  
      <OctetString Value="FFFFFFFFFFFF" />  
    </Structure>  
  </Array>  
</Data>
```

Mngmt Set M-Bus Master Control log object 1 0-1:24.5.0.255  
(@1850)  
(150) .capture\_objects



IDIS Reg No 0001 Kema\_Report.txt  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Master Control log object 2 0-2:24.5.0.255  
(@1861)

(151) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Master Control log object 3 0-3:24.5.0.255  
(@1872)

(152) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Master Control log object 4 0-4:24.5.0.255  
(@1883)

(153) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Event Log 0-0:99.98.3.255 (@1898)

(154) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set IEC local port setup - IEC Optical port  
0-0:20.0.0.255 (@1910)

(155) .default\_mode  
INAPPLICABLE

Optional object is not implemented

(156) .default\_baud  
INAPPLICABLE

Optional object is not implemented

(157) .prop\_baud  
INAPPLICABLE

Optional object is not implemented

(158) .response\_time  
INAPPLICABLE

Optional object is not implemented

(159) .device\_addr  
INAPPLICABLE

Optional object is not implemented

(160) .pass\_p1  
INAPPLICABLE

Optional object is not implemented

(161) .pass\_p2  
INAPPLICABLE

Optional object is not implemented

(162) .pass\_p3  
INAPPLICABLE

Optional object is not implemented

Mngmt Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255  
(@1921)

(163) .comm\_speed

IDIS Reg No 0001 Kema\_Report.txt  
PASSED

```
<Data>
  <Enum Value="05" />
</Data>
(164) .window_size_transmit
      PASSED
  <Data>
    <Unsigned Value="01" />
  </Data>
(165) .window_size_receive
      PASSED
  <Data>
    <Unsigned Value="01" />
  </Data>
(166) .max_info_field_lenght_transmit
      PASSED
  <Data>
    <LongUnsigned Value="00F2" />
  </Data>
(167) .max_info_field_lenght_receive
      PASSED
  <Data>
    <LongUnsigned Value="00F2" />
  </Data>
(168) .inter_octet_time_out
      PASSED
  <Data>
    <LongUnsigned Value="0032" />
  </Data>
(169) .inactivity_time_out
      PASSED
  <Data>
    <LongUnsigned Value="001E" />
  </Data>
(170) .device_address
      PASSED
  <Data>
    <LongUnsigned Value="0011" />
  </Data>

Mngmt Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(171) .initiator_electrical_phase
      PASSED
  <Data>
    <Enum Value="00" />
  </Data>
(172) .max_receiving_gain
      PASSED
  <Data>
    <Unsigned Value="2A" />
  </Data>
(173) .max_transmitting_gain
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
```

```

IDIS Reg No 0001 Kema_Report.txt
(174) .search_initiator_gain
      PASSED
      <Data>
        <Unsigned Value="06" />
      </Data>
(175) .frequencies
      PASSED
      <Data>
        <Structure Qty="0002" >
          <DoubleLongUnsigned Value="0000F744" />
          <DoubleLongUnsigned Value="00012110" />
        </Structure>
      </Data>
(176) .mac_group_addresses
      PASSED
      <Data>
        <Array Qty="0005" >
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
        </Array>
      </Data>
(177) .repeater
      PASSED
      <Data>
        <Enum Value="02" />
      </Data>
(178) .min_delta_credit
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(179) .transmission_speed
      PASSED
      <Data>
        <Enum Value="03" />
      </Data>

```

Mngmt Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)

```

(180) .search_initiator_timeout
      PASSED
      <Data>
        <LongUnsigned Value="0258" />
      </Data>
(181) .synchronization_confirmation_timeout
      PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(182) .timeout_not_addressed
      PASSED
      <Data>
        <LongUnsigned Value="0168" />

```

```

                IDIS Reg No 0001 Kema_Report.txt
            </Data>
(183) .timeout_frame_not_OK
        PASSED
        <Data>
            <LongUnsigned Value="0028" />
        </Data>

Mngmt Set S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(184) .broadcast_frames_counter
        INAPPLICABLE
        Optional access right not available
(185) .repetitions_counter
        INAPPLICABLE
        Optional access right not available
(186) .transmissions_counter
        INAPPLICABLE
        Optional access right not available
(187) .CRC_OK_frames_counter
        INAPPLICABLE
        Optional access right not available
(188) .CRC_NOK_frames_counter
        INAPPLICABLE
        Optional access right not available

Mngmt Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(189) .max_frame_length
        PASSED
        <Data>
            <Unsigned Value="F2" />
        </Data>

```

```

*****
Test Case 8 : Set Pre attributes, 62 item(s)
*****

```

```

Pre Set Clock 0-0:1.0.0.255 (@75)
(1) .time
        PASSED
        <Data>
            <OctetString Value="07DB0C0506063B12008000FF" />
        </Data>
(2) .time_zone
        PASSED
        <Data>
            <Long Value="FFC4" />
        </Data>
(3) .daylights_savings_begin
        PASSED
        <Data>
            <OctetString Value="FFFF03FE07020000008000FF" />
        </Data>
(4) .daylights_savings_end
        PASSED
        <Data>
            <OctetString Value="FFFF0AFE07030000008000FF" />
        </Data>

```

```

IDIS Reg No 0001 Kema_Report.txt
(5) .daylights_savings_deviation
    PASSED
    <Data>
      <Integer Value="3C" />
    </Data>
(6) .daylights_savings_enabled
    PASSED
    <Data>
      <Bool Value="01" />
    </Data>

Pre Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(7) .value
    PASSED
    <Data>
      <Unsigned Value="3C" />
    </Data>

Pre Set Activity Calendar 0-0:13.0.0.255 (@100)
(8) .calendar_name_passive
    PASSED
    <Data>
      <OctetString Value="\CALENDAR_____ " />
    </Data>
(9) .season_profile_passive
    PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0003" >
          <OctetString Value="01" />
          <OctetString Value="FFFF0101FF000000008000FF" />
          <OctetString Value="01" />
        </Structure>
      </Array>
    </Data>
(10) .week_profile_table_passive
    PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0008" >
          <OctetString Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
        </Structure>
      </Array>
    </Data>
(11) .day_profile_table_passive
    PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Unsigned Value="01" />
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="00000000" />
                <OctetString Value="00000A0064FF" />
                <LongUnsigned Value="0001" />
            </Structure>
        </Array>
    </Data>
(12) .activate_passive_calendar_time
        PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Pre Set Special Days Table 0-0:11.0.0.255 (@113)
(13) .entries
        PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>

Pre Set Register activation - Energy 0-0:14.0.1.255 (@117)
(14) .register_assignment
        INAPPLICABLE
        Optional access right not available
(15) .mask_list
        PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\TARIFF01" />
                <Array Qty="0008" >
                    <Unsigned Value="01" />
                    <Unsigned Value="09" />
                    <Unsigned Value="11" />
                    <Unsigned Value="19" />
                    <Unsigned Value="21" />
                    <Unsigned Value="29" />
                    <Unsigned Value="31" />
                    <Unsigned Value="39" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\TARIFF02" />
                <Array Qty="0008" >
                    <Unsigned Value="02" />
                    <Unsigned Value="0A" />
                    <Unsigned Value="12" />
                    <Unsigned Value="1A" />
                    <Unsigned Value="22" />
                    <Unsigned Value="2A" />
                    <Unsigned Value="32" />
                </Array>
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Unsigned Value="3A" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF03" />
    <Array Qty="0008" >
        <Unsigned Value="03" />
        <Unsigned Value="0B" />
        <Unsigned Value="13" />
        <Unsigned Value="1B" />
        <Unsigned Value="23" />
        <Unsigned Value="2B" />
        <Unsigned Value="33" />
        <Unsigned Value="3B" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF04" />
    <Array Qty="0008" >
        <Unsigned Value="04" />
        <Unsigned Value="0C" />
        <Unsigned Value="14" />
        <Unsigned Value="1C" />
        <Unsigned Value="24" />
        <Unsigned Value="2C" />
        <Unsigned Value="34" />
        <Unsigned Value="3C" />
    </Array>
</Structure>
</Array>
</Data>

```

Pre Set Register activation - Maximum Demand 0-0:14.0.2.255  
(@123)

```

(16) .register_assignment
      INAPPLICABLE
      Optional access right not available
(17) .mask_list
      PASSED

```

```

<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF01" />
      <Array Qty="0005" >
        <Unsigned Value="01" />
        <Unsigned Value="09" />
        <Unsigned Value="11" />
        <Unsigned Value="19" />
        <Unsigned Value="21" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF02" />
      <Array Qty="0005" >
        <Unsigned Value="02" />
        <Unsigned Value="0A" />
      </Array>
    </Structure>
  </Array>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Unsigned Value="12" />
        <Unsigned Value="1A" />
        <Unsigned Value="22" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF03" />
    <Array Qty="0005" >
        <Unsigned Value="03" />
        <Unsigned Value="0B" />
        <Unsigned Value="13" />
        <Unsigned Value="1B" />
        <Unsigned Value="23" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF04" />
    <Array Qty="0005" >
        <Unsigned Value="04" />
        <Unsigned Value="0C" />
        <Unsigned Value="14" />
        <Unsigned Value="1C" />
        <Unsigned Value="24" />
    </Array>
</Structure>
</Array>
</Data>

```

Pre Set Consumer Message Text 0-0:96.13.0.255 (@288)  
(18) .value

```

    PASSED
    <Data>
        <OctetString Value="\12345678" />
    </Data>

```

Pre Set Consumer Message Code 0-0:96.13.1.255 (@292)  
(19) .value

```

    PASSED
    <Data>
        <OctetString Value="\ " />
    </Data>

```

Pre Set Time threshold for long power failure 0-0:96.7.20.255  
(@1090)

```

(20) .value
    PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

```

Pre Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)  
(21) .value

```

    PASSED
    <Data>
        <LongUnsigned Value="00CF" />
    </Data>

```



Pre Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)  
(22) .value

PASSED

```
<Data>
  <LongUnsigned Value="001E" />
</Data>
```

Pre Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)  
(23) .value

PASSED

```
<Data>
  <LongUnsigned Value="00FD" />
</Data>
```

Pre Set Time threshold for voltage swell 1-0:12.44.0.255  
(@1168)

(24) .value

PASSED

```
<Data>
  <LongUnsigned Value="001E" />
</Data>
```

Pre Set Threshold for missing voltage (voltage cut)  
1-0:12.39.0.255 (@1222)

(25) .value

PASSED

```
<Data>
  <LongUnsigned Value="0067" />
</Data>
```

Pre Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)  
(26) .value

PASSED

```
<Data>
  <LongUnsigned Value="001E" />
</Data>
```

Pre Set Measurement Period 3 for Instantaneous values  
1-0:0.8.2.255 (@1468)

(27) .value

INAPPLICABLE

Optional object is not implemented

Pre Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)  
(28) .capture\_period

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

Pre Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)  
(29) .capture\_period

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Data>

Pre Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(30) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Pre Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(31) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Pre Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255
(@1791)
(32) .control_mode
        PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Pre Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255
(@1799)
(33) .control_mode
        PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Pre Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255
(@1807)
(34) .control_mode
        PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Pre Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255
(@1815)
(35) .control_mode
        PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Pre Set IEC local port setup - IEC Optical port 0-0:20.0.0.255
(@1910)
(36) .default_mode
        INAPPLICABLE
    Optional object is not implemented
(37) .default_baud
        INAPPLICABLE
    Optional object is not implemented

```

- (38) .prop\_baud  
INAPPLICABLE  
Optional object is not implemented
- (39) .response\_time  
INAPPLICABLE  
Optional object is not implemented
- (40) .device\_addr  
INAPPLICABLE  
Optional object is not implemented
- (41) .pass\_p1  
INAPPLICABLE  
Optional object is not implemented
- (42) .pass\_p2  
INAPPLICABLE  
Optional object is not implemented
- (43) .pass\_p3  
INAPPLICABLE  
Optional object is not implemented

Pre Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255  
(@1921)

- (44) .comm\_speed  
PASSED  
<Data>  
  <Enum Value="05" />  
</Data>
- (45) .window\_size\_transmit  
PASSED  
<Data>  
  <Unsigned Value="01" />  
</Data>
- (46) .window\_size\_receive  
PASSED  
<Data>  
  <Unsigned Value="01" />  
</Data>
- (47) .max\_info\_field\_lenght\_transmit  
PASSED  
<Data>  
  <LongUnsigned Value="00F2" />  
</Data>
- (48) .max\_info\_field\_lenght\_receive  
PASSED  
<Data>  
  <LongUnsigned Value="00F2" />  
</Data>
- (49) .inter\_octet\_time\_out  
PASSED  
<Data>  
  <LongUnsigned Value="0032" />  
</Data>
- (50) .inactivity\_time\_out  
PASSED  
<Data>  
  <LongUnsigned Value="001E" />  
</Data>

Pre Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)

```
(51) .max_receiving_gain
      PASSED
      <Data>
        <Unsigned Value="2A" />
      </Data>
(52) .max_transmitting_gain
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(53) .search_initiator_gain
      PASSED
      <Data>
        <Unsigned Value="06" />
      </Data>
(54) .frequencies
      PASSED
      <Data>
        <Structure Qty="0002" >
          <DoubleLongUnsigned Value="0000F744" />
          <DoubleLongUnsigned Value="00012110" />
        </Structure>
      </Data>
(55) .min_delta_credit
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(56) .transmission_speed
      PASSED
      <Data>
        <Enum Value="03" />
      </Data>
```

Pre Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)

```
(57) .search_initiator_timeout
      PASSED
      <Data>
        <LongUnsigned Value="0258" />
      </Data>
(58) .synchronization_confirmation_timeout
      PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(59) .timeout_not_addressed
      PASSED
      <Data>
        <LongUnsigned Value="0168" />
      </Data>
(60) .timeout_frame_not_OK
      PASSED
      <Data>
```

```
                IDIS Reg No 0001 Kema_Report.txt
                <LongUnsigned Value="0028" />
        </Data>
```

```
Pre Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(61) .max_frame_length
        PASSED
```

```
        <Data>
                <Unsigned Value="F2" />
        </Data>
```

```
(62) Pre Set passive calendar name and check
        PASSED
        calendar_name_passive set to "CNP_FCE7"
```

```
*****
Test Case 9 : Selective access of profiles, 17 item(s)
*****
```

```
Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)
(1) .buffer
```

```
        PASSED
entries_in_use: 7
        <Data>
                <DoubleLongUnsigned Value="00000007" />
        </Data>
capture_objects:
        <Data>
                <Array Qty="0005" >
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0008" />
                                <OctetString Value="0000010000FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0100010801FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0100010802FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0100020801FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0100020802FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                </Array>
        </Data>
```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Structure>
</Array>
</Data>
Buffer has 7 elements:
<_Data>
  <Array Qty="0007" >
    <Structure Qty="0005" >
      <OctetString Value="07DB010106000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB020102000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB030102000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB040105000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB050107000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB0707040E0925008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB0C0501063B12008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>

```

IDIS Reg No 0001 Kema\_Report.txt

</\_Data>

Earliest date: 01-JAN-2011 00:00:00, latest date:  
05-DEC-2011 06:59:18  
Middle date: 01-APR-2011 00:00:00

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)  
(2) .buffer

PASSED

entries\_in\_use: 8

<Data>

<DoubleLongUnsigned Value="00000008" />

</Data>

capture\_objects:

<Data>

<Array Qty="0003" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0000600B02FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0047" />

<OctetString Value="0000110000FF" />

<Integer Value="03" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 8 elements:

<Data>

<Array Qty="0008" >

<Structure Qty="0003" >

<OctetString Value="07DA0C1F05002322008000FF" />

<Enum Value="FF" />

<DoubleLongUnsigned Value="00000000" />

</Structure>

<Structure Qty="0003" >

<OctetString Value="07DB05010700000C008000FF" />

<Enum Value="3E" />

<DoubleLongUnsigned Value="00000000" />

</Structure>

<Structure Qty="0003" >

<OctetString Value="07DB05010700000E008000FF" />

<Enum Value="3F" />

<DoubleLongUnsigned Value="00000000" />

</Structure>

<Structure Qty="0003" >

<OctetString Value="07DB050107000010008000FF" />

<Enum Value="3E" />

```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DB050107000012008000FF" />
        <Enum Value="3F" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DB0707040E0B3B008000FF" />
        <Enum Value="3D" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DB0708050E2515008000FF" />
        <Enum Value="44" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DB070C0210290B008000FF" />
        <Enum Value="44" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</Data>
    Earliest date: 31-DEC-2010 00:35:34, latest date:
12-JUL-2011 16:41:11
    Middle date: 01-MAY-2011 00:00:18

```

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)  
(3) .buffer

```

        PASSED
entries_in_use: 222
    <Data>
        <DoubleLongUnsigned Value="000000DE" />
    </Data>
capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B00FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
Buffer has 222 elements:
    <_Data>
        <Array Qty="00DE" >
            <Structure Qty="0002" >

```



```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB070B010A1701008000FF" />
  <Enum Value="FF" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1728008000FF" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1731008000FF" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1803008000FF" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1807008000FF" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1817008000FF" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020F2D1A008000FF" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020F2D1C008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020F3239008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020F331F008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020F3A38008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C0210000A008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100023008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C0210020E008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB070C0210030E008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100318008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100323008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100518008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C0210082D008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100A0D008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100D09008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100D16008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100D1B008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100D2B008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02101600008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02101608008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02101622008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02101718008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB070C02101919008000FF" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02101A26008000FF" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C0210250B008000FF" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02111C1B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02111C1D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02111C1F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02111C22008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02111C24008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02111C26008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02111C28008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02111C2A008000FF" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B15008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B18008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501063B1B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B1D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B1F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B21008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B23008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B26008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B28008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B2A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B2D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B2E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B31008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B34008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B39008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070002008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070004008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070006008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070008008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107000A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107000D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107000F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070011008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070013008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070016008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070018008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107001B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107001D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107001F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070021008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070023008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070025008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070028008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107002A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107002C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107002F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070032008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070034008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070036008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070038008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107003B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070101008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070104008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070107008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070109008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107010B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107010D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107010F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070111008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070113008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070115008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070117008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107011A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107011E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070120008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070122008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070124008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070127008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070129008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107012B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107012D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107012F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070131008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070133008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070135008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070137008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070139008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107013B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070201008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070203008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070207008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```



```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C050107020A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107020D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107020F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070212008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070214008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070216008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070218008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107021A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107021C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107021E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070220008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070222008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070225008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070227008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C050107022A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107022D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107022F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070231008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070234008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070237008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070239008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070300008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070303008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070305008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070308008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107030A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107030D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107030F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070312008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070315008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070317008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070319008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107031B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107031D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107031F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070321008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070324008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070326008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070328008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107032A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107032C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107032E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070331008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070333008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070336008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070338008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107033B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070401008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070403008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070406008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070408008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107040A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107040C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107040E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070410008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070412008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070414008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070416008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070417008000FF" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B17008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B1E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B28008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B34008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070006008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070013008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070022008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107002F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070102008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070111008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C050107011E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107012D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070203008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070213008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070222008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107022F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070301008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107030E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107031C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107032B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070338008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107040B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070418008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070426008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070433008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070505008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070512008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070520008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107052D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107053B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107060C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107061A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070627008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070635008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070706008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070714008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070721008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107072F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0001 Kema_Report.txt
  <OctetString Value="07DB0C0501070800008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070810008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107081E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107082B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107083A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107090C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107091A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070928008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070935008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070A07008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070A15008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070A23008000FF" />
  <Enum Value="2F" />
</Structure>
</Array>
```

```
</_Data>
```

```
Earliest date: 11-JUL-2011 10:23:01, latest date:
05-DEC-2011 07:10:35
Middle date: 05-DEC-2011 07:02:07
```

```
Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)
(4) .buffer
```

PASSED



```

IDIS Reg No 0001 Kema_Report.txt
entries_in_use: 6
  <Data>
    <DoubleLongUnsigned Value="00000006" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 6 elements:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0002" >
        <OctetString Value="07DA0C1F05002322008000FF" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB050107000015008000FF" />
        <Enum Value="2C" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB050107000018008000FF" />
        <Enum Value="2D" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB05010700001A008000FF" />
        <Enum Value="2C" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB05010700001C008000FF" />
        <Enum Value="2D" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB050107000122008000FF" />
        <Enum Value="2C" />
      </Structure>
    </Array>
  </Data>
  Earliest date: 31-DEC-2010 00:35:34, latest date:
01-MAY-2011 00:01:34
  Middle date: 01-MAY-2011 00:00:26

```

Mngmt Get Load profile with period 1  
i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(5) .buffer

PASSED

entries\_in\_use: 31

&lt;Data&gt;

&lt;DoubleLongUnsigned Value="0000001F" /&gt;

&lt;/Data&gt;

capture\_objects:

&lt;Data&gt;

&lt;Array Qty="0004" &gt;

&lt;Structure Qty="0004" &gt;

&lt;LongUnsigned Value="0008" /&gt;

&lt;OctetString Value="0000010000FF" /&gt;

&lt;Integer Value="02" /&gt;

&lt;LongUnsigned Value="0000" /&gt;

&lt;/Structure&gt;

&lt;Structure Qty="0004" &gt;

&lt;LongUnsigned Value="0001" /&gt;

&lt;OctetString Value="0000600A01FF" /&gt;

&lt;Integer Value="02" /&gt;

&lt;LongUnsigned Value="0000" /&gt;

&lt;/Structure&gt;

&lt;Structure Qty="0004" &gt;

&lt;LongUnsigned Value="0003" /&gt;

&lt;OctetString Value="0100010800FF" /&gt;

&lt;Integer Value="02" /&gt;

&lt;LongUnsigned Value="0000" /&gt;

&lt;/Structure&gt;

&lt;Structure Qty="0004" &gt;

&lt;LongUnsigned Value="0003" /&gt;

&lt;OctetString Value="0100020800FF" /&gt;

&lt;Integer Value="02" /&gt;

&lt;LongUnsigned Value="0000" /&gt;

&lt;/Structure&gt;

&lt;/Array&gt;

&lt;/Data&gt;

Buffer has 31 elements:

&lt;\_Data&gt;

&lt;Array Qty="001F" &gt;

&lt;Structure Qty="0004" &gt;

&lt;OctetString Value="07DB010106000000008000FF" /&gt;

&lt;Unsigned Value="24" /&gt;

&lt;DoubleLongUnsigned Value="00000000" /&gt;

&lt;DoubleLongUnsigned Value="00000000" /&gt;

&lt;/Structure&gt;

&lt;Structure Qty="0004" &gt;

&lt;OctetString Value="07DB011F01173B3B008000FF" /&gt;

&lt;Unsigned Value="24" /&gt;

&lt;DoubleLongUnsigned Value="00000000" /&gt;

&lt;DoubleLongUnsigned Value="00000000" /&gt;

&lt;/Structure&gt;

&lt;Structure Qty="0004" &gt;

&lt;OctetString Value="07DB020102000000008000FF" /&gt;

&lt;Unsigned Value="00" /&gt;

&lt;DoubleLongUnsigned Value="00000000" /&gt;

&lt;DoubleLongUnsigned Value="00000000" /&gt;

&lt;/Structure&gt;

```
IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0004" >
  <OctetString Value="07DB021C01173B3B008000FF" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB030102000000008000FF" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB031F04173B3B008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB040105000000008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB041E06173B3B008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB050107000000008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0707040E0925008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050E2116008000FF" />
  <Unsigned Value="88" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050E2D00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050F0000008000FF" />
```

```

IDIS Reg No 0001 Kema_Report.txt
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050F0F00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050F1E00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050F2D00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070805100000008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070805100F00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070805101E00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070B010A1316008000FF" />
  <Unsigned Value="88" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070C020F2D1B008000FF" />
  <Unsigned Value="88" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070C02100000008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB070C02100F00008000FF" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB070C0210250C008000FF" />
    <Unsigned Value="88" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB070C02102D00008000FF" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB070C02110000008000FF" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB070C02110F00008000FF" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB0C0501063B12008000FF" />
    <Unsigned Value="24" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB0C0501070000008000FF" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB0C0501070000008000FF" />
    <Unsigned Value="24" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
    <OctetString Value="07DB0C0501070F00008000FF" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

</Array>

</\_Data>

Earliest date: 01-JAN-2011 00:00:00, latest date:  
05-DEC-2011 07:15:00

Middle date: 08-JUL-2011 15:45:00

Mngmt Get Load profile with period 2  
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)  
(6) .buffer

PASSED

entries\_in\_use: 14

<Data>

<DoubleLongUnsigned Value="0000000E" />

</Data>

capture\_objects:

<Data>

<Array Qty="0006" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0000600A02FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0100010801FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0100010802FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0100020801FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0100020802FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 14 elements:

```
<_Data>
  <Array Qty="000E" >
    <Structure Qty="0006" >
      <OctetString Value="07DB010106000000008000FF" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB011F01173B3B008000FF" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB020102000000008000FF" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB021C01173B3B008000FF" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB030102000000008000FF" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB031F04173B3B008000FF" />
      <Unsigned Value="2C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB040105000000008000FF" />
      <Unsigned Value="2C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>

```

```

IDIS Reg No 0001 Kema_Report.txt
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB041E06173B3B008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB050107000000008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0707040E0925008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0708050E2116008000FF" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB070B010A1316008000FF" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB070C020F2D1B008000FF" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Unsigned Value="A4" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />

```



```
                IDIS Reg No 0001 Kema_Report.txt
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
        </Array>
    </Data>
    Earliest date: 01-JAN-2011 00:00:00, latest date:
05-DEC-2011 06:59:18
    Middle date: 30-APR-2011 23:59:59
```

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)  
(7) .buffer

```
                PASSED
    entries_in_use: 9
        <Data>
            <DoubleLongUnsigned Value="00000009" />
        </Data>
    capture_objects:
        <Data>
            <Array Qty="0002" >
                <Structure Qty="0004" >
                    <LongUnsigned Value="0008" />
                    <OctetString Value="0000010000FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0003" />
                    <OctetString Value="0000600713FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Array>
        </Data>
    Buffer has 9 elements:
        <Data>
            <Array Qty="0009" >
                <Structure Qty="0002" >
                    <OctetString Value="07DB050107000117008000FF" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="07DB050107000119008000FF" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="07DB05010700011B008000FF" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="07DB05010700011D008000FF" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="07DB05010700011F008000FF" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0002" >
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="07DB0708050E2116008000FF" />
        <LongUnsigned Value="FFFF" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB070B010A1316008000FF" />
        <LongUnsigned Value="1B62" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB070C020F2D1B008000FF" />
        <LongUnsigned Value="FFFF" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB070C0210250C008000FF" />
        <LongUnsigned Value="027A" />
    </Structure>
</Array>
</Data>
    Earliest date: 01-MAY-2011 00:01:23, latest date:
12-JUL-2011 16:37:12
    Middle date: 01-MAY-2011 00:01:31

```

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)  
(8) .buffer

```

        PASSED
    entries_in_use: 11
    <Data>
        <DoubleLongUnsigned Value="0000000B" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B04FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
    Buffer has 11 elements:
    <Data>
        <Array Qty="000B" >
            <Structure Qty="0002" >
                <OctetString Value="07DB070B010A140F008000FF" />
                <Enum Value="FF" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB070B010A1419008000FF" />
                <Enum Value="57" />
            </Structure>

```

```
IDIS Reg No 0001 Kema_Report.txt
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1437008000FF" />
  <Enum Value="54" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A152F008000FF" />
  <Enum Value="51" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A161B008000FF" />
  <Enum Value="54" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1709008000FF" />
  <Enum Value="51" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1727008000FF" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1727008000FF" />
  <Enum Value="56" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1727008000FF" />
  <Enum Value="57" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C0210252A008000FF" />
  <Enum Value="53" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C0210252A008000FF" />
  <Enum Value="54" />
</Structure>
</Array>
</Data>
```

Earliest date: 11-JUL-2011 10:20:15, latest date:  
12-JUL-2011 16:37:42  
Middle date: 11-JUL-2011 10:23:09

Mngmt Get M-Bus Master Load profile for channel 1  
0-1:24.3.0.255 (@1747)  
(9) .buffer

```
PASSED
entries_in_use: 20
<Data>
  <DoubleLongUnsigned Value="00000014" />
</Data>
capture_objects:
<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
    </Structure>
  </Array>
</Data>
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 20 elements:
<_Data>
    <Array Qty="0014" >
        <Structure Qty="0002" >
            <OctetString Value="07DB010106000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB011F01173B3B008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB020102000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB021C01173B3B008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB030102000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB031F04173B3B008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB040105000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB041E06173B3B008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB0707040E0925008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB0708050E2116008000FF" />
            <Unsigned Value="00" />
        </Structure>
    </Array>
</_Data>

```

```
IDIS Reg No 0001 Kema_Report.txt
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050F0000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070805100000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1316008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020F2D1B008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02110000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
</Array>
</_Data>
```

Earliest date: 01-JAN-2011 00:00:00, latest date:  
05-DEC-2011 07:00:00  
Middle date: 08-JUL-2011 14:33:22

Mngmt Get M-Bus Master Load profile for channel 2  
0-2:24.3.0.255 (@1758)  
(10) .buffer

```
      PASSED
entries_in_use: 20
  <Data>
    <DoubleLongUnsigned Value="00000014" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0002600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 20 elements:
<_Data>
    <Array Qty="0014" >
        <Structure Qty="0002" >
            <OctetString Value="07DB010106000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB011F01173B3B008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB020102000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB021C01173B3B008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB030102000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB031F04173B3B008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB040105000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB041E06173B3B008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000000008000FF" />
            <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB0707040E0925008000FF" />
            <Unsigned Value="00" />
        </Structure>

```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0002" >  
  <OctetString Value="07DB0708050E2116008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0708050F0000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070805100000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070B010A1316008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070C020F2D1B008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070C02100000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070C02110000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501063B12008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501070000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501070000008000FF" />  
  <Unsigned Value="00" />  
</Structure>
```

</Array>

</\_Data>

Earliest date: 01-JAN-2011 00:00:00, latest date:  
05-DEC-2011 07:00:00  
Middle date: 08-JUL-2011 14:33:22

Mngmt Get M-Bus Master Load profile for channel 3  
0-3:24.3.0.255 (@1769)  
(11) .buffer

PASSED

entries\_in\_use: 20

<Data>

<DoubleLongUnsigned Value="00000014" />

</Data>

capture\_objects:

<Data>

IDIS Reg No 0001 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <OctetString Value="0003600A03FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>
Buffer has 20 elements:
<_Data>
  <Array Qty="0014" >
    <Structure Qty="0002" >
      <OctetString Value="07DB010106000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB011F01173B3B008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB020102000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB021C01173B3B008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB030102000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB031F04173B3B008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB040105000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB041E06173B3B008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB0707040E0925008000FF" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</_Data>
```



```
IDIS Reg No 0001 Kema_Report.txt
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050E2116008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050F0000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070805100000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1316008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020F2D1B008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02100000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C02110000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
</Array>
```

```
</_Data>
```

```
Earliest date: 01-JAN-2011 00:00:00, latest date:
05-DEC-2011 07:00:00
Middle date: 08-JUL-2011 14:33:22
```

```
Mngmt Get M-Bus Master Load profile for channel 4
0-4:24.3.0.255 (@1780)
(12) .buffer
```

```
      PASSED
entries_in_use: 20
  <Data>
    <DoubleLongUnsigned Value="00000014" />
  </Data>
```

capture\_objects:

```
<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0004600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

Buffer has 20 elements:

```
<_Data>
  <Array Qty="0014" >
    <Structure Qty="0002" >
      <OctetString Value="07DB010106000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB011F01173B3B008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB020102000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB021C01173B3B008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB030102000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB031F04173B3B008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB040105000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB041E06173B3B008000FF" />
      <Unsigned Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000000008000FF" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
```

IDIS Reg No 0001 Kema\_Report.txt

```
<Structure Qty="0002" >  
  <OctetString Value="07DB0707040E0925008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0708050E2116008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0708050F0000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070805100000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070B010A1316008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070C020F2D1B008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070C02100000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070C02110000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501063B12008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501070000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501070000008000FF" />  
  <Unsigned Value="00" />  
</Structure>
```

</Array>

</\_Data>

Earliest date: 01-JAN-2011 00:00:00, latest date:  
05-DEC-2011 07:00:00  
Middle date: 08-JUL-2011 14:33:22

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255  
(@1850)  
(13) .buffer

PASSED  
entries\_in\_use: 5  
<Data>

```

        IDIS Reg No 0001 Kema_Report.txt
        <DoubleLongUnsigned Value="00000005" />
    </Data>
capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0001600B04FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
Buffer has 5 elements:
    <Data>
        <Array Qty="0005" >
            <Structure Qty="0002" >
                <OctetString Value="07DA0C1F05002322008000FF" />
                <Enum Value="FF" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB05010700001E008000FF" />
                <Enum Value="A4" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB050107000020008000FF" />
                <Enum Value="A4" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB050107000023008000FF" />
                <Enum Value="A4" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB050107000025008000FF" />
                <Enum Value="A4" />
            </Structure>
        </Array>
    </Data>
    Earliest date: 31-DEC-2010 00:35:34, latest date:
01-MAY-2011 00:00:37
    Middle date: 01-MAY-2011 00:00:32

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255
(@1861)
(14) .buffer
        PASSED
    entries_in_use: 5
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>

```

IDIS Reg No 0001 Kema\_Report.txt  
capture\_objects:

```
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0002600B04FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

Buffer has 5 elements:

```
<Data>  
  <Array Qty="0005" >  
    <Structure Qty="0002" >  
      <OctetString Value="07DA0C1F05002322008000FF" />  
      <Enum Value="FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB050107000027008000FF" />  
      <Enum Value="AE" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB050107000029008000FF" />  
      <Enum Value="AE" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB05010700002B008000FF" />  
      <Enum Value="AE" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB05010700002E008000FF" />  
      <Enum Value="AE" />  
    </Structure>  
  </Array>  
</Data>
```

Earliest date: 31-DEC-2010 00:35:34, latest date:  
01-MAY-2011 00:00:46  
Middle date: 01-MAY-2011 00:00:41

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255  
(@1872)

(15) .buffer

```
      PASSED  
entries_in_use: 5  
  <Data>  
    <DoubleLongUnsigned Value="00000005" />  
  </Data>  
capture_objects:  
  <Data>
```

```
IDIS Reg No 0001 Kema_Report.txt
<Array Qty="0002" >
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <OctetString Value="0003600B04FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>
```

Buffer has 5 elements:

```
<Data>
  <Array Qty="0005" >
    <Structure Qty="0002" >
      <OctetString Value="07DA0C1F05002322008000FF" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000030008000FF" />
      <Enum Value="B8" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000032008000FF" />
      <Enum Value="B8" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000034008000FF" />
      <Enum Value="B8" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000036008000FF" />
      <Enum Value="B8" />
    </Structure>
  </Array>
</Data>
```

Earliest date: 31-DEC-2010 00:35:34, latest date:  
01-MAY-2011 00:00:54  
Middle date: 01-MAY-2011 00:00:50

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255  
(@1883)

(16) .buffer

```
PASSED
entries_in_use: 5
  <Data>
    <DoubleLongUnsigned Value="00000005" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
```

```
        IDIS Reg No 0001 Kema_Report.txt
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0004600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
```

Buffer has 5 elements:

```
<Data>
    <Array Qty="0005" >
        <Structure Qty="0002" >
            <OctetString Value="07DA0C1F05002322008000FF" />
            <Enum Value="FF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000038008000FF" />
            <Enum Value="C2" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB05010700003B008000FF" />
            <Enum Value="C2" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000101008000FF" />
            <Enum Value="C2" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000103008000FF" />
            <Enum Value="C2" />
        </Structure>
    </Array>
</Data>
```

Earliest date: 31-DEC-2010 00:35:34, latest date:  
01-MAY-2011 00:01:03  
Middle date: 01-MAY-2011 00:00:59

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)  
(17) .buffer

```
        PASSED
    entries_in_use: 5
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
            </Structure>
        </Array>
    </Data>
```

```

        IDIS Reg No 0001 Kema_Report.txt
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 5 elements:
<Data>
    <Array Qty="0005" >
        <Structure Qty="0002" >
            <OctetString Value="07DA0C1F05002322008000FF" />
            <Enum Value="FF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000105008000FF" />
            <Enum Value="68" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000107008000FF" />
            <Enum Value="68" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB05010700010A008000FF" />
            <Enum Value="68" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB05010700010C008000FF" />
            <Enum Value="68" />
        </Structure>
    </Array>
</Data>

```

Earliest date: 31-DEC-2010 00:35:34, latest date:  
 01-MAY-2011 00:01:12  
 Middle date: 01-MAY-2011 00:01:07

```

*****
Test Case 10 : Multiple references, 4 item(s)
*****

```

(1) Public, logical names  
 PASSED

Reading 5 attributes

```

<Result Qty="0005" >
  <Data>
    <OctetString Value="0000290000FF" />
  </Data>
  <Data>
    <OctetString Value="0000280000FF" />
  </Data>
  <Data>
    <OctetString Value="00002B0101FF" />
  </Data>
  <Data>

```



```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="00002B0100FF" />
    </Data>
    <Data>
        <OctetString Value="00002A0000FF" />
    </Data>
</Result>
(2) Mngmt, logical names
    PASSED
Reading 16 attributes
    <Result Qty="0010" >
        <Data>
            <OctetString Value="00001A0500FF" />
        </Data>
        <Data>
            <OctetString Value="00001A0300FF" />
        </Data>
        <Data>
            <OctetString Value="00001A0200FF" />
        </Data>
        <Data>
            <OctetString Value="00001A0100FF" />
        </Data>
        <Data>
            <OctetString Value="00001A0000FF" />
        </Data>
        <Data>
            <OctetString Value="0000160000FF" />
        </Data>
        <Data>
            <OctetString Value="0100040700FF" />
        </Data>
        <Data>
            <OctetString Value="0100030700FF" />
        </Data>
        <Data>
            <OctetString Value="0100020700FF" />
        </Data>
        <Data>
            <OctetString Value="0100010700FF" />
        </Data>
        <Data>
            <OctetString Value="01000F0700FF" />
        </Data>
        <Data>
            <OctetString Value="01005A0700FF" />
        </Data>
        <Data>
            <OctetString Value="01001F0700FF" />
        </Data>
        <Data>
            <OctetString Value="0100201800FF" />
        </Data>
        <Data>
            <OctetString Value="0100200700FF" />
        </Data>
        <Data>

```

```

        IDIS Reg No 0001 Kema_Report.txt
        <OctetString Value="0000636204FF" />
    </Data>
</Result>
(3) Mngmt, mixed attributes
    PASSED
    Reading 15 attributes
    <Result Qty="000F" >
        <Data>
            <OctetString Value="0000290000FF" />
        </Data>
        <Data>
            <Enum Value="00" />
        </Data>
        <Data>
            <Long Value="FFC4" />
        </Data>
        <Data>
            <OctetString Value="\TARIFF01" />
        </Data>
        <Data>
            <Enum Value="01" />
        </Data>
        <Data>
            <Structure Qty="0004" >
                <LongUnsigned Value="0000" />
                <OctetString Value="000000000000" />
                <Integer Value="00" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Data>
        <Data>
            <DoubleLongUnsigned Value="00000006" />
        </Data>
        <Data>
            <DoubleLongUnsigned Value="00000384" />
        </Data>
        <Data>
            <LongUnsigned Value="0001" />
        </Data>
        <Data>
            <Enum Value="02" />
        </Data>
        <Data>
            <Bool Value="01" />
        </Data>
        <Data>
            <Unsigned Value="00" />
        </Data>
        <Data>
            <LongUnsigned Value="0C00" />
        </Data>
        <Data>
            <Bool Value="01" />
        </Data>
        <Data>
            <Enum Value="03" />

```

```

        IDIS Reg No 0001 Kema_Report.txt
    </Data>
</Result>
(4) Mngmt, long attributes (block transfer)
    PASSED
    Reading 5 attributes
    <Result Qty="0005" >
        <Data>
            <OctetString Value="\CNP_FCE7" />
        </Data>
        <Data>
            <Array Qty="0001" >
                <Structure Qty="0003" >
                    <OctetString Value="01" />
                    <OctetString Value="FFFF0101FF000000008000FF" />
                    <OctetString Value="01" />
                </Structure>
            </Array>
        </Data>
        <Data>
            <Array Qty="0001" >
                <Structure Qty="0008" >
                    <OctetString Value="01" />
                    <Unsigned Value="01" />
                    <Unsigned Value="01" />
                    <Unsigned Value="01" />
                    <Unsigned Value="01" />
                    <Unsigned Value="01" />
                    <Unsigned Value="01" />
                    <Unsigned Value="01" />
                </Structure>
            </Array>
        </Data>
        <Data>
            <Array Qty="0001" >
                <Structure Qty="0002" >
                    <Unsigned Value="01" />
                    <Array Qty="0001" >
                        <Structure Qty="0003" >
                            <OctetString Value="00000000" />
                            <OctetString Value="00000A0064FF" />
                            <LongUnsigned Value="0001" />
                        </Structure>
                    </Array>
                </Structure>
            </Array>
        </Data>
        <Data>
            <OctetString Value="07DB0C0602FFFFFFFFFFFFFFFF" />
        </Data>
    </Result>

```

```

*****
Test Case 11 : Disconnect controls, 3 item(s)
*****

```

```

(1) Disconnect control
    PASSED

```

Disconnect in control mode 0  
Test control mode 1  
Test control mode 2  
Test control mode 3  
Test control mode 4  
Test control mode 5  
Test control mode 6

- (2) Load Mgmt - Relay control 1  
INAPPLICABLE  
control\_mode has no SET access
- (3) Load Mgmt - Relay control 2  
INAPPLICABLE  
Optional object is not implemented

\*\*\*\*\*  
Test Case 12 : Script tables, 3 item(s)  
\*\*\*\*\*

- (1) Tariffication script table  
PASSED  
Tariffication script table (parameters 1):  
"TARIFF01,TARIFF02,TARIFF03,TARIFF04"  
Register activation - Energy (mask names):  
"TARIFF01,TARIFF02,TARIFF03,TARIFF04"  
Tariffication script table (parameters 2):  
"TARIFF01,TARIFF02,TARIFF03,TARIFF04"  
Register activation - Maximum Demand (mask names):  
"TARIFF01,TARIFF02,TARIFF03,TARIFF04"  
calendar\_name\_passive name: TOU\_9FA8  
activate\_passive\_calendar\_time: 05-DEC-2011 07:31:39  
activate\_passive\_calendar\_time: 05-DEC-2011 12:00:59
- (2) MDI Reset / End of billing period script table  
PASSED
- (3) Disconnecter script table  
PASSED

\*\*\*\*\*  
Test Case 13 : Miscellaneous tests, 4 item(s)  
\*\*\*\*\*

- (1) Set/Get of long attribute  
PASSED
- (2) S-FSK Initiator, execute reset\_NEW\_not\_synchronized  
PASSED  
MAC address = 0x001
- (3) Reset S-FSK MAC counters  
INAPPLICABLE  
Optional access right not available
- (4) Set S-FSK transmissions counter  
INAPPLICABLE  
Optional access right not available

\*\*\*\*\*  
Test Case 14 : Application association, 17 item(s)  
\*\*\*\*\*

- (1) Wrong logical device Id  
PASSED
- (2) Wrong client Id

- PASSED
- (3) Opening an already opened application association  
PASSED
- (4) Error on the Protocol version  
PASSED
- (5) Application context missing  
PASSED
- (6) Wrong application context  
PASSED
- (7) Missing calling AP title in a ciphering AARQ  
PASSED
- (8) Wrong system title in the Calling AP title  
PASSED
- (9) ACSE requirement missing  
PASSED
- (10) Wrong ACSE requirement  
PASSED
- (11) Authentication mechanism missing  
PASSED
- (12) Wrong authentication mechanism  
PASSED
- (13) Authentication value missing  
PASSED
- (14) Wrong authentication value  
PASSED
- (15) User information missing  
PASSED
- (16) Wrong dedicated key  
PASSED
- (17) Incorrect conformance bloc  
PASSED

\*\*\*\*\*  
Test Case 15 : xDLMS Services, 20 item(s)  
\*\*\*\*\*

- (1) Get without AA opening  
PASSED
- (2) Set without AA opening  
PASSED
- (3) Action without AA opening  
PASSED
- (4) Get with wrong inner tag  
PASSED
- (5) Set with wrong inner tag  
PASSED
- (6) Action with wrong inner tag  
PASSED
- (7) Error during block transfer with get  
PASSED
- (8) Error during block transfer with set  
PASSED
- (9) Get with wrong attribute id  
PASSED
- (10) Set with wrong attribute id  
PASSED
- (11) Action with wrong attribute id

- PASSED
- (12) Get with wrong access right  
PASSED
- (13) Set with wrong access right  
PASSED
- (14) Action with wrong access right  
PASSED
- (15) Get with wrong access selector  
PASSED
- (16) Get with wrong access parameters  
PASSED
- (17) Set with wrong data type  
PASSED
- (18) Action with wrong data type  
PASSED
- (19) Set with wrong data content  
PASSED
- (20) Action with wrong data content  
PASSED

\*\*\*\*\*  
Test Case 16 : Security Activate, 3 item(s)  
\*\*\*\*\*

- (1) Activate 1

PASSED

Pre set calendar\_name\_passive to CNP\_D913 using +A, -E

Pre set calendar\_name\_passive to CNP\_5B55 using +A, -E

tweaked A

Mngmt get calendar\_name\_passive using +A, -E, expect

"CNP\_D913"

Mngmt set calendar\_name\_passive to CNP\_5B55 using +A, -E

tweaked A

Mngmt get calendar\_name\_passive using +A, -E, expect

"CNP\_D913"

Mngmt set security\_policy attribute to 0

- (2) Activate 2

PASSED

Pre set calendar\_name\_passive to CNP\_3437 using -A, +E

Pre set calendar\_name\_passive to CNP\_9E86 using -A, +E

tweaked E

Mngmt get calendar\_name\_passive using -A, +E, expect

"CNP\_3437"

Mngmt set calendar\_name\_passive to CNP\_9E86 using -A, +E

tweaked E

Mngmt get calendar\_name\_passive using -A, +E, expect

"CNP\_3437"

Mngmt set security\_policy attribute to 0

- (3) Activate 3

PASSED

Pre set calendar\_name\_passive to CNP\_5112 using +A, +E

Pre set calendar\_name\_passive to CNP\_0B79 using +A, +E

tweaked A

Mngmt get calendar\_name\_passive using +A, +E, expect

"CNP\_5112"

Mngmt set calendar\_name\_passive to CNP\_0B79 using +A, +E

tweaked A

```
Mngmt get calendar_name_passive using +A, +E, expect
"CNP_5112"
Pre set calendar_name_passive to CNP_77B0 using +A, +E
tweaked E
Mngmt get calendar_name_passive using +A, +E, expect
"CNP_5112"
Mngmt set calendar_name_passive to CNP_77B0 using +A, +E
tweaked E
Mngmt get calendar_name_passive using +A, +E, expect
"CNP_5112"
Mngmt set security_policy attribute to 0
```

```
*****
Test Case 17 : Frame counter, 5 item(s)
*****
```

- (1) Unicast replay  
PASSED
- (2) Broadcast replay  
PASSED
- (3) Unicast Register  
PASSED
- (4) Broadcast Register  
PASSED
- (5) Received value  
PASSED

```
*****
Test Case 18 : Security global key transfer, 4 item(s)
*****
```

- (1) Global unicast encryption key transfer  
PASSED
- (2) Global broadcast encryption key transfer  
PASSED
- (3) Global authentication key transfer  
PASSED
- (4) All key transfer  
PASSED

```
*****
Test Case 19 : Secured service user information, 9 item(s)
*****
```

- (1) AARQ not encrypted  
PASSED
- (2) AARQ not authenticated  
PASSED
- (3) AARQ not encrypted not authenticated  
PASSED
- (4) AARQ with A security header  
PASSED
- (5) AARQ with E security header  
PASSED
- (6) AARQ with empty security header  
PASSED
- (7) AARQ with invalid frame counter  
PASSED
- (8) AARQ with invalid authentication

PASSED

(9) AARQ with invalid encryption

PASSED

\*\*\*\*\*  
Test Case 20 : Application association release service, 6 item(s)  
\*\*\*\*\*

- (1) RLRQ invalid release request  
PASSED
- (2) RLRQ with missing user information  
PASSED
- (3) RLRQ non secure user information  
PASSED
- (4) RLRQ invalid security header  
PASSED
- (5) RLRQ invalid authentication  
PASSED
- (6) RLRQ invalid encryption  
PASSED

\*\*\*\*\*  
Test Case 21 : Image transfer, 3 item(s)  
\*\*\*\*\*

- (1) Basic  
PASSED  
Block size: 168
- (2) Full  
PASSED  
Block size: 168  
ImageSize: 181750, Blocks: 1082, Last block size: 142  
image\_to\_activate\_info:

```

<Data>
  <Array Qty="0001" >
    <Structure Qty="0003" >
      <DoubleLongUnsigned Value="0002C5F6" />
      <OctetString

```

```

Value="4143540D0A54533D31303841323838380D0A414D4D5F4E4C525F434F444
50D0A52454C330D0A335F50484153450D0A4D49430D0A48573D58582E59592E5A5
A0D0A4C5246573D30312E30322E30300D0A4E4C5246573D30312E30302E30310D0
A" />

```

```

      <OctetString
Value="055EBE427F550BA9EA4F0A71262A2890F80CEFCF" />
    </Structure>
  </Array>
</Data>

```

- (3) Full delayed  
PASSED  
Block size: 168  
ImageSize: 181750, Blocks: 1082, Last block size: 142  
image\_to\_activate\_info:

```

<Data>
  <Array Qty="0001" >
    <Structure Qty="0003" >
      <DoubleLongUnsigned Value="0002C5F6" />
      <OctetString

```

```

Value="4143540D0A54533D31303841323838380D0A414D4D5F4E4C525F434F444

```



```
IDIS Reg No 0001 Kema_Report.txt
50D0A52454C330D0A335F50484153450D0A4D49430D0A48573D58582E59592E5A5
A0D0A4C5246573D30312E30322E30300D0A4E4C5246573D30312E30302E30310D0
A" />
```

```
    <OctetString
Value="055EBE427F550BA9EA4F0A71262A2890F80CEFCF" />
    </Structure>
  </Array>
</Data>
```

```
*****
* CTI *
*****
```

```
// Conformance Test Information (CTI) Template
// 1.6
```

```
// The CTI has a specified syntax but it's format is free
```

```
// Mandatory 'Manufacturer' structure
// *****
```

```
Manufacturer = {
  // Keep the leading '\\' to denote a visible-string.
  Name = '\\ITRON Metering Systems'
  // The manufacturer's FLAG id is a part of the DUT system title
  ThreeLettersId = '\\ACE'
}
```

```
// Mandatory 'DeviceUnderTest' structure
// *****
```

```
DeviceUnderTest = {

  // IDISDeviceType is 100 or 101, it is part of the DUT system
  title
  IDISDeviceType = 101

  // IDISFunctionType indicates the extension(s) supported by the
  DUT,
  // it is also a part of the DUT system title.
  // It is a set (possibly empty) of elements
  // Extension_D, Extension_L and Extension_M
  IDISFunctionType = [Extension_D, Extension_L, Extension_M]

  // The serial number of the DUT is pa part of its syste title.
  SerialNr = 21444421

}
```

```
// Optional 'TestOptions'
TestOptions = {
}
```

```
// Mandatory 'ObjectModel' structure
// *****
```

```
// It defines the current values of the optional elements of the
object model.
// These are the optional objects, the optional access rights of
```

attributes and/or  
 // methods. Also, default values for writing attributes can also  
 be defined here.

```
ObjectModel = {
    // Optional objects implemented
    OptionalObjects = '\
      + '1-1:0.2.0.255|1,' // Active firmware version 1 (@329)
      + '1-1:0.2.8.255|1,' // Active firmware version signature 1
      (@333)
      + '1-2:0.2.0.255|1,' // Active firmware version 2 (@337)
      + '1-2:0.2.8.255|1,' // Active firmware version signature 2
      (@341)
      + '1-0:9.8.0.255|3,' // Apparent energy import (+VA) (QI+QIV)
      (@406)
      + '1-0:5.8.1.255|3,' // Reactive energy (QI) rate 1 (@515)
      + '1-0:5.8.2.255|3,' // Reactive energy (QI) rate 2 (@521)
      + '1-0:5.8.3.255|3,' // Reactive energy (QI) rate 3 (@527)
      + '1-0:5.8.4.255|3,' // Reactive energy (QI) rate 4 (@533)
      + '1-0:6.8.1.255|3,' // Reactive energy (QII) rate 1 (@539)
      + '1-0:6.8.2.255|3,' // Reactive energy (QII) rate 2 (@545)
      + '1-0:6.8.3.255|3,' // Reactive energy (QII) rate 3 (@551)
      + '1-0:6.8.4.255|3,' // Reactive energy (QII) rate 4 (@557)
      + '1-0:7.8.1.255|3,' // Reactive energy (QIII) rate 1 (@563)
      + '1-0:7.8.2.255|3,' // Reactive energy (QIII) rate 2 (@569)
      + '1-0:7.8.3.255|3,' // Reactive energy (QIII) rate 3 (@575)
      + '1-0:7.8.4.255|3,' // Reactive energy (QIII) rate 4 (@581)
      + '1-0:8.8.1.255|3,' // Reactive energy (QIV) rate 1 (@587)
      + '1-0:8.8.2.255|3,' // Reactive energy (QIV) rate 2 (@593)
      + '1-0:8.8.3.255|3,' // Reactive energy (QIV) rate 3 (@599)
      + '1-0:8.8.4.255|3,' // Reactive energy (QIV) rate 4 (@605)
      + '1-0:15.8.1.255|3,' // Active energy Combined total
      (|+A|+|-A|) rate 1 (@659)
      + '1-0:15.8.2.255|3,' // Active energy Combined total
      (|+A|+|-A|) rate 2 (@665)
      + '1-0:15.8.3.255|3,' // Active energy Combined total
      (|+A|+|-A|) rate 3 (@671)
      + '1-0:15.8.4.255|3,' // Active energy Combined total
      (|+A|+|-A|) rate 4 (@677)
      + '1-0:9.4.0.255|5,' // Demand Register 5 - Apparent energy
      import (+VA) (@736)
      + '1-0:9.6.0.255|4,' // Maximum Demand Register 21 - Apparent
      energy import (+VA) (@970)
      + '1-0:9.6.1.255|4,' // Maximum Demand Register 22 - Apparent
      energy import (+VA) - rate 1 (@978)
      + '1-0:9.6.2.255|4,' // Maximum Demand Register 23 - Apparent
      energy import (+VA) - rate 2 (@986)
      + '1-0:9.6.3.255|4,' // Maximum Demand Register 24 - Apparent
      energy import (+VA) - rate 3 (@994)
      + '1-0:9.6.4.255|4,' // Maximum Demand Register 25 - Apparent
      energy import (+VA) - rate 4 (@1002)
```

// An optional list of InstanceExtraInfo can be specified.

```

Each InstanceExtraInfo is used
  // to specify optional elements of instances.
  InstanceExtraInfo = {
    // Each instance must be identified by its logical name (in
hex or dotted notation)...
    LogicalName = '0-0:1.0.0.255'
    // ... and by its class id.
    ClassId = 8

    // An optional list of AttributeExtraInfo can be specified
    AttributeExtraInfo = {
      // The attribute id identifies the attribute
      AttributeId = 2
      // If the attribute is writable, then the data written by
the set test can be specified
      // using the xml presentation of the data, as a string
      // See the help file for the xml of the possible data
choices
      SetData = '\<Data><OctetString Value =
"07DB0C0506063B12008000FF" /></Data>'
    }

    InstanceExtraInfo = {
      // Set value for Consumer Message Text
      LogicalName = '0-0:96.13.0.255'
      ClassId = 1
      AttributeExtraInfo = {
        AttributeId = 2
        SetData = '\<Data><OctetString Value="3132333435363738"
/></Data>'
      }
    }

    InstanceExtraInfo = {
      // Current association (@9)
      LogicalName = '0-0:40.0.0.255'
      ClassId = 15
      AttributeExtraInfo = {
        // authentication_mechanism_name
        AttributeId = 6
        AccessRights = [GET,SET]
      }
      AttributeExtraInfo = {
        // secret
        AttributeId = 7
        SetData = '\<Data><OctetString Value = "3132333435363738"
/></Data>'
        AccessRights = [SET]
      }
      MethodExtraInfo = {
        // change_HLS_secret
        MethodId = 2
        AccessRights = [ACTION]
      }
    }
  }

```

```

InstanceExtraInfo = {
  // Limiter (@213)
  LogicalName = '0-0:17.0.0.255'
  ClassId = 71
  AttributeExtraInfo = {
    // actions
    AttributeId = 11
    AccessRights = [GET,SET]
  }
}

InstanceExtraInfo = {
  // M-Bus client channel 1 (@1483)
  LogicalName = '0-1:24.1.0.255'
  ClassId = 72
  MethodExtraInfo = {
    // capture
    MethodId = 3
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  // M-Bus client channel 2 (@1505)
  LogicalName = '0-2:24.1.0.255'
  ClassId = 72
  MethodExtraInfo = {
    // capture
    MethodId = 3
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  // M-Bus client channel 3 (@1527)
  LogicalName = '0-3:24.1.0.255'
  ClassId = 72
  MethodExtraInfo = {
    // capture
    MethodId = 3
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  // M-Bus client channel 4 (@1549)
  LogicalName = '0-4:24.1.0.255'
  ClassId = 72
  MethodExtraInfo = {
    // capture
    MethodId = 3
    AccessRights = [ACTION]
  }
}

```

```

}

// Mandatory 'TestParameters' structure
// *****
// Defines miscellaneous values used during the test
TestParameters = {

    // After starting a discovery, the tool polls
    // the meters network until it finds the meter specified by
    // 'MeterId'.
    // This polling will last at least the specified time (in ms).
    MeterDiscoveryTimeout = 400000

    // The 'DefaultAccessTimeout' is the time (in ms) allowed to
    // complete an
    // access (read, write or action)
    DefaultAccessTimeout = 240000

    // The accesses have a priority between 1 (highest priority) and
    // 10 (lowest priority)
    DefaultPriority = 5

    // Optional delay (in ms) after executing the Disconnect
    // Control (class 70)
    // connect and disconnect actions performed directly or via a
    // script table.
    ConnectDisconnectDelay = 20000

    // Mandatory DC system title
    // KEMA DCSYSTEMTITLE LGZIT000002
    DCSystemTitle = '4C475A4954000002' //KEMA PLC MODEM

    // Mandatory structure for the ImageTransfer
    ImageTransfer = {
        // Image identifier as passed to the image_transfer_initiate
        // method
        ImageIdentifier =
        '4143540D0A54533D31303841323838380D0A414D4D5F4E4C525F434F44450D0A5
        2454C330D0A335F50484153450D0A4D49430D0A48573D58582E59592E5A5A0D0A4
        C5246573D30312E30322E30300D0A4E4C5246573D30312E30302E30310D0A' //
        // 3ph compresse v 1.0
        // Filename of the image to transfer. If no filepath is given,
        // then the file
        // is supposed to be in the same directory as the CTI file
        ImageFileName =
        '\nlr_program_internal_3ph_comp_chk_download.bin'
        // Time (in ms) that the iCTT loops reading the image_transfer
        // status waiting for changes
        Timeout = 8000
    }
}

```

```

IDIS Reg No 0001 Kema_Report.txt
// Mandatory ''PLCConfig'' structure
// *****
// The PLCConfig is set before each test session. The various
members are
// defined in the appropriate document. The values defined
hereafter are
// the default values
PLCConfig = {
  AddrMAC = 0xC00
  TimeoutNotAddr = 360
  MaxSubFrames = 7
  TimeUpdatePeriod = 0
  BkgTaskEnabled = 1
  BkgMinDelay = 60
  DiscoverTimeSlots = 20
  ResponseProbability = 100
  MaxCredit = 2
  DiscoverPeriod = 0 // was 60, disable periodic discovery
  TransmissionGain = 0
  ReceptionGain = 8
  BaudRate = 1
  InputFrequency = 0
  NbComOkDecrCredit = 3
  DecrCredit = 1
  IncrCredit = 2
  MaxRetry = 1
  RepeaterCallEnabled = 0
  RepeaterCallLevel = 1000
  NewBcplTSlotCount = 10
  AlarmMngtEnabled = 0 // was 1, Disable alarms
  AlarmMngtDelay = 0
  AutoDiscoveryPriority = 2
  FCTxValue = 0
}

// Mandatory ''SecurityElements''
// *****
// There are 3 sets of ''SecurityElements'', one for each test
mode
// (Standard, Tunnel, Local)

// Each set contains one structure per client, each with the
following members:

// ContextName: either LONG_NAMES or LONG_NAMES_WITH_CIPHERING

// MechanismName: either LOWEST_LEVEL_SECURITY, LOW_LEVEL_SECURITY
or HIGH_LEVEL_SECURITY_GMAC

// Policy: either NO_SECURITY, AUTHENTICATION, ENCRYPTION or
AUTHENTICATION_AND_ENCRYPTION
// The policy determines how the APDU are ciphered. It is NOT the
value of
// the security_policy attribute of the security setup object of
the DUT.

```

```

IDIS Reg No 0001 Kema_Report.txt
// However, in a ciphered context, only APDU's with a ciphering
'policy' larger or equal to
// the security_policy of the DUT will be accepted.

// Password: if required by the mechanism name.

// StandardSecurityElements
// Mandatory, used for the 'standard' mode (DC via Java API).
// No context name is required since the DC selects the context
according
// to the 'Policy' member. If zero, then the DC generates an
AARQ with LONG_NAMES context.
// If positive then the DC generates an AARQ with
LONG_NAME_WITH_CIPHERING context.
StandardSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
    }
}

// LocalSecurityElements
// Mandatory, used for the 'local' mode.
LocalSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = NO_SECURITY // AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
        FrameCounterInstance = '\0-1:43.1.0.255'
    }

    PreEstablished = {
        Policy = NO_SECURITY
    }
}

```

```
// TunnelSecurityElements
// Mandatory, used for the 'tunnel' mode.
TunnelSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
    }
}

// Parameters of the 'Local' HDLC Profile
HDLCProfile = {

    PhysicalLayer = {
        OpeningMode = MODE_E // or DIRECT_HDLC
        HdlcBaud = 9600
    }

    DataLinkLayer = {
        InactivityTimeout = 30000
        InterFrameTimeout = 50
        ResponseTimeout = 2000
        DISCToNDMTimeout = 2000
        AddressingSchemes = [ONE_BYTE_ADDRESSING] //
        TWO_BYTES_ADDRESSING, FOUR_BYTES_ADDRESSING
        // For TWO and FOUR bytes addressing schemes, we have to
        specify also a ServerLowerMACAddress
        //ServerLowerMACAddress = 0x11
    }
}
```

// END CTI\_Template

```
*****
* Miscellaneous *
*****
```

```
TestMode: Tunnel
Test Plan Signature: F075C74704643B4CEC05B5D6C72E8FB7
Object Model: IDIS - object model - V1.23
(20110420).xlsx
DUT system title: 4143456571473745
```



IDIS Reg No 0001 Kema\_Report.txt

DC MeterId: ACE6571473745

Run number: 14

--

A433680B75DCB091B6F8C6D3A4C97A4E