

```

*****
*****
IDIS Conformance test report
14-SEP-2011 15:15:20
iCTT version 1.0.3
Licensed to: FIT Cert.
Tester: nenad.medjeral@landisgyr.com
*****
*****

```

```

*****
* Identification *
*****

```

```

Manufacturer = {
  Name = '\Landis+Gyr'
  ThreeLettersId = '\LGZ'
}
DeviceUnderTest = {
  IDISDeviceType = 101
  IDISFunctionType = [EXTENSION_D, EXTENSION_L, EXTENSION_M]
  SerialNr = 1152766
}

```

```

*****
* Summary *
*****

```

```

PASSED                120
FAILED                 0
DISABLED              1540
INAPPLICABLE          4
INCONCLUSIVE          0
FATAL                 0
TOTAL                 1664

```

```

*****
Test Case 6 : Get mngmt attributes, 1127 item(s)
*****

```

```

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)
(20) .value

```

```

    PASSED
    <Data>
      <OctetString Value="\LGZ1010701152766" />
    </Data>

```

```

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255
(@46)
(22) .value

```

```

    PASSED
    <Data>
      <OctetString Value="30313135323736360000000000000000"
/>
    </Data>

```

Mngmt Get Clock 0-0:1.0.0.255 (@75)  
(36) .time  
PASSED  
<Data>  
<OctetString Value="07DB090E030F0F01FF800080" />  
</Data>

Mngmt Get Active firmware version 1-0:0.2.0.255 (@321)  
(180) .value  
PASSED  
<Data>  
<OctetString Value="\V030250" />  
</Data>

Mngmt Get Active firmware version signature 1-0:0.2.8.255  
(@325)  
(182) .value  
PASSED  
<Data>  
<OctetString Value="\FF20E102" />  
</Data>

Mngmt Get Active firmware version 1 1-1:0.2.0.255 (@329)  
(184) .value  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Active firmware version signature 1 1-1:0.2.8.255  
(@333)  
(186) .value  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Active firmware version 2 1-2:0.2.0.255 (@337)  
(188) .value  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Active firmware version signature 2 1-2:0.2.8.255  
(@341)  
(190) .value  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Active energy import (+A) 1-0:1.8.0.255 (@346)  
(192) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

(193) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="1E" />

```
                IDIS Reg No 0004 FIT_Report.txt
            </Structure>
        </Data>
```

```
Mngmt Get Active energy export (-A) 1-0:2.8.0.255 (@352)
(195) .value
```

```
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
```

```
(196) .scaler_unit
```

```
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1E" />
            </Structure>
        </Data>
```

```
Mngmt Get Reactive energy import (+R)
(QI+QII) 1-0:3.8.0.255 (@394)
```

```
(216) .value
```

```
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
```

```
(217) .scaler_unit
```

```
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>
```

```
Mngmt Get Reactive energy export (-R)
(QIII+QIV) 1-0:4.8.0.255 (@400)
```

```
(219) .value
```

```
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
```

```
(220) .scaler_unit
```

```
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>
```

```
*****
Test Case 9 : Selective access of profiles, 17 item(s)
*****
```

```
Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)
(1) .buffer
```

```

        IDIS Reg No 0004 FIT_Report.txt
        PASSED
entries_in_use: 10
  <Data>
    <DoubleLongUnsigned Value="0000000A" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0005" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 10 elements:
  <_Data>
    <Array Qty="000A" >
      <Structure Qty="0005" >
        <OctetString Value="07DB0903060E001DFF800080" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
      <Structure Qty="0005" >
        <OctetString Value="07DB0904070E001DFF800080" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
    </Array>
  </_Data>

```

```

IDIS Reg No 0004 FIT_Report.txt
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DB0905010E001DFF800080" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DB0906020E001DFF800080" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DB0907030E001DFF800080" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DB0908040E001DFF800080" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DB0909050E001DFF800080" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DB090A060E001DFF800080" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DB090B070E001DFF800080" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DB090E03000000FF800080" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />

```

```
                IDIS Reg No 0004 FIT_Report.txt
            </Structure>
        </Array>
    </_Data>
    Earliest date: 03-SEP-2011 14:00:29, latest date:
14-SEP-2011 00:00:00
    Middle date: 08-SEP-2011 14:00:29
```

```
Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)
(2) .buffer
```

```
                PASSED
    entries_in_use: 18
        <Data>
            <DoubleLongUnsigned Value="00000012" />
        </Data>
    capture_objects:
        <Data>
            <Array Qty="0003" >
                <Structure Qty="0004" >
                    <LongUnsigned Value="0008" />
                    <OctetString Value="0000010000FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0001" />
                    <OctetString Value="0000600B02FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0047" />
                    <OctetString Value="0000110000FF" />
                    <Integer Value="03" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Array>
        </Data>
    Buffer has 18 elements:
        <_Data>
            <Array Qty="0012" >
                <Structure Qty="0003" >
                    <OctetString Value="07DA081E0110031EFF800080" />
                    <Enum Value="FF" />
                    <DoubleLongUnsigned Value="00000000" />
                </Structure>
                <Structure Qty="0003" >
                    <OctetString Value="07DA081E01100329FF800080" />
                    <Enum Value="43" />
                    <DoubleLongUnsigned Value="00000000" />
                </Structure>
                <Structure Qty="0003" >
                    <OctetString Value="07DA081E0110032BFF800080" />
                    <Enum Value="43" />
                    <DoubleLongUnsigned Value="00000000" />
                </Structure>
                <Structure Qty="0003" >
```

```
IDIS Reg No 0004 FIT_Report.txt
  <OctetString Value="07DA081E01101004FF800080" />
  <Enum Value="3E" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101028FF800080" />
  <Enum Value="3F" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E0110111AFF800080" />
  <Enum Value="3E" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101210FF800080" />
  <Enum Value="3F" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101300FF800080" />
  <Enum Value="3E" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101324FF800080" />
  <Enum Value="3F" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101416FF800080" />
  <Enum Value="3E" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E0110150BFF800080" />
  <Enum Value="3F" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101600FF800080" />
  <Enum Value="3E" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101624FF800080" />
  <Enum Value="3F" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101715FF800080" />
  <Enum Value="3E" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DA081E01101804FF800080" />
```

```
        IDIS Reg No 0004 FIT_Report.txt
        <Enum Value="3F" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DA081E01101F0FFF800080" />
        <Enum Value="45" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DB0909050C043AFF800080" />
        <Enum Value="40" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DB0909050C0A07FF800080" />
        <Enum Value="45" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</_Data>
    Earliest date: 30-AUG-2010 16:03:30, latest date:
09-SEP-2011 12:10:07
    Middle date: 30-AUG-2010 16:20:22
```

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)  
(3) .buffer

```
        PASSED
entries_in_use: 181
    <Data>
        <DoubleLongUnsigned Value="000000B5" />
    </Data>
capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B00FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
Buffer has 181 elements:
    <_Data>
        <Array Qty="00B5" >
            <Structure Qty="0002" >
                <OctetString Value="07DB090B070D040CFF800080" />
                <Enum Value="FE" />
            </Structure>
            <Structure Qty="0002" >
```



```
        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="07DB090B070D040CFF800080" />
        <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070D040FFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0901040D040DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0901040D040DFF800080" />
        <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0901040D041EFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0902050D040DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0902050D040DFF800080" />
        <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0902050D041EFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0903060D040DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0903060D040DFF800080" />
        <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0903060D041EFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0904070D040DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0904070D040DFF800080" />
        <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0904070D041EFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
```

```
IDIS Reg No 0004 FIT_Report.txt
  <OctetString Value="07DB0905010D040DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0905010D040DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0905010D041EFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0906020D040DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0906020D040DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0906020D041EFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0907030D040DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0907030D040DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0907030D041EFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0908040D040DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0908040D040DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0908040D041EFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0909050D040DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0909050D040DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
```

```
        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="07DB0909050D041EFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090A060D040DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090A060D040DFF800080" />
        <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090A060D041EFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070D040DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070D040DFF800080" />
        <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070D041DFF800080" />
        <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070D0420FF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070A221EFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070A221EFF800080" />
        <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070A2224FF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070A311EFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070A3124FF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070B041EFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
```

```
        IDIS Reg No 0004 FIT_Report.txt
    <OctetString Value="07DB090B070B0424FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070B131EFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070B1324FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070B221EFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070B2224FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070B311EFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070B3124FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070C041EFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070C0424FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070C131EFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070C1324FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070C221EFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070C2224FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070C311EFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
```

```
        IDIS Reg No 0004 FIT_Report.txt
    <OctetString Value="07DB090B070C3124FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070D041EFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070D0424FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070D081FFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070D092AFF800080" />
    <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070D0E3AFF800080" />
    <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070D0F27FF800080" />
    <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070D1319FF800080" />
    <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090B070D1A15FF800080" />
    <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C01000000FF800080" />
    <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C01071613FF800080" />
    <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C01082034FF800080" />
    <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010E0017FF800080" />
    <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010E001DFF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
```

```
        IDIS Reg No 0004 FIT_Report.txt
    <OctetString Value="07DB0902050E001DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0902050E001DFF800080" />
    <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0902050E002DFF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0903060E001DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0903060E001DFF800080" />
    <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0903060E002DFF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0904070E001DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0904070E001DFF800080" />
    <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0904070E002DFF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0905010E001DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0905010E001DFF800080" />
    <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0905010E002DFF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0906020E001DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB0906020E001DFF800080" />
    <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0004 FIT_Report.txt
  <OctetString Value="07DB0906020E002DFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0907030E001DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0907030E001DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0907030E002DFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0908040E001DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0908040E001DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0908040E002DFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0909050E001DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0909050E001DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0909050E002DFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090A060E001DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090A060E001DFF800080" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090A060E002DFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090B070E001DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
```

```

        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="07DB090B070E001DFF800080" />
        <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090B070E002DFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010E001DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010E001DFF800080" />
        <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010E002DFF800080" />
        <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010E002DFF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010B1E2DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010B1E32FF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010B2D2DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010B2D32FF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010C002DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010C0032FF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010C0F2DFF800080" />
        <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090C010C0F32FF800080" />
        <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >

```



```
        IDIS Reg No 0004 FIT_Report.txt
    <OctetString Value="07DB090C010C1E2DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010C1E32FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010C2D2DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010C2D32FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010D002DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010D0032FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010D0F2DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010D0F32FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010D1E2DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010D1E32FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010D2D2DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010D2D32FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010E002DFF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010E0032FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
```

```
        IDIS Reg No 0004 FIT_Report.txt
    <OctetString Value="07DB090C010E0428FF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090C010F3A08FF800080" />
    <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D02080B1EFF800080" />
    <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D02080B1EFF800080" />
    <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D02081C36FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D02083B00FF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D02090107FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D02093B00FF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D020A0107FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D020A3B00FF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D020B0107FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D020B3B00FF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D020C0107FF800080" />
    <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
    <OctetString Value="07DB090D020C3B00FF800080" />
    <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0004 FIT_Report.txt
  <OctetString Value="07DB090D020D0107FF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020D3B00FF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E2E0AFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02091A2FFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020A3523FF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02053437FF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02053525FF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02053B2DFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02060601FF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02063B28FF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02073A12FF800080" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02080001FF800080" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02080519FF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D02083A3AFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0004 FIT_Report.txt
  <OctetString Value="07DB090D0209292DF800080" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D0209300CFF800080" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020A182AFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020A3B35FF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020B0605FF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020B3B2EFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020C0702FF800080" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020C0D08FF800080" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020C1616FF800080" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020C1A08FF800080" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020C1D12FF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020C3A38FF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020D0303FF800080" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020D0701FF800080" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
```

```
IDIS Reg No 0004 FIT_Report.txt
  <OctetString Value="07DB090D020D092BFF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020D3A3BFF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E0035FF800080" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E0930FF800080" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E0A12FF800080" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E1D37FF800080" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E2A01FF800080" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E2A06FF800080" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E2B07FF800080" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E2B2DFF800080" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090D020E3223FF800080" />
  <Enum Value="58" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB090E03000000FF800080" />
  <Enum Value="CA" />
</Structure>
```

</Array>

</\_Data>

Earliest date: 01-SEP-2011 13:04:13, latest date:  
14-SEP-2011 00:00:00  
Middle date: 08-SEP-2011 14:00:29

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)  
(4) .buffer

PASSED

```

IDIS Reg No 0004 FIT_Report.txt
entries_in_use: 7
  <Data>
    <DoubleLongUnsigned Value="00000007" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 7 elements:
  <Data>
    <Array Qty="0007" >
      <Structure Qty="0002" >
        <OctetString Value="07DA081E0110041CFF800080" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090B070D1732FF800080" />
        <Enum Value="29" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090B070D1732FF800080" />
        <Enum Value="28" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090B070D173AFF800080" />
        <Enum Value="29" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090B070D173AFF800080" />
        <Enum Value="28" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090B070D182BFF800080" />
        <Enum Value="29" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090B070D182CFF800080" />
        <Enum Value="28" />
      </Structure>
    </Array>
  </Data>

```

Earliest date: 30-AUG-2010 16:04:28, latest date:  
11-SEP-2011 13:24:44

IDIS Reg No 0004 FIT\_Report.txt  
Middle date: 11-SEP-2011 13:23:58

Mngmt Get Load profile with period 1  
i.e. General Load Profile 1-0:99.1.0.255 (@1055)  
(5) .buffer

```

    PASSED
entries_in_use: 142
  <Data>
    <DoubleLongUnsigned Value="0000008E" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600A01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="01000F0800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100100800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 142 elements:
  <_Data>
    <Array Qty="008E" >
      <Structure Qty="0006" >
        <OctetString Value="07DB090C010B2D00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010C0000FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010C0F00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010C1E00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010C2D00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010D0000FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010D0F00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010D1E00FF800080" />

```



```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010D2D00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010E0000FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010E0F00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010E1E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010E2D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010F0000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010F0F00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010F1E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C010F2D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090C01100000FF800080" />
    <Unsigned Value="8C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02060000FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02060F00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02070000FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02070F00FF800080" />

```

```
    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02071E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02072D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02080000FF800080" />
    <Unsigned Value="8C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02080F00FF800080" />
    <Unsigned Value="AC" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02090000FF800080" />
    <Unsigned Value="AC" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02090F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02091E00FF800080" />
```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02092D00FF800080" />
    <Unsigned Value="8C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020A0000FF800080" />
    <Unsigned Value="88" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020A0F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020A1E00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020B0000FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020B0F00FF800080" />
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020C0000FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="2C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020C0F00FF800080" />
    <Unsigned Value="88" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020C1E00FF800080" />
    <Unsigned Value="AC" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020D0000FF800080" />
    <Unsigned Value="AC" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020D0F00FF800080" />
    <Unsigned Value="AC" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020E0000FF800080" />
    <Unsigned Value="AC" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020E0F00FF800080" />
    <Unsigned Value="AC" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D020E1E00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="AC" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090D020E2D00FF800080" />
    <Unsigned Value="88" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090D020F0000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090D020F0F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090D020F1E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090D020F2D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090D02100000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090D02100F00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02101E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02102D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02110000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02110F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02111E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02112D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02120000FF800080" />

```

```
        IDIS Reg No 0004 FIT_Report.txt
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02120F00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02121E00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02122D00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02130000FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02130F00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02131E00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02132D00FF800080" />
```



```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02140000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02140F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02141E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02142D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02150000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02150F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02151E00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02152D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02160000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02160F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02161E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02162D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02170000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02170F00FF800080" />

```

```
        IDIS Reg No 0004 FIT_Report.txt
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02171E00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02172D00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03000000FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03000F00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03001E00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03002D00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03010000FF800080" />
```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03010F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03011E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03012D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03020000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03020F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03021E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03022D00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03030000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03030F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03031E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03032D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03040000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03040F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03041E00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03042D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03050000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03050F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03051E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03052D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03060000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03060F00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03061E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03062D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03070000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03070F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03071E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03072D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03080000FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03080F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03081E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03082D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03090000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03090F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03091E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03092D00FF800080" />

```



```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030A0000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030A0F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030A1E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030A2D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030B0000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030B0F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030B1E00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030B2D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030C0000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030C0F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030C1E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030C2D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030D0000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030D0F00FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030D1E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030D2D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030E0000FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030E0F00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030E1E00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030E2D00FF800080" />
    <Unsigned Value="08" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030F0000FF800080" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030F0F00FF800080" />
        <Unsigned Value="08" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLong Value="00000000" />
    </Structure>
</Array>
</_Data>
    Earliest date: 12-SEP-2011 11:45:00, latest date:
14-SEP-2011 15:15:00
    Middle date: 13-SEP-2011 21:45:00

```

Mngmt Get Load profile with period 2  
 i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)  
 (6) .buffer

```

        PASSED
    entries_in_use: 29
    <Data>
        <DoubleLongUnsigned Value="0000001D" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600A02FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010801FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010802FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 29 elements:
<_Data>
    <Array Qty="001D" >
        <Structure Qty="0006" >
            <OctetString Value="07DA081E01010000FF800080" />
            <Unsigned Value="2C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DA081F02010000FF800080" />
            <Unsigned Value="AC" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DA0901030E2022FF800080" />
            <Unsigned Value="08" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DA090204010000FF800080" />
            <Unsigned Value="2C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090205010000FF800080" />
            <Unsigned Value="2C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
    </Array>

```

```

IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB090306010000FF800080" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0903060E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090407010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0904070E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090501010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0905010E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090602010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>

```

```

IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB0906020E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090703010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0907030E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090804010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0908040E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090905010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0909050E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>

```

```
IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB090A06010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090A060E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090B07010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090B070E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090C01010000FF800080" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090C010E001DFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02010000FF800080" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
```



```

IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB090D02080B1EFF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03000000FF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03010000FF800080" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
</Array>
</_Data>

```

Earliest date: 30-AUG-2010 01:00:00, latest date:  
 14-SEP-2011 01:00:00  
 Middle date: 07-SEP-2011 14:00:29

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)  
 (7) .buffer

```

    PASSED
    entries_in_use: 6
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
    capture_objects:
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0000600713FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
    Buffer has 6 elements:
    <Data>

```

IDIS Reg No 0004 FIT\_Report.txt

```
<Array Qty="0006" >  
  <Structure Qty="0002" >  
    <OctetString Value="07DB090D02080003FF800080" />  
    <LongUnsigned Value="4BE0" />  
  </Structure>  
  <Structure Qty="0002" >  
    <OctetString Value="07DB090D0209300EFF800080" />  
    <LongUnsigned Value="0185" />  
  </Structure>  
  <Structure Qty="0002" >  
    <OctetString Value="07DB090D020C0D0AFF800080" />  
    <LongUnsigned Value="0170" />  
  </Structure>  
  <Structure Qty="0002" >  
    <OctetString Value="07DB090D020C1A0AFF800080" />  
    <LongUnsigned Value="00E4" />  
  </Structure>  
  <Structure Qty="0002" >  
    <OctetString Value="07DB090D020D0703FF800080" />  
    <LongUnsigned Value="00F0" />  
  </Structure>  
  <Structure Qty="0002" >  
    <OctetString Value="07DB090D020E0932FF800080" />  
    <LongUnsigned Value="0219" />  
  </Structure>  
</Array>  
</Data>
```

Earliest date: 13-SEP-2011 08:00:03, latest date:  
13-SEP-2011 14:09:50  
Middle date: 13-SEP-2011 12:26:10

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)  
(8) .buffer

```
      PASSED  
entries_in_use: 11  
  <Data>  
    <DoubleLongUnsigned Value="0000000B" />  
  </Data>  
capture_objects:  
  <Data>  
    <Array Qty="0002" >  
      <Structure Qty="0004" >  
        <LongUnsigned Value="0008" />  
        <OctetString Value="0000010000FF" />  
        <Integer Value="02" />  
        <LongUnsigned Value="0000" />  
      </Structure>  
      <Structure Qty="0004" >  
        <LongUnsigned Value="0001" />  
        <OctetString Value="0000600B04FF" />  
        <Integer Value="02" />  
        <LongUnsigned Value="0000" />  
      </Structure>  
    </Array>  
  </Data>
```

Buffer has 11 elements:

```
<Data>
  <Array Qty="000B" >
    <Structure Qty="0002" >
      <OctetString Value="07DA081E01100514FF800080" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA0901030E2105FF800080" />
      <Enum Value="54" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DA0901030E2105FF800080" />
      <Enum Value="53" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090B070D0F1DFF800080" />
      <Enum Value="54" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090B070D0F1DFF800080" />
      <Enum Value="53" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090B070D1338FF800080" />
      <Enum Value="54" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090B070D1338FF800080" />
      <Enum Value="53" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090C01082117FF800080" />
      <Enum Value="54" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090C01082117FF800080" />
      <Enum Value="53" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090D02080C01FF800080" />
      <Enum Value="54" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090D02080C01FF800080" />
      <Enum Value="53" />
    </Structure>
  </Array>
</Data>
```

Earliest date: 30-AUG-2010 16:05:20, latest date:  
13-SEP-2011 08:12:01  
Middle date: 11-SEP-2011 13:19:56

Mngmt Get M-Bus Master Load profile for channel 1  
0-1:24.3.0.255 (@1747)  
(9) .buffer

PASSED

```

IDIS Reg No 0004 FIT_Report.txt
entries_in_use: 36
  <Data>
    <DoubleLongUnsigned Value="00000024" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 36 elements:
  <_Data>
    <Array Qty="0024" >
      <Structure Qty="0006" >
        <OctetString Value="07DB090C01100000FF800080" />
        <Unsigned Value="1C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>

```

```
IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB090D02050000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02060000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02070000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02080000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02090000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020A0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020B0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
```

```

IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB090D020C0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020D0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020E0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020F0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02100000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02110000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02120000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>

```

```

IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB090D02130000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02140000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02150000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02160000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02170000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03000000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03010000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>

```

```

IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB090E03020000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03030000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03040000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03050000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03060000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03070000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03080000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>

```



```

IDIS Reg No 0004 FIT_Report.txt
<Structure Qty="0006" >
  <OctetString Value="07DB090E03090000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030A0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030B0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030C0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030D0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030E0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030F0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>

```

IDIS Reg No 0004 FIT\_Report.txt

</Array>

</\_Data>

Earliest date: 12-SEP-2011 16:00:00, latest date:  
14-SEP-2011 15:00:00

Middle date: 13-SEP-2011 22:00:00

Mngmt Get M-Bus Master Load profile for channel 2  
0-2:24.3.0.255 (@1758)

(10) .buffer

PASSED

entries\_in\_use: 36

<Data>

<DoubleLongUnsigned Value="00000024" />

</Data>

capture\_objects:

<Data>

<Array Qty="0006" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0002600A03FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0002180201FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0002180202FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0002180203FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0002180204FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 36 elements:

```

<_Data>
  <Array Qty="0024" >
    <Structure Qty="0006" >
      <OctetString Value="07DB090C01100000FF800080" />
      <Unsigned Value="1C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02050000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02060000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02070000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02080000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02090000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D020A0000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020C0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020F0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02100000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02110000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02120000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02130000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02140000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02150000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02160000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02170000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03000000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03010000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03020000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03030000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03040000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03050000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03060000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03070000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03080000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03090000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030A0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030C0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>

```

```
        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030F0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</_Data>
    Earliest date: 12-SEP-2011 16:00:00, latest date:
14-SEP-2011 15:00:00
    Middle date: 13-SEP-2011 22:00:00
```

```
Mngmt Get M-Bus Master Load profile for channel 3
0-3:24.3.0.255 (@1769)
(11) .buffer
```

```
        PASSED
    entries_in_use: 36
    <Data>
        <DoubleLongUnsigned Value="00000024" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0003600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0003180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0003180202FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0003180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
```



```

        IDIS Reg No 0004 FIT_Report.txt
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 36 elements:
<_Data>
    <Array Qty="0024" >
        <Structure Qty="0006" >
            <OctetString Value="07DB090C01100000FF800080" />
            <Unsigned Value="1C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02050000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02060000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02070000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02080000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02090000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020A0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020C0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020F0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02100000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />

```

```
IDIS Reg No 0004 FIT_Report.txt
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02110000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02120000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02130000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02140000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02150000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02160000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02170000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03000000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03010000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03020000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03030000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03040000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03050000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03060000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03070000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03080000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03090000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030A0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030C0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030F0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</_Data>
    Earliest date: 12-SEP-2011 16:00:00, latest date:
14-SEP-2011 15:00:00
    Middle date: 13-SEP-2011 22:00:00

```

```

Mngmt Get M-Bus Master Load profile for channel 4
0-4:24.3.0.255 (@1780)
(12) .buffer

```

```

        PASSED
    entries_in_use: 36
    <Data>
        <DoubleLongUnsigned Value="00000024" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0004600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 36 elements:
<_Data>
    <Array Qty="0024" >
        <Structure Qty="0006" >
            <OctetString Value="07DB090C01100000FF800080" />
            <Unsigned Value="1C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02050000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02060000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02070000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02080000FF800080" />

```

```
        IDIS Reg No 0004 FIT_Report.txt
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02090000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020A0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020C0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020F0000FF800080" />
```



```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02100000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02110000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02120000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02130000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02140000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02150000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02160000FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02170000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03000000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03010000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03020000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03030000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03040000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03050000FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03060000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03070000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03080000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E03090000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030A0000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030B0000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090E030C0000FF800080" />

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090E030D0000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090E030E0000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DB090E030F0000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
</Array>
</_Data>

```

Earliest date: 12-SEP-2011 16:00:00, latest date:  
 14-SEP-2011 15:00:00  
 Middle date: 13-SEP-2011 22:00:00

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255  
 (@1850)

(13) .buffer

```

    PASSED
    entries_in_use: 7
    <Data>
      <DoubleLongUnsigned Value="00000007" />
    </Data>
    capture_objects:
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0001600B04FF" />
        </Structure>
      </Array>
    </Data>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 7 elements:
<Data>
    <Array Qty="0007" >
        <Structure Qty="0002" >
            <OctetString Value="07DB090C010F1C1AFF800080" />
            <Enum Value="FF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020A0005FF800080" />
            <Enum Value="A2" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D02080006FF800080" />
            <Enum Value="A1" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020C0D0DFF800080" />
            <Enum Value="A2" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020C1A0DFF800080" />
            <Enum Value="A1" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020C3A39FF800080" />
            <Enum Value="A2" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020E0935FF800080" />
            <Enum Value="A1" />
        </Structure>
    </Array>
</Data>

```

```

    Earliest date: 12-SEP-2011 15:28:26, latest date:
13-SEP-2011 14:09:53
    Middle date: 13-SEP-2011 12:13:13

```

```

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255
(@1861)

```

```
(14) .buffer
```

```

    PASSED
    entries_in_use: 7
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0002600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>

```

Buffer has 7 elements:

```

<Data>
    <Array Qty="0007" >
        <Structure Qty="0002" >
            <OctetString Value="07DB090C010F1C28FF800080" />
            <Enum Value="FF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020A3438FF800080" />
            <Enum Value="AC" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020B3B2FFF800080" />
            <Enum Value="AB" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020C0D0CFF800080" />
            <Enum Value="AC" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020C1A0CFF800080" />
            <Enum Value="AB" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020C3A39FF800080" />
            <Enum Value="AC" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020E0934FF800080" />
            <Enum Value="AB" />
        </Structure>
    </Array>
</Data>

```

```

    Earliest date: 12-SEP-2011 15:28:40, latest date:
13-SEP-2011 14:09:52
    Middle date: 13-SEP-2011 12:13:12

```

```

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255
(@1872)
(15) .buffer

```

```

    PASSED
    entries_in_use: 7
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>

```

capture\_objects:

```
<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0003600B04FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

Buffer has 7 elements:

```
<Data>
  <Array Qty="0007" >
    <Structure Qty="0002" >
      <OctetString Value="07DB090C010F1C36FF800080" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090D020A3437FF800080" />
      <Enum Value="B6" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090D020B3B2EFF800080" />
      <Enum Value="B5" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090D020C0D0CFF800080" />
      <Enum Value="B6" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090D020C1A0CFF800080" />
      <Enum Value="B5" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090D020C3A38FF800080" />
      <Enum Value="B6" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB090D020E0934FF800080" />
      <Enum Value="B5" />
    </Structure>
  </Array>
</Data>
```

Earliest date: 12-SEP-2011 15:28:54, latest date:

13-SEP-2011 14:09:52

Middle date: 13-SEP-2011 12:13:12

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255  
(@1883)

```
(16) .buffer
        PASSED
entries_in_use: 7
  <Data>
    <DoubleLongUnsigned Value="00000007" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0004600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 7 elements:
  <Data>
    <Array Qty="0007" >
      <Structure Qty="0002" >
        <OctetString Value="07DB090C010F1D09FF800080" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090D020A3437FF800080" />
        <Enum Value="C0" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090D020B3B2EFF800080" />
        <Enum Value="BF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090D020C0D0CFF800080" />
        <Enum Value="C0" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090D020C1A0CFF800080" />
        <Enum Value="BF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090D020C3A38FF800080" />
        <Enum Value="C0" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB090D020E0934FF800080" />
        <Enum Value="BF" />
      </Structure>
    </Array>
  </Data>
```



IDIS Reg No 0004 FIT\_Report.txt  
Earliest date: 12-SEP-2011 15:29:09, latest date:  
13-SEP-2011 14:09:52  
Middle date: 13-SEP-2011 12:13:12

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)  
(17) .buffer

PASSED  
entries\_in\_use: 8  
<Data>  
  <DoubleLongUnsigned Value="00000008" />  
</Data>  
capture\_objects:  
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0000600B03FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>

Buffer has 8 elements:

<Data>  
  <Array Qty="0008" >  
    <Structure Qty="0002" >  
      <OctetString Value="07DB090D020A311AFF800080" />  
      <Enum Value="FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB090D020A3437FF800080" />  
      <Enum Value="86" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB090D020A3437FF800080" />  
      <Enum Value="7C" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB090D020A3438FF800080" />  
      <Enum Value="72" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB090D02053B2DFF800080" />  
      <Enum Value="85" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB090D02053B2DFF800080" />  
      <Enum Value="7B" />  
    </Structure>  
    <Structure Qty="0002" >

```

        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="07DB090D02053B2EFF800080" />
        <Enum Value="71" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB090D02053B2EFF800080" />
        <Enum Value="67" />
    </Structure>
</Array>
</Data>
    Earliest date: 13-SEP-2011 05:59:45, latest date:
13-SEP-2011 10:52:56
    Middle date: 13-SEP-2011 05:59:45

```

```

*****
Test Case 22 : MBUS reference test - data management, 134 item(s)
*****

```

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1483)

- (1) .mbus\_port\_reference
  - PASSED
  - <Data>
    - <OctetString Value="0000180600FF" />
- (2) .capture\_definition
  - PASSED
  - <Data>
    - <Array Qty="0004" >
      - <Structure Qty="0002" >
        - <OctetString Value="\L" />
        - <OctetString Value="933A" />
      - <Structure Qty="0002" >
        - <OctetString Value="\L" />
        - <OctetString Value="13" />
      - <Structure Qty="0002" >
        - <OctetString Value="\ " />
        - <OctetString Value="\ " />
      - <Structure Qty="0002" >
        - <OctetString Value="\ " />
        - <OctetString Value="\ " />
- (3) .capture\_period
  - PASSED
  - <Data>
    - <DoubleLongUnsigned Value="00000E10" />
- (4) .primary\_address
  - PASSED
  - <Data>
    - <Unsigned Value="01" />
- (5) .identification\_number

```

        IDIS Reg No 0004 FIT_Report.txt
        PASSED
    <Data>
        <DoubleLongUnsigned Value="02625B3E" />
    </Data>
(6) .manufacturer_id
        PASSED
    <Data>
        <LongUnsigned Value="19AC" />
    </Data>
(7) .version
        PASSED
    <Data>
        <Unsigned Value="02" />
    </Data>
(8) .device_type
        PASSED
    <Data>
        <Unsigned Value="03" />
    </Data>
(9) .access_number
        PASSED
    <Data>
        <Unsigned Value="91" />
    </Data>
(10) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(11) .alarm
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(12) .mbus_port_reference
        PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(13) .capture_definition
        PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\L" />
                <OctetString Value="933A" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\L" />
                <OctetString Value="13" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0004 FIT_Report.txt
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="\ " />
        <OctetString Value="\ " />
    </Structure>
</Array>
</Data>
(14) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(15) .primary_address
    PASSED
    <Data>
        <Unsigned Value="02" />
    </Data>
(16) .identification_number
    PASSED
    <Data>
        <DoubleLongUnsigned Value="02625B4F" />
    </Data>
(17) .manufacturer_id
    PASSED
    <Data>
        <LongUnsigned Value="19AC" />
    </Data>
(18) .version
    PASSED
    <Data>
        <Unsigned Value="02" />
    </Data>
(19) .device_type
    PASSED
    <Data>
        <Unsigned Value="03" />
    </Data>
(20) .access_number
    PASSED
    <Data>
        <Unsigned Value="65" />
    </Data>
(21) .status
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(22) .alarm
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(23) .mbus_port_reference
    PASSED

```

```

    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(24) .capture_definition
      PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0002" >
          <OctetString Value="\L" />
          <OctetString Value="933A" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\L" />
          <OctetString Value="13" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
      </Array>
    </Data>
(25) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(26) .primary_address
      PASSED
    <Data>
      <Unsigned Value="03" />
    </Data>
(27) .identification_number
      PASSED
    <Data>
      <DoubleLongUnsigned Value="02625B45" />
    </Data>
(28) .manufacturer_id
      PASSED
    <Data>
      <LongUnsigned Value="19AC" />
    </Data>
(29) .version
      PASSED
    <Data>
      <Unsigned Value="02" />
    </Data>
(30) .device_type
      PASSED
    <Data>
      <Unsigned Value="03" />
    </Data>
(31) .access_number

```

```

                IDIS Reg No 0004 FIT_Report.txt
                PASSED
                <Data>
                <Unsigned Value="5F" />
                </Data>
(32) .status
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>
(33) .alarm
                PASSED
                <Data>
                <Unsigned Value="00" />
                </Data>

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(34) .mbus_port_reference
                PASSED
                <Data>
                <OctetString Value="0000180600FF" />
                </Data>
(35) .capture_definition
                PASSED
                <Data>
                <Array Qty="0004" >
                <Structure Qty="0002" >
                <OctetString Value="\L" />
                <OctetString Value="933A" />
                </Structure>
                <Structure Qty="0002" >
                <OctetString Value="\L" />
                <OctetString Value="13" />
                </Structure>
                <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
                </Structure>
                <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
                </Structure>
                </Array>
                </Data>
(36) .capture_period
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000E10" />
                </Data>
(37) .primary_address
                PASSED
                <Data>
                <Unsigned Value="04" />
                </Data>
(38) .identification_number
                PASSED
                <Data>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="02625B41" />
    </Data>
(39) .manufacturer_id
        PASSED
        <Data>
            <LongUnsigned Value="19AC" />
        </Data>
(40) .version
        PASSED
        <Data>
            <Unsigned Value="02" />
        </Data>
(41) .device_type
        PASSED
        <Data>
            <Unsigned Value="03" />
        </Data>
(42) .access_number
        PASSED
        <Data>
            <Unsigned Value="61" />
        </Data>
(43) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(44) .alarm
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>

```

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1571)

```

(45) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="0000000E" />
        </Data>
(46) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="FD" />
                <Enum Value="0D" />
            </Structure>
        </Data>
(47) .status
        PASSED
        <Data>
            <Unsigned Value="20" />
        </Data>

```

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1579)

IDIS Reg No 0004 FIT\_Report.txt

```
(49) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="0000000E" />
      </Data>
(50) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="FD" />
          <Enum Value="0E" />
        </Structure>
      </Data>
(51) .status
      PASSED
      <Data>
        <Unsigned Value="20" />
      </Data>
```

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255  
(@1603)

```
(61) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(62) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="FD" />
          <Enum Value="0D" />
        </Structure>
      </Data>
(63) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255  
(@1611)

```
(65) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(66) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="FD" />
          <Enum Value="0E" />
        </Structure>
      </Data>
(67) .status
```



IDIS Reg No 0004 FIT\_Report.txt  
PASSED

```
<Data>  
  <Unsigned Value="00" />  
</Data>
```

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255  
(@1635)

```
(77) .value  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000000" />  
      </Data>
```

```
(78) .scaler_unit  
      PASSED  
      <Data>  
        <Structure Qty="0002" >  
          <Integer Value="FD" />  
          <Enum Value="0D" />  
        </Structure>  
      </Data>
```

```
(79) .status  
      PASSED  
      <Data>  
        <Unsigned Value="00" />  
      </Data>
```

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255  
(@1643)

```
(81) .value  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000000" />  
      </Data>
```

```
(82) .scaler_unit  
      PASSED  
      <Data>  
        <Structure Qty="0002" >  
          <Integer Value="FD" />  
          <Enum Value="0E" />  
        </Structure>  
      </Data>
```

```
(83) .status  
      PASSED  
      <Data>  
        <Unsigned Value="00" />  
      </Data>
```

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255  
(@1667)

```
(93) .value  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000000" />  
      </Data>
```

```
(94) .scaler_unit  
      PASSED
```



```
                IDIS Reg No 0004 FIT_Report.txt
Value="3030303030353434303030303332353131000000000000000000000000000000
000000000000000000000000000000000000" />
    </Data>
```

```
Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)
(112) .value
```

```
    PASSED
    <Data>
      <OctetString
Value="3030303030353434303030303332313131000000000000000000000000000000
000000000000000000000000000000000000" />
    </Data>
```

```
Mngmt Get M-Bus Master Load profile for channel 1
0-1:24.3.0.255 (@1747)
(117) .buffer
```

```
    PASSED
    entries_in_use: 36
    <Data>
      <DoubleLongUnsigned Value="00000024" />
    </Data>
    capture_objects:
    <Data>
      <Array Qty="0006" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0001600A03FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180201FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180202FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180203FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
    </Data>
```

```

        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="0001180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 36 elements:
<_Data>
  <Array Qty="0024" >
    <Structure Qty="0006" >
      <OctetString Value="07DB090C01100000FF800080" />
      <Unsigned Value="1C" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02050000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02060000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02070000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02080000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DB090D02090000FF800080" />
      <Unsigned Value="0C" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="0000000E" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>

```

```

IDIS Reg No 0004 FIT_Report.txt
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020A0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020B0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020C0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020D0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020E0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020F0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02100000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />

```

```

IDIS Reg No 0004 FIT_Report.txt
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02110000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02120000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02130000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02140000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02150000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02160000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02170000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />

```

```

IDIS Reg No 0004 FIT_Report.txt
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03000000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03010000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03020000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03030000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03040000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03050000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03060000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />

```

```

IDIS Reg No 0004 FIT_Report.txt
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03070000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03080000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03090000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030A0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030B0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030C0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030D0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="0000000E" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />

```



```

        IDIS Reg No 0004 FIT_Report.txt
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="0000000E" />
        <DoubleLongUnsigned Value="0000000E" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030F0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="0000000E" />
        <DoubleLongUnsigned Value="0000000E" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</_Data>
    Earliest date: 12-SEP-2011 16:00:00, latest date:
14-SEP-2011 15:00:00
    Middle date: 13-SEP-2011 22:00:00
(118) .capture_objects
    PASSED
<Data>
    <Array Qty="0006" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0001600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180201FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180202FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180203FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180204FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(119) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(120) .entries_in_use
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000024" />
    </Data>

```

Mngmt Get M-Bus Master Load profile for channel 2  
0-2:24.3.0.255 (@1758)

```

(121) .buffer
      PASSED
  entries_in_use: 36
    <Data>
      <DoubleLongUnsigned Value="00000024" />
    </Data>
  capture_objects:
    <Data>
      <Array Qty="0006" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0002600A03FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0002180201FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0002180202FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="0002180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0002180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 36 elements:
<_Data>
    <Array Qty="0024" >
        <Structure Qty="0006" >
            <OctetString Value="07DB090C01100000FF800080" />
            <Unsigned Value="1C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02050000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02060000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02070000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02080000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
    </Array>

```

```

IDIS Reg No 0004 FIT_Report.txt
<OctetString Value="07DB090D02090000FF800080" />
<Unsigned Value="0C" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020A0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020B0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020C0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020D0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020E0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020F0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >

```

```

    IDIS Reg No 0004 FIT_Report.txt
    <OctetString Value="07DB090D02100000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02110000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02120000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02130000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02140000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02150000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
    <OctetString Value="07DB090D02160000FF800080" />
    <Unsigned Value="0C" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >

```

```

IDIS Reg No 0004 FIT_Report.txt
<OctetString Value="07DB090D02170000FF800080" />
<Unsigned Value="0C" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03000000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03010000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03020000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03030000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03040000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03050000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >

```

```
IDIS Reg No 0004 FIT_Report.txt
<OctetString Value="07DB090E03060000FF800080" />
<Unsigned Value="0C" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03070000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03080000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E03090000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030A0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030B0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090E030C0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
```

```

        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="07DB090E030D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030F0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</_Data>
    Earliest date: 12-SEP-2011 16:00:00, latest date:
14-SEP-2011 15:00:00
    Middle date: 13-SEP-2011 22:00:00
(122) .capture_objects
    PASSED
<Data>
    <Array Qty="0006" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0002600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0002180201FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0002180202FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>

```



```

        IDIS Reg No 0004 FIT_Report.txt
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0002180203FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0002180204FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(123) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(124) .entries_in_use
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000024" />
    </Data>

```

Mngmt Get M-Bus Master Load profile for channel 3  
0-3:24.3.0.255 (@1769)

```

(125) .buffer
      PASSED
    entries_in_use: 36
    <Data>
      <DoubleLongUnsigned Value="00000024" />
    </Data>
    capture_objects:
    <Data>
      <Array Qty="0006" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0003600A03FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0003180201FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="0003180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 36 elements:
<_Data>
    <Array Qty="0024" >
        <Structure Qty="0006" >
            <OctetString Value="07DB090C01100000FF800080" />
            <Unsigned Value="1C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02050000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02060000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02070000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02080000FF800080" />
            <Unsigned Value="0C" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02090000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020A0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020C0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020F0000FF800080" />
        <Unsigned Value="0C" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02100000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02110000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02120000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02130000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02140000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02150000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02160000FF800080" />
        <Unsigned Value="0C" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02170000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03000000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03010000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03020000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03030000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03040000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03050000FF800080" />
        <Unsigned Value="0C" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03060000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03070000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03080000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03090000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030A0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030C0000FF800080" />
        <Unsigned Value="0C" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030F0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</_Data>
    Earliest date: 12-SEP-2011 16:00:00, latest date:
14-SEP-2011 15:00:00
    Middle date: 13-SEP-2011 22:00:00
(126) .capture_objects
    PASSED
<Data>
    <Array Qty="0006" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0003600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0003180201FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>

```

```

        IDIS Reg No 0004 FIT_Report.txt
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    </Array>
</Data>
(127) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(128) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000024" />
    </Data>

```

Mngmt Get M-Bus Master Load profile for channel 4  
0-4:24.3.0.255 (@1780)

```

(129) .buffer
        PASSED
    entries_in_use: 36
    <Data>
        <DoubleLongUnsigned Value="00000024" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0004600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
            </Structure>
        </Array>
    </Data>

```



```

        IDIS Reg No 0004 FIT_Report.txt
        <OctetString Value="0004180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 36 elements:
<_Data>
    <Array Qty="0024" >
        <Structure Qty="0006" >
            <OctetString Value="07DB090C01100000FF800080" />
            <Unsigned Value="1C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02050000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02060000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB090D02070000FF800080" />
            <Unsigned Value="0C" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02080000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02090000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020A0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020C0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D020E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>

```

```
IDIS Reg No 0004 FIT_Report.txt
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D020F0000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02100000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02110000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02120000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02130000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02140000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB090D02150000FF800080" />
  <Unsigned Value="0C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02160000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090D02170000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03000000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03010000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03020000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03030000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03040000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03050000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03060000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03070000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03080000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E03090000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030A0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030B0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030C0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030D0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030E0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
        <OctetString Value="07DB090E030F0000FF800080" />
        <Unsigned Value="0C" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</_Data>
    Earliest date: 12-SEP-2011 16:00:00, latest date:
14-SEP-2011 15:00:00
    Middle date: 13-SEP-2011 22:00:00
(130) .capture_objects
    PASSED
<Data>
    <Array Qty="0006" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0004600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>

```

```

        IDIS Reg No 0004 FIT_Report.txt
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    </Array>
</Data>
(131) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(132) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000024" />
    </Data>

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)
(133) .buffer
        PASSED
    entries_in_use: 8
    <Data>
        <DoubleLongUnsigned Value="00000008" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B03FF" />
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0004 FIT_Report.txt
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 8 elements:
<Data>
    <Array Qty="0008" >
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020A311AFF800080" />
            <Enum Value="FF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020A3437FF800080" />
            <Enum Value="86" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020A3437FF800080" />
            <Enum Value="7C" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D020A3438FF800080" />
            <Enum Value="72" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D02053B2DFF800080" />
            <Enum Value="85" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D02053B2DFF800080" />
            <Enum Value="7B" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D02053B2EFF800080" />
            <Enum Value="71" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB090D02053B2EFF800080" />
            <Enum Value="67" />
        </Structure>
    </Array>
</Data>
    Earliest date: 13-SEP-2011 05:59:45, latest date:
13-SEP-2011 10:52:56
    Middle date: 13-SEP-2011 05:59:45
(134) .entries_in_use
    PASSED
<Data>
    <DoubleLongUnsigned Value="00000008" />
</Data>

```

```

*****
* CTI *
*****

```

```
// CTI: E450 IDIS
```



```

                                IDIS Reg No 0004 FIT_Report.txt
// iCTT 0.26
// Last update: 2011-04-26, IDr

// The CTI has a specified syntax but it's format is free

// Mandatory 'Manufacturer' structure
// *****
Manufacturer = {
    // Keep the leading '\' to denote a visible-string.
    Name = '\Landis+Gyr'
    // Enter here the manufacturer's FLAG id
    ThreeLettersId = '\LGZ'
}

// Mandatory 'DeviceUnderTest' structure
// *****
DeviceUnderTest = {

    // IDISDeviceType is 100 or 101, it is part of the DUT system
    title
    IDISDeviceType = 101

    // IDISFunctionType indicates the extension(s) supported by the
    DUT,
    // it is also a part of the DUT system title: Extension_D,
    Extension_L and Extension_M
    IDISFunctionType = [Extension_D, Extension_L, Extension_M]

    // The serial number of the DUT is pa part of its system title.
    SerialNr = 01152766

}

// Mandatory 'ObjectMode' structure
// *****
// It defines the variant of the object model that the iCTT uses
for testing.
ObjectModel = {
    // Optional objects implemented
    OptionalObjects = '\
    + '1-0:0.9.1.255|1,' // Local Time (@86)
    + '1-0:0.9.2.255|1,' // Local Date (@90)
    + '1-0:9.8.0.255|3,' // Apparent energy import (+VA)(QI+QIV)
    (@406)
    + '1-0:10.8.0.255|3,' // Apparent energy export
    (-VA)(QII+QIII) (@412)
    + '1-0:14.7.0.255|3,' // Instantaneous net frequency; any
    phase (@1359)
    + '1-0:13.7.0.255|3' // Instantaneous Power factor (+A/+VA)
    (@1446)

    InstanceExtraInfo = {
        // Register activation - Energy (@117)
        LogicalName = '0-0:14.0.1.255'
        ClassId = 6
        AttributeExtraInfo = {

```

```

        IDIS Reg No 0004 FIT_Report.txt
        // register_assignment
        AttributeId = 2
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Register activation - Maximum Demand (@123)
    LogicalName = '0-0:14.0.2.255'
    ClassId = 6
    AttributeExtraInfo = {
        // register_assignment
        AttributeId = 2
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Tariffication script table (@129)
    LogicalName = '0-0:10.0.100.255'
    ClassId = 9
    MethodExtraInfo = {
        // execute
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // Disconnecter Control Log (@181)
    LogicalName = '0-0:99.98.2.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Load Mgmt - Relay control 1 (@197)
    LogicalName = '0-1:96.3.10.255'
    ClassId = 70
    AttributeExtraInfo = {
        // control_mode
        AttributeId = 4
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Limiter (@213)
    LogicalName = '0-0:17.0.0.255'
    ClassId = 71
    AttributeExtraInfo = {

```

```

    // actions
    AttributeId = 11
    AccessRights = [GET,SET]
}
}

InstanceExtraInfo = {
    // Standard Event Log (@261)
    LogicalName = '0-0:99.98.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Fraud Detection Log (@276)
    LogicalName = '0-0:99.98.1.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Power Failure Event Log (@1234)
    LogicalName = '1-0:99.97.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Power Quality Log (@1249)
    LogicalName = '0-0:99.98.4.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 1 (@1571)
    LogicalName = '0-1:24.2.1.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit

```

```

        IDIS Reg No 0004 FIT_Report.txt
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 2 (@1579)
    LogicalName = '0-1:24.2.2.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 3 (@1587)
    LogicalName = '0-1:24.2.3.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 4 (@1595)
    LogicalName = '0-1:24.2.4.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

```

```

}
InstanceExtraInfo = {
// M-Bus Value channel 2, instance 1 (@1603)
LogicalName = '0-2:24.2.1.255'
ClassId = 4
AttributeExtraInfo = {
// scaler_unit
AttributeId = 3
AccessRights = [GET,SET]
}
MethodExtraInfo = {
// reset
MethodId = 1
AccessRights = [ACTION]
}
}

```

```

InstanceExtraInfo = {
// M-Bus Value channel 2, instance 2 (@1611)
LogicalName = '0-2:24.2.2.255'
ClassId = 4
AttributeExtraInfo = {
// scaler_unit
AttributeId = 3
AccessRights = [GET,SET]
}
MethodExtraInfo = {
// reset
MethodId = 1
AccessRights = [ACTION]
}
}

```

```

InstanceExtraInfo = {
// M-Bus Value channel 2, instance 3 (@1619)
LogicalName = '0-2:24.2.3.255'
ClassId = 4
AttributeExtraInfo = {
// scaler_unit
AttributeId = 3
AccessRights = [GET,SET]
}
MethodExtraInfo = {
// reset
MethodId = 1
AccessRights = [ACTION]
}
}

```

```

InstanceExtraInfo = {
// M-Bus Value channel 2, instance 4 (@1627)
LogicalName = '0-2:24.2.4.255'
ClassId = 4
AttributeExtraInfo = {
// scaler_unit

```

```

        IDIS Reg No 0004 FIT_Report.txt
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 3, instance 1 (@1635)
    LogicalName = '0-3:24.2.1.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 3, instance 2 (@1643)
    LogicalName = '0-3:24.2.2.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 3, instance 3 (@1651)
    LogicalName = '0-3:24.2.3.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

```

```

}
InstanceExtraInfo = {
// M-Bus Value channel 3, instance 4 (@1659)
LogicalName = '0-3:24.2.4.255'
ClassId = 4
AttributeExtraInfo = {
// scaler_unit
AttributeId = 3
AccessRights = [GET,SET]
}
MethodExtraInfo = {
// reset
MethodId = 1
AccessRights = [ACTION]
}
}

```

```

InstanceExtraInfo = {
// M-Bus Value channel 4, instance 1 (@1667)
LogicalName = '0-4:24.2.1.255'
ClassId = 4
AttributeExtraInfo = {
// scaler_unit
AttributeId = 3
AccessRights = [GET,SET]
}
MethodExtraInfo = {
// reset
MethodId = 1
AccessRights = [ACTION]
}
}

```

```

InstanceExtraInfo = {
// M-Bus Value channel 4, instance 2 (@1675)
LogicalName = '0-4:24.2.2.255'
ClassId = 4
AttributeExtraInfo = {
// scaler_unit
AttributeId = 3
AccessRights = [GET,SET]
}
MethodExtraInfo = {
// reset
MethodId = 1
AccessRights = [ACTION]
}
}

```

```

InstanceExtraInfo = {
// M-Bus Value channel 4, instance 3 (@1683)
LogicalName = '0-4:24.2.3.255'
ClassId = 4
AttributeExtraInfo = {
// scaler_unit

```

```

        IDIS Reg No 0004 FIT_Report.txt
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 4, instance 4 (@1691)
    LogicalName = '0-4:24.2.4.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Master Control log object 1 (@1850)
    LogicalName = '0-1:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Master Control log object 2 (@1861)
    LogicalName = '0-2:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Master Control log object 3 (@1872)
    LogicalName = '0-3:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

```



```

    }
}

InstanceExtraInfo = {
    // M-Bus Master Control log object 4 (@1883)
    LogicalName = '0-4:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Event Log (@1898)
    LogicalName = '0-0:99.98.3.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // S-FSK MAC counters (@1962)
    LogicalName = '0-0:26.3.0.255'
    ClassId = 53
    AttributeExtraInfo = {
        // broadcast_frames_counter
        AttributeId = 4
        AccessRights = [GET]//,SET]
    }
    AttributeExtraInfo = {
        // repetitions_counter
        AttributeId = 5
        AccessRights = [GET,SET]
    }
    AttributeExtraInfo = {
        // transmissions_counter
        AttributeId = 6
        AccessRights = [GET,SET]
    }
    AttributeExtraInfo = {
        // CRC_OK_frames_counter
        AttributeId = 7
        AccessRights = [GET,SET]
    }
    AttributeExtraInfo = {
        // CRC_NOK_frames_counter
        AttributeId = 8
        AccessRights = [GET,SET]
    }
}

```

```

                                IDIS Reg No 0004 FIT_Report.txt
InstanceExtraInfo = {
  // Set value for Consumer Message Text
  LogicalName = '0-0:96.13.0.255'
  ClassId = 1
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><OctetString Value="3132333435363738"
/></Data>'
  }
}

InstanceExtraInfo = {
  // Set value for Error register value
  LogicalName = '0-0:97.97.0.255'
  ClassId = 1
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><DoubleLongUnsigned Value="00000000"
/></Data>'
  }
}

}

// Mandatory 'TestParameters' structure
// *****
// Defines miscellaneous values used during the test
TestParameters = {

  // 'DisableDiscoveryStart' when true, prevents the iCTT from
starting
  // a discovery procedure on the Data Concentrator.
  //DisableDiscoveryStart = FALSE

  // When starting a test session, iCTT optionally starts a
discovery and then polls
  // the meters network until it finds the meter specified by
'MeterId'.
  // This polling will last at least the specified time (in ms).
  MeterDiscoveryTimeout = 240000

  // The 'DefaultAccessTimeout' is the time (in ms) allowed to
complete an
  // access (read, write or action)
  DefaultAccessTimeout = 360000

  // The accesses have a priority between 1 (highest priority) and
10 (lowest priority)
  DefaultPriority = 1

  // Optional delay (in ms) after executing the Disconnecter
Control (class 70)
  // connect and disconnect actions performed directly or via a
script table.

```

```

IDIS Reg No 0004 FIT_Report.txt
ConnectDisconnectDelay = 30000

// Mandatory DC system title
// DCSYSTEMTITLE = '4C475A4954000002'//KEMA DC
// DCSYSTEMTITLE = '4C475A4954000001'//ISKRA DC
DCSYSTEMTITLE = '4C475A1169000000' //My DC

// Mandatory structure for the ImageTransfer
ImageTransfer = {
    // Image identifier as passed to the image_transfer_initiate
method
    ImageIdentifier = '5374727563745F303100'
    // Filename of the image to transfer. If no filepath is given,
then the file
    // is supposed to be in the same directory as the CTI file
    ImageFileName = '\image.bin' //the image file to be located in
the CTI is!
    // Time (in ms) that the iCTT loops reading the image_transfer
status waiting for changes
    Timeout = 450000//in miliseconds
}
}

// Mandatory 'PLCConfig' structure
// *****
// The PLCConfig is set before each test session. The various
members are
// defined in the appropriate document. The values defined
hereafter are
// the default values
PLCConfig = {
    AddrMAC = 0xC00
    TimeoutNotAddr = 360
    MaxSubFrames = 7
    TimeUpdatePeriod = 0
    BkgTaskEnabled = 1
    BkgMinDelay = 60
    DiscoverTimeSlots = 20
    ResponseProbability = 100
    MaxCredit = 2
    DiscoverPeriod = 0 // was 60, disable periodic discovery
    TransmissionGain = 0
    ReceptionGain = 8
    BaudRate = 1
    InputFrequency = 0
    NbComOkDecrCredit = 3
    DecrCredit = 1
    IncrCredit = 2
    MaxRetry = 1//3
    RepeaterCallEnabled = 0
    RepeaterCallLevel = 1000
    NewBcplTSlotCount = 10
    AlarmMngtEnabled = 0 // was 1, Disable alarms
    AlarmMngtDelay = 0

```

```
AutoDiscoveryPriority = 2
FCTxValue = 100
}

//The InitiateRequest embedded in the AARQ is ciphered
(authentication and encryption)
//only if it carries a dedicated key and if the ContextName is
LONG_NAME_WITH_CIPHERING
//(according to the GB, ed. 7, p.141). By default, no dedicated
key are used, and therefore
//the InitiateRequest is not ciphered. However, for test purpose,
a dedicated key (equal to GUEK)
//can be requested in the InitiateRequest using the following CTI
declaration:

TestOptions = {

// Miscellaneous = [2, 3] // 2 controls the AARQ and 3 the RLRQ
// Miscellaneous = [4] //suppresses reading the FC; for version
>=0.25 not needed anymore

}

// Mandatory 'SecurityElements'
// *****
// There is one structure per client, each specifies an
'EncryptionKey'
// and a 'Policy'. An encryption key is a visible-string of 32
characters,
// with each pair encoding one byte of a 16 bytes binary key.
// Policy is one of NO_SECURITY, AUTHENTICATION, ENCRYPTION or
AUTHENTICATION_AND_ENCRYPTION

// StandardSecurityElements
// Mandatory, used for the standard access (DC and Java API).
// No context name is required. The DC selects the context
according
// to the 'Policy' member. If zero, then the DC generates an
AARQ with LONG_NAMES context.
// If positive then the DC generates an AARQ with
LONG_NAME_WITH_CIPHERING context.
StandardSecurityElements = {

    Public = {
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        //MechanismName = HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY
        //Policy =
NO_SECURITY//ENCRYPTION//NO_SECURITY//AUTHENTICATION_AND_ENCRYPTIO
N
        //Password = '\12345678'
```

```
ContextName =  
LONG_NAMES_WITH_CIPHERING//LONG_NAMES_WITH_CIPHERING//LONG_NAMES  
MechanismName =  
HIGH_LEVEL_SECURITY_GMAC//HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY  
Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY//AUTHENTICATION  
//AUTHENTICATION_AND_ENCRYPTION  
Password = '\12345678'  
}
```

```
PreEstablished = {  
Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY  
}
```

```
// TunnelSecurityElements  
// Mandatory, used when making tunneled accesses.  
TunnelSecurityElements = {
```

```
Public = {  
ContextName = LONG_NAMES  
MechanismName = LOWEST_LEVEL_SECURITY  
Policy = NO_SECURITY  
}
```

```
Management = {  
ContextName =  
LONG_NAMES_WITH_CIPHERING//LONG_NAMES_WITH_CIPHERING//LONG_NAMES  
MechanismName =  
HIGH_LEVEL_SECURITY_GMAC//HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY  
Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY//AUTHENTICATION  
//AUTHENTICATION_AND_ENCRYPTION  
Password = '\12345678'  
}
```

```
PreEstablished = {  
Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY//  
AUTHENTICATION//AUTHENTICATION_AND_ENCRYPTION  
}
```

```
// LocalSecurityElements  
// Mandatory, used when making 'local' accesses.  
LocalSecurityElements = {
```

```
Public = {  
ContextName = LONG_NAMES  
MechanismName = LOWEST_LEVEL_SECURITY  
Policy = NO_SECURITY  
}
```

```
Management = {  
ContextName = LONG_NAMES_WITH_CIPHERING////LONG_NAMES  
MechanismName =
```

```

                                IDIS Reg No 0004 FIT_Report.txt
HIGH_LEVEL_SECURITY_GMAC//LOWEST_LEVEL_SECURITY
  Policy = NO_SECURITY
  Password = '\12345678'
}

PreEstablished = {
  Policy = NO_SECURITY
}
}

// Parameters of the ''Local'' HDLC Profile
HDLCProfile = {

  PhysicalLayer = {
    OpeningMode = DIRECT_HDLC
    HdlcBaud = 9600
  }

  DataLinkLayer = {
    InactivityTimeout = 120000
    InterFrameTimeout = 100
    ResponseTimeout = 2000
    DISCToNDMTimeout = 2000
    AddressingSchemes = [ONE_BYTE_ADDRESSING]
  }
}

// END CTI_Template

*****
* Miscellaneous *
*****

TestMode:                Tunnel
Test Plan Signature:     07A5D91A6FE177B185CA69F5597F47C9
Object Model:            IDIS - object model - V1.23A
(20110714)-FOR MBUS TESTS ONLY.xlsx
DUT system title:       4C475A65701196FE
DC MeterId:              LGZ65701196FE
Run number:              71
--

C0F78CF2F38EBD8BBEDF131EEB0548A3

```