

\*\*\*\*\*  
\*\*\*\*\*

IDIS Conformance test report  
12-JUL-2011 10:34:45  
iCTT version 1.0.3  
Licensed to: KEMA-IDIS Cert.  
Tester: Bas Roelofsen

\*\*\*\*\*  
\*\*\*\*\*

\*\*\*\*\*  
\* Identification \*  
\*\*\*\*\*

```
Manufacturer = {
  Name = '\ITRON Metering Systems'
  ThreeLettersId = '\ACE'
}
DeviceUnderTest = {
  IDISDeviceType = 100
  IDISFunctionType = [EXTENSION_D, EXTENSION_L, EXTENSION_M]
  SerialNr = 10091488
}
```

\*\*\*\*\*  
\* Summary \*  
\*\*\*\*\*

PASSED	1203
FAILED	0
DISABLED	0
INAPPLICABLE	295
INCONCLUSIVE	0
FATAL	0
TOTAL	1498

\*\*\*\*\*  
Test Case 1 : Discovery, 1 item(s)  
\*\*\*\*\*

(1) Meter Discovery  
PASSED

\*\*\*\*\*  
Test Case 2 : Connect and release, 4 item(s)  
\*\*\*\*\*

(1) Connect Public  
PASSED  
(2) Release Public  
PASSED  
(3) Connect Management  
PASSED  
(4) Release Management  
PASSED

\*\*\*\*\*  
Test Case 3 : Get public object-list, 1 item(s)

\*\*\*\*\*

Public Get Current association 0-0:40.0.0.255 (@9)

(1) .object\_list

PASSED

```
<_Data>
  <Array Qty="015C" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <Unsigned Value="00" />
      <OctetString Value="0100010801FF" />
      <Structure Qty="0002" >
        <Array Qty="0003" >
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
            </Structure>
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
            </Structure>
          <Structure Qty="0003" >
            <Integer Value="03" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
            </Structure>
          </Array>
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <Unsigned Value="00" />
      <OctetString Value="0100010802FF" />
      <Structure Qty="0002" >
        <Array Qty="0003" >
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
            </Structure>
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
            </Structure>
          <Structure Qty="0003" >
            <Integer Value="03" />
            <Enum Value="00" />
            <Array Qty="0000" >
              </Array>
            </Structure>
          </Array>
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Structure>
    </Array>
  </Data>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020802FF" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100020804FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
</Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
</Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
</Structure>
    </Array>
    <Array Qty="0000" >
</Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
</Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
</Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100040804FF" />
<Structure Qty="0002" >
<Array Qty="0003" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100040805FF" />
<Structure Qty="0002" >
<Array Qty="0003" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
      </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030800FF" />
    <Structure Qty="0002" >
      <Array Qty="0003" >
        <Structure Qty="0003" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0800FF" />
  <Structure Qty="0002" >

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="0100200700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >

```

```
IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0047" />
<Unsigned Value="00" />
<OctetString Value="0000110000FF" />
<Structure Qty="0002" >
  <Array Qty="000B" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="00" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0102000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A90101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A10200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A50100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000150001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00500FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00702FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00703FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00704FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0065FF" />
  <Structure Qty="0002" >
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600900FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600981FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600680FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600603FF" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600602FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000618001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000618002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8003FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C06FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>
```



```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C05FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600404FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00020F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100000910FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00008C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000003FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000004FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000005FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000006FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000007FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000008FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100000009FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0011" />
  <Unsigned Value="00" />
  <OctetString Value="0000290000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00012B0100FF" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000600103FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600104FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0008" />
  <Unsigned Value="00" />
  <OctetString Value="0000010000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010000090BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0014" />
  <Unsigned Value="00" />
  <OctetString Value="00000D0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000B" />
  <Unsigned Value="00" />
  <OctetString Value="00000B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="00000A006AFF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000060030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
```

```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000616200FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
        </Array>
        <Array Qty="0000" >
            </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="000061620AFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
        </Array>
        <Array Qty="0000" >
            </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B00FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0012" />
  <Unsigned Value="00" />
  <OctetString Value="00002C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0102000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100100800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100010400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100020400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100030400FF" />
  <Structure Qty="0002" >
```

```
<Array Qty="0009" >  
  <Structure Qty="0003" >  
    <Integer Value="01" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="02" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="03" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="04" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="05" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="06" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="07" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="08" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="09" />  
    <Enum Value="00" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
</Array>
```

```
IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100040400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100090400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
  </Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100010600FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100020600FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020604FF" />
  <Structure Qty="0002" >

```



```
<Array Qty="0005" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100020606FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100030600FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030602FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
        </Array>
    <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030603FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <Array Qty="0000" >
                    </Array>
            </Structure>
        </Array>
    </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100030604FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```



```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100030606FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100090601FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="0100090603FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100090608FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```



```

IDIS Reg No 0002 Kema_Report.txt
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600715FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600709FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0000600714FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600713FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2300FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100202500FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />

```

```
IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="01001F0400FF" />
<Structure Qty="0002" >
  <Array Qty="0009" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0101090700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="01000F1800FF" />
<Structure Qty="0002" >
<Array Qty="0009" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="004A" />
  <Unsigned Value="00" />
  <OctetString Value="0000180600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />

```



```
IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="0001180100FF" />
<Structure Qty="0002" >
  <Array Qty="000C" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0002180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="0A" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="0B" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="0C" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0008" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="02" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="03" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="04" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="05" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="06" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="07" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="08" />
<Enum Value="00" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0003180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="08" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0004180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
```



```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
</Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="0002180205FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0003180202FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
```



```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180204FF" />

```

```
IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00010A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0001180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
    <Array Qty="0002" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00010F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
</Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00020F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00030F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0004180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="00040F0001FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0002600B04FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0013" />
  <Unsigned Value="01" />
  <OctetString Value="0000140000FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0000160000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0032" />
  <Unsigned Value="01" />
  <OctetString Value="00001A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000F" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
```



```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="0D" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0E" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0F" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0033" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0034" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0200FF" />
  <Structure Qty="0002" >

```

```
<Array Qty="0005" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0035" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0037" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0038" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636205FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636206FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000150000FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000620100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636202FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```



IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636201FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0001" >
  <Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100636100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0000636204FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```



IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="00" />
<Array Qty="0001" >
  <Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Structure>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
  <Structure Qty="0003" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="06" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0004180500FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="00" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="00" />
<Array Qty="0000" >
</Array>
```



IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636203FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060803FF" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```



```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100060805FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Array>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
</Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" />
      </Structure>
    </Array>
  </Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000160030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
    </Structure>
  </Array>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600105FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
</Array>
</_Data>

```

```

*****
Test Case 4 : Get mngmt object-list, 1 item(s)
*****

```

```

Mngmt Get Current association 0-0:40.0.0.255 (@9)
(1) .object_list
    PASSED

```

```

  <_Data>
    <Array Qty="015C" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <Unsigned Value="00" />
        <OctetString Value="0100010801FF" />
        <Structure Qty="0002" >
          <Array Qty="0003" >
            <Structure Qty="0003" >
              <Integer Value="01" />
              <Enum Value="01" />
              <Array Qty="0000" >
            </Array>
          </Structure>
        </Array>
      </Structure>
    </Array>
  </_Data>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010807FF" />
```



```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="01000F0801FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040802FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="0100040804FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >

```



```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100040806FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100200700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0102000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A90101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A10200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A50100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000150001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00500FF" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101A00400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00702FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000A00703FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000A00704FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0065FF" />
  <Structure Qty="0002" >
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Structure>
    <Structure Qty="0003" >

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600900FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600981FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600680FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600603FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600602FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Array>

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000618001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000618002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00001A8003FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="0000603C06FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603C05FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600404FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00020F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100000910FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00008C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100000000FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000002FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000003FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000004FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000005FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000006FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000007FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000008FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000009FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0011" />
  <Unsigned Value="00" />
  <OctetString Value="0000290000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="02" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00012B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600103FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600104FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0008" />
  <Unsigned Value="00" />
  <OctetString Value="0000010000FF" />
  <Structure Qty="0002" >

```

```
<Array Qty="0009" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="03" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010000090BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0014" />
  <Unsigned Value="00" />
  <OctetString Value="00000D0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000B" />
  <Unsigned Value="00" />
  <OctetString Value="00000B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0001FF" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>

```



```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0016" />
    <Unsigned Value="00" />
    <OctetString Value="00000F0001FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    </Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0009" />
    <Unsigned Value="00" />
    <OctetString Value="00000A006AFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    </Structure>
</Array>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000060030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B02FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000061620AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0000600B01FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0012" />
  <Unsigned Value="00" />
  <OctetString Value="00002C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />

```

```
<Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```



```

IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="0100000200FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0102000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100090800FF" />
<Structure Qty="0002" >
<Array Qty="0003" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100100800FF" />
<Structure Qty="0002" >
<Array Qty="0003" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
```

```
IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100010400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100020400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
  </Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="0100030400FF" />
<Structure Qty="0002" >
<Array Qty="0009" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100040400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
```



IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="09" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="0100090400FF" />
```

```
IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0009" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="03" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="03" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
```



```

IDIS Reg No 0002 Kema_Report.txt
<OctetString Value="0100010608FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100020604FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
</Structure>
</Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100030603FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030605FF" />

```

```
IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
  </Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >

```



```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100040606FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100040607FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090602FF" />
  <Structure Qty="0002" >

```

```
<Array Qty="0005" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
</Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
</Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
</Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
</Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
</Array>
</Structure>
    </Array>
  <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100090607FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600715FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600709FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600714FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600713FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2300FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
```



```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0101090700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >

```

```
<Array Qty="0009" >  
  <Structure Qty="0003" >  
    <Integer Value="01" />  
    <Enum Value="01" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="02" />  
    <Enum Value="01" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="03" />  
    <Enum Value="01" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="04" />  
    <Enum Value="01" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="05" />  
    <Enum Value="01" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="06" />  
    <Enum Value="01" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="07" />  
    <Enum Value="01" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="08" />  
    <Enum Value="01" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
  <Structure Qty="0003" >  
    <Integer Value="09" />  
    <Enum Value="03" />  
    <Array Qty="0000" >  
  </Array>  
</Structure>  
</Array>
```

```
IDIS Reg No 0002 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="004A" />
  <Unsigned Value="00" />
  <OctetString Value="0000180600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0001180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <Array Qty="0000" >
```

```
</Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0002180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="0C" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0003180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0004180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="0B" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="0C" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0008" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
<Structure Qty="0002" >
<Integer Value="02" />
<Enum Value="01" />
</Structure>
<Structure Qty="0002" >
<Integer Value="03" />
<Enum Value="01" />
</Structure>
<Structure Qty="0002" >
<Integer Value="04" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="05" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="06" />
<Enum Value="00" />
</Structure>
<Structure Qty="0002" >
<Integer Value="07" />
<Enum Value="01" />
</Structure>
<Structure Qty="0002" >
<Integer Value="08" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0001180201FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
      </Array>
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0001180207FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0001180208FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180204FF" />
  <Structure Qty="0002" >

```

```
<Array Qty="0005" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        IDIS Reg No 0002 Kema_Report.txt
        </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180207FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <Array Qty="0000" >
                </Array>
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180208FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0003180201FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
```



IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="05" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0003180205FF" />
<Structure Qty="0002" >
<Array Qty="0005" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
```

```
IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0003180207FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180205FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180206FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180207FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180208FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600101FF" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0002600A03FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>

```



```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00010A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0001180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00010F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00020F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00030F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0004180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0002" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
<Structure Qty="0002" >
<Integer Value="02" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0016" />
<Unsigned Value="00" />
<OctetString Value="00040F0001FF" />
<Structure Qty="0002" >
<Array Qty="0004" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B03FF" />
  <Structure Qty="0002" >

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0013" />
  <Unsigned Value="01" />
  <OctetString Value="0000140000FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0000160000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0032" />
  <Unsigned Value="01" />
  <OctetString Value="00001A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000F" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0D" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0E" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="0F" />
  <Enum Value="03" />
  <Array Qty="0000" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0033" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0034" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0200FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
          </Array>
        </Structure>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0035" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0037" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0038" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0600FF" />
  <Structure Qty="0002" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636205FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636206FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0001" >
  <Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000150000FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000620100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636202FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  <Structure Qty="0003" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0000636201FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
      </Structure>
```

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0001" >
  <Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100636100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636204FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  <Structure Qty="0003" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Integer Value="06" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="07" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="08" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
</Array>
<Array Qty="0001" >
<Structure Qty="0002" >
<Integer Value="01" />
<Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0003180300FF" />
<Structure Qty="0002" >
<Array Qty="0008" >
<Structure Qty="0003" >
<Integer Value="01" />
<Enum Value="01" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0001" >
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="03" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0003" >
<Integer Value="04" />
<Enum Value="03" />
<Array Qty="0000" >
</Array>
```

IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Enum Value="01" />
<Array Qty="0001" >
  <Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636203FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
  <Structure Qty="0003" >
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="06" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0002 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100050802FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```



```
IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    </Structure>
  </Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```



```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <Array Qty="0000" >
  </Array>
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080803FF" />
```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0002 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100080805FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
          </Array>
        </Structure>
      </Array>
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000160030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0002 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Array>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600105FF" />
  <Structure Qty="0002" >

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0000" >
      </Array>
    </Structure>
  </Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
</Array>
</_Data>
```

\*\*\*\*\*  
Test Case 5 : Get public attributes, 15 item(s)  
\*\*\*\*\*

Public Get SAP Assignment 0-0:41.0.0.255 (@4)

```
(1) .logical_name
    PASSED
    <Data>
      <OctetString Value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list
    PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0001" />
          <OctetString Value="\ACE1000710091488" />
        </Structure>
      </Array>
    </Data>
```

Public Get Current association 0-0:40.0.0.255 (@9)

```
(3) .logical_name
    PASSED
    <Data>
      <OctetString Value="0000280000FF" />
    </Data>
(4) .associated_partners_id
    PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="10" />
        <LongUnsigned Value="0001" />
      </Structure>
    </Data>
```

- (5) .application\_context\_name  
     PASSED  
     <Data>  
         <Structure Qty="0007" >  
             <Unsigned Value="02" />  
             <Unsigned Value="10" />  
             <LongUnsigned Value="02F4" />  
             <Unsigned Value="05" />  
             <Unsigned Value="08" />  
             <Unsigned Value="01" />  
             <Unsigned Value="01" />  
         </Structure>  
     </Data>
- (6) .xDLMS\_context\_info  
     PASSED  
     <Data>  
         <Structure Qty="0006" >  
             <BitString Value="000000000001001000010100" />  
             <LongUnsigned Value="00EF" />  
             <LongUnsigned Value="00EF" />  
             <Unsigned Value="06" />  
             <Integer Value="00" />  
             <OctetString Value="000000000000" />  
         </Structure>  
     </Data>
- (7) .authentication\_mechanism\_name  
     PASSED  
     <Data>  
         <Structure Qty="0007" >  
             <Unsigned Value="02" />  
             <Unsigned Value="10" />  
             <LongUnsigned Value="02F4" />  
             <Unsigned Value="05" />  
             <Unsigned Value="08" />  
             <Unsigned Value="02" />  
             <Unsigned Value="00" />  
         </Structure>  
     </Data>
- (8) .association\_status  
     PASSED  
     <Data>  
         <Enum Value="02" />  
     </Data>
- (9) .security\_setup\_reference  
     PASSED  
     <Data>  
         <OctetString Value="00002B0000FF" />  
     </Data>

Public Get Security - Receive frame counter - broadcast key  
 0-0:43.1.1.255 (@33)

- (10) .logical\_name  
     PASSED  
     <Data>  
         <OctetString Value="00002B0101FF" />  
     </Data>

```
(11) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="027BAC71" />
      </Data>
```

Public Get Security - Receive frame counter - unicast key  
0-0:43.1.0.255 (@37)

```
(12) .logical_name
      PASSED
      <Data>
        <OctetString Value="00002B0100FF" />
      </Data>
```

```
(13) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="027BC4C7" />
      </Data>
```

Public Get COSEM logical device name 0-0:42.0.0.255 (@42)

```
(14) .logical_name
      PASSED
      <Data>
        <OctetString Value="00002A0000FF" />
      </Data>
```

```
(15) .value
      PASSED
      <Data>
        <OctetString Value="\ACE1000710091488" />
      </Data>
```

```
*****
Test Case 6 : Get mngmt attributes, 1127 item(s)
*****
```

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)

```
(1) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000290000FF" />
      </Data>
(2) .SAP_assignment_list
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0001" />
            <OctetString Value="\ACE1000710091488" />
          </Structure>
        </Array>
      </Data>
```

Mngmt Get Current association 0-0:40.0.0.255 (@9)

```
(3) .logical_name
      PASSED
      <Data>
```

```

        IDIS Reg No 0002 Kema_Report.txt
        <OctetString Value="0000280000FF" />
    </Data>
(4) .associated_partners_id
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="01" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>
(5) .application_context_name
    PASSED
    <Data>
        <Structure Qty="0007" >
            <Unsigned Value="02" />
            <Unsigned Value="10" />
            <LongUnsigned Value="02F4" />
            <Unsigned Value="05" />
            <Unsigned Value="08" />
            <Unsigned Value="01" />
            <Unsigned Value="03" />
        </Structure>
    </Data>
(6) .xDLMS_context_info
    PASSED
    <Data>
        <Structure Qty="0006" >
            <BitString Value="000000000001101000011101" />
            <LongUnsigned Value="00EF" />
            <LongUnsigned Value="00EF" />
            <Unsigned Value="06" />
            <Integer Value="00" />
            <OctetString Value="000000000000" />
        </Structure>
    </Data>
(7) .authentication_mechanism_name
    PASSED
    <Data>
        <Structure Qty="0007" >
            <Unsigned Value="02" />
            <Unsigned Value="10" />
            <LongUnsigned Value="02F4" />
            <Unsigned Value="05" />
            <Unsigned Value="08" />
            <Unsigned Value="02" />
            <Unsigned Value="05" />
        </Structure>
    </Data>
(8) .association_status
    PASSED
    <Data>
        <Enum Value="02" />
    </Data>
(9) .security_setup_reference
    PASSED
    <Data>

```

IDIS Reg No 0002 Kema\_Report.txt  
<OctetString Value="00002B0000FF" />  
</Data>

Mngmt Get Security setup 0-0:43.0.0.255 (@24)

(10) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00002B0000FF" />  
</Data>  
(11) .security\_policy  
PASSED  
<Data>  
<Enum Value="00" />  
</Data>  
(12) .security\_suite  
PASSED  
<Data>  
<Enum Value="00" />  
</Data>  
(13) .client\_system\_title  
PASSED  
<Data>  
<OctetString Value="4C475A4954000002" />  
</Data>  
(14) .server\_system\_title  
PASSED  
<Data>  
<OctetString Value="414345647099FBE0" />  
</Data>

Mngmt Get Security - Receive frame counter - broadcast key  
0-0:43.1.1.255 (@33)

(15) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00002B0101FF" />  
</Data>  
(16) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="027BAC71" />  
</Data>

Mngmt Get Security - Receive frame counter - unicast key  
0-0:43.1.0.255 (@37)

(17) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00002B0100FF" />  
</Data>  
(18) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="027BC65C" />  
</Data>

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)

```
(19) .logical_name
      PASSED
      <Data>
        <OctetString Value="00002A0000FF" />
      </Data>
(20) .value
      PASSED
      <Data>
        <OctetString Value="\ACE1000710091488" />
      </Data>
```

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)

```
(21) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600100FF" />
      </Data>
(22) .value
      PASSED
      <Data>
        <OctetString Value="\0000000010000002" />
      </Data>
```

Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)

```
(23) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600101FF" />
      </Data>
(24) .value
      PASSED
      <Data>
        <OctetString Value="\E-meter equipment identifier" />
      </Data>
```

Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)

```
(25) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600102FF" />
      </Data>
(26) .value
      PASSED
      <Data>
        <OctetString Value="\Function location" />
      </Data>
```

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)

```
(27) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600103FF" />
      </Data>
(28) .value
```

```

                IDIS Reg No 0002 Kema_Report.txt
                PASSED
                <Data>
                <OctetString Value="\Location information" />
                </Data>

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)
(29) .logical_name
        PASSED
        <Data>
        <OctetString Value="0000600104FF" />
        </Data>
(30) .value
        PASSED
        <Data>
        <OctetString Value="\General purpose identification"
/>
        </Data>

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255
(@66)
(31) .logical_name
        PASSED
        <Data>
        <OctetString Value="0000600105FF" />
        </Data>
(32) .value
        PASSED
        <Data>
        <OctetString Value="\IDIS_CERTIF" />
        </Data>

Mngmt Get Currently active energy tariff 0-0:96.14.0.255 (@70)
(33) .logical_name
        PASSED
        <Data>
        <OctetString Value="0000600E00FF" />
        </Data>
(34) .value
        PASSED
        <Data>
        <OctetString Value="\TARIFF01" />
        </Data>

Mngmt Get Clock 0-0:1.0.0.255 (@75)
(35) .logical_name
        PASSED
        <Data>
        <OctetString Value="0000010000FF" />
        </Data>
(36) .time
        PASSED
        <Data>
        <OctetString Value="07DB0C050107161300FFC300" />
        </Data>
(37) .time_zone
        PASSED

```

```

    <Data>
      <Long Value="FFC4" />
    </Data>
(38) .status
      PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(39) .daylights_savings_begin
      PASSED
    <Data>
      <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(40) .daylights_savings_end
      PASSED
    <Data>
      <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(41) .daylights_savings_deviation
      PASSED
    <Data>
      <Integer Value="3C" />
    </Data>
(42) .daylights_savings_enabled
      PASSED
    <Data>
      <Bool Value="01" />
    </Data>
(43) .clock_base
      PASSED
    <Data>
      <Enum Value="01" />
    </Data>

```

Mngmt Get Local Time 1-0:0.9.1.255 (@86)

```

(44) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(45) .value
      INAPPLICABLE
      Optional object is not implemented

```

Mngmt Get Local Date 1-0:0.9.2.255 (@90)

```

(46) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(47) .value
      INAPPLICABLE
      Optional object is not implemented

```

Mngmt Get Clock Time Shift Limit 1-0:0.9.11.255 (@94)

```

(48) .logical_name
      PASSED
    <Data>
      <OctetString Value="010000090BFF" />
    </Data>

```



```

(49) .value
      PASSED
      <Data>
        <Unsigned Value="3C" />
      </Data>
(50) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

Mngmt Get Activity Calendar 0-0:13.0.0.255 (@100)
(51) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000D0000FF" />
      </Data>
(52) .calendar_name_active
      PASSED
      <Data>
        <OctetString Value="\CALENDAR_____ " />
      </Data>
(53) .season_profile_active
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0003" >
            <OctetString Value="01" />
            <OctetString Value="FFFF0101FF000000008000FF" />
            <OctetString Value="01" />
          </Structure>
        </Array>
      </Data>
(54) .week_profile_table_active
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0008" >
            <OctetString Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
          </Structure>
        </Array>
      </Data>
(55) .day_profile_table_active
      PASSED
      <Data>
        <Array Qty="0001" >

```

```

        IDIS Reg No 0002 Kema_Report.txt
    <Structure Qty="0002" >
        <Unsigned Value="01" />
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="00000000" />
                <OctetString Value="00000A0064FF" />
                <LongUnsigned Value="0001" />
            </Structure>
        </Array>
    </Structure>
</Array>
</Data>
(56) .calendar_name_passive
    PASSED
    <Data>
        <OctetString Value="\CNP_23D2" />
    </Data>
(57) .season_profile_passive
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFF0101FF000000008000FF" />
                <OctetString Value="01" />
            </Structure>
        </Array>
    </Data>
(58) .week_profile_table_passive
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0008" >
                <OctetString Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
            </Structure>
        </Array>
    </Data>
(59) .day_profile_table_passive
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="01" />
                <Array Qty="0001" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0001" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0002 Kema_Report.txt
        </Array>
    </Structure>
</Array>
</Data>
(60) .activate_passive_calendar_time
    PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get Special Days Table 0-0:11.0.0.255 (@113)
(61) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000B0000FF" />
    </Data>
(62) .entries
    PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>

Mngmt Get Register activation - Energy 0-0:14.0.1.255 (@117)
(63) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000E0001FF" />
    </Data>
(64) .register_assignment
    PASSED
    <_Data>
        <Array Qty="0040" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010801FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010802FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010803FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010804FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010805FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010806FF" />
            </Structure>
        </Array>
    </_Data>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030804FF" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050802FF" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060808FF" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080806FF" />
</Structure>
```

```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080807FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080808FF" />
    </Structure>
</Array>
</_Data>
(65) .mask_list
    PASSED
<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF01" />
            <Array Qty="0008" >
                <Unsigned Value="01" />
                <Unsigned Value="09" />
                <Unsigned Value="11" />
                <Unsigned Value="19" />
                <Unsigned Value="21" />
                <Unsigned Value="29" />
                <Unsigned Value="31" />
                <Unsigned Value="39" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF02" />
            <Array Qty="0008" >
                <Unsigned Value="02" />
                <Unsigned Value="0A" />
                <Unsigned Value="12" />
                <Unsigned Value="1A" />
                <Unsigned Value="22" />
                <Unsigned Value="2A" />
                <Unsigned Value="32" />
                <Unsigned Value="3A" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF03" />
            <Array Qty="0008" >
                <Unsigned Value="03" />
                <Unsigned Value="0B" />
                <Unsigned Value="13" />
                <Unsigned Value="1B" />
                <Unsigned Value="23" />
                <Unsigned Value="2B" />
                <Unsigned Value="33" />
                <Unsigned Value="3B" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF04" />

```



IDIS Reg No 0002 Kema\_Report.txt

```
<Array Qty="0008" >
  <Unsigned Value="04" />
  <Unsigned Value="0C" />
  <Unsigned Value="14" />
  <Unsigned Value="1C" />
  <Unsigned Value="24" />
  <Unsigned Value="2C" />
  <Unsigned Value="34" />
  <Unsigned Value="3C" />
</Array>
</Structure>
</Array>
</Data>
(66) .active_mask
      PASSED
      <Data>
        <OctetString Value="\TARIFF01" />
      </Data>
```

Mngmt Get Register activation - Maximum Demand 0-0:14.0.2.255  
(@123)

```
(67) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000E0002FF" />
      </Data>
(68) .register_assignment
      PASSED
      <_Data>
        <Array Qty="0028" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0100010601FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0100010602FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0100010603FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0100010604FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0100010605FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0100010606FF" />
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0004" />
          </Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
  <OctetString Value="0100010607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100010608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
```

```
IDIS Reg No 0002 Kema_Report.txt
  <OctetString Value="0100030605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
```

```

        IDIS Reg No 0002 Kema_Report.txt
        <OctetString Value="0100090603FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090604FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090605FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090606FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090607FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100090608FF" />
    </Structure>
</Array>
</_Data>
(69) .mask_list
    PASSED
<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF01" />
            <Array Qty="0005" >
                <Unsigned Value="01" />
                <Unsigned Value="09" />
                <Unsigned Value="11" />
                <Unsigned Value="19" />
                <Unsigned Value="21" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF02" />
            <Array Qty="0005" >
                <Unsigned Value="02" />
                <Unsigned Value="0A" />
                <Unsigned Value="12" />
                <Unsigned Value="1A" />
                <Unsigned Value="22" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\TARIFF03" />
            <Array Qty="0005" >
                <Unsigned Value="03" />
                <Unsigned Value="0B" />
                <Unsigned Value="13" />
                <Unsigned Value="1B" />
                <Unsigned Value="23" />
            </Array>
        </Structure>
    </Array>

```

```

        IDIS Reg No 0002 Kema_Report.txt
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF04" />
    <Array Qty="0005" >
        <Unsigned Value="04" />
        <Unsigned Value="0C" />
        <Unsigned Value="14" />
        <Unsigned Value="1C" />
        <Unsigned Value="24" />
    </Array>
</Structure>
</Array>
</Data>
(70) .active_mask
    PASSED
    <Data>
        <OctetString Value="\TARIFF01" />
    </Data>

Mngmt Get Tariffication script table 0-0:10.0.100.255 (@129)
(71) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000A0064FF" />
    </Data>
(72) .scripts
    PASSED
    <_Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0002" >
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0001FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF01" />
                    </Structure>
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0002FF" />
                        <Integer Value="04" />
                        <OctetString Value="\TARIFF01" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0002" />
                <Array Qty="0002" >
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0001FF" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="04" />
  <OctetString Value="\TARIFF02" />
</Structure>
<Structure Qty="0005" >
  <Enum Value="01" />
  <LongUnsigned Value="0006" />
  <OctetString Value="00000E0002FF" />
  <Integer Value="04" />
  <OctetString Value="\TARIFF02" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0002" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF03" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF03" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0002" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF04" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF04" />
    </Structure>
  </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Get Predefined Scripts - MDI reset / end of billing  
period 0-0:10.0.1.255 (@135)  
(73) .logical\_name

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <OctetString Value="00000A0001FF" />  
</Data>
```

(74) .scripts

INAPPLICABLE

Optional access right not available

Mngmt Get End of billing period 1 scheduler 0-0:15.0.0.255  
(@140)

(75) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="00000F0000FF" />  
</Data>
```

(76) .executed\_script

PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <OctetString Value="00000A0001FF" />  
    <LongUnsigned Value="0001" />  
  </Structure>  
</Data>
```

(77) .type

PASSED

```
<Data>  
  <Enum Value="01" />  
</Data>
```

(78) .execution\_time

PASSED

```
<Data>  
  <Array Qty="0001" >  
    <Structure Qty="0002" >  
      <OctetString Value="00000000" />  
      <OctetString Value="FFFFFF01FF" />  
    </Structure>  
  </Array>  
</Data>
```

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)

(79) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="0000620100FF" />  
</Data>
```

(80) .capture\_objects

PASSED

```
<Data>  
  <Array Qty="0005" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  <Structure Qty="0004" >
```

```

        IDIS Reg No 0002 Kema_Report.txt
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(81) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(82) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(83) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(84) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>
(85) .profile_entries
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000012" />
    </Data>

```



Mngmt Get Disconnect control scheduler 0-0:15.0.1.255 (@158)

```

(86) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000F0001FF" />
      </Data>
(87) .executed_script
      PASSED
      <Data>
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
      </Data>
(88) .type
      PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(89) .execution_time
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <OctetString Value="FFFFFFFF" />
            <OctetString Value="FFFFFFFFFFFF" />
          </Structure>
        </Array>
      </Data>

```

Mngmt Get Disconnect script table 0-0:10.0.106.255 (@164)

```

(90) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000A006AFF" />
      </Data>
(91) .scripts
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0001" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000060030AFF" />
                <Integer Value="01" />
                <Integer Value="00" />
              </Structure>
            </Array>
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0002" />
            <Array Qty="0001" >
              <Structure Qty="0005" >

```

```
IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="02" />
  <LongUnsigned Value="0046" />
  <OctetString Value="000060030AFF" />
  <Integer Value="02" />
  <Integer Value="00" />
</Structure>
</Array>
</Structure>
</Array>
</Data>
```

Mngmt Get Disconnect control 0-0:96.3.10.255 (@169)

```
(92) .logical_name
      PASSED
      <Data>
        <OctetString Value="000060030AFF" />
      </Data>
(93) .output_state
      PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(94) .control_state
      PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(95) .control_mode
      PASSED
      <Data>
        <Enum Value="06" />
      </Data>
```

Mngmt Get Event Object - Disconnect Control log  
0-0:96.11.2.255 (@177)

```
(96) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600B02FF" />
      </Data>
(97) .value
      PASSED
      <Data>
        <Enum Value="3D" />
      </Data>
```

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)

```
(98) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000636202FF" />
      </Data>
(99) .capture_objects
      PASSED
      <Data>
        <Array Qty="0003" >
```

```

        IDIS Reg No 0002 Kema_Report.txt
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600B02FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0047" />
          <OctetString Value="0000110000FF" />
          <Integer Value="03" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(100) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(101) .sort_method
      PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(102) .sort_object
      PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(103) .entries_in_use
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
(104) .profile_entries
      PASSED
    <Data>
      <DoubleLongUnsigned Value="0000002A" />
    </Data>

Mngmt Get Load Mgmt script table 0-0:10.0.103.255 (@192)
(105) .logical_name
      PASSED
    <Data>
      <OctetString Value="00000A0067FF" />

```

```

</Data>
(106) .scripts
      PASSED
<Data>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="000160030AFF" />
          <Integer Value="01" />
          <Integer Value="00" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0002" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="000160030AFF" />
          <Integer Value="02" />
          <Integer Value="00" />
        </Structure>
      </Array>
    </Structure>
  </Array>
</Data>

```

Mngmt Get Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)

```

(107) .logical_name
      PASSED
<Data>
  <OctetString Value="000160030AFF" />
</Data>

```

```

(108) .output_state
      PASSED
<Data>
  <Bool Value="00" />
</Data>

```

```

(109) .control_state
      PASSED
<Data>
  <Enum Value="00" />
</Data>

```

```

(110) .control_mode
      PASSED
<Data>
  <Enum Value="06" />
</Data>

```

Mngmt Get Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)

```

(111) .logical_name

```

```

                IDIS Reg No 0002 Kema_Report.txt
                INAPPLICABLE
Optional object is not implemented
(112) .output_state
                INAPPLICABLE
Optional object is not implemented
(113) .control_state
                INAPPLICABLE
Optional object is not implemented
(114) .control_mode
                INAPPLICABLE
Optional object is not implemented

Mngmt Get Limiter 0-0:17.0.0.255 (@213)
(115) .logical_name
                PASSED
                <Data>
                <OctetString Value="0000110000FF" />
                </Data>
(116) .monitored_value
                PASSED
                <Data>
                <Structure Qty="0003" >
                <LongUnsigned Value="0003" />
                <OctetString Value="01005A0700FF" />
                <Integer Value="02" />
                </Structure>
                </Data>
(117) .threshold_active
                PASSED
                <Data>
                <LongUnsigned Value="0000" />
                </Data>
(118) .threshold_normal
                PASSED
                <Data>
                <LongUnsigned Value="0000" />
                </Data>
(119) .treshold_emergency
                PASSED
                <Data>
                <LongUnsigned Value="0000" />
                </Data>
(120) .min_over_threshold_duration
                PASSED
                <Data>
                <DoubleLongUnsigned Value="000000B4" />
                </Data>
(121) .min_under_threshold_duration
                PASSED
                <Data>
                <DoubleLongUnsigned Value="000000B4" />
                </Data>
(122) .emergency_profile
                PASSED
                <Data>
                <Structure Qty="0003" >

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <LongUnsigned Value="0000" />
        <OctetString Value="07D0010106000000008000FF" />
        <DoubleLongUnsigned Value="00000001" />
    </Structure>
</Data>
(123) .emergency_profile_group_id_list
    PASSED
    <Data>
        <Array Qty="0003" >
            <LongUnsigned Value="0000" />
            <LongUnsigned Value="0000" />
            <LongUnsigned Value="0000" />
        </Array>
    </Data>
(124) .emergency_profile_active
    PASSED
    <Data>
        <Bool Value="00" />
    </Data>
(125) .actions
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Structure>
    </Data>

```

Mngmt Get Supervision monitor 1 - Fuse supervision L1  
1-0:31.4.0.255 (@226)

```

(126) .logical_name
    PASSED
    <Data>
        <OctetString Value="01001F0400FF" />
    </Data>
(127) .thresholds
    PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000000" />
        </Array>
    </Data>
(128) .monitored_value
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0005" />
            <OctetString Value="01001F0400FF" />
            <Integer Value="02" />
        </Structure>

```

```
</Data>
(129) .actions
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
              <LongUnsigned Value="0001" />
            </Structure>
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Structure>
      </Array>
    </Data>
```

Mngmt Get Supervision monitor 2 - Fuse supervision L2

1-0:51.4.0.255 (@232)

```
(130) .logical_name
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(131) .thresholds
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(132) .monitored_value
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(133) .actions
      INAPPLICABLE
      Object is not required according to OM and/or extensions
```

Mngmt Get Supervision monitor 3 - Fuse supervision L3

1-0:71.4.0.255 (@238)

```
(134) .logical_name
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(135) .thresholds
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(136) .monitored_value
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(137) .actions
      INAPPLICABLE
      Object is not required according to OM and/or extensions
```

Mngmt Get Error Register 0-0:97.97.0.255 (@245)

```
(138) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000616100FF" />
      </Data>
(139) .value
      PASSED
```

```

        IDIS Reg No 0002 Kema_Report.txt
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Alarm Register 0-0:97.98.0.255 (@249)
(140) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000616200FF" />
    </Data>
(141) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Alarm Filter 0-0:97.98.10.255 (@253)
(142) .logical_name
        PASSED
    <Data>
        <OctetString Value="000061620AFF" />
    </Data>
(143) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Event Object - Standard Event Log 0-0:96.11.0.255
(@257)
(144) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000600B00FF" />
    </Data>
(145) .value
        PASSED
    <Data>
        <Enum Value="02" />
    </Data>

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)
(146) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000636200FF" />
    </Data>
(147) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```



```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B00FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(148) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(149) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(150) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(151) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000D" />
    </Data>
(152) .profile_entries
    PASSED
    <Data>
        <DoubleLongUnsigned Value="0000010C" />
    </Data>

```

Mngmt Get Event Object - Fraud Detection Log 0-0:96.11.1.255 (@272)

```

(153) .logical_name
    PASSED
    <Data>
        <OctetString Value="0000600B01FF" />
    </Data>
(154) .value
    PASSED
    <Data>
        <Enum Value="2A" />
    </Data>

```

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)

```

(155) .logical_name
    PASSED

```

```
<Data>
  <OctetString Value="0000636201FF" />
</Data>
(156) .capture_objects
      PASSED
<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600B01FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
(157) .capture_period
      PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(158) .sort_method
      PASSED
<Data>
  <Enum Value="01" />
</Data>
(159) .sort_object
      PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0000" />
    <OctetString Value="000000000000" />
    <Integer Value="00" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
(160) .entries_in_use
      PASSED
<Data>
  <DoubleLongUnsigned Value="00000007" />
</Data>
(161) .profile_entries
      PASSED
<Data>
  <DoubleLongUnsigned Value="00000056" />
</Data>

Mngmt Get Consumer Message Text 0-0:96.13.0.255 (@288)
(162) .logical_name
      PASSED
<Data>
```

```

                IDIS Reg No 0002 Kema_Report.txt
                <OctetString Value="0000600D00FF" />
            </Data>
(163) .value
                PASSED
                <Data>
                    <OctetString Value="\12345678" />
                </Data>

Mngmt Get Consumer Message Code 0-0:96.13.1.255 (@292)
(164) .logical_name
                PASSED
                <Data>
                    <OctetString Value="0000600D01FF" />
                </Data>
(165) .value
                PASSED
                <Data>
                    <OctetString Value="\ " />
                </Data>

Mngmt Get Image transfer 0-0:44.0.0.255 (@297)
(166) .logical_name
                PASSED
                <Data>
                    <OctetString Value="00002C0000FF" />
                </Data>
(167) .image_block_size
                PASSED
                <Data>
                    <DoubleLongUnsigned Value="000000A8" />
                </Data>
(168) .image_transferred_block_status
                PASSED
                <Data>
                    <BitString Value="" />
                </Data>
(169) .image_first_not_transferred_block_number
                PASSED
                <Data>
                    <DoubleLongUnsigned Value="FFFFFFFF" />
                </Data>
(170) .image_transfer_enabled
                PASSED
                <Data>
                    <Bool Value="01" />
                </Data>
(171) .image_transfer_status
                PASSED
                <Data>
                    <Enum Value="00" />
                </Data>
(172) .image_to_activate_info
                PASSED
                <Data>
                    <Array Qty="0000" >
                    </Array>

```

IDIS Reg No 0002 Kema\_Report.txt  
</Data>

Mngmt Get Image transfer activation scheduler 0-0:15.0.2.255 (@310)

(173) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00000F0002FF" />  
</Data>  
(174) .executed\_script  
PASSED  
<Data>  
<Structure Qty="0002" >  
<OctetString Value="00000A006BFF" />  
<LongUnsigned Value="0001" />  
</Structure>  
</Data>  
(175) .type  
PASSED  
<Data>  
<Enum Value="01" />  
</Data>  
(176) .execution\_time  
PASSED  
<Data>  
<Array Qty="0001" >  
<Structure Qty="0002" >  
<OctetString Value="17370000" />  
<OctetString Value="07FE0C01FF" />  
</Structure>  
</Array>  
</Data>

Mngmt Get Predefined Scripts - Image activation 0-0:10.0.107.255 (@316)

(177) .logical\_name  
PASSED  
<Data>  
<OctetString Value="00000A006BFF" />  
</Data>  
(178) .scripts  
INAPPLICABLE  
Optional access right not available

Mngmt Get Active firmware version 1-0:0.2.0.255 (@321)

(179) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100000200FF" />  
</Data>  
(180) .value  
PASSED  
<Data>  
<OctetString Value="330101010102" />  
</Data>

Mngmt Get Active firmware version signature 1-0:0.2.8.255 (@325)

(181) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100000208FF" />  
</Data>  
(182) .value  
PASSED  
<Data>  
<OctetString Value="4706F59D" />  
</Data>

Mngmt Get Active firmware version 1 1-1:0.2.0.255 (@329)

(183) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0101000200FF" />  
</Data>  
(184) .value  
PASSED  
<Data>  
<OctetString Value="330102010100" />  
</Data>

Mngmt Get Active firmware version signature 1 1-1:0.2.8.255 (@333)

(185) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0101000208FF" />  
</Data>  
(186) .value  
PASSED  
<Data>  
<OctetString Value="F568F550" />  
</Data>

Mngmt Get Active firmware version 2 1-2:0.2.0.255 (@337)

(187) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0102000200FF" />  
</Data>  
(188) .value  
PASSED  
<Data>  
<OctetString Value="300003000A16" />  
</Data>

Mngmt Get Active firmware version signature 2 1-2:0.2.8.255 (@341)

(189) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0102000208FF" />

```

                IDIS Reg No 0002 Kema_Report.txt
    </Data>
(190) .value
        PASSED
    <Data>
        <OctetString Value="2A595F0A" />
    </Data>

Mngmt Get Active energy import (+A) 1-0:1.8.0.255 (@346)
(191) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100010800FF" />
    </Data>
(192) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(193) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) 1-0:2.8.0.255 (@352)
(194) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100020800FF" />
    </Data>
(195) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(196) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy (|+A|+|-A|)
Combined total 1-0:15.8.0.255 (@358)
(197) .logical_name
        PASSED
    <Data>
        <OctetString Value="01000F0800FF" />
    </Data>
(198) .value
        PASSED

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(199) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="1E" />  
  </Structure>  
</Data>
```

Mngmt Get Active energy (|+A|-|-A|)  
Combined total 1-0:16.8.0.255 (@364)

(200) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100100800FF" />  
</Data>
```

(201) .value  
PASSED

```
<Data>  
  <DoubleLong Value="00000000" />  
</Data>
```

(202) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="1E" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy QI (+Ri) 1-0:5.8.0.255 (@370)

(203) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100050800FF" />  
</Data>
```

(204) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(205) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy QII (+Rc) 1-0:6.8.0.255 (@376)

(206) .logical\_name  
PASSED

```

                IDIS Reg No 0002 Kema_Report.txt
    <Data>
      <OctetString Value="0100060800FF" />
    </Data>
(207) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(208) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy QIII (-Ri) 1-0:7.8.0.255 (@382)
(209) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100070800FF" />
    </Data>
(210) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(211) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy QIV (-Rc) 1-0:8.8.0.255 (@388)
(212) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100080800FF" />
    </Data>
(213) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(214) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

```



```

Mngmt Get Reactive energy import (+R)
(QI+QII) 1-0:3.8.0.255 (@394)
(215) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100030800FF" />
        </Data>
(216) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(217) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
          </Structure>
        </Data>

```

```

Mngmt Get Reactive energy export (-R)
(QIII+QIV) 1-0:4.8.0.255 (@400)
(218) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100040800FF" />
        </Data>
(219) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(220) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
          </Structure>
        </Data>

```

```

Mngmt Get Apparent energy import (+VA)
(QI+QIV) 1-0:9.8.0.255 (@406)
(221) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100090800FF" />
        </Data>
(222) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(223) .scaler_unit

```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1F" />
  </Structure>
</Data>
```

Mngmt Get Apparent energy export (-VA)  
(QII+QIII) 1-0:10.8.0.255 (@412)

```
(224) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(225) .value
      INAPPLICABLE
      Optional object is not implemented
(226) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Get Active energy import (+A) rate 1 1-0:1.8.1.255 (@419)

```
(227) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010801FF" />
      </Data>
(228) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(229) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>
```

Mngmt Get Active energy import (+A) rate 2 1-0:1.8.2.255 (@425)

```
(230) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010802FF" />
      </Data>
(231) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(232) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
```

```
                IDIS Reg No 0002 Kema_Report.txt
                <Enum Value="1E" />
            </Structure>
        </Data>
```

Mngmt Get Active energy import (+A) rate 3 1-0:1.8.3.255 (@431)

```
(233) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100010803FF" />
        </Data>
(234) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(235) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1E" />
            </Structure>
        </Data>
```

Mngmt Get Active energy import (+A) rate 4 1-0:1.8.4.255 (@437)

```
(236) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100010804FF" />
        </Data>
(237) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(238) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1E" />
            </Structure>
        </Data>
```

Mngmt Get Active energy export (-A) rate 1 1-0:2.8.1.255 (@443)

```
(239) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100020801FF" />
        </Data>
(240) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(241) .scaler_unit
```

```

        IDIS Reg No 0002 Kema_Report.txt
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 2 1-0:2.8.2.255 (@449)
(242) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100020802FF" />
    </Data>
(243) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(244) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 3 1-0:2.8.3.255 (@455)
(245) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100020803FF" />
    </Data>
(246) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(247) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 4 1-0:2.8.4.255 (@461)
(248) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100020804FF" />
    </Data>
(249) .value
        PASSED

```

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(250) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1E" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (+R) rate 1 1-0:3.8.1.255 (@467)
(251) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100030801FF" />
    </Data>
(252) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(253) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (+R) rate 2 1-0:3.8.2.255 (@473)
(254) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100030802FF" />
    </Data>
(255) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(256) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (+R) rate 3 1-0:3.8.3.255 (@479)
(257) .logical_name
      PASSED
    <Data>

```

```

                IDIS Reg No 0002 Kema_Report.txt
                <OctetString Value="0100030803FF" />
            </Data>
(258) .value
                PASSED
            <Data>
                <DoubleLongUnsigned Value="00000000" />
            </Data>
(259) .scaler_unit
                PASSED
            <Data>
                <Structure Qty="0002" >
                    <Integer Value="00" />
                    <Enum Value="20" />
                </Structure>
            </Data>

Mngmt Get Reactive energy (+R) rate 4 1-0:3.8.4.255 (@485)
(260) .logical_name
                PASSED
            <Data>
                <OctetString Value="0100030804FF" />
            </Data>
(261) .value
                PASSED
            <Data>
                <DoubleLongUnsigned Value="00000000" />
            </Data>
(262) .scaler_unit
                PASSED
            <Data>
                <Structure Qty="0002" >
                    <Integer Value="00" />
                    <Enum Value="20" />
                </Structure>
            </Data>

Mngmt Get Reactive energy (-R) rate 1 1-0:4.8.1.255 (@491)
(263) .logical_name
                PASSED
            <Data>
                <OctetString Value="0100040801FF" />
            </Data>
(264) .value
                PASSED
            <Data>
                <DoubleLongUnsigned Value="00000000" />
            </Data>
(265) .scaler_unit
                PASSED
            <Data>
                <Structure Qty="0002" >
                    <Integer Value="00" />
                    <Enum Value="20" />
                </Structure>
            </Data>

```

Mngmt Get Reactive energy (-R) rate 2 1-0:4.8.2.255 (@497)

```
(266) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040802FF" />
      </Data>
(267) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(268) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy (-R) rate 3 1-0:4.8.3.255 (@503)

```
(269) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040803FF" />
      </Data>
(270) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(271) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy (-R) rate 4 1-0:4.8.4.255 (@509)

```
(272) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040804FF" />
      </Data>
(273) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(274) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
```

```
                IDIS Reg No 0002 Kema_Report.txt
                <Enum Value="20" />
            </Structure>
        </Data>
```

Mngmt Get Reactive energy (QI) rate 1 1-0:5.8.1.255 (@515)

```
(275) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100050801FF" />
        </Data>
(276) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(277) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>
```

Mngmt Get Reactive energy (QI) rate 2 1-0:5.8.2.255 (@521)

```
(278) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100050802FF" />
        </Data>
(279) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(280) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>
```

Mngmt Get Reactive energy (QI) rate 3 1-0:5.8.3.255 (@527)

```
(281) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100050803FF" />
        </Data>
(282) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(283) .scaler_unit
```



IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy (QI) rate 4 1-0:5.8.4.255 (@533)

(284) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100050804FF" />  
</Data>
```

(285) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(286) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy (QII) rate 1 1-0:6.8.1.255 (@539)

(287) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100060801FF" />  
</Data>
```

(288) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(289) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy (QII) rate 2 1-0:6.8.2.255 (@545)

(290) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100060802FF" />  
</Data>
```

(291) .value  
PASSED

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(292) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QII) rate 3 1-0:6.8.3.255 (@551)
(293) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100060803FF" />
    </Data>
(294) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(295) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QII) rate 4 1-0:6.8.4.255 (@557)
(296) .logical_name
      PASSED
    <Data>
      <OctetString Value="0100060804FF" />
    </Data>
(297) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(298) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 1 1-0:7.8.1.255 (@563)
(299) .logical_name
      PASSED
    <Data>

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <OctetString Value="0100070801FF" />
    </Data>
(300) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(301) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 2 1-0:7.8.2.255 (@569)
(302) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100070802FF" />
    </Data>
(303) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(304) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 3 1-0:7.8.3.255 (@575)
(305) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100070803FF" />
    </Data>
(306) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(307) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

```

Mngmt Get Reactive energy (QIII) rate 4 1-0:7.8.4.255 (@581)

```
(308) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100070804FF" />
      </Data>
(309) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(310) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy (QIV) rate 1 1-0:8.8.1.255 (@587)

```
(311) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100080801FF" />
      </Data>
(312) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(313) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy (QIV) rate 2 1-0:8.8.2.255 (@593)

```
(314) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100080802FF" />
      </Data>
(315) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(316) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
```

```
        IDIS Reg No 0002 Kema_Report.txt
        <Enum Value="20" />
    </Structure>
</Data>
```

Mngmt Get Reactive energy (QIV) rate 3 1-0:8.8.3.255 (@599)

```
(317) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100080803FF" />
    </Data>
(318) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(319) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>
```

Mngmt Get Reactive energy (QIV) rate 4 1-0:8.8.4.255 (@605)

```
(320) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100080804FF" />
    </Data>
(321) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(322) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>
```

Mngmt Get Apparent energy import (+VA) rate 1 1-0:9.8.1.255 (@611)

```
(323) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(324) .value
        INAPPLICABLE
        Optional object is not implemented
(325) .scaler_unit
        INAPPLICABLE
        Optional object is not implemented
```

Mngmt Get Apparent energy import (+VA) rate 2 1-0:9.8.2.255  
(@617)

(326) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(327) .value  
INAPPLICABLE  
Optional object is not implemented  
(328) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 3 1-0:9.8.3.255  
(@623)

(329) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(330) .value  
INAPPLICABLE  
Optional object is not implemented  
(331) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 4 1-0:9.8.4.255  
(@629)

(332) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(333) .value  
INAPPLICABLE  
Optional object is not implemented  
(334) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 1 1-0:10.8.1.255  
(@635)

(335) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(336) .value  
INAPPLICABLE  
Optional object is not implemented  
(337) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 2 1-0:10.8.2.255  
(@641)

(338) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(339) .value  
INAPPLICABLE  
Optional object is not implemented

(340) .scaler\_unit  
 INAPPLICABLE  
 Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 3 1-0:10.8.3.255  
 (@647)

(341) .logical\_name  
 INAPPLICABLE  
 Optional object is not implemented

(342) .value  
 INAPPLICABLE  
 Optional object is not implemented

(343) .scaler\_unit  
 INAPPLICABLE  
 Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 4 1-0:10.8.4.255  
 (@653)

(344) .logical\_name  
 INAPPLICABLE  
 Optional object is not implemented

(345) .value  
 INAPPLICABLE  
 Optional object is not implemented

(346) .scaler\_unit  
 INAPPLICABLE  
 Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 1  
 1-0:15.8.1.255 (@659)

(347) .logical\_name  
 PASSED  
 <Data>  
 <OctetString Value="01000F0801FF" />  
 </Data>

(348) .value  
 PASSED  
 <Data>  
 <DoubleLongUnsigned Value="00000000" />  
 </Data>

(349) .scaler\_unit  
 PASSED  
 <Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>  
 </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 2  
 1-0:15.8.2.255 (@665)

(350) .logical\_name  
 PASSED  
 <Data>  
 <OctetString Value="01000F0802FF" />  
 </Data>

(351) .value  
 PASSED  
 <Data>  
 <DoubleLongUnsigned Value="00000000" />  
 </Data>

(352) .scaler\_unit  
 PASSED  
 <Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>  
 </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 3  
 1-0:15.8.3.255 (@671)

(353) .logical\_name  
 PASSED  
 <Data>  
 <OctetString Value="01000F0803FF" />  
 </Data>

(354) .value  
 PASSED  
 <Data>  
 <DoubleLongUnsigned Value="00000000" />  
 </Data>

(355) .scaler\_unit  
 PASSED  
 <Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>  
 </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 4  
 1-0:15.8.4.255 (@677)

(356) .logical\_name  
 PASSED  
 <Data>  
 <OctetString Value="01000F0804FF" />  
 </Data>

(357) .value  
 PASSED  
 <Data>  
 <DoubleLongUnsigned Value="00000000" />  
 </Data>

(358) .scaler\_unit  
 PASSED  
 <Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>  
 </Data>



Mngmt Get Demand Register 1 - Active energy import (+A)

1-0:1.4.0.255 (@684)

- (359) .logical\_name  
         PASSED  
         <Data>  
             <OctetString Value="0100010400FF" />  
         </Data>
- (360) .current\_average\_value  
         PASSED  
         <Data>  
             <DoubleLongUnsigned Value="00000000" />  
         </Data>
- (361) .last\_average\_value  
         PASSED  
         <Data>  
             <DoubleLongUnsigned Value="00000000" />  
         </Data>
- (362) .scaler\_unit  
         PASSED  
         <Data>  
             <Structure Qty="0002" >  
                 <Integer Value="00" />  
                 <Enum Value="1B" />  
             </Structure>  
         </Data>
- (363) .status  
         PASSED  
         <Data>  
             <Unsigned Value="00" />  
         </Data>
- (364) .capture\_time  
         PASSED  
         <Data>  
             <OctetString Value="07DB0C0501071E00008000FF" />  
         </Data>
- (365) .start\_time\_current  
         PASSED  
         <Data>  
             <OctetString Value="07DB0C0501071E00008000FF" />  
         </Data>
- (366) .period  
         PASSED  
         <Data>  
             <DoubleLongUnsigned Value="00000384" />  
         </Data>
- (367) .number\_of\_periods  
         PASSED  
         <Data>  
             <LongUnsigned Value="0001" />  
         </Data>

Mngmt Get Demand Register 2 - Active energy export (-A)

1-0:2.4.0.255 (@697)

- (368) .logical\_name  
         PASSED  
         <Data>

```

        IDIS Reg No 0002 Kema_Report.txt
        <OctetString Value="0100020400FF" />
    </Data>
(369) .current_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(370) .last_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(371) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1B" />
            </Structure>
        </Data>
(372) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(373) .capture_time
        PASSED
        <Data>
            <OctetString Value="07DB0C0501071E00008000FF" />
        </Data>
(374) .start_time_current
        PASSED
        <Data>
            <OctetString Value="07DB0C0501071E00008000FF" />
        </Data>
(375) .period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000384" />
        </Data>
(376) .number_of_periods
        PASSED
        <Data>
            <LongUnsigned Value="0001" />
        </Data>

```

Mngmt Get Demand Register 3 - Reactive energy import (+R)  
1-0:3.4.0.255 (@710)

```

(377) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100030400FF" />
        </Data>
(378) .current_average_value
        PASSED
        <Data>

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(379) .last_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(380) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1D" />
            </Structure>
        </Data>
(381) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(382) .capture_time
        PASSED
        <Data>
            <OctetString Value="07DB0C0501071E00008000FF" />
        </Data>
(383) .start_time_current
        PASSED
        <Data>
            <OctetString Value="07DB0C0501071E00008000FF" />
        </Data>
(384) .period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000384" />
        </Data>
(385) .number_of_periods
        PASSED
        <Data>
            <LongUnsigned Value="0001" />
        </Data>

```

Mngmt Get Demand Register 4 - Reactive energy export (-R)  
1-0:4.4.0.255 (@723)

```

(386) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100040400FF" />
        </Data>
(387) .current_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(388) .last_average_value
        PASSED
        <Data>

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(389) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1D" />
            </Structure>
        </Data>
(390) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(391) .capture_time
        PASSED
        <Data>
            <OctetString Value="07DB0C0501071E00008000FF" />
        </Data>
(392) .start_time_current
        PASSED
        <Data>
            <OctetString Value="07DB0C0501071E00008000FF" />
        </Data>
(393) .period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000384" />
        </Data>
(394) .number_of_periods
        PASSED
        <Data>
            <LongUnsigned Value="0001" />
        </Data>

```

Mngmt Get Demand Register 5 - Apparent energy import (+VA)  
1-0:9.4.0.255 (@736)

```

(395) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100090400FF" />
        </Data>
(396) .current_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(397) .last_average_value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(398) .scaler_unit
        PASSED
        <Data>

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(399) .status
        PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(400) .capture_time
        PASSED
      <Data>
        <OctetString Value="07DB0C0501071E00008000FF" />
      </Data>
(401) .start_time_current
        PASSED
      <Data>
        <OctetString Value="07DB0C0501071E00008000FF" />
      </Data>
(402) .period
        PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>
(403) .number_of_periods
        PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>

```

Mngmt Get Demand Register 6 - Apparent energy export (-VA)  
1-0:10.4.0.255 (@749)

```

(404) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(405) .current_average_value
        INAPPLICABLE
        Optional object is not implemented
(406) .last_average_value
        INAPPLICABLE
        Optional object is not implemented
(407) .scaler_unit
        INAPPLICABLE
        Optional object is not implemented
(408) .status
        INAPPLICABLE
        Optional object is not implemented
(409) .capture_time
        INAPPLICABLE
        Optional object is not implemented
(410) .start_time_current
        INAPPLICABLE
        Optional object is not implemented
(411) .period
        INAPPLICABLE

```

Optional object is not implemented

(412) .number\_of\_periods

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 1 - Active energy import  
(+A) 1-0:1.5.0.255 (@762)

(413) .logical\_name

INAPPLICABLE

Optional object is not implemented

(414) .value

INAPPLICABLE

Optional object is not implemented

(415) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(416) .status

INAPPLICABLE

Optional object is not implemented

(417) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 2 - Active energy  
export (-A) 1-0:2.5.0.255 (@770)

(418) .logical\_name

INAPPLICABLE

Optional object is not implemented

(419) .value

INAPPLICABLE

Optional object is not implemented

(420) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(421) .status

INAPPLICABLE

Optional object is not implemented

(422) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 3 - Reactive energy  
import (+R) 1-0:3.5.0.255 (@778)

(423) .logical\_name

INAPPLICABLE

Optional object is not implemented

(424) .value

INAPPLICABLE

Optional object is not implemented

(425) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(426) .status

INAPPLICABLE

Optional object is not implemented

(427) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 4 - Reactive energy  
export (-R) 1-0:4.5.0.255 (@786)

(428) .logical\_name

INAPPLICABLE

Optional object is not implemented

(429) .value

INAPPLICABLE

Optional object is not implemented

(430) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(431) .status

INAPPLICABLE

Optional object is not implemented

(432) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 5 - Apparent energy  
import (+VA) 1-0:9.5.0.255 (@794)

(433) .logical\_name

INAPPLICABLE

Optional object is not implemented

(434) .value

INAPPLICABLE

Optional object is not implemented

(435) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(436) .status

INAPPLICABLE

Optional object is not implemented

(437) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 6 - Apparent energy  
export (-VA) 1-0:10.5.0.255 (@802)

(438) .logical\_name

INAPPLICABLE

Optional object is not implemented

(439) .value

INAPPLICABLE

Optional object is not implemented

(440) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(441) .status

INAPPLICABLE

Optional object is not implemented

(442) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Maximum Demand Register 1 - Active energy import (+A)  
1-0:1.6.0.255 (@810)

```
(443) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010600FF" />
      </Data>
(444) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(445) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(446) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(447) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 2 - Active energy import (+A)  
- rate 1 1-0:1.6.1.255 (@818)

```
(448) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010601FF" />
      </Data>
(449) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(450) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(451) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
```



```
</Data>
(452) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 3 - Active energy import (+A)  
- rate 2 1-0:1.6.2.255 (@826)

```
(453) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010602FF" />
      </Data>
(454) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(455) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(456) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(457) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 4 - Active energy import (+A)  
- rate 3 1-0:1.6.3.255 (@834)

```
(458) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010603FF" />
      </Data>
(459) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(460) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
```

```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
</Data>
(461) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(462) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 5 - Active energy import (+A)
- rate 4 1-0:1.6.4.255 (@842)
(463) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100010604FF" />
    </Data>
(464) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(465) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(466) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(467) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 6 - Active energy export (-A)
1-0:2.6.0.255 (@850)
(468) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100020600FF" />
    </Data>
(469) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

```

IDIS Reg No 0002 Kema\_Report.txt

```
(470) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(471) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(472) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 7 - Active energy export (-A)

- rate 1 1-0:2.6.1.255 (@858)

```
(473) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020601FF" />
      </Data>
(474) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(475) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(476) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(477) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 8 - Active energy export (-A)

- rate 2 1-0:2.6.2.255 (@866)

```
(478) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020602FF" />
```

```

        IDIS Reg No 0002 Kema_Report.txt
    </Data>
(479) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(480) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1B" />
            </Structure>
        </Data>
(481) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(482) .capture_time
        PASSED
        <Data>
            <OctetString Value="07D0010106000000008000FF" />
        </Data>

Mngmt Get Maximum Demand Register 9 - Active energy export (-A)
- rate 3 1-0:2.6.3.255 (@874)
(483) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100020603FF" />
        </Data>
(484) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(485) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1B" />
            </Structure>
        </Data>
(486) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(487) .capture_time
        PASSED
        <Data>
            <OctetString Value="07D0010106000000008000FF" />
        </Data>

```

IDIS Reg No 0002 Kema\_Report.txt  
Mngmt Get Maximum Demand Register 10 - Active energy export  
(-A) - rate 4 1-0:2.6.4.255 (@882)

(488) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100020604FF" />  
</Data>  
(489) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>  
(490) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="1B" />  
</Structure>  
</Data>  
(491) .status  
PASSED  
<Data>  
<Unsigned Value="00" />  
</Data>  
(492) .capture\_time  
PASSED  
<Data>  
<OctetString Value="07D0010106000000008000FF" />  
</Data>

Mngmt Get Maximum Demand Register 11 - Reactive energy import  
(+R) 1-0:3.6.0.255 (@890)

(493) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100030600FF" />  
</Data>  
(494) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>  
(495) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="1D" />  
</Structure>  
</Data>  
(496) .status  
PASSED  
<Data>  
<Unsigned Value="00" />  
</Data>

```
(497) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 12 - Reactive energy import  
 (+R) - rate 1 1-0:3.6.1.255 (@898)

```
(498) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100030601FF" />
      </Data>
(499) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(500) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(501) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(502) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 13 - Reactive energy import  
 (+R) - rate 2 1-0:3.6.2.255 (@906)

```
(503) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100030602FF" />
      </Data>
(504) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(505) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
```

```

                IDIS Reg No 0002 Kema_Report.txt
    </Data>
(506) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(507) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 14 - Reactive energy import
(+R) - rate 3 1-0:3.6.3.255 (@914)
(508) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100030603FF" />
    </Data>
(509) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(510) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(511) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(512) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 15 - Reactive energy import
(+R) - rate 4 1-0:3.6.4.255 (@922)
(513) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100030604FF" />
    </Data>
(514) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(515) .scaler_unit

```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1D" />
  </Structure>
</Data>
(516) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(517) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 16 - Reactive energy export  
(-R) 1-0:4.6.0.255 (@930)

```
(518) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040600FF" />
      </Data>
(519) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(520) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(521) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(522) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 17 - Reactive energy export  
(-R) - rate 1 1-0:4.6.1.255 (@938)

```
(523) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040601FF" />
      </Data>
```



```
(524) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(525) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(526) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(527) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 18 - Reactive energy export  
 (-R) - rate 2 1-0:4.6.2.255 (@946)

```
(528) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040602FF" />
      </Data>
(529) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(530) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(531) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(532) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 19 - Reactive energy export

```

IDIS Reg No 0002 Kema_Report.txt
(-R) - rate 3 1-0:4.6.3.255 (@954)
(533) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040603FF" />
      </Data>
(534) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(535) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(536) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(537) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get Maximum Demand Register 20 - Reactive energy export
(-R) - rate 4 1-0:4.6.4.255 (@962)
(538) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040604FF" />
      </Data>
(539) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(540) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(541) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(542) .capture_time

```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <OctetString Value="07D0010106000000008000FF" />  
</Data>
```

Mngmt Get Maximum Demand Register 21 - Apparent energy import  
(+VA) 1-0:9.6.0.255 (@970)

```
(543) .logical_name  
      PASSED  
      <Data>  
        <OctetString Value="0100090600FF" />  
      </Data>  
(544) .value  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000000" />  
      </Data>  
(545) .scaler_unit  
      PASSED  
      <Data>  
        <Structure Qty="0002" >  
          <Integer Value="00" />  
          <Enum Value="1C" />  
        </Structure>  
      </Data>  
(546) .status  
      PASSED  
      <Data>  
        <Unsigned Value="00" />  
      </Data>  
(547) .capture_time  
      PASSED  
      <Data>  
        <OctetString Value="07D0010106000000008000FF" />  
      </Data>
```

Mngmt Get Maximum Demand Register 22 - Apparent energy import  
(+VA) - rate 1 1-0:9.6.1.255 (@978)

```
(548) .logical_name  
      PASSED  
      <Data>  
        <OctetString Value="0100090601FF" />  
      </Data>  
(549) .value  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000000" />  
      </Data>  
(550) .scaler_unit  
      PASSED  
      <Data>  
        <Structure Qty="0002" >  
          <Integer Value="00" />  
          <Enum Value="1C" />  
        </Structure>  
      </Data>
```

IDIS Reg No 0002 Kema\_Report.txt

```
(551) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(552) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 23 - Apparent energy import (+VA) - rate 2 1-0:9.6.2.255 (@986)

```
(553) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100090602FF" />
      </Data>
(554) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(555) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(556) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(557) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get Maximum Demand Register 24 - Apparent energy import (+VA) - rate 3 1-0:9.6.3.255 (@994)

```
(558) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100090603FF" />
      </Data>
(559) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(560) .scaler_unit
      PASSED
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1C" />
  </Structure>
</Data>
(561) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(562) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000008000FF" />
  </Data>
```

Mngmt Get Maximum Demand Register 25 - Apparent energy import  
(+VA) - rate 4 1-0:9.6.4.255 (@1002)

```
(563) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100090604FF" />
  </Data>
(564) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(565) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1C" />
    </Structure>
  </Data>
(566) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(567) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000008000FF" />
  </Data>
```

Mngmt Get Maximum Demand Register 26 - Apparent energy export  
(-VA) 1-0:10.6.0.255 (@1010)

```
(568) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(569) .value
      INAPPLICABLE
      Optional object is not implemented
```

(570) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(571) .status  
INAPPLICABLE  
Optional object is not implemented  
(572) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 27 - Apparent energy export  
(-VA) - rate 1 1-0:10.6.1.255 (@1018)

(573) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(574) .value  
INAPPLICABLE  
Optional object is not implemented  
(575) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(576) .status  
INAPPLICABLE  
Optional object is not implemented  
(577) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 28 - Apparent energy export  
(-VA) - rate 2 1-0:10.6.2.255 (@1026)

(578) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(579) .value  
INAPPLICABLE  
Optional object is not implemented  
(580) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(581) .status  
INAPPLICABLE  
Optional object is not implemented  
(582) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 29 - Apparent energy export  
(-VA) - rate 3 1-0:10.6.3.255 (@1034)

(583) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(584) .value  
INAPPLICABLE  
Optional object is not implemented  
(585) .scaler\_unit  
INAPPLICABLE

IDIS Reg No 0002 Kema\_Report.txt

Optional object is not implemented

(586) .status

INAPPLICABLE

Optional object is not implemented

(587) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Maximum Demand Register 30 - Apparent energy export  
(-VA) - rate 4 1-0:10.6.4.255 (@1042)

(588) .logical\_name

INAPPLICABLE

Optional object is not implemented

(589) .value

INAPPLICABLE

Optional object is not implemented

(590) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(591) .status

INAPPLICABLE

Optional object is not implemented

(592) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Profile status - Load profile with period 1  
0-0:96.10.1.255 (@1051)

(593) .logical\_name

PASSED

<Data>

<OctetString Value="0000600A01FF" />

</Data>

(594) .status

PASSED

<Data>

<Unsigned Value="00" />

</Data>

Mngmt Get Load profile with period 1  
i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(595) .logical\_name

PASSED

<Data>

<OctetString Value="0100630100FF" />

</Data>

(596) .capture\_objects

PASSED

<Data>

<Array Qty="0004" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

```

        IDIS Reg No 0002 Kema_Report.txt
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600A01FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010800FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020800FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(597) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(598) .sort_method
      PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(599) .sort_object
      PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(600) .entries_in_use
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000017" />
    </Data>
(601) .profile_entries
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000C4C" />
    </Data>

Mngmt Get Profile status - Load profile with period 2
0-0:96.10.2.255 (@1066)
(602) .logical_name
      PASSED
    <Data>

```



```

                IDIS Reg No 0002 Kema_Report.txt
                <OctetString Value="0000600A02FF" />
            </Data>
(603) .status
                PASSED
            <Data>
                <Unsigned Value="A4" />
            </Data>

Mngmt Get Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)
(604) .logical_name
                PASSED
            <Data>
                <OctetString Value="0100630200FF" />
            </Data>
(605) .capture_objects
                PASSED
            <Data>
                <Array Qty="0006" >
                    <Structure Qty="0004" >
                        <LongUnsigned Value="0008" />
                        <OctetString Value="0000010000FF" />
                        <Integer Value="02" />
                        <LongUnsigned Value="0000" />
                    </Structure>
                    <Structure Qty="0004" >
                        <LongUnsigned Value="0001" />
                        <OctetString Value="0000600A02FF" />
                        <Integer Value="02" />
                        <LongUnsigned Value="0000" />
                    </Structure>
                    <Structure Qty="0004" >
                        <LongUnsigned Value="0003" />
                        <OctetString Value="0100010801FF" />
                        <Integer Value="02" />
                        <LongUnsigned Value="0000" />
                    </Structure>
                    <Structure Qty="0004" >
                        <LongUnsigned Value="0003" />
                        <OctetString Value="0100010802FF" />
                        <Integer Value="02" />
                        <LongUnsigned Value="0000" />
                    </Structure>
                    <Structure Qty="0004" >
                        <LongUnsigned Value="0003" />
                        <OctetString Value="0100020801FF" />
                        <Integer Value="02" />
                        <LongUnsigned Value="0000" />
                    </Structure>
                    <Structure Qty="0004" >
                        <LongUnsigned Value="0003" />
                        <OctetString Value="0100020802FF" />
                        <Integer Value="02" />
                        <LongUnsigned Value="0000" />
                    </Structure>
                </Array>
            </Data>

```

```
</Data>
(606) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00015180" />
      </Data>
(607) .sort_method
      PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(608) .sort_object
      PASSED
      <Data>
        <Structure Qty="0004" >
          <LongUnsigned Value="0000" />
          <OctetString Value="000000000000" />
          <Integer Value="00" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Data>
(609) .entries_in_use
      PASSED
      <Data>
        <DoubleLongUnsigned Value="0000000F" />
      </Data>
(610) .profile_entries
      PASSED
      <Data>
        <DoubleLongUnsigned Value="000000A0" />
      </Data>
```

Mngmt Get Number of power failures in any phase 0-0:96.7.21.255 (@1082)

```
(611) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600715FF" />
      </Data>
(612) .value
      PASSED
      <Data>
        <LongUnsigned Value="0007" />
      </Data>
```

Mngmt Get Number of long power failures in any phase 0-0:96.7.9.255 (@1086)

```
(613) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600709FF" />
      </Data>
(614) .value
      PASSED
      <Data>
        <LongUnsigned Value="0003" />
```

</Data>

Mngmt Get Time threshold for long power failure 0-0:96.7.20.255 (@1090)

(615) .logical\_name  
PASSED

<Data>  
<OctetString Value="0000600714FF" />  
</Data>

(616) .value  
PASSED

<Data>  
<LongUnsigned Value="00B4" />  
</Data>

(617) .scaler\_unit  
PASSED

<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="07" />  
</Structure>  
</Data>

Mngmt Get Duration of last long power failure in any phase 0-0:96.7.19.255 (@1096)

(618) .logical\_name  
PASSED

<Data>  
<OctetString Value="0000600713FF" />  
</Data>

(619) .value  
PASSED

<Data>  
<LongUnsigned Value="0000" />  
</Data>

(620) .scaler\_unit  
PASSED

<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="07" />  
</Structure>  
</Data>

Mngmt Get Threshold for voltage sag 1-0:12.31.0.255 (@1102)

(621) .logical\_name  
PASSED

<Data>  
<OctetString Value="01000C1F00FF" />  
</Data>

(622) .value  
PASSED

<Data>  
<LongUnsigned Value="00CF" />  
</Data>

(623) .scaler\_unit

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>
```

Mngmt Get Time threshold for voltage sag 1-0:12.43.0.255  
(@1108)

```
(624) .logical_name  
      PASSED  
      <Data>  
        <OctetString Value="01000C2B00FF" />  
      </Data>  
(625) .value  
      PASSED  
      <Data>  
        <LongUnsigned Value="001E" />  
      </Data>  
(626) .scaler_unit  
      PASSED  
      <Data>  
        <Structure Qty="0002" >  
          <Integer Value="00" />  
          <Enum Value="07" />  
        </Structure>  
      </Data>
```

Mngmt Get Number of voltage sags in phase L1 1-0:32.32.0.255  
(@1114)

```
(627) .logical_name  
      PASSED  
      <Data>  
        <OctetString Value="0100202000FF" />  
      </Data>  
(628) .value  
      PASSED  
      <Data>  
        <LongUnsigned Value="0000" />  
      </Data>
```

Mngmt Get Number of voltage sags in phase L2 1-0:52.32.0.255  
(@1118)

```
(629) .logical_name  
      INAPPLICABLE  
      Object is not required according to OM and/or extensions  
(630) .value  
      INAPPLICABLE  
      Object is not required according to OM and/or extensions
```

Mngmt Get Number of voltage sags in phase L3 1-0:72.32.0.255  
(@1122)

```
(631) .logical_name  
      INAPPLICABLE  
      Object is not required according to OM and/or extensions
```

(632) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage sag in phase L1

1-0:32.33.0.255 (@1126)

(633) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100202100FF" />  
</Data>

(634) .value  
PASSED  
<Data>  
<LongUnsigned Value="0000" />  
</Data>

(635) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="07" />  
</Structure>  
</Data>

Mngmt Get Duration of last voltage sag in phase L2

1-0:52.33.0.255 (@1132)

(636) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions

(637) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions

(638) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage sag in phase L3

1-0:72.33.0.255 (@1138)

(639) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions

(640) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions

(641) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Magnitude of last voltage sag in phase L1

1-0:32.34.0.255 (@1144)

(642) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100202200FF" />  
</Data>

(643) .value  
PASSED  
<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(644) .scaler\_unit  
PASSED  
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>

Mngmt Get Magnitude of last voltage sag in phase L2

1-0:52.34.0.255 (@1150)

(645) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(646) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions

(647) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Magnitude of last voltage sag in phase L3

1-0:72.34.0.255 (@1156)

(648) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(649) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions

(650) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Threshold for voltage swell 1-0:12.35.0.255 (@1162)

(651) .logical\_name  
PASSED  
<Data>  
  <OctetString Value="01000C2300FF" />  
</Data>

(652) .value  
PASSED  
<Data>  
  <LongUnsigned Value="00FD" />  
</Data>

(653) .scaler\_unit  
PASSED  
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>

IDIS Reg No 0002 Kema\_Report.txt  
</Data>

Mngmt Get Time threshold for voltage swell 1-0:12.44.0.255  
(@1168)

(654) .logical\_name  
PASSED  
<Data>  
<OctetString Value="01000C2C00FF" />  
</Data>  
(655) .value  
PASSED  
<Data>  
<LongUnsigned Value="001E" />  
</Data>  
(656) .scaler\_unit  
PASSED  
<Data>  
<Structure Qty="0002" >  
<Integer Value="00" />  
<Enum Value="07" />  
</Structure>  
</Data>

Mngmt Get Number of voltage swells in phase L1 1-0:32.36.0.255  
(@1174)

(657) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0100202400FF" />  
</Data>  
(658) .value  
PASSED  
<Data>  
<LongUnsigned Value="0003" />  
</Data>

Mngmt Get Number of voltage swells in phase L2 1-0:52.36.0.255  
(@1178)

(659) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(660) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Number of voltage swells in phase L3 1-0:72.36.0.255  
(@1182)

(661) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(662) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage swell in phase L1  
1-0:32.37.0.255 (@1186)

```

IDIS Reg No 0002 Kema_Report.txt
(663) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100202500FF" />
      </Data>
(664) .value
      PASSED
      <Data>
        <LongUnsigned Value="012B" />
      </Data>
(665) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

```

Mngmt Get Duration of last voltage swell in phase L2

1-0:52.37.0.255 (@1192)

```

(666) .logical_name
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(667) .value
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(668) .scaler_unit
      INAPPLICABLE
      Object is not required according to OM and/or extensions

```

Mngmt Get Duration of last voltage swell in phase L3

1-0:72.37.0.255 (@1198)

```

(669) .logical_name
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(670) .value
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(671) .scaler_unit
      INAPPLICABLE
      Object is not required according to OM and/or extensions

```

Mngmt Get Magnitude of last voltage swell in phase L1

1-0:32.38.0.255 (@1204)

```

(672) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100202600FF" />
      </Data>
(673) .value
      PASSED
      <Data>
        <LongUnsigned Value="0103" />
      </Data>
(674) .scaler_unit

```



IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>
```

Mngmt Get Magnitude of last voltage swell in phase L2  
1-0:52.38.0.255 (@1210)  
(675) .logical\_name  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
(676) .value  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
(677) .scaler\_unit  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions

Mngmt Get Magnitude of last voltage swell in phase L3  
1-0:72.38.0.255 (@1216)  
(678) .logical\_name  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
(679) .value  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
(680) .scaler\_unit  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions

Mngmt Get Threshold for missing voltage (voltage cut)  
1-0:12.39.0.255 (@1222)  
(681) .logical\_name  
 PASSED  
 <Data>  
 <OctetString Value="01000C2700FF" />  
 </Data>  
(682) .value  
 PASSED  
 <Data>  
 <LongUnsigned Value="0067" />  
 </Data>  
(683) .scaler\_unit  
 PASSED  
 <Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="23" />  
 </Structure>  
 </Data>

Mngmt Get Time threshold for voltage cut 1-0:12.45.0.255  
(@1228)  
(684) .logical\_name

```

        IDIS Reg No 0002 Kema_Report.txt
        PASSED
    <Data>
        <OctetString Value="01000C2D00FF" />
    </Data>
(685) .value
        PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>
(686) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)
(687) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100636100FF" />
    </Data>
(688) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0000600713FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(689) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(690) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(691) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(692) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000008" />
    </Data>
(693) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000032" />
    </Data>

Mngmt Get Event Object - Power Quality Log 0-0:96.11.4.255
(@1245)
(694) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000600B04FF" />
    </Data>
(695) .value
        PASSED
    <Data>
        <Enum Value="55" />
    </Data>

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)
(696) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000636204FF" />
    </Data>
(697) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B04FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(698) .capture_period
        PASSED

```

```

        IDIS Reg No 0002 Kema_Report.txt
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(699) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(700) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(701) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000A" />
    </Data>
(702) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="000000B6" />
    </Data>

Mngmt Get Instantaneous voltage L1 1-0:32.7.0.255 (@1260)
(703) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100200700FF" />
    </Data>
(704) .value
        PASSED
    <Data>
        <LongUnsigned Value="00E0" />
    </Data>
(705) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Average voltage L1 1-0:32.24.0.255 (@1266)
(706) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100201800FF" />
    </Data>
(707) .value

```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

<Data>  
  <LongUnsigned Value="00E0" />  
</Data>

(708) .scaler\_unit  
  PASSED

<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>

Mngmt Get Instantaneous current L1 1-0:31.7.0.255 (@1272)

(709) .logical\_name  
  PASSED

<Data>  
  <OctetString Value="01001F0700FF" />  
</Data>

(710) .value  
  PASSED

<Data>  
  <LongUnsigned Value="0000" />  
</Data>

(711) .scaler\_unit  
  PASSED

<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="21" />  
  </Structure>  
</Data>

Mngmt Get Sliding Average current L1 (for fuse supervision)  
1-0:31.4.0.255 (@1278)

(712) .logical\_name  
  PASSED

<Data>  
  <OctetString Value="01001F0400FF" />  
</Data>

(713) .current\_average\_value  
  PASSED

<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>

(714) .last\_average\_value  
  PASSED

<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>

(715) .scaler\_unit  
  PASSED

<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="21" />  
  </Structure>  
</Data>

```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
</Data>
(716) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(717) .capture_time
        PASSED
    <Data>
        <OctetString Value="07DB0C0501072B08008000FF" />
    </Data>
(718) .start_time_current
        PASSED
    <Data>
        <OctetString Value="07DB0C050107292A008000FF" />
    </Data>
(719) .period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000001" />
    </Data>
(720) .number_of_periods
        PASSED
    <Data>
        <LongUnsigned Value="005A" />
    </Data>

Mngmt Get Instantaneous voltage L2 1-0:52.7.0.255 (@1291)
(721) .logical_name
        INAPPLICABLE
    Object is not required according to OM and/or extensions
(722) .value
        INAPPLICABLE
    Object is not required according to OM and/or extensions
(723) .scaler_unit
        INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Average voltage L2 1-0:52.24.0.255 (@1297)
(724) .logical_name
        INAPPLICABLE
    Object is not required according to OM and/or extensions
(725) .value
        INAPPLICABLE
    Object is not required according to OM and/or extensions
(726) .scaler_unit
        INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Instantaneous current L2 1-0:51.7.0.255 (@1303)
(727) .logical_name
        INAPPLICABLE
    Object is not required according to OM and/or extensions
(728) .value
        INAPPLICABLE

```

Object is not required according to OM and/or extensions  
(729) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Sliding Average current L2 (for fuse supervision)  
1-0:51.4.0.255 (@1309)

(730) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(731) .current\_average\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(732) .last\_average\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(733) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

(734) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

(735) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

(736) .start\_time\_current

INAPPLICABLE

Object is not required according to OM and/or extensions

(737) .period

INAPPLICABLE

Object is not required according to OM and/or extensions

(738) .number\_of\_periods

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Instantaneous voltage L3 1-0:72.7.0.255 (@1322)

(739) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(740) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

(741) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Average voltage L3 1-0:72.24.0.255 (@1328)

(742) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(743) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

(744) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Instantaneous current L3 1-0:71.7.0.255 (@1334)  
(745) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(746) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(747) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Sliding Average current L3 (for fuse supervision)  
1-0:71.4.0.255 (@1340)  
(748) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(749) .current\_average\_value  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(750) .last\_average\_value  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(751) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(752) .status  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(753) .capture\_time  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(754) .start\_time\_current  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(755) .period  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(756) .number\_of\_periods  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Instantaneous current  
(sum over all phases) 1-0:90.7.0.255 (@1353)  
(757) .logical\_name  
PASSED  
<Data>  
<OctetString Value="01005A0700FF" />  
</Data>  
(758) .value  
PASSED  
<Data>  
<LongUnsigned Value="0000" />  
</Data>  
(759) .scaler\_unit  
PASSED



```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="21" />
  </Structure>
</Data>
```

Mngmt Get Instantaneous net frequency; any phase 1-0:14.7.0.255 (@1359)

```
(760) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(761) .value
      INAPPLICABLE
      Optional object is not implemented
(762) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Get Instantaneous active power (|+A|+|-A|) 1-0:15.7.0.255 (@1365)

```
(763) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000F0700FF" />
      </Data>
(764) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(765) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
```

Mngmt Get Instantaneous active import power (+A) 1-0:1.7.0.255 (@1371)

```
(766) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010700FF" />
      </Data>
(767) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(768) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
```

```
        IDIS Reg No 0002 Kema_Report.txt
        <Integer Value="00" />
        <Enum Value="1B" />
    </Structure>
</Data>
```

Mngmt Get Instantaneous active export power (-A) 1-0:2.7.0.255 (@1377)

```
(769) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100020700FF" />
        </Data>
(770) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000001" />
        </Data>
(771) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1B" />
            </Structure>
        </Data>
```

Mngmt Get Instantaneous reactive import power (+R) 1-0:3.7.0.255 (@1383)

```
(772) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100030700FF" />
        </Data>
(773) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(774) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1D" />
            </Structure>
        </Data>
```

Mngmt Get Instantaneous reactive export power (-R) 1-0:4.7.0.255 (@1389)

```
(775) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100040700FF" />
        </Data>
(776) .value
        PASSED
```

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(777) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="1D" />  
  </Structure>  
</Data>
```

Mngmt Get Instantaneous apparent import power (+VA)  
1-0:9.7.0.255 (@1395)

(778) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(779) .value  
INAPPLICABLE

Optional object is not implemented  
(780) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Instantaneous apparent export power (-VA)  
1-0:10.7.0.255 (@1401)

(781) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(782) .value  
INAPPLICABLE

Optional object is not implemented  
(783) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Average Import Power (+A) 1-0:1.24.0.255 (@1407)

(784) .logical\_name  
PASSED  
<Data>  
 <OctetString Value="0100011800FF" />  
</Data>

(785) .current\_average\_value  
PASSED  
<Data>  
 <DoubleLongUnsigned Value="00000000" />  
</Data>

(786) .last\_average\_value  
PASSED  
<Data>  
 <DoubleLongUnsigned Value="00000000" />  
</Data>

(787) .scaler\_unit  
PASSED  
<Data>  
 <Structure Qty="0002" >

```

        IDIS Reg No 0002 Kema_Report.txt
        <Integer Value="00" />
        <Enum Value="1B" />
    </Structure>
</Data>
(788) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(789) .capture_time
        PASSED
    <Data>
        <OctetString Value="07DB0C0501072C00008000FF" />
    </Data>
(790) .start_time_current
        PASSED
    <Data>
        <OctetString Value="07DB0C0501071E00008000FF" />
    </Data>
(791) .period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000003C" />
    </Data>
(792) .number_of_periods
        PASSED
    <Data>
        <LongUnsigned Value="000F" />
    </Data>

```

Mngmt Get Average Net Power (|+A|-|-A|) 1-0:16.24.0.255 (@1420)

```

(793) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(794) .current_average_value
        INAPPLICABLE
        Optional object is not implemented
(795) .last_average_value
        INAPPLICABLE
        Optional object is not implemented
(796) .scaler_unit
        INAPPLICABLE
        Optional object is not implemented
(797) .status
        INAPPLICABLE
        Optional object is not implemented
(798) .capture_time
        INAPPLICABLE
        Optional object is not implemented
(799) .start_time_current
        INAPPLICABLE
        Optional object is not implemented
(800) .period
        INAPPLICABLE
        Optional object is not implemented

```

(801) .number\_of\_periods  
 INAPPLICABLE  
 Optional object is not implemented

Mngmt Get Average Total Power (|+A|+|-A|) 1-0:15.24.0.255  
 (@1433)

(802) .logical\_name  
 PASSED  
 <Data>  
 <OctetString Value="01000F1800FF" />  
 </Data>

(803) .current\_average\_value  
 PASSED  
 <Data>  
 <DoubleLongUnsigned Value="00000000" />  
 </Data>

(804) .last\_average\_value  
 PASSED  
 <Data>  
 <DoubleLongUnsigned Value="00000000" />  
 </Data>

(805) .scaler\_unit  
 PASSED  
 <Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1B" />  
 </Structure>  
 </Data>

(806) .status  
 PASSED  
 <Data>  
 <Unsigned Value="00" />  
 </Data>

(807) .capture\_time  
 PASSED  
 <Data>  
 <OctetString Value="07DB0C0501072C00008000FF" />  
 </Data>

(808) .start\_time\_current  
 PASSED  
 <Data>  
 <OctetString Value="07DB0C0501071E00008000FF" />  
 </Data>

(809) .period  
 PASSED  
 <Data>  
 <DoubleLongUnsigned Value="0000003C" />  
 </Data>

(810) .number\_of\_periods  
 PASSED  
 <Data>  
 <LongUnsigned Value="000F" />  
 </Data>

Mngmt Get Instantaneous Power factor (+A/+VA) 1-0:13.7.0.255

(@1446)

(811) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(812) .value  
INAPPLICABLE  
Optional object is not implemented  
(813) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Last Average Power factor (+A/+VA) 1-0:13.5.0.255

(@1452)

(814) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(815) .value  
INAPPLICABLE  
Optional object is not implemented  
(816) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(817) .status  
INAPPLICABLE  
Optional object is not implemented  
(818) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Minimum Power factor (+A/+VA) 1-0:13.3.0.255 (@1460)

(819) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(820) .value  
INAPPLICABLE  
Optional object is not implemented  
(821) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(822) .status  
INAPPLICABLE  
Optional object is not implemented  
(823) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Measurement Period 3 for Instantaneous values

1-0:0.8.2.255 (@1468)

(824) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(825) .value  
INAPPLICABLE  
Optional object is not implemented  
(826) .scaler\_unit  
INAPPLICABLE

IDIS Reg No 0002 Kema\_Report.txt  
Optional object is not implemented

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1475)

(827) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000180600FF" />  
</Data>  
(828) .comm\_speed  
PASSED  
<Data>  
<Enum Value="03" />  
</Data>

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1479)

(829) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(830) .comm\_speed  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1483)

(831) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0001180100FF" />  
</Data>  
(832) .mbus\_port\_reference  
PASSED  
<Data>  
<OctetString Value="0000180600FF" />  
</Data>  
(833) .capture\_definition  
PASSED  
<Data>  
<Array Qty="0000" >  
</Array>  
</Data>  
(834) .capture\_period  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>  
(835) .primary\_address  
PASSED  
<Data>  
<Unsigned Value="00" />  
</Data>  
(836) .identification\_number  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>  
(837) .manufacturer\_id  
PASSED

```

IDIS Reg No 0002 Kema_Report.txt
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
(838) .version
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(839) .device_type
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(840) .access_number
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(841) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(842) .alarm
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(843) .logical_name
      PASSED
  <Data>
    <OctetString Value="0002180100FF" />
  </Data>
(844) .mbus_port_reference
      PASSED
  <Data>
    <OctetString Value="0000180600FF" />
  </Data>
(845) .capture_definition
      PASSED
  <Data>
    <Array Qty="0000" >
      </Array>
  </Data>
(846) .capture_period
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(847) .primary_address
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

```



```

IDIS Reg No 0002 Kema_Report.txt
(848) .identification_number
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(849) .manufacturer_id
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(850) .version
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(851) .device_type
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(852) .access_number
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(853) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(854) .alarm
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(855) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180100FF" />
      </Data>
(856) .mbus_port_reference
      PASSED
      <Data>
        <OctetString Value="0000180600FF" />
      </Data>
(857) .capture_definition
      PASSED
      <Data>
        <Array Qty="0000" >
          </Array>
        </Data>
(858) .capture_period
      PASSED
      <Data>

```

```

                IDIS Reg No 0002 Kema_Report.txt
                <DoubleLongUnsigned Value="00000000" />
            </Data>
(859) .primary_address
            PASSED
            <Data>
                <Unsigned Value="00" />
            </Data>
(860) .identification_number
            PASSED
            <Data>
                <DoubleLongUnsigned Value="00000000" />
            </Data>
(861) .manufacturer_id
            PASSED
            <Data>
                <LongUnsigned Value="0000" />
            </Data>
(862) .version
            PASSED
            <Data>
                <Unsigned Value="00" />
            </Data>
(863) .device_type
            PASSED
            <Data>
                <Unsigned Value="00" />
            </Data>
(864) .access_number
            PASSED
            <Data>
                <Unsigned Value="00" />
            </Data>
(865) .status
            PASSED
            <Data>
                <Unsigned Value="00" />
            </Data>
(866) .alarm
            PASSED
            <Data>
                <Unsigned Value="00" />
            </Data>

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(867) .logical_name
            PASSED
            <Data>
                <OctetString Value="0004180100FF" />
            </Data>
(868) .mbus_port_reference
            PASSED
            <Data>
                <OctetString Value="0000180600FF" />
            </Data>
(869) .capture_definition
            PASSED

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
(870) .capture_period
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(871) .primary_address
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(872) .identification_number
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(873) .manufacturer_id
      PASSED
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
(874) .version
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(875) .device_type
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(876) .access_number
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(877) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(878) .alarm
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
```

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255  
(@1571)

```
(879) .logical_name
      PASSED
  <Data>
    <OctetString Value="0001180201FF" />
```

```

IDIS Reg No 0002 Kema_Report.txt
  </Data>
(880) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(881) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(882) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(883) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255
(@1579)
(884) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180202FF" />
      </Data>
(885) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(886) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(887) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(888) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

```

Mngmt Get M-Bus Value channel 1, instance 3 0-1:24.2.3.255  
(@1587)

```
(889) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180203FF" />
      </Data>
(890) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(891) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(892) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(893) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 1, instance 4 0-1:24.2.4.255  
(@1595)

```
(894) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180204FF" />
      </Data>
(895) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(896) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(897) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

```

                IDIS Reg No 0002 Kema_Report.txt
(898) .capture_time
        PASSED
        <Data>
        <OctetString Value="07D0010106000000008000FF" />
        </Data>

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255
(@1603)
(899) .logical_name
        PASSED
        <Data>
        <OctetString Value="0002180201FF" />
        </Data>
(900) .value
        PASSED
        <Data>
        <DoubleLongUnsigned Value="00000000" />
        </Data>
(901) .scaler_unit
        PASSED
        <Data>
        <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
        </Structure>
        </Data>
(902) .status
        PASSED
        <Data>
        <Unsigned Value="00" />
        </Data>
(903) .capture_time
        PASSED
        <Data>
        <OctetString Value="07D0010106000000008000FF" />
        </Data>

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255
(@1611)
(904) .logical_name
        PASSED
        <Data>
        <OctetString Value="0002180202FF" />
        </Data>
(905) .value
        PASSED
        <Data>
        <DoubleLongUnsigned Value="00000000" />
        </Data>
(906) .scaler_unit
        PASSED
        <Data>
        <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
        </Structure>

```

```

                IDIS Reg No 0002 Kema_Report.txt
    </Data>
(907) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(908) .capture_time
        PASSED
        <Data>
            <OctetString Value="07D0010106000000008000FF" />
        </Data>

Mngmt Get M-Bus Value channel 2, instance 3 0-2:24.2.3.255
(@1619)
(909) .logical_name
        PASSED
        <Data>
            <OctetString Value="0002180203FF" />
        </Data>
(910) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(911) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="FF" />
            </Structure>
        </Data>
(912) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(913) .capture_time
        PASSED
        <Data>
            <OctetString Value="07D0010106000000008000FF" />
        </Data>

Mngmt Get M-Bus Value channel 2, instance 4 0-2:24.2.4.255
(@1627)
(914) .logical_name
        PASSED
        <Data>
            <OctetString Value="0002180204FF" />
        </Data>
(915) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(916) .scaler_unit

```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
(917) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(918) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255  
(@1635)

```
(919) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180201FF" />
      </Data>
(920) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(921) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(922) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(923) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255  
(@1643)

```
(924) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180202FF" />
      </Data>
```



IDIS Reg No 0002 Kema\_Report.txt

```
(925) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(926) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(927) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(928) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 3, instance 3 0-3:24.2.3.255  
(@1651)

```
(929) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180203FF" />
      </Data>
(930) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(931) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(932) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(933) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>
```

Mngmt Get M-Bus Value channel 3, instance 4 0-3:24.2.4.255

```
(@1659)
(934) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180204FF" />
      </Data>
(935) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(936) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(937) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(938) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255
(@1667)
(939) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004180201FF" />
      </Data>
(940) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(941) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(942) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(943) .capture_time
```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <OctetString Value="07D0010106000000008000FF" />  
</Data>
```

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255  
(@1675)

```
(944) .logical_name  
      PASSED  
      <Data>  
        <OctetString Value="0004180202FF" />  
      </Data>  
(945) .value  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000000" />  
      </Data>  
(946) .scaler_unit  
      PASSED  
      <Data>  
        <Structure Qty="0002" >  
          <Integer Value="00" />  
          <Enum Value="FF" />  
        </Structure>  
      </Data>  
(947) .status  
      PASSED  
      <Data>  
        <Unsigned Value="00" />  
      </Data>  
(948) .capture_time  
      PASSED  
      <Data>  
        <OctetString Value="07D0010106000000008000FF" />  
      </Data>
```

Mngmt Get M-Bus Value channel 4, instance 3 0-4:24.2.3.255  
(@1683)

```
(949) .logical_name  
      PASSED  
      <Data>  
        <OctetString Value="0004180203FF" />  
      </Data>  
(950) .value  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000000" />  
      </Data>  
(951) .scaler_unit  
      PASSED  
      <Data>  
        <Structure Qty="0002" >  
          <Integer Value="00" />  
          <Enum Value="FF" />  
        </Structure>  
      </Data>
```

```

IDIS Reg No 0002 Kema_Report.txt
(952) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(953) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Value channel 4, instance 4 0-4:24.2.4.255
(@1691)
(954) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004180204FF" />
      </Data>
(955) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(956) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(957) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(958) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000008000FF" />
      </Data>

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)
(959) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001600100FF" />
      </Data>
(960) .value
      PASSED
      <Data>
        <OctetString Value="\M-Bus Channell equipment
identifrier" />
      </Data>

```

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)

```

                IDIS Reg No 0002 Kema_Report.txt
(961) .logical_name
        PASSED
        <Data>
        <OctetString Value="0002600100FF" />
        </Data>
(962) .value
        PASSED
        <Data>
        <OctetString Value="\M-Bus Channel2 equipment
identifier" />
        </Data>

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)
(963) .logical_name
        PASSED
        <Data>
        <OctetString Value="0003600100FF" />
        </Data>
(964) .value
        PASSED
        <Data>
        <OctetString Value="\M-Bus Channel3 equipment
identifier" />
        </Data>

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)
(965) .logical_name
        PASSED
        <Data>
        <OctetString Value="0004600100FF" />
        </Data>
(966) .value
        PASSED
        <Data>
        <OctetString Value="\M-Bus Channel4 equipment
identifier" />
        </Data>

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)
(967) .logical_name
        PASSED
        <Data>
        <OctetString Value="0001600101FF" />
        </Data>
(968) .value
        PASSED
        <Data>
        <OctetString Value="\M-Bus Channel1 configurator" />
        </Data>

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)
(969) .logical_name
        PASSED
        <Data>
        <OctetString Value="0002600101FF" />
        </Data>

```

```

IDIS Reg No 0002 Kema_Report.txt
(970) .value
      PASSED
      <Data>
        <OctetString Value="\M-Bus Channel2 configurator" />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)
(971) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003600101FF" />
      </Data>
(972) .value
      PASSED
      <Data>
        <OctetString Value="\M-Bus Channel3 configurator" />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)
(973) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004600101FF" />
      </Data>
(974) .value
      PASSED
      <Data>
        <OctetString Value="\M-Bus Channel4 configurator" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 1
0-1:96.10.3.255 (@1731)
(975) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001600A03FF" />
      </Data>
(976) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 2
0-2:96.10.3.255 (@1735)
(977) .logical_name
      PASSED
      <Data>
        <OctetString Value="0002600A03FF" />
      </Data>
(978) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

```

Mngmt Get Profile status for M-Bus Master Load profile 3  
 0-3:96.10.3.255 (@1739)

```
(979) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003600A03FF" />
      </Data>
(980) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

Mngmt Get Profile status for M-Bus Master Load profile 4  
 0-4:96.10.3.255 (@1743)

```
(981) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004600A03FF" />
      </Data>
(982) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

Mngmt Get M-Bus Master Load profile for channel 1  
 0-1:24.3.0.255 (@1747)

```
(983) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180300FF" />
      </Data>
(984) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0001600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(985) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>
```

```

IDIS Reg No 0002 Kema_Report.txt
(986) .sort_method
      PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(987) .sort_object
      PASSED
      <Data>
        <Structure Qty="0004" >
          <LongUnsigned Value="0000" />
          <OctetString Value="000000000000" />
          <Integer Value="00" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Data>
(988) .entries_in_use
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000010" />
      </Data>
(989) .profile_entries
      PASSED
      <Data>
        <DoubleLongUnsigned Value="0000010A" />
      </Data>

Mngmt Get M-Bus Master Load profile for channel 2
0-2:24.3.0.255 (@1758)
(990) .logical_name
      PASSED
      <Data>
        <OctetString Value="0002180300FF" />
      </Data>
(991) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0002600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(992) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>

```



```

IDIS Reg No 0002 Kema_Report.txt
(993) .sort_method
      PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(994) .sort_object
      PASSED
      <Data>
        <Structure Qty="0004" >
          <LongUnsigned Value="0000" />
          <OctetString Value="000000000000" />
          <Integer Value="00" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Data>
(995) .entries_in_use
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000010" />
      </Data>
(996) .profile_entries
      PASSED
      <Data>
        <DoubleLongUnsigned Value="0000010A" />
      </Data>

Mngmt Get M-Bus Master Load profile for channel 3
0-3:24.3.0.255 (@1769)
(997) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180300FF" />
      </Data>
(998) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0003600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(999) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>

```

```
(1000) .sort_method
        PASSED
        <Data>
            <Enum Value="01" />
        </Data>
(1001) .sort_object
        PASSED
        <Data>
            <Structure Qty="0004" >
                <LongUnsigned Value="0000" />
                <OctetString Value="000000000000" />
                <Integer Value="00" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Data>
(1002) .entries_in_use
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000010" />
        </Data>
(1003) .profile_entries
        PASSED
        <Data>
            <DoubleLongUnsigned Value="0000010A" />
        </Data>
```

Mngmt Get M-Bus Master Load profile for channel 4  
0-4:24.3.0.255 (@1780)

```
(1004) .logical_name
        PASSED
        <Data>
            <OctetString Value="0004180300FF" />
        </Data>
(1005) .capture_objects
        PASSED
        <Data>
            <Array Qty="0002" >
                <Structure Qty="0004" >
                    <LongUnsigned Value="0008" />
                    <OctetString Value="0000010000FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0001" />
                    <OctetString Value="0004600A03FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Array>
        </Data>
(1006) .capture_period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000E10" />
        </Data>
```

IDIS Reg No 0002 Kema\_Report.txt

```
(1007) .sort_method
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1008) .sort_object
        PASSED
        <Data>
          <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Data>
(1009) .entries_in_use
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000010" />
        </Data>
(1010) .profile_entries
        PASSED
        <Data>
          <DoubleLongUnsigned Value="0000010A" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 1  
0-1:24.4.0.255 (@1791)

```
(1011) .logical_name
        PASSED
        <Data>
          <OctetString Value="0001180400FF" />
        </Data>
(1012) .output_state
        PASSED
        <Data>
          <Bool Value="01" />
        </Data>
(1013) .control_state
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
(1014) .control_mode
        PASSED
        <Data>
          <Enum Value="06" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 2  
0-2:24.4.0.255 (@1799)

```
(1015) .logical_name
        PASSED
        <Data>
          <OctetString Value="0002180400FF" />
        </Data>
```

IDIS Reg No 0002 Kema\_Report.txt

```
(1016) .output_state
        PASSED
        <Data>
          <Bool Value="01" />
        </Data>
(1017) .control_state
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
(1018) .control_mode
        PASSED
        <Data>
          <Enum Value="06" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 3  
0-3:24.4.0.255 (@1807)

```
(1019) .logical_name
        PASSED
        <Data>
          <OctetString Value="0003180400FF" />
        </Data>
(1020) .output_state
        PASSED
        <Data>
          <Bool Value="01" />
        </Data>
(1021) .control_state
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
(1022) .control_mode
        PASSED
        <Data>
          <Enum Value="06" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 4  
0-4:24.4.0.255 (@1815)

```
(1023) .logical_name
        PASSED
        <Data>
          <OctetString Value="0004180400FF" />
        </Data>
(1024) .output_state
        PASSED
        <Data>
          <Bool Value="01" />
        </Data>
(1025) .control_state
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
```

IDIS Reg No 0002 Kema\_Report.txt

```
(1026) .control_mode
      PASSED
      <Data>
        <Enum Value="06" />
      </Data>
```

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255  
(@1823)

```
(1027) .logical_name
      PASSED
      <Data>
        <OctetString Value="00010F0001FF" />
      </Data>
(1028) .executed_script
      PASSED
      <Data>
        <Structure Qty="0002" >
          <OctetString Value="00010A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
      </Data>
(1029) .type
      PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(1030) .execution_time
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <OctetString Value="FFFFFFFF" />
            <OctetString Value="FFFFFFFFFFFF" />
          </Structure>
        </Array>
      </Data>
```

Mngmt Get M-Bus Disconnect script table 0-1:10.0.106.255  
(@1829)

```
(1031) .logical_name
      PASSED
      <Data>
        <OctetString Value="00010A006AFF" />
      </Data>
(1032) .scripts
      PASSED
      <_Data>
        <Array Qty="0008" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0001" />
          <Array Qty="0001" >
            <Structure Qty="0005" >
              <Enum Value="02" />
              <LongUnsigned Value="0046" />
              <OctetString Value="0001180400FF" />
              <Integer Value="01" />
            </Structure>
          </Array>
        </Array>
      </_Data>
```

```

IDIS Reg No 0002 Kema_Report.txt
  <Integer Value="00" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0002" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0001180400FF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0005" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0003180400FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0006" />
  <Array Qty="0001" >
    <Structure Qty="0005" >

```

```

IDIS Reg No 0002 Kema_Report.txt
  <Enum Value="02" />
  <LongUnsigned Value="0046" />
  <OctetString Value="0003180400FF" />
  <Integer Value="02" />
  <Integer Value="00" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0007" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0004180400FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0008" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0004180400FF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Get Event Objects - M-Bus Master Control logs 1  
0-1:96.11.4.255 (@1834)

```

(1033) .logical_name
        PASSED
        <Data>
          <OctetString Value="0001600B04FF" />
        </Data>
(1034) .value
        PASSED
        <Data>
          <Enum Value="A4" />
        </Data>

```

Mngmt Get Event Objects - M-Bus Master Control logs 2  
0-2:96.11.4.255 (@1838)

```

(1035) .logical_name
        PASSED
        <Data>
          <OctetString Value="0002600B04FF" />
        </Data>
(1036) .value

```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <Enum Value="AE" />  
</Data>
```

Mngmt Get Event Objects - M-Bus Master Control logs 3  
0-3:96.11.4.255 (@1842)

```
(1037) .logical_name  
      PASSED  
<Data>  
  <OctetString Value="0003600B04FF" />  
</Data>
```

```
(1038) .value  
      PASSED  
<Data>  
  <Enum Value="B8" />  
</Data>
```

Mngmt Get Event Objects - M-Bus Master Control logs 4  
0-4:96.11.4.255 (@1846)

```
(1039) .logical_name  
      PASSED  
<Data>  
  <OctetString Value="0004600B04FF" />  
</Data>
```

```
(1040) .value  
      PASSED  
<Data>  
  <Enum Value="C2" />  
</Data>
```

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255  
(@1850)

```
(1041) .logical_name  
      PASSED  
<Data>  
  <OctetString Value="0001180500FF" />  
</Data>
```

```
(1042) .capture_objects  
      PASSED  
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0001600B04FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```



```

IDIS Reg No 0002 Kema_Report.txt
(1043) .capture_period
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(1044) .sort_method
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1045) .sort_object
        PASSED
        <Data>
          <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Data>
(1046) .entries_in_use
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000005" />
        </Data>
(1047) .profile_entries
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000056" />
        </Data>

```

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)

```

(1048) .logical_name
        PASSED
        <Data>
          <OctetString Value="0002180500FF" />
        </Data>
(1049) .capture_objects
        PASSED
        <Data>
          <Array Qty="0002" >
            <Structure Qty="0004" >
              <LongUnsigned Value="0008" />
              <OctetString Value="0000010000FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
              <LongUnsigned Value="0001" />
              <OctetString Value="0002600B04FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
          </Array>
        </Data>

```

```

IDIS Reg No 0002 Kema_Report.txt
(1050) .capture_period
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(1051) .sort_method
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1052) .sort_object
        PASSED
        <Data>
          <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Data>
(1053) .entries_in_use
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000005" />
        </Data>
(1054) .profile_entries
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000056" />
        </Data>

```

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

```

(1055) .logical_name
        PASSED
        <Data>
          <OctetString Value="0003180500FF" />
        </Data>
(1056) .capture_objects
        PASSED
        <Data>
          <Array Qty="0002" >
            <Structure Qty="0004" >
              <LongUnsigned Value="0008" />
              <OctetString Value="0000010000FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
              <LongUnsigned Value="0001" />
              <OctetString Value="0003600B04FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
          </Array>
        </Data>

```

```

IDIS Reg No 0002 Kema_Report.txt
(1057) .capture_period
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(1058) .sort_method
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1059) .sort_object
        PASSED
        <Data>
          <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Data>
(1060) .entries_in_use
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000005" />
        </Data>
(1061) .profile_entries
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000056" />
        </Data>

```

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

```

(1062) .logical_name
        PASSED
        <Data>
          <OctetString Value="0004180500FF" />
        </Data>
(1063) .capture_objects
        PASSED
        <Data>
          <Array Qty="0002" >
            <Structure Qty="0004" >
              <LongUnsigned Value="0008" />
              <OctetString Value="0000010000FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
              <LongUnsigned Value="0001" />
              <OctetString Value="0004600B04FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
          </Array>
        </Data>

```

```

IDIS Reg No 0002 Kema_Report.txt
(1064) .capture_period
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(1065) .sort_method
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1066) .sort_object
        PASSED
        <Data>
          <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Data>
(1067) .entries_in_use
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000005" />
        </Data>
(1068) .profile_entries
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000056" />
        </Data>

```

Mngmt Get Event Object - M-Bus Event Log 0-0:96.11.3.255 (@1894)

```

(1069) .logical_name
        PASSED
        <Data>
          <OctetString Value="0000600B03FF" />
        </Data>
(1070) .value
        PASSED
        <Data>
          <Enum Value="68" />
        </Data>

```

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)

```

(1071) .logical_name
        PASSED
        <Data>
          <OctetString Value="0000636203FF" />
        </Data>
(1072) .capture_objects
        PASSED
        <Data>
          <Array Qty="0002" >
            <Structure Qty="0004" >
              <LongUnsigned Value="0008" />
            </Structure>
          </Array>
        </Data>

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1073) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1074) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1075) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1076) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(1077) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000056" />
    </Data>

```

Mngmt Get IEC local port setup - IEC Optical port  
0-0:20.0.0.255 (@1910)

```

(1078) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(1079) .default_mode
        INAPPLICABLE
        Optional object is not implemented
(1080) .default_baud
        INAPPLICABLE
        Optional object is not implemented
(1081) .prop_baud
        INAPPLICABLE

```

Optional object is not implemented

(1082) .response\_time  
INAPPLICABLE

Optional object is not implemented

(1083) .device\_addr  
INAPPLICABLE

Optional object is not implemented

Mngmt Get IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255  
(@1921)

(1084) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000160000FF" />  
</Data>

(1085) .comm\_speed  
PASSED  
<Data>  
<Enum Value="05" />  
</Data>

(1086) .window\_size\_transmit  
PASSED  
<Data>  
<Unsigned Value="01" />  
</Data>

(1087) .window\_size\_receive  
PASSED  
<Data>  
<Unsigned Value="01" />  
</Data>

(1088) .max\_info\_field\_lenght\_transmit  
PASSED  
<Data>  
<LongUnsigned Value="00F2" />  
</Data>

(1089) .max\_info\_field\_lenght\_receive  
PASSED  
<Data>  
<LongUnsigned Value="00F2" />  
</Data>

(1090) .inter\_octet\_time\_out  
PASSED  
<Data>  
<LongUnsigned Value="0032" />  
</Data>

(1091) .inactivity\_time\_out  
PASSED  
<Data>  
<LongUnsigned Value="001E" />  
</Data>

(1092) .device\_address  
PASSED  
<Data>  
<LongUnsigned Value="0011" />  
</Data>

```

IDIS Reg No 0002 Kema_Report.txt
Mngmt Get S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(1093) .logical_name
        PASSED
        <Data>
            <OctetString Value="00001A0000FF" />
        </Data>
(1094) .initiator_electrical_phase
        PASSED
        <Data>
            <Enum Value="00" />
        </Data>
(1095) .delta_electrical_phase
        PASSED
        <Data>
            <Enum Value="04" />
        </Data>
(1096) .max_receiving_gain
        PASSED
        <Data>
            <Unsigned Value="2A" />
        </Data>
(1097) .max_transmitting_gain
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(1098) .search_initiator_gain
        PASSED
        <Data>
            <Unsigned Value="06" />
        </Data>
(1099) .frequencies
        PASSED
        <Data>
            <Structure Qty="0002" >
                <DoubleLongUnsigned Value="0000F744" />
                <DoubleLongUnsigned Value="00012110" />
            </Structure>
        </Data>
(1100) .mac_address
        PASSED
        <Data>
            <LongUnsigned Value="0001" />
        </Data>
(1101) .mac_group_addresses
        PASSED
        <Data>
            <Array Qty="0005" >
                <LongUnsigned Value="0000" />
                <LongUnsigned Value="0000" />
                <LongUnsigned Value="0000" />
                <LongUnsigned Value="0000" />
                <LongUnsigned Value="0000" />
            </Array>
        </Data>
(1102) .repeater

```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>
  <Enum Value="02" />
</Data>
(1103) .repeater_status
      PASSED
  <Data>
    <Bool Value="01" />
  </Data>
(1104) .min_delta_credit
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(1105) .initiator_mac_address
      PASSED
  <Data>
    <LongUnsigned Value="0C00" />
  </Data>
(1106) .synchronization_locked
      PASSED
  <Data>
    <Bool Value="01" />
  </Data>
(1107) .transmission_speed
      PASSED
  <Data>
    <Enum Value="03" />
  </Data>
```

Mngmt Get S-FSK Active Initiator 0-0:26.1.0.255 (@1950)

```
(1108) .logical_name
      PASSED
  <Data>
    <OctetString Value="00001A0100FF" />
  </Data>
(1109) .active_initiator
      PASSED
  <Data>
    <Structure Qty="0003" >
      <OctetString Value="4C475A4954000002" />
      <LongUnsigned Value="0C00" />
      <Unsigned Value="01" />
    </Structure>
  </Data>
```

Mngmt Get S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)

```
(1110) .logical_name
      PASSED
  <Data>
    <OctetString Value="00001A0200FF" />
  </Data>
(1111) .search_initiator_timeout
      PASSED
  <Data>
```



```

        IDIS Reg No 0002 Kema_Report.txt
        <LongUnsigned Value="0258" />
    </Data>
(1112) .synchronization_confirmation_timeout
        PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>
(1113) .timeout_not_addressed
        PASSED
    <Data>
        <LongUnsigned Value="0168" />
    </Data>
(1114) .timeout_frame_not_OK
        PASSED
    <Data>
        <LongUnsigned Value="0028" />
    </Data>

Mngmt Get S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(1115) .logical_name
        PASSED
    <Data>
        <OctetString Value="00001A0300FF" />
    </Data>
(1116) .synchronization_register
        PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0C00" />
                <DoubleLongUnsigned Value="0000000C" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0000" />
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0000" />
                <DoubleLongUnsigned Value="00000000" />
            </Structure>
        </Array>
    </Data>
(1117) .desynchronization_listing
        PASSED
    <Data>
        <Structure Qty="0005" >
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000008" />
            <DoubleLongUnsigned Value="00000001" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
    </Data>
(1118) .broadcast_frames_counter
        PASSED
    <Data>

```

```

        IDIS Reg No 0002 Kema_Report.txt
    <Array Qty="0003" >
        <Structure Qty="0002" >
            <LongUnsigned Value="0C00" />
            <DoubleLongUnsigned Value="0000000C" />
        </Structure>
        <Structure Qty="0002" >
            <LongUnsigned Value="0000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0002" >
            <LongUnsigned Value="0000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
    </Array>
</Data>
(1119) .repetitions_counter
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000025" />
    </Data>
(1120) .transmissions_counter
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000487" />
    </Data>
(1121) .CRC_OK_frames_counter
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000049B" />
    </Data>
(1122) .CRC_NOK_frames_counter
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(1123) .logical_name
        PASSED
    <Data>
        <OctetString Value="00001A0500FF" />
    </Data>
(1124) .max_frame_length
        PASSED
    <Data>
        <Unsigned Value="F2" />
    </Data>
(1125) .reply_status_list
        PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Unsigned Value="07" />
            </Structure>
        </Array>

```

IDIS Reg No 0002 Kema\_Report.txt  
</Data>

Mngmt Get S-FSK Reporting system list 0-0:26.6.0.255 (@1978)  
(1126) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(1127) .reporting\_system\_list  
INAPPLICABLE  
Optional object is not implemented

\*\*\*\*\*  
Test Case 7 : Set mngmt attributes, 189 item(s)  
\*\*\*\*\*

Mngmt Set Current association 0-0:40.0.0.255 (@9)  
(1) .authentication\_mechanism\_name  
PASSED

<Data>  
<Structure Qty="0007" >  
<Unsigned Value="02" />  
<Unsigned Value="10" />  
<LongUnsigned Value="02F4" />  
<Unsigned Value="05" />  
<Unsigned Value="08" />  
<Unsigned Value="02" />  
<Unsigned Value="05" />  
</Structure>  
</Data>

(2) .secret  
PASSED  
<Data>  
<OctetString Value="\12345678" />  
</Data>

Mngmt Set Security setup 0-0:43.0.0.255 (@24)  
(3) .security\_suite  
PASSED  
<Data>  
<Enum Value="00" />  
</Data>

Mngmt Set Device ID 2 0-0:96.1.1.255 (@50)  
(4) .value  
PASSED  
<Data>  
<OctetString Value="\E-meter equipment identifier" />  
</Data>

Mngmt Set Device ID 3 0-0:96.1.2.255 (@54)  
(5) .value  
PASSED  
<Data>  
<OctetString Value="\Function location" />  
</Data>

Mngmt Set Device ID 4 0-0:96.1.3.255 (@58)

(6) .value

PASSED

<Data>

<OctetString Value="\Location information" />

</Data>

Mngmt Set Device ID 5 0-0:96.1.4.255 (@62)

(7) .value

PASSED

<Data>

<OctetString Value="\General purpose identification"

/>

</Data>

Mngmt Set Clock 0-0:1.0.0.255 (@75)

(8) .time

PASSED

<Data>

<OctetString Value="07DB0C0506063B12008000FF" />

</Data>

(9) .time\_zone

PASSED

<Data>

<Long Value="FFC4" />

</Data>

(10) .daylights\_savings\_begin

PASSED

<Data>

<OctetString Value="FFFF03FE07020000008000FF" />

</Data>

(11) .daylights\_savings\_end

PASSED

<Data>

<OctetString Value="FFFF0AFE07030000008000FF" />

</Data>

(12) .daylights\_savings\_deviation

PASSED

<Data>

<Integer Value="3C" />

</Data>

(13) .daylights\_savings\_enabled

PASSED

<Data>

<Bool Value="01" />

</Data>

Mngmt Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)

(14) .value

PASSED

<Data>

<Unsigned Value="3C" />

</Data>

Mngmt Set Activity Calendar 0-0:13.0.0.255 (@100)

(15) .calendar\_name\_passive

PASSED

```

<Data>
  <OctetString Value="\CNP_23D2" />
</Data>
(16) .season_profile_passive
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0003" >
            <OctetString Value="01" />
            <OctetString Value="FFFF0101FF000000008000FF" />
            <OctetString Value="01" />
          </Structure>
        </Array>
      </Data>
(17) .week_profile_table_passive
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0008" >
            <OctetString Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
          </Structure>
        </Array>
      </Data>
(18) .day_profile_table_passive
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <Unsigned Value="01" />
            <Array Qty="0001" >
              <Structure Qty="0003" >
                <OctetString Value="00000000" />
                <OctetString Value="00000A0064FF" />
                <LongUnsigned Value="0001" />
              </Structure>
            </Array>
          </Structure>
        </Array>
      </Data>
(19) .activate_passive_calendar_time
      PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Set Special Days Table 0-0:11.0.0.255 (@113)
(20) .entries
      PASSED
      <Data>

```

```
                IDIS Reg No 0002 Kema_Report.txt
    <Array Qty="0000" >
    </Array>
</Data>
```

Mngmt Set Register activation - Energy 0-0:14.0.1.255 (@117)

(21) .register\_assignment

INAPPLICABLE

Optional access right not available

(22) .mask\_list

PASSED

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF01" />
      <Array Qty="0008" >
        <Unsigned Value="01" />
        <Unsigned Value="09" />
        <Unsigned Value="11" />
        <Unsigned Value="19" />
        <Unsigned Value="21" />
        <Unsigned Value="29" />
        <Unsigned Value="31" />
        <Unsigned Value="39" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF02" />
      <Array Qty="0008" >
        <Unsigned Value="02" />
        <Unsigned Value="0A" />
        <Unsigned Value="12" />
        <Unsigned Value="1A" />
        <Unsigned Value="22" />
        <Unsigned Value="2A" />
        <Unsigned Value="32" />
        <Unsigned Value="3A" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF03" />
      <Array Qty="0008" >
        <Unsigned Value="03" />
        <Unsigned Value="0B" />
        <Unsigned Value="13" />
        <Unsigned Value="1B" />
        <Unsigned Value="23" />
        <Unsigned Value="2B" />
        <Unsigned Value="33" />
        <Unsigned Value="3B" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF04" />
      <Array Qty="0008" >
        <Unsigned Value="04" />
        <Unsigned Value="0C" />
      </Array>
    </Structure>
  </Array>
```

```
IDIS Reg No 0002 Kema_Report.txt
  <Unsigned Value="14" />
  <Unsigned Value="1C" />
  <Unsigned Value="24" />
  <Unsigned Value="2C" />
  <Unsigned Value="34" />
  <Unsigned Value="3C" />
</Array>
</Structure>
</Array>
</Data>
```

Mngmt Set Register activation - Maximum Demand 0-0:14.0.2.255  
(@123)

```
(23) .register_assignment
      INAPPLICABLE
      Optional access right not available
(24) .mask_list
      PASSED
```

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF01" />
      <Array Qty="0005" >
        <Unsigned Value="01" />
        <Unsigned Value="09" />
        <Unsigned Value="11" />
        <Unsigned Value="19" />
        <Unsigned Value="21" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF02" />
      <Array Qty="0005" >
        <Unsigned Value="02" />
        <Unsigned Value="0A" />
        <Unsigned Value="12" />
        <Unsigned Value="1A" />
        <Unsigned Value="22" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF03" />
      <Array Qty="0005" >
        <Unsigned Value="03" />
        <Unsigned Value="0B" />
        <Unsigned Value="13" />
        <Unsigned Value="1B" />
        <Unsigned Value="23" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF04" />
      <Array Qty="0005" >
        <Unsigned Value="04" />
        <Unsigned Value="0C" />
        <Unsigned Value="14" />
```

```

        IDIS Reg No 0002 Kema_Report.txt
        <Unsigned Value="1C" />
        <Unsigned Value="24" />
    </Array>
</Structure>
</Array>
</Data>

```

Mngmt Set Tariffication script table 0-0:10.0.100.255 (@129)  
(25) .scripts

```

    PASSED
  <_Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0001" />
        <Array Qty="0002" >
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="\TARIFF01" />
          </Structure>
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="\TARIFF01" />
          </Structure>
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0002" />
        <Array Qty="0002" >
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="\TARIFF02" />
          </Structure>
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="\TARIFF02" />
          </Structure>
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <Array Qty="0002" >
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />

```



```

IDIS Reg No 0002 Kema_Report.txt
  <OctetString Value="00000E0001FF" />
  <Integer Value="04" />
  <OctetString Value="\TARIFF03" />
</Structure>
<Structure Qty="0005" >
  <Enum Value="01" />
  <LongUnsigned Value="0006" />
  <OctetString Value="00000E0002FF" />
  <Integer Value="04" />
  <OctetString Value="\TARIFF03" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0002" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF04" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="\TARIFF04" />
    </Structure>
  </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Set End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(26) .type

INAPPLICABLE

Optional access right not available

(27) .execution\_time

PASSED

```

<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <OctetString Value="00000000" />
      <OctetString Value="FFFFFF01FF" />
    </Structure>
  </Array>
</Data>

```

Mngmt Set Data of billing period 1 0-0:98.1.0.255 (@146)

(28) .capture\_objects

PASSED

```

<Data>
  <Array Qty="0005" >

```

```

        IDIS Reg No 0002 Kema_Report.txt
    <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>

```

Mngmt Set Disconnect control scheduler 0-0:15.0.1.255 (@158)

(29) .executed\_script

PASSED

```

<Data>
    <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0001" />
    </Structure>
</Data>

```

(30) .type

INAPPLICABLE

Optional access right not available

(31) .execution\_time

PASSED

```

<Data>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <OctetString Value="FFFFFFFF" />
            <OctetString Value="FFFFFFFFFFFF" />
        </Structure>
    </Array>
</Data>

```

Mngmt Set Disconnect control 0-0:96.3.10.255 (@169)

```
(32) .control_mode
      PASSED
      <Data>
        <Enum Value="06" />
      </Data>
```

Mngmt Set Disconnect Control Log 0-0:99.98.2.255 (@181)

```
(33) .capture_objects
      INAPPLICABLE
      Optional access right not available
```

Mngmt Set Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)

```
(34) .control_mode
      INAPPLICABLE
      Optional access right not available
```

Mngmt Set Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)

```
(35) .control_mode
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Set Limiter 0-0:17.0.0.255 (@213)

```
(36) .monitored_value
      PASSED
      <Data>
        <Structure Qty="0003" >
          <LongUnsigned Value="0003" />
          <OctetString Value="01005A0700FF" />
          <Integer Value="02" />
        </Structure>
      </Data>
```

```
(37) .threshold_normal
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

```
(38) .treshold_emergency
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

```
(39) .min_over_threshold_duration
      PASSED
      <Data>
        <DoubleLongUnsigned Value="000000B4" />
      </Data>
```

```
(40) .min_under_threshold_duration
      PASSED
      <Data>
        <DoubleLongUnsigned Value="000000B4" />
      </Data>
```

```
(41) .emergency_profile
      PASSED
      <Data>
        <Structure Qty="0003" >
```

```

        IDIS Reg No 0002 Kema_Report.txt
        <LongUnsigned Value="0000" />
        <OctetString Value="07D0010106000000008000FF" />
        <DoubleLongUnsigned Value="00000001" />
    </Structure>
</Data>
(42) .emergency_profile_group_id_list
    PASSED
    <Data>
        <Array Qty="0003" >
            <LongUnsigned Value="0000" />
            <LongUnsigned Value="0000" />
            <LongUnsigned Value="0000" />
        </Array>
    </Data>
(43) .actions
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Structure>
    </Data>

```

Mngmt Set Supervision monitor 1 - Fuse supervision L1  
1-0:31.4.0.255 (@226)

```

(44) .thresholds
    PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000000" />
        </Array>
    </Data>
(45) .monitored_value
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0005" />
            <OctetString Value="01001F0400FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(46) .actions
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0001" />
                </Structure>
            </Structure>
        </Array>
    </Data>

```

```
        IDIS Reg No 0002 Kema_Report.txt
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Structure>
    </Array>
  </Data>
```

```
Mngmt Set Supervision monitor 2 - Fuse supervision L2
1-0:51.4.0.255 (@232)
(47) .thresholds
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(48) .monitored_value
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(49) .actions
      INAPPLICABLE
      Object is not required according to OM and/or extensions
```

```
Mngmt Set Supervision monitor 3 - Fuse supervision L3
1-0:71.4.0.255 (@238)
(50) .thresholds
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(51) .monitored_value
      INAPPLICABLE
      Object is not required according to OM and/or extensions
(52) .actions
      INAPPLICABLE
      Object is not required according to OM and/or extensions
```

```
Mngmt Set Error Register 0-0:97.97.0.255 (@245)
(53) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```
Mngmt Set Alarm Register 0-0:97.98.0.255 (@249)
(54) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```
Mngmt Set Alarm Filter 0-0:97.98.10.255 (@253)
(55) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```
Mngmt Set Standard Event Log 0-0:99.98.0.255 (@261)
(56) .capture_objects
      INAPPLICABLE
```

IDIS Reg No 0002 Kema\_Report.txt  
Optional access right not available

Mngmt Set Fraud Detection Log 0-0:99.98.1.255 (@276)  
(57) .capture\_objects  
INAPPLICABLE  
Optional access right not available

Mngmt Set Consumer Message Text 0-0:96.13.0.255 (@288)  
(58) .value  
PASSED  
<Data>  
<OctetString Value="\12345678" />  
</Data>

Mngmt Set Consumer Message Code 0-0:96.13.1.255 (@292)  
(59) .value  
PASSED  
<Data>  
<OctetString Value="\ " />  
</Data>

Mngmt Set Image transfer 0-0:44.0.0.255 (@297)  
(60) .image\_transfer\_enabled  
PASSED  
<Data>  
<Bool Value="01" />  
</Data>

Mngmt Set Image transfer activation scheduler 0-0:15.0.2.255  
(@310)  
(61) .type  
INAPPLICABLE  
Optional access right not available  
(62) .execution\_time  
PASSED  
<Data>  
<Array Qty="0001" >  
<Structure Qty="0002" >  
<OctetString Value="17370000" />  
<OctetString Value="07FE0C01FF" />  
</Structure>  
</Array>  
</Data>

Mngmt Set Demand Register 1 - Active energy import (+A)  
1-0:1.4.0.255 (@684)  
(63) .period  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000384" />  
</Data>  
(64) .number\_of\_periods  
PASSED  
<Data>  
<LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 2 - Active energy export (-A)

1-0:2.4.0.255 (@697)

(65) .period  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000384" />  
</Data>  
(66) .number\_of\_periods  
PASSED  
<Data>  
<LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 3 - Reactive energy import (+R)

1-0:3.4.0.255 (@710)

(67) .period  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000384" />  
</Data>  
(68) .number\_of\_periods  
PASSED  
<Data>  
<LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 4 - Reactive energy export (-R)

1-0:4.4.0.255 (@723)

(69) .period  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000384" />  
</Data>  
(70) .number\_of\_periods  
PASSED  
<Data>  
<LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 5 - Apparent energy import (+VA)

1-0:9.4.0.255 (@736)

(71) .period  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000384" />  
</Data>  
(72) .number\_of\_periods  
PASSED  
<Data>  
<LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 6 - Apparent energy export (-VA)

1-0:10.4.0.255 (@749)

(73) .period

IDIS Reg No 0002 Kema\_Report.txt  
INAPPLICABLE

Optional object is not implemented  
(74) .number\_of\_periods  
INAPPLICABLE

Optional object is not implemented

Mngmt Set Load profile with period 1  
i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(75) .capture\_objects  
PASSED

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600A01FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

(76) .capture\_period  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000384" />
</Data>
```

Mngmt Set Load profile with period 2  
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

(77) .capture\_objects  
PASSED

```
<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
```



```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <OctetString Value="0000600A02FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010801FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010802FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020801FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020802FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>

```

```
</Array>
```

```
</Data>
```

```
(78) .capture_period
      PASSED
```

```
<Data>
```

```
<DoubleLongUnsigned Value="00015180" />
```

```
</Data>
```

```
Mngmt Set Time threshold for long power failure 0-0:96.7.20.255
(@1090)
```

```
(79) .value
```

```
      PASSED
```

```
<Data>
```

```
<LongUnsigned Value="00B4" />
```

```
</Data>
```

```
Mngmt Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)
```

```
(80) .value
```

```
      PASSED
```

```
<Data>
```

```
<LongUnsigned Value="00CF" />
```

```
</Data>
```

```
Mngmt Set Time threshold for voltage sag 1-0:12.43.0.255
(@1108)
```

```
(81) .value
```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

<Data>  
  <LongUnsigned Value="001E" />  
</Data>

Mngmt Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)  
(82) .value

  PASSED  
  <Data>  
    <LongUnsigned Value="00FD" />  
  </Data>

Mngmt Set Time threshold for voltage swell 1-0:12.44.0.255  
(@1168)  
(83) .value

  PASSED  
  <Data>  
    <LongUnsigned Value="001E" />  
  </Data>

Mngmt Set Threshold for missing voltage (voltage cut)  
1-0:12.39.0.255 (@1222)  
(84) .value

  PASSED  
  <Data>  
    <LongUnsigned Value="0067" />  
  </Data>

Mngmt Set Time threshold for voltage cut 1-0:12.45.0.255  
(@1228)  
(85) .value

  PASSED  
  <Data>  
    <LongUnsigned Value="001E" />  
  </Data>

Mngmt Set Power Failure Event Log 1-0:99.97.0.255 (@1234)  
(86) .capture\_objects

  INAPPLICABLE  
  Optional access right not available

Mngmt Set Power Quality Log 0-0:99.98.4.255 (@1249)  
(87) .capture\_objects

  INAPPLICABLE  
  Optional access right not available

Mngmt Set Sliding Average current L1 (for fuse supervision)  
1-0:31.4.0.255 (@1278)  
(88) .number\_of\_periods

  PASSED  
  <Data>  
    <LongUnsigned Value="005A" />  
  </Data>

Mngmt Set Sliding Average current L2 (for fuse supervision)  
1-0:51.4.0.255 (@1309)

(89) .number\_of\_periods  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set Sliding Average current L3 (for fuse supervision)  
1-0:71.4.0.255 (@1340)

(90) .number\_of\_periods  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set Average Import Power (+A) 1-0:1.24.0.255 (@1407)

(91) .number\_of\_periods  
PASSED  
<Data>  
<LongUnsigned Value="000F" />  
</Data>

Mngmt Set Average Net Power (|+A|-|-A|) 1-0:16.24.0.255  
(@1420)

(92) .number\_of\_periods  
INAPPLICABLE  
Optional object is not implemented

Mngmt Set Average Total Power (|+A|+|-A|) 1-0:15.24.0.255  
(@1433)

(93) .number\_of\_periods  
PASSED  
<Data>  
<LongUnsigned Value="000F" />  
</Data>

Mngmt Set Measurement Period 3 for Instantaneous values  
1-0:0.8.2.255 (@1468)

(94) .value  
INAPPLICABLE  
Optional object is not implemented

Mngmt Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)

(95) .mbus\_port\_reference  
PASSED  
<Data>  
<OctetString Value="0000180600FF" />  
</Data>

(96) .capture\_definition  
PASSED  
<Data>  
<Array Qty="0000" >  
</Array>  
</Data>

(97) .capture\_period  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

(98) .primary\_address  
PASSED

```

                IDIS Reg No 0002 Kema_Report.txt
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(99) .mbus_port_reference
      PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(100) .capture_definition
      PASSED
    <Data>
      <Array Qty="0000" >
        </Array>
    </Data>
(101) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(102) .primary_address
      PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(103) .mbus_port_reference
      PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(104) .capture_definition
      PASSED
    <Data>
      <Array Qty="0000" >
        </Array>
    </Data>
(105) .capture_period
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(106) .primary_address
      PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(107) .mbus_port_reference
      PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>

```

(108) .capture\_definition  
PASSED

```
<Data>  
  <Array Qty="0000" >  
  </Array>  
</Data>
```

(109) .capture\_period  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(110) .primary\_address  
PASSED

```
<Data>  
  <Unsigned Value="00" />  
</Data>
```

Mngmt Set M-Bus Value channel 1, instance 1 0-1:24.2.1.255  
(@1571)

(111) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 1, instance 2 0-1:24.2.2.255  
(@1579)

(112) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 1, instance 3 0-1:24.2.3.255  
(@1587)

(113) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 1, instance 4 0-1:24.2.4.255  
(@1595)

(114) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 2, instance 1 0-2:24.2.1.255  
(@1603)

(115) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 2, instance 2 0-2:24.2.2.255  
(@1611)

(116) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 2, instance 3 0-2:24.2.3.255  
(@1619)

(117) .scaler\_unit

Optional access right not available

Mngmt Set M-Bus Value channel 2, instance 4 0-2:24.2.4.255  
(@1627)

(118) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 3, instance 1 0-3:24.2.1.255  
(@1635)

(119) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 3, instance 2 0-3:24.2.2.255  
(@1643)

(120) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 3, instance 3 0-3:24.2.3.255  
(@1651)

(121) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 3, instance 4 0-3:24.2.4.255  
(@1659)

(122) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 4, instance 1 0-4:24.2.1.255  
(@1667)

(123) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 4, instance 2 0-4:24.2.2.255  
(@1675)

(124) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 4, instance 3 0-4:24.2.3.255  
(@1683)

(125) .scaler\_unit  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Value channel 4, instance 4 0-4:24.2.4.255  
(@1691)

(126) .scaler\_unit  
INAPPLICABLE

Optional access right not available

```
Mngmt Set M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)
(127) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel1 equipment
identifier" />
        </Data>

Mngmt Set M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)
(128) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel2 equipment
identifier" />
        </Data>

Mngmt Set M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)
(129) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel3 equipment
identifier" />
        </Data>

Mngmt Set M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)
(130) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel4 equipment
identifier" />
        </Data>

Mngmt Set M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)
(131) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel1 configurator" />
        </Data>

Mngmt Set M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)
(132) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel2 configurator" />
        </Data>

Mngmt Set M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)
(133) .value
        PASSED
        <Data>
          <OctetString Value="\M-Bus Channel3 configurator" />
        </Data>

Mngmt Set M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)
(134) .value
```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <OctetString Value="\M-Bus Channel4 configurator" />  
</Data>
```

Mngmt Set M-Bus Master Load profile for channel 1  
0-1:24.3.0.255 (@1747)

(135) .capture\_objects  
PASSED

```
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0001600A03FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(136) .capture\_period  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000E10" />  
</Data>
```

Mngmt Set M-Bus Master Load profile for channel 2  
0-2:24.3.0.255 (@1758)

(137) .capture\_objects  
PASSED

```
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0002600A03FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(138) .capture\_period  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000E10" />  
</Data>
```



Mngmt Set M-Bus Master Load profile for channel 3  
0-3:24.3.0.255 (@1769)

```
(139) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0003600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(140) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>
```

Mngmt Set M-Bus Master Load profile for channel 4  
0-4:24.3.0.255 (@1780)

```
(141) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0004600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(142) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>
```

Mngmt Set M-Bus Master Disconnect control object 1  
0-1:24.4.0.255 (@1791)

```
(143) .control_mode
```

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>  
  <Enum Value="06" />  
</Data>
```

Mngmt Set M-Bus Master Disconnect control object 2  
0-2:24.4.0.255 (@1799)  
(144) .control\_mode  
PASSED

```
<Data>  
  <Enum Value="06" />  
</Data>
```

Mngmt Set M-Bus Master Disconnect control object 3  
0-3:24.4.0.255 (@1807)  
(145) .control\_mode  
PASSED

```
<Data>  
  <Enum Value="06" />  
</Data>
```

Mngmt Set M-Bus Master Disconnect control object 4  
0-4:24.4.0.255 (@1815)  
(146) .control\_mode  
PASSED

```
<Data>  
  <Enum Value="06" />  
</Data>
```

Mngmt Set M-Bus Disconnect control scheduler 0-1:15.0.1.255  
(@1823)

(147) .executed\_script  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <OctetString Value="00010A006AFF" />  
    <LongUnsigned Value="0001" />  
  </Structure>  
</Data>
```

(148) .type  
INAPPLICABLE

Optional access right not available

(149) .execution\_time  
PASSED

```
<Data>  
  <Array Qty="0001" >  
    <Structure Qty="0002" >  
      <OctetString Value="FFFFFFFF" />  
      <OctetString Value="FFFFFFFFFFFF" />  
    </Structure>  
  </Array>  
</Data>
```

Mngmt Set M-Bus Master Control log object 1 0-1:24.5.0.255  
(@1850)

(150) .capture\_objects

Optional access right not available

Mngmt Set M-Bus Master Control log object 2 0-2:24.5.0.255  
(@1861)

(151) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Master Control log object 3 0-3:24.5.0.255  
(@1872)

(152) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Master Control log object 4 0-4:24.5.0.255  
(@1883)

(153) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Event Log 0-0:99.98.3.255 (@1898)

(154) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set IEC local port setup - IEC Optical port  
0-0:20.0.0.255 (@1910)

(155) .default\_mode  
INAPPLICABLE

Optional object is not implemented

(156) .default\_baud  
INAPPLICABLE

Optional object is not implemented

(157) .prop\_baud  
INAPPLICABLE

Optional object is not implemented

(158) .response\_time  
INAPPLICABLE

Optional object is not implemented

(159) .device\_addr  
INAPPLICABLE

Optional object is not implemented

(160) .pass\_p1  
INAPPLICABLE

Optional object is not implemented

(161) .pass\_p2  
INAPPLICABLE

Optional object is not implemented

(162) .pass\_p3  
INAPPLICABLE

Optional object is not implemented

Mngmt Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255  
(@1921)

(163) .comm\_speed

IDIS Reg No 0002 Kema\_Report.txt  
PASSED

```
<Data>
  <Enum Value="05" />
</Data>
(164) .window_size_transmit
      PASSED
  <Data>
    <Unsigned Value="01" />
  </Data>
(165) .window_size_receive
      PASSED
  <Data>
    <Unsigned Value="01" />
  </Data>
(166) .max_info_field_lenght_transmit
      PASSED
  <Data>
    <LongUnsigned Value="00F2" />
  </Data>
(167) .max_info_field_lenght_receive
      PASSED
  <Data>
    <LongUnsigned Value="00F2" />
  </Data>
(168) .inter_octet_time_out
      PASSED
  <Data>
    <LongUnsigned Value="0032" />
  </Data>
(169) .inactivity_time_out
      PASSED
  <Data>
    <LongUnsigned Value="001E" />
  </Data>
(170) .device_address
      PASSED
  <Data>
    <LongUnsigned Value="0011" />
  </Data>

Mngmt Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(171) .initiator_electrical_phase
      PASSED
  <Data>
    <Enum Value="00" />
  </Data>
(172) .max_receiving_gain
      PASSED
  <Data>
    <Unsigned Value="2A" />
  </Data>
(173) .max_transmitting_gain
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
```

```

IDIS Reg No 0002 Kema_Report.txt
(174) .search_initiator_gain
      PASSED
      <Data>
        <Unsigned Value="06" />
      </Data>
(175) .frequencies
      PASSED
      <Data>
        <Structure Qty="0002" >
          <DoubleLongUnsigned Value="0000F744" />
          <DoubleLongUnsigned Value="00012110" />
        </Structure>
      </Data>
(176) .mac_group_addresses
      PASSED
      <Data>
        <Array Qty="0005" >
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
        </Array>
      </Data>
(177) .repeater
      PASSED
      <Data>
        <Enum Value="02" />
      </Data>
(178) .min_delta_credit
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(179) .transmission_speed
      PASSED
      <Data>
        <Enum Value="03" />
      </Data>

```

Mngmt Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)

```

(180) .search_initiator_timeout
      PASSED
      <Data>
        <LongUnsigned Value="0258" />
      </Data>
(181) .synchronization_confirmation_timeout
      PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(182) .timeout_not_addressed
      PASSED
      <Data>
        <LongUnsigned Value="0168" />

```

```

                IDIS Reg No 0002 Kema_Report.txt
            </Data>
(183) .timeout_frame_not_OK
        PASSED
        <Data>
            <LongUnsigned Value="0028" />
        </Data>

Mngmt Set S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(184) .broadcast_frames_counter
        INAPPLICABLE
        Optional access right not available
(185) .repetitions_counter
        INAPPLICABLE
        Optional access right not available
(186) .transmissions_counter
        INAPPLICABLE
        Optional access right not available
(187) .CRC_OK_frames_counter
        INAPPLICABLE
        Optional access right not available
(188) .CRC_NOK_frames_counter
        INAPPLICABLE
        Optional access right not available

Mngmt Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(189) .max_frame_length
        PASSED
        <Data>
            <Unsigned Value="F2" />
        </Data>

```

```

*****
Test Case 8 : Set Pre attributes, 62 item(s)
*****

```

```

Pre Set Clock 0-0:1.0.0.255 (@75)
(1) .time
        PASSED
        <Data>
            <OctetString Value="07DB0C0506063B12008000FF" />
        </Data>
(2) .time_zone
        PASSED
        <Data>
            <Long Value="FFC4" />
        </Data>
(3) .daylights_savings_begin
        PASSED
        <Data>
            <OctetString Value="FFFF03FE07020000008000FF" />
        </Data>
(4) .daylights_savings_end
        PASSED
        <Data>
            <OctetString Value="FFFF0AFE07030000008000FF" />
        </Data>

```

```

IDIS Reg No 0002 Kema_Report.txt
(5) .daylights_savings_deviation
    PASSED
    <Data>
      <Integer Value="3C" />
    </Data>
(6) .daylights_savings_enabled
    PASSED
    <Data>
      <Bool Value="01" />
    </Data>

Pre Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(7) .value
    PASSED
    <Data>
      <Unsigned Value="3C" />
    </Data>

Pre Set Activity Calendar 0-0:13.0.0.255 (@100)
(8) .calendar_name_passive
    PASSED
    <Data>
      <OctetString Value="\CNP_23D2" />
    </Data>
(9) .season_profile_passive
    PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0003" >
          <OctetString Value="01" />
          <OctetString Value="FFFF0101FF000000008000FF" />
          <OctetString Value="01" />
        </Structure>
      </Array>
    </Data>
(10) .week_profile_table_passive
    PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0008" >
          <OctetString Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
        </Structure>
      </Array>
    </Data>
(11) .day_profile_table_passive
    PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <Unsigned Value="01" />
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="00000000" />
                <OctetString Value="00000A0064FF" />
                <LongUnsigned Value="0001" />
            </Structure>
        </Array>
    </Data>
(12) .activate_passive_calendar_time
        PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Pre Set Special Days Table 0-0:11.0.0.255 (@113)
(13) .entries
        PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>

Pre Set Register activation - Energy 0-0:14.0.1.255 (@117)
(14) .register_assignment
        INAPPLICABLE
    Optional access right not available
(15) .mask_list
        PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\TARIFF01" />
                <Array Qty="0008" >
                    <Unsigned Value="01" />
                    <Unsigned Value="09" />
                    <Unsigned Value="11" />
                    <Unsigned Value="19" />
                    <Unsigned Value="21" />
                    <Unsigned Value="29" />
                    <Unsigned Value="31" />
                    <Unsigned Value="39" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\TARIFF02" />
                <Array Qty="0008" >
                    <Unsigned Value="02" />
                    <Unsigned Value="0A" />
                    <Unsigned Value="12" />
                    <Unsigned Value="1A" />
                    <Unsigned Value="22" />
                    <Unsigned Value="2A" />
                    <Unsigned Value="32" />
                </Array>
            </Structure>
        </Array>
    </Data>

```



```

        IDIS Reg No 0002 Kema_Report.txt
        <Unsigned Value="3A" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF03" />
    <Array Qty="0008" >
        <Unsigned Value="03" />
        <Unsigned Value="0B" />
        <Unsigned Value="13" />
        <Unsigned Value="1B" />
        <Unsigned Value="23" />
        <Unsigned Value="2B" />
        <Unsigned Value="33" />
        <Unsigned Value="3B" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF04" />
    <Array Qty="0008" >
        <Unsigned Value="04" />
        <Unsigned Value="0C" />
        <Unsigned Value="14" />
        <Unsigned Value="1C" />
        <Unsigned Value="24" />
        <Unsigned Value="2C" />
        <Unsigned Value="34" />
        <Unsigned Value="3C" />
    </Array>
</Structure>
</Array>
</Data>

```

Pre Set Register activation - Maximum Demand 0-0:14.0.2.255 (@123)

```

(16) .register_assignment
      INAPPLICABLE
      Optional access right not available
(17) .mask_list
      PASSED

```

```

<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF01" />
      <Array Qty="0005" >
        <Unsigned Value="01" />
        <Unsigned Value="09" />
        <Unsigned Value="11" />
        <Unsigned Value="19" />
        <Unsigned Value="21" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\TARIFF02" />
      <Array Qty="0005" >
        <Unsigned Value="02" />
        <Unsigned Value="0A" />
      </Array>
    </Structure>
  </Array>

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <Unsigned Value="12" />
        <Unsigned Value="1A" />
        <Unsigned Value="22" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF03" />
    <Array Qty="0005" >
        <Unsigned Value="03" />
        <Unsigned Value="0B" />
        <Unsigned Value="13" />
        <Unsigned Value="1B" />
        <Unsigned Value="23" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\TARIFF04" />
    <Array Qty="0005" >
        <Unsigned Value="04" />
        <Unsigned Value="0C" />
        <Unsigned Value="14" />
        <Unsigned Value="1C" />
        <Unsigned Value="24" />
    </Array>
</Structure>
</Array>
</Data>

```

Pre Set Consumer Message Text 0-0:96.13.0.255 (@288)  
(18) .value

```

    PASSED
    <Data>
        <OctetString Value="\12345678" />
    </Data>

```

Pre Set Consumer Message Code 0-0:96.13.1.255 (@292)  
(19) .value

```

    PASSED
    <Data>
        <OctetString Value="\ " />
    </Data>

```

Pre Set Time threshold for long power failure 0-0:96.7.20.255  
(@1090)

```

(20) .value
    PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

```

Pre Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)  
(21) .value

```

    PASSED
    <Data>
        <LongUnsigned Value="00CF" />
    </Data>

```

Pre Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)  
(22) .value

PASSED

<Data>  
  <LongUnsigned Value="001E" />  
</Data>

Pre Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)  
(23) .value

PASSED

<Data>  
  <LongUnsigned Value="00FD" />  
</Data>

Pre Set Time threshold for voltage swell 1-0:12.44.0.255  
(@1168)

(24) .value

PASSED

<Data>  
  <LongUnsigned Value="001E" />  
</Data>

Pre Set Threshold for missing voltage (voltage cut)  
1-0:12.39.0.255 (@1222)

(25) .value

PASSED

<Data>  
  <LongUnsigned Value="0067" />  
</Data>

Pre Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)  
(26) .value

PASSED

<Data>  
  <LongUnsigned Value="001E" />  
</Data>

Pre Set Measurement Period 3 for Instantaneous values  
1-0:0.8.2.255 (@1468)

(27) .value

INAPPLICABLE

Optional object is not implemented

Pre Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)  
(28) .capture\_period

PASSED

<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>

Pre Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)  
(29) .capture\_period

PASSED

<Data>  
  <DoubleLongUnsigned Value="00000000" />

IDIS Reg No 0002 Kema\_Report.txt  
</Data>

Pre Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)

(30) .capture\_period

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

Pre Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)

(31) .capture\_period

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

Pre Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255  
(@1791)

(32) .control\_mode

PASSED

<Data>

<Enum Value="06" />

</Data>

Pre Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255  
(@1799)

(33) .control\_mode

PASSED

<Data>

<Enum Value="06" />

</Data>

Pre Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255  
(@1807)

(34) .control\_mode

PASSED

<Data>

<Enum Value="06" />

</Data>

Pre Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255  
(@1815)

(35) .control\_mode

PASSED

<Data>

<Enum Value="06" />

</Data>

Pre Set IEC local port setup - IEC Optical port 0-0:20.0.0.255  
(@1910)

(36) .default\_mode

INAPPLICABLE

Optional object is not implemented

(37) .default\_baud

INAPPLICABLE

Optional object is not implemented

- (38) .prop\_baud  
INAPPLICABLE  
Optional object is not implemented
- (39) .response\_time  
INAPPLICABLE  
Optional object is not implemented
- (40) .device\_addr  
INAPPLICABLE  
Optional object is not implemented
- (41) .pass\_p1  
INAPPLICABLE  
Optional object is not implemented
- (42) .pass\_p2  
INAPPLICABLE  
Optional object is not implemented
- (43) .pass\_p3  
INAPPLICABLE  
Optional object is not implemented

Pre Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255  
(@1921)

- (44) .comm\_speed  
PASSED  
<Data>  
<Enum Value="05" />  
</Data>
- (45) .window\_size\_transmit  
PASSED  
<Data>  
<Unsigned Value="01" />  
</Data>
- (46) .window\_size\_receive  
PASSED  
<Data>  
<Unsigned Value="01" />  
</Data>
- (47) .max\_info\_field\_lenght\_transmit  
PASSED  
<Data>  
<LongUnsigned Value="00F2" />  
</Data>
- (48) .max\_info\_field\_lenght\_receive  
PASSED  
<Data>  
<LongUnsigned Value="00F2" />  
</Data>
- (49) .inter\_octet\_time\_out  
PASSED  
<Data>  
<LongUnsigned Value="0032" />  
</Data>
- (50) .inactivity\_time\_out  
PASSED  
<Data>  
<LongUnsigned Value="001E" />  
</Data>

Pre Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)

```
(51) .max_receiving_gain
      PASSED
      <Data>
        <Unsigned Value="2A" />
      </Data>
(52) .max_transmitting_gain
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(53) .search_initiator_gain
      PASSED
      <Data>
        <Unsigned Value="06" />
      </Data>
(54) .frequencies
      PASSED
      <Data>
        <Structure Qty="0002" >
          <DoubleLongUnsigned Value="0000F744" />
          <DoubleLongUnsigned Value="00012110" />
        </Structure>
      </Data>
(55) .min_delta_credit
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(56) .transmission_speed
      PASSED
      <Data>
        <Enum Value="03" />
      </Data>
```

Pre Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)

```
(57) .search_initiator_timeout
      PASSED
      <Data>
        <LongUnsigned Value="0258" />
      </Data>
(58) .synchronization_confirmation_timeout
      PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(59) .timeout_not_addressed
      PASSED
      <Data>
        <LongUnsigned Value="0168" />
      </Data>
(60) .timeout_frame_not_OK
      PASSED
      <Data>
```

```
                IDIS Reg No 0002 Kema_Report.txt
                <LongUnsigned Value="0028" />
        </Data>
```

```
Pre Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(61) .max_frame_length
        PASSED
```

```
        <Data>
                <Unsigned Value="F2" />
        </Data>
```

```
(62) Pre Set passive calendar name and check
        PASSED
        calendar_name_passive set to "CNP_A56D"
```

```
*****
Test Case 9 : Selective access of profiles, 17 item(s)
*****
```

```
Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)
(1) .buffer
```

```
        PASSED
entries_in_use: 7
        <Data>
                <DoubleLongUnsigned Value="00000007" />
        </Data>
capture_objects:
        <Data>
                <Array Qty="0005" >
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0008" />
                                <OctetString Value="0000010000FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0100010801FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0100010802FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0100020801FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                        <Structure Qty="0004" >
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0100020802FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                        </Structure>
                </Array>
        </Data>
```

```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
</Array>
</Data>
Buffer has 7 elements:
<_Data>
  <Array Qty="0007" >
    <Structure Qty="0005" >
      <OctetString Value="07DB010106000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB020102000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB030102000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB040105000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB050107000000008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB0707040C1739008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DB0C0501063B12008000FF" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>

```



IDIS Reg No 0002 Kema\_Report.txt

</\_Data>

Earliest date: 01-JAN-2011 00:00:00, latest date:  
05-DEC-2011 06:59:18  
Middle date: 01-APR-2011 00:00:00

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)  
(2) .buffer

PASSED

entries\_in\_use: 6

<Data>

<DoubleLongUnsigned Value="00000006" />

</Data>

capture\_objects:

<Data>

<Array Qty="0003" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0000600B02FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0047" />

<OctetString Value="0000110000FF" />

<Integer Value="03" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 6 elements:

<Data>

<Array Qty="0006" >

<Structure Qty="0003" >

<OctetString Value="07DA0C1F05002321008000FF" />

<Enum Value="FF" />

<DoubleLongUnsigned Value="00000000" />

</Structure>

<Structure Qty="0003" >

<OctetString Value="07DB05010700000C008000FF" />

<Enum Value="3E" />

<DoubleLongUnsigned Value="00000000" />

</Structure>

<Structure Qty="0003" >

<OctetString Value="07DB05010700000E008000FF" />

<Enum Value="3F" />

<DoubleLongUnsigned Value="00000000" />

</Structure>

<Structure Qty="0003" >

<OctetString Value="07DB050107000011008000FF" />

<Enum Value="3E" />

```

        IDIS Reg No 0002 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DB050107000013008000FF" />
        <Enum Value="3F" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="07DB0707040C1B1A008000FF" />
        <Enum Value="3D" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</Data>
    Earliest date: 31-DEC-2010 00:35:33, latest date:
07-JUL-2011 12:27:26
    Middle date: 01-MAY-2011 00:00:17

```

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)  
(3) .buffer

```

        PASSED
    entries_in_use: 196
    <Data>
        <DoubleLongUnsigned Value="000000C4" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B00FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
    Buffer has 196 elements:
    <_Data>
        <Array Qty="00C4" >
            <Structure Qty="0002" >
                <OctetString Value="07DB070B010A1B15008000FF" />
                <Enum Value="FF" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB070B010A1B26008000FF" />
                <Enum Value="01" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB070B010A1B2B008000FF" />
                <Enum Value="02" />
            </Structure>
        </Array>
    </_Data>

```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1B34008000FF" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1B38008000FF" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1C13008000FF" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020A1316008000FF" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020A1624008000FF" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B18008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B20008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107080C008000FF" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070823008000FF" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501073738008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107373B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501073802008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501073804008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501073806008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501073808008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107380B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107380C008000FF" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B15008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B18008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B1A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B1C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B1E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B20008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B22008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B25008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B27008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B29008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B2B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B2D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B30008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B32008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B38008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B3A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070001008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070003008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070005008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070007008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070009008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107000C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107000E008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070010008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070012008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070014008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070016008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070019008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107001B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107001E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070020008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070023008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070025008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070028008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107002A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107002C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107002E008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
        IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070030008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070032008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070034008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070036008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070039008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070100008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070103008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070105008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070107008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070109008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107010C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107010E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070110008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070113008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070115008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070117008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070119008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107011B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107011D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070121008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070123008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070125008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070127008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070129008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107012B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107012D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107012F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070131008000FF" />
  <Enum Value="2F" />
```



```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070134008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070138008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107013A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070200008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070202008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070204008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070206008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070208008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107020A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107020C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107020F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070212008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070214008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070216008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070218008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107021B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107021D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107021F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070222008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070224008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070227008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070229008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107022B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107022D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070230008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070232008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070234008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070236008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070239008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070300008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070302008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070304008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070306008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070308008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107030A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107030C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107030F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070311008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070313008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070315008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070317008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070319008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107031B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107031D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107031F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070322008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070324008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070326008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070328008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107032B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107032D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070330008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070332008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070334008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070337008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070339008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107033B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070400008000FF" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B17008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B1E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B27008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B34008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070005008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070013008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070020008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107002F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070102008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070110008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107011F008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107012C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070202008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070212008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070221008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070230008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070302008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107030F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107031D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107032C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070339008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107040B008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070418008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070427008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070434008000FF" />
  <Enum Value="2F" />
</Structure>
```

```
IDIS Reg No 0002 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070506008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070513008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070522008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107052F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070601008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107060E008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107061C008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070628008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070636008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070707008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070715008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070722008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070730008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070802008000FF" />
  <Enum Value="2F" />
</Structure>
```

IDIS Reg No 0002 Kema\_Report.txt

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107080F008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107081D008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C050107082A008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070838008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070909008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070917008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070924008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070932008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070A03008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070A11008000FF" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070A1F008000FF" />
  <Enum Value="2F" />
</Structure>
```

</Array>

</\_Data>

Earliest date: 11-JUL-2011 10:27:21, latest date:  
05-DEC-2011 07:56:12  
Middle date: 05-DEC-2011 07:02:18

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)  
(4) .buffer

PASSED  
entries\_in\_use: 7  
<Data>



```

        IDIS Reg No 0002 Kema_Report.txt
        <DoubleLongUnsigned Value="00000007" />
    </Data>
capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B01FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
Buffer has 7 elements:
    <Data>
        <Array Qty="0007" >
            <Structure Qty="0002" >
                <OctetString Value="07DA0C1F05002321008000FF" />
                <Enum Value="FF" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB050107000016008000FF" />
                <Enum Value="2C" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB050107000018008000FF" />
                <Enum Value="2D" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB05010700001A008000FF" />
                <Enum Value="2C" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB05010700001C008000FF" />
                <Enum Value="2D" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB050107000122008000FF" />
                <Enum Value="2C" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB0C0501070824008000FF" />
                <Enum Value="2A" />
            </Structure>
        </Array>
    </Data>
    Earliest date: 31-DEC-2010 00:35:33, latest date:
05-DEC-2011 07:08:36
    Middle date: 01-MAY-2011 00:00:26

```

IDIS Reg No 0002 Kema\_Report.txt  
Mngmt Get Load profile with period 1  
i.e. General Load Profile 1-0:99.1.0.255 (@1055)  
(5) .buffer

```
    PASSED
entries_in_use: 27
  <Data>
    <DoubleLongUnsigned Value="0000001B" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600A01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 27 elements:
  <_Data>
    <Array Qty="001B" >
      <Structure Qty="0004" >
        <OctetString Value="07DB0101060000000008000FF" />
        <Unsigned Value="24" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
      <Structure Qty="0004" >
        <OctetString Value="07DB011F01173B3B008000FF" />
        <Unsigned Value="24" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
      <Structure Qty="0004" >
        <OctetString Value="07DB0201020000000008000FF" />
        <Unsigned Value="00" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
    </Array>
  </_Data>
```

```
IDIS Reg No 0002 Kema_Report.txt
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB021C01173B3B008000FF" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB030102000000008000FF" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB031F04173B3B008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB040105000000008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB041E06173B3B008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0707040C1739008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050E1E2B008000FF" />
  <Unsigned Value="88" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050E2D00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050F0000008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
```

```

IDIS Reg No 0002 Kema_Report.txt
<Structure Qty="0004" >
  <OctetString Value="07DB0708050F0F00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050F1E00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0708050F2D00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070805100000008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070805100F00008000FF" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070B010A1926008000FF" />
  <Unsigned Value="88" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB070C020A1317008000FF" />
  <Unsigned Value="88" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB0C0501070F00008000FF" />

```

```

        IDIS Reg No 0002 Kema_Report.txt
        <Unsigned Value="80" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0004" >
        <OctetString Value="07DB0C0501071E00008000FF" />
        <Unsigned Value="00" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0004" >
        <OctetString Value="07DB0C0501072D00008000FF" />
        <Unsigned Value="00" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0004" >
        <OctetString Value="07DB0C0501070000008000FF" />
        <Unsigned Value="24" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0004" >
        <OctetString Value="07DB0C0501070000008000FF" />
        <Unsigned Value="24" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0004" >
        <OctetString Value="07DB0C0501070F00008000FF" />
        <Unsigned Value="00" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
    </Structure>
</Array>
</_Data>

```

Earliest date: 01-JAN-2011 00:00:00, latest date:  
 05-DEC-2011 07:45:00  
 Middle date: 08-JUL-2011 15:30:00

Mngmt Get Load profile with period 2  
 i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)  
 (6) .buffer

```

        PASSED
    entries_in_use: 15
    <Data>
        <DoubleLongUnsigned Value="0000000F" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0002 Kema_Report.txt
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600A02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 15 elements:
<_Data>
    <Array Qty="000F" >
        <Structure Qty="0006" >
            <OctetString Value="07DA0C1F05173B3B008000FF" />
            <Unsigned Value="24" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB010106000000008000FF" />
            <Unsigned Value="24" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
        <Structure Qty="0006" >
            <OctetString Value="07DB011F01173B3B008000FF" />
            <Unsigned Value="24" />
            <DoubleLongUnsigned Value="00000000" />

```

```

IDIS Reg No 0002 Kema_Report.txt
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB020102000000008000FF" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB021C01173B3B008000FF" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB030102000000008000FF" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB031F04173B3B008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB040105000000008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB041E06173B3B008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB050107000000008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />

```

```
IDIS Reg No 0002 Kema_Report.txt
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0707040C1739008000FF" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0708050E1E2B008000FF" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB070B010A1926008000FF" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB070C020A1317008000FF" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Unsigned Value="A4" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
```

```
</Array>
```

```
</_Data>
```

```
Earliest date: 31-DEC-2010 23:59:59, latest date:
05-DEC-2011 06:59:18
Middle date: 01-APR-2011 00:00:00
```

```
Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)
(7) .buffer
```

```
PASSED
```

```
entries_in_use: 8
```

```
<Data>
```

```
<DoubleLongUnsigned Value="00000008" />
```



```

        IDIS Reg No 0002 Kema_Report.txt
    </Data>
capture_objects:
<Data>
    <Array Qty="0002" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0000600713FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>
Buffer has 8 elements:
<Data>
    <Array Qty="0008" >
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000117008000FF" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000119008000FF" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB05010700011B008000FF" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB05010700011D008000FF" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000120008000FF" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB0708050E1E2B008000FF" />
            <LongUnsigned Value="FFFF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB070B010A1926008000FF" />
            <LongUnsigned Value="FFFF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB070C020A1317008000FF" />
            <LongUnsigned Value="FFFF" />
        </Structure>
    </Array>
</Data>

```

Earliest date: 01-MAY-2011 00:01:23, latest date:

12-JUL-2011 10:19:23

Middle date: 01-MAY-2011 00:01:32

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)

(8) .buffer

PASSED

entries\_in\_use: 10

<Data>

<DoubleLongUnsigned Value="0000000A" />

</Data>

capture\_objects:

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0000600B04FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 10 elements:

<Data>

<Array Qty="000A" >

<Structure Qty="0002" >

<OctetString Value="07DA0C1F05002322008000FF" />

<Enum Value="FF" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB05010700010E008000FF" />

<Enum Value="55" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB050107000110008000FF" />

<Enum Value="55" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB050107000112008000FF" />

<Enum Value="55" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB050107000115008000FF" />

<Enum Value="55" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB0707040C1810008000FF" />

<Enum Value="55" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB0707040C1834008000FF" />

```

        IDIS Reg No 0002 Kema_Report.txt
        <Enum Value="4F" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB0707040C1D15008000FF" />
        <Enum Value="55" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB070B010A1A08008000FF" />
        <Enum Value="4F" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="07DB070C020A1317008000FF" />
        <Enum Value="55" />
    </Structure>
</Array>
</Data>
    Earliest date: 31-DEC-2010 00:35:34, latest date:
12-JUL-2011 10:19:23
    Middle date: 07-JUL-2011 12:24:16

```

```

Mngmt Get M-Bus Master Load profile for channel 1
0-1:24.3.0.255 (@1747)
(9) .buffer

```

```

        PASSED
    entries_in_use: 18
    <Data>
        <DoubleLongUnsigned Value="00000012" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0001600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
    Buffer has 18 elements:
    <_Data>
        <Array Qty="0012" >
            <Structure Qty="0002" >
                <OctetString Value="07DB010106000000008000FF" />
                <Unsigned Value="00" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB011F01173B3B008000FF" />
                <Unsigned Value="00" />
            </Structure>

```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0002" >
  <OctetString Value="07DB020102000000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB021C01173B3B008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB030102000000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB031F04173B3B008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB040105000000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB050107000000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0707040C1739008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050E1E2B008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050F0000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070805100000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1926008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020A1317008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
```

```
        IDIS Reg No 0002 Kema_Report.txt
        <Structure Qty="0002" >
          <OctetString Value="07DB0C0501070000008000FF" />
          <Unsigned Value="00" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="07DB0C0501070000008000FF" />
          <Unsigned Value="00" />
        </Structure>
      </Array>
    </_Data>
    Earliest date: 01-JAN-2011 00:00:00, latest date:
05-DEC-2011 07:00:00
    Middle date: 08-JUL-2011 14:30:43
```

```
Mngmt Get M-Bus Master Load profile for channel 2
0-2:24.3.0.255 (@1758)
(10) .buffer
```

```
        PASSED
    entries_in_use: 18
      <Data>
        <DoubleLongUnsigned Value="00000012" />
      </Data>
    capture_objects:
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0002600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
```

```
Buffer has 18 elements:
```

```
  <_Data>
    <Array Qty="0012" >
      <Structure Qty="0002" >
        <OctetString Value="07DB010106000000008000FF" />
        <Unsigned Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB011F01173B3B008000FF" />
        <Unsigned Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB020102000000008000FF" />
        <Unsigned Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB021C01173B3B008000FF" />

```

```
IDIS Reg No 0002 Kema_Report.txt
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB030102000000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB031F04173B3B008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB040105000000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB050107000000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0707040C1739008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050E1E2B008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050F0000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070805100000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1926008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020A1317008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
```

```
                IDIS Reg No 0002 Kema_Report.txt
                <Unsigned Value="00" />
            </Structure>
        </Array>
    </_Data>
    Earliest date: 01-JAN-2011 00:00:00, latest date:
05-DEC-2011 07:00:00
    Middle date: 08-JUL-2011 14:30:43
```

```
Mngmt Get M-Bus Master Load profile for channel 3
0-3:24.3.0.255 (@1769)
(11) .buffer
```

```
                PASSED
    entries_in_use: 18
        <Data>
            <DoubleLongUnsigned Value="00000012" />
        </Data>
    capture_objects:
        <Data>
            <Array Qty="0002" >
                <Structure Qty="0004" >
                    <LongUnsigned Value="0008" />
                    <OctetString Value="0000010000FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0001" />
                    <OctetString Value="0003600A03FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Array>
        </Data>
    Buffer has 18 elements:
        <_Data>
            <Array Qty="0012" >
                <Structure Qty="0002" >
                    <OctetString Value="07DB010106000000008000FF" />
                    <Unsigned Value="00" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="07DB011F01173B3B008000FF" />
                    <Unsigned Value="00" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="07DB020102000000008000FF" />
                    <Unsigned Value="00" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="07DB021C01173B3B008000FF" />
                    <Unsigned Value="00" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="07DB030102000000008000FF" />
                    <Unsigned Value="00" />
                </Structure>
            </Array>
        </_Data>
```

IDIS Reg No 0002 Kema\_Report.txt

```
<Structure Qty="0002" >  
  <OctetString Value="07DB031F04173B3B008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB040105000000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB050107000000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0707040C1739008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0708050E1E2B008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0708050F0000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070805100000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070B010A1926008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB070C020A1317008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501063B12008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501070000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501070000008000FF" />  
  <Unsigned Value="00" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB0C0501070000008000FF" />  
  <Unsigned Value="00" />  
</Structure>
```

</Array>

</\_Data>

Earliest date: 01-JAN-2011 00:00:00, latest date:

05-DEC-2011 07:00:00



IDIS Reg No 0002 Kema\_Report.txt  
Middle date: 08-JUL-2011 14:30:43

Mngmt Get M-Bus Master Load profile for channel 4  
0-4:24.3.0.255 (@1780)

(12) .buffer

PASSED

entries\_in\_use: 18

<Data>

<DoubleLongUnsigned Value="00000012" />

</Data>

capture\_objects:

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0004600A03FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 18 elements:

<\_Data>

<Array Qty="0012" >

<Structure Qty="0002" >

<OctetString Value="07DB010106000000008000FF" />

<Unsigned Value="00" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB011F01173B3B008000FF" />

<Unsigned Value="00" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB020102000000008000FF" />

<Unsigned Value="00" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB021C01173B3B008000FF" />

<Unsigned Value="00" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB030102000000008000FF" />

<Unsigned Value="00" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB031F04173B3B008000FF" />

<Unsigned Value="00" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DB040105000000008000FF" />

IDIS Reg No 0002 Kema\_Report.txt

```
<Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB05010700000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0707040C1739008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050E1E2B008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0708050F0000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070805100000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070B010A1926008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB070C020A1317008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501063B12008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0C0501070000008000FF" />
  <Unsigned Value="00" />
</Structure>
</Array>
</_Data>
```

Earliest date: 01-JAN-2011 00:00:00, latest date:  
05-DEC-2011 07:00:00  
Middle date: 08-JUL-2011 14:30:43

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255  
(@1850)  
(13) .buffer

PASSED

```
                IDIS Reg No 0002 Kema_Report.txt
entries_in_use: 5
  <Data>
    <DoubleLongUnsigned Value="00000005" />
  </Data>
```

```
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
```

Buffer has 5 elements:

```
  <Data>
    <Array Qty="0005" >
      <Structure Qty="0002" >
        <OctetString Value="07DA0C1F05002321008000FF" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB05010700001E008000FF" />
        <Enum Value="A4" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB050107000021008000FF" />
        <Enum Value="A4" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB050107000023008000FF" />
        <Enum Value="A4" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB050107000025008000FF" />
        <Enum Value="A4" />
      </Structure>
    </Array>
  </Data>
```

```
    Earliest date: 31-DEC-2010 00:35:33, latest date:
01-MAY-2011 00:00:37
    Middle date: 01-MAY-2011 00:00:33
```

```
Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255
(@1861)
(14) .buffer
```

```
    PASSED
entries_in_use: 5
  <Data>
```

```
        IDIS Reg No 0002 Kema_Report.txt
        <DoubleLongUnsigned Value="00000005" />
    </Data>
```

capture\_objects:

```
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0002600B04FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
```

Buffer has 5 elements:

```
    <Data>
        <Array Qty="0005" >
            <Structure Qty="0002" >
                <OctetString Value="07DA0C1F05002321008000FF" />
                <Enum Value="FF" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB050107000027008000FF" />
                <Enum Value="AE" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB050107000029008000FF" />
                <Enum Value="AE" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB05010700002C008000FF" />
                <Enum Value="AE" />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="07DB05010700002E008000FF" />
                <Enum Value="AE" />
            </Structure>
        </Array>
    </Data>
```

Earliest date: 31-DEC-2010 00:35:33, latest date:

01-MAY-2011 00:00:46

Middle date: 01-MAY-2011 00:00:41

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255  
(@1872)

(15) .buffer

PASSED

entries\_in\_use: 5

```
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
```

IDIS Reg No 0002 Kema\_Report.txt  
capture\_objects:

```
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0003600B04FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

Buffer has 5 elements:

```
<Data>  
  <Array Qty="0005" >  
    <Structure Qty="0002" >  
      <OctetString Value="07DA0C1F05002321008000FF" />  
      <Enum Value="FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB050107000030008000FF" />  
      <Enum Value="B8" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB050107000032008000FF" />  
      <Enum Value="B8" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB050107000034008000FF" />  
      <Enum Value="B8" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB050107000036008000FF" />  
      <Enum Value="B8" />  
    </Structure>  
  </Array>  
</Data>
```

Earliest date: 31-DEC-2010 00:35:33, latest date:  
01-MAY-2011 00:00:54  
Middle date: 01-MAY-2011 00:00:50

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255  
(@1883)

(16) .buffer

```
      PASSED  
entries_in_use: 5  
  <Data>  
    <DoubleLongUnsigned Value="00000005" />  
  </Data>  
capture_objects:  
  <Data>
```

```
IDIS Reg No 0002 Kema_Report.txt
<Array Qty="0002" >
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <OctetString Value="0004600B04FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>
```

Buffer has 5 elements:

```
<Data>
  <Array Qty="0005" >
    <Structure Qty="0002" >
      <OctetString Value="07DA0C1F05002321008000FF" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000039008000FF" />
      <Enum Value="C2" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB05010700003B008000FF" />
      <Enum Value="C2" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000101008000FF" />
      <Enum Value="C2" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB050107000103008000FF" />
      <Enum Value="C2" />
    </Structure>
  </Array>
</Data>
```

Earliest date: 31-DEC-2010 00:35:33, latest date:  
01-MAY-2011 00:01:03  
Middle date: 01-MAY-2011 00:00:59

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)  
(17) .buffer

```
PASSED
entries_in_use: 5
  <Data>
    <DoubleLongUnsigned Value="00000005" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
```

```

        IDIS Reg No 0002 Kema_Report.txt
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
Buffer has 5 elements:
<Data>
    <Array Qty="0005" >
        <Structure Qty="0002" >
            <OctetString Value="07DA0C1F05002321008000FF" />
            <Enum Value="FF" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000105008000FF" />
            <Enum Value="68" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB050107000108008000FF" />
            <Enum Value="68" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB05010700010A008000FF" />
            <Enum Value="68" />
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="07DB05010700010C008000FF" />
            <Enum Value="68" />
        </Structure>
    </Array>
</Data>

```

Earliest date: 31-DEC-2010 00:35:33, latest date:  
 01-MAY-2011 00:01:12  
 Middle date: 01-MAY-2011 00:01:08

```

*****
Test Case 10 : Multiple references, 4 item(s)
*****

```

(1) Public, logical names  
 PASSED

Reading 5 attributes

```

<Result Qty="0005" >
  <Data>
    <OctetString Value="0000290000FF" />
  </Data>
  <Data>
    <OctetString Value="0000280000FF" />
  </Data>
  <Data>
    <OctetString Value="00002B0101FF" />
  </Data>

```

```
                IDIS Reg No 0002 Kema_Report.txt
            </Data>
            <Data>
                <OctetString Value="00002B0100FF" />
            </Data>
            <Data>
                <OctetString Value="00002A0000FF" />
            </Data>
        </Result>
(2) Mngmt, logical names
    PASSED
    Reading 16 attributes
    <Result Qty="0010" >
        <Data>
            <OctetString Value="00001A0500FF" />
        </Data>
        <Data>
            <OctetString Value="00001A0300FF" />
        </Data>
        <Data>
            <OctetString Value="00001A0200FF" />
        </Data>
        <Data>
            <OctetString Value="00001A0100FF" />
        </Data>
        <Data>
            <OctetString Value="00001A0000FF" />
        </Data>
        <Data>
            <OctetString Value="0000160000FF" />
        </Data>
        <Data>
            <OctetString Value="0100040700FF" />
        </Data>
        <Data>
            <OctetString Value="0100030700FF" />
        </Data>
        <Data>
            <OctetString Value="0100020700FF" />
        </Data>
        <Data>
            <OctetString Value="0100010700FF" />
        </Data>
        <Data>
            <OctetString Value="01000F0700FF" />
        </Data>
        <Data>
            <OctetString Value="01005A0700FF" />
        </Data>
        <Data>
            <OctetString Value="01001F0700FF" />
        </Data>
        <Data>
            <OctetString Value="0100201800FF" />
        </Data>
        <Data>
            <OctetString Value="0100200700FF" />
        </Data>
    </Result>
```



```

        IDIS Reg No 0002 Kema_Report.txt
    </Data>
    <Data>
        <OctetString Value="0000636204FF" />
    </Data>
</Result>
(3) Mngmt, mixed attributes
    PASSED
    Reading 15 attributes
    <Result Qty="000F" >
        <Data>
            <OctetString Value="0000290000FF" />
        </Data>
        <Data>
            <Enum Value="00" />
        </Data>
        <Data>
            <Long Value="FFC4" />
        </Data>
        <Data>
            <OctetString Value="\TARIFF01" />
        </Data>
        <Data>
            <Enum Value="01" />
        </Data>
        <Data>
            <Structure Qty="0004" >
                <LongUnsigned Value="0000" />
                <OctetString Value="000000000000" />
                <Integer Value="00" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Data>
        <Data>
            <DoubleLongUnsigned Value="00000007" />
        </Data>
        <Data>
            <DoubleLongUnsigned Value="00000384" />
        </Data>
        <Data>
            <LongUnsigned Value="0001" />
        </Data>
        <Data>
            <Enum Value="02" />
        </Data>
        <Data>
            <Bool Value="01" />
        </Data>
        <Data>
            <Unsigned Value="00" />
        </Data>
        <Data>
            <LongUnsigned Value="0C00" />
        </Data>
        <Data>
            <Bool Value="01" />
        </Data>
    </Result>

```

```
<Data>
  <Enum Value="03" />
</Data>
</Result>
(4) Mngmt, long attributes (block transfer)
  PASSED
  Reading 5 attributes
  <Result Qty="0005" >
    <Data>
      <OctetString Value="\CNP_A56D" />
    </Data>
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0003" >
          <OctetString Value="01" />
          <OctetString Value="FFFF0101FF000000008000FF" />
          <OctetString Value="01" />
        </Structure>
      </Array>
    </Data>
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0008" >
          <OctetString Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
        </Structure>
      </Array>
    </Data>
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Unsigned Value="01" />
          <Array Qty="0001" >
            <Structure Qty="0003" >
              <OctetString Value="00000000" />
              <OctetString Value="00000A0064FF" />
              <LongUnsigned Value="0001" />
            </Structure>
          </Array>
        </Structure>
      </Array>
    </Data>
    <Data>
      <OctetString Value="07DB0C0602FFFFFFFFFFFFFFFF" />
    </Data>
  </Result>
```

```
*****
Test Case 11 : Disconnect controls, 3 item(s)
*****
```

- (1) Disconnect control  
PASSED  
Disconnect in control mode 0  
Test control mode 1  
Test control mode 2  
Test control mode 3  
Test control mode 4  
Test control mode 5  
Test control mode 6
- (2) Load Mgmt - Relay control 1  
INAPPLICABLE  
control\_mode has no SET access
- (3) Load Mgmt - Relay control 2  
INAPPLICABLE  
Optional object is not implemented

\*\*\*\*\*  
Test Case 12 : Script tables, 3 item(s)  
\*\*\*\*\*

- (1) Tariffication script table  
PASSED  
Tariffication script table (parameters 1):  
"TARIFF01,TARIFF02,TARIFF03,TARIFF04"  
Register activation - Energy (mask names):  
"TARIFF01,TARIFF02,TARIFF03,TARIFF04"  
Tariffication script table (parameters 2):  
"TARIFF01,TARIFF02,TARIFF03,TARIFF04"  
Register activation - Maximum Demand (mask names):  
"TARIFF01,TARIFF02,TARIFF03,TARIFF04"  
calendar\_name\_passive name: TOU\_907E  
activate\_passive\_calendar\_time: 05-DEC-2011 07:31:30  
activate\_passive\_calendar\_time: 05-DEC-2011 12:00:57
- (2) MDI Reset / End of billing period script table  
PASSED
- (3) Disconnecter script table  
PASSED

\*\*\*\*\*  
Test Case 13 : Miscellaneous tests, 4 item(s)  
\*\*\*\*\*

- (1) Set/Get of long attribute  
PASSED
- (2) S-FSK Initiator, execute reset\_NEW\_not\_synchronized  
PASSED  
MAC address = 0x001
- (3) Reset S-FSK MAC counters  
INAPPLICABLE  
Optional access right not available
- (4) Set S-FSK transmissions counter  
INAPPLICABLE  
Optional access right not available

\*\*\*\*\*  
Test Case 14 : Application association, 17 item(s)  
\*\*\*\*\*

- (1) Wrong logical device Id

- PASSED
- (2) Wrong client Id  
PASSED
- (3) Opening an already opened application association  
PASSED
- (4) Error on the Protocol version  
PASSED
- (5) Application context missing  
PASSED
- (6) Wrong application context  
PASSED
- (7) Missing calling AP title in a ciphering AARQ  
PASSED
- (8) Wrong system title in the Calling AP title  
PASSED
- (9) ACSE requirement missing  
PASSED
- (10) Wrong ACSE requirement  
PASSED
- (11) Authentication mechanism missing  
PASSED
- (12) Wrong authentication mechanism  
PASSED
- (13) Authentication value missing  
PASSED
- (14) Wrong authentication value  
PASSED
- (15) User information missing  
PASSED
- (16) Wrong dedicated key  
PASSED
- (17) Incorrect conformance bloc  
PASSED

\*\*\*\*\*  
Test Case 15 : xDLMS Services, 20 item(s)  
\*\*\*\*\*

- (1) Get without AA opening  
PASSED
- (2) Set without AA opening  
PASSED
- (3) Action without AA opening  
PASSED
- (4) Get with wrong inner tag  
PASSED
- (5) Set with wrong inner tag  
PASSED
- (6) Action with wrong inner tag  
PASSED
- (7) Error during block transfer with get  
PASSED
- (8) Error during block transfer with set  
PASSED
- (9) Get with wrong attribute id  
PASSED
- (10) Set with wrong attribute id

- PASSED
- (11) Action with wrong attribute id  
PASSED
- (12) Get with wrong access right  
PASSED
- (13) Set with wrong access right  
PASSED
- (14) Action with wrong access right  
PASSED
- (15) Get with wrong access selector  
PASSED
- (16) Get with wrong access parameters  
PASSED
- (17) Set with wrong data type  
PASSED
- (18) Action with wrong data type  
PASSED
- (19) Set with wrong data content  
PASSED
- (20) Action with wrong data content  
PASSED

\*\*\*\*\*  
Test Case 16 : Security Activate, 3 item(s)  
\*\*\*\*\*

- (1) Activate 1

PASSED

Pre set calendar\_name\_passive to CNP\_5FDA using +A, -E

Pre set calendar\_name\_passive to CNP\_5A05 using +A, -E

tweaked A

Mngmt get calendar\_name\_passive using +A, -E, expect

"CNP\_5FDA"

Mngmt set calendar\_name\_passive to CNP\_5A05 using +A, -E

tweaked A

Mngmt get calendar\_name\_passive using +A, -E, expect

"CNP\_5FDA"

Mngmt set security\_policy attribute to 0

- (2) Activate 2

PASSED

Pre set calendar\_name\_passive to CNP\_E9C1 using -A, +E

Pre set calendar\_name\_passive to CNP\_B78A using -A, +E

tweaked E

Mngmt get calendar\_name\_passive using -A, +E, expect

"CNP\_E9C1"

Mngmt set calendar\_name\_passive to CNP\_B78A using -A, +E

tweaked E

Mngmt get calendar\_name\_passive using -A, +E, expect

"CNP\_E9C1"

Mngmt set security\_policy attribute to 0

- (3) Activate 3

PASSED

Pre set calendar\_name\_passive to CNP\_C875 using +A, +E

Pre set calendar\_name\_passive to CNP\_737B using +A, +E

tweaked A

Mngmt get calendar\_name\_passive using +A, +E, expect

"CNP\_C875"

```

Mngmt set calendar_name_passive to CNP_737B using +A, +E
tweaked A
Mngmt get calendar_name_passive using +A, +E, expect
"CNP_C875"
Pre set calendar_name_passive to CNP_CC8D using +A, +E
tweaked E
Mngmt get calendar_name_passive using +A, +E, expect
"CNP_C875"
Mngmt set calendar_name_passive to CNP_CC8D using +A, +E
tweaked E
Mngmt get calendar_name_passive using +A, +E, expect
"CNP_C875"
Mngmt set security_policy attribute to 0

```

```

*****
Test Case 17 : Frame counter, 5 item(s)
*****

```

- (1) Unicast replay  
PASSED
- (2) Broadcast replay  
PASSED
- (3) Unicast Register  
PASSED
- (4) Broadcast Register  
PASSED
- (5) Received value  
PASSED

```

*****
Test Case 18 : Security global key transfer, 4 item(s)
*****

```

- (1) Global unicast encryption key transfer  
PASSED
- (2) Global broadcast encryption key transfer  
PASSED
- (3) Global authentication key transfer  
PASSED
- (4) All key transfer  
PASSED

```

*****
Test Case 19 : Secured service user information, 9 item(s)
*****

```

- (1) AARQ not encrypted  
PASSED
- (2) AARQ not authenticated  
PASSED
- (3) AARQ not encrypted not authenticated  
PASSED
- (4) AARQ with A security header  
PASSED
- (5) AARQ with E security header  
PASSED
- (6) AARQ with empty security header  
PASSED
- (7) AARQ with invalid frame counter

- PASSED
- (8) AARQ with invalid authentication  
PASSED
- (9) AARQ with invalid encryption  
PASSED

\*\*\*\*\*  
 Test Case 20 : Application association release service, 6 item(s)  
 \*\*\*\*\*

- (1) RLRQ invalid release request  
PASSED
- (2) RLRQ with missing user information  
PASSED
- (3) RLRQ non secure user information  
PASSED
- (4) RLRQ invalid security header  
PASSED
- (5) RLRQ invalid authentication  
PASSED
- (6) RLRQ invalid encryption  
PASSED

\*\*\*\*\*  
 Test Case 21 : Image transfer, 3 item(s)  
 \*\*\*\*\*

- (1) Basic  
PASSED  
Block size: 168
- (2) Full  
PASSED  
Block size: 168  
ImageSize: 180853, Blocks: 1077, Last block size: 85  
image\_to\_activate\_info:

```

  <Data>
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <DoubleLongUnsigned Value="0002C275" />
        <OctetString
Value="4143540D0A54533D31303841323838380D0A414D4D5F4E4C525F434F444
50D0A52454C330D0A315F50484153450D0A4D49430D0A48573D58582E59592E5A5
A0D0A4C5246573D30312E30322E30300D0A4E4C5246573D30312E30302E30310D0
A" />
        <OctetString
Value="010302BDE32650E16FA7963466598D6B0A972189" />
      </Structure>
    </Array>
  </Data>

```

- (3) Full delayed  
PASSED  
Block size: 168  
ImageSize: 180853, Blocks: 1077, Last block size: 85  
image\_to\_activate\_info:

```

  <Data>
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <DoubleLongUnsigned Value="0002C275" />

```

```

                IDIS Reg No 0002 Kema_Report.txt
                <OctetString
Value="4143540D0A54533D31303841323838380D0A414D4D5F4E4C525F434F444
50D0A52454C330D0A315F50484153450D0A4D49430D0A48573D58582E59592E5A5
A0D0A4C5246573D30312E30322E30300D0A4E4C5246573D30312E30302E30310D0
A" />
                <OctetString
Value="010302BDE32650E16FA7963466598D6B0A972189" />
                </Structure>
            </Array>
        </Data>

```

```

*****
* CTI *
*****

```

```

// Conformance Test Information (CTI) Template
// 1.6

```

```

// The CTI has a specified syntax but it's format is free

```

```

// Mandatory 'Manufacturer' structure
// *****

```

```

Manufacturer = {
    // Keep the leading '\\' to denote a visible-string.
    Name = '\\ITRON Metering Systems'
    // The manufacturer's FLAG id is a part of the DUT system title
    ThreeLettersId = '\\ACE'
}

```

```

// Mandatory 'DeviceUnderTest' structure
// *****

```

```

DeviceUnderTest = {

    // IDISDeviceType is 100 or 101, it is part of the DUT system
    title
    IDISDeviceType = 100

    // IDISFunctionType indicates the extension(s) supported by the
    DUT,
    // it is also a part of the DUT system title.
    // It is a set (possibly empty) of elements
    // Extension_D, Extension_L and Extension_M
    IDISFunctionType = [Extension_D, Extension_L, Extension_M]

    // The serial number of the DUT is pa part of its syste title.
    SerialNr = 10091488

}

```

```

// Optional 'TestOptions'
TestOptions = {
}

```

```

// Mandatory 'ObjectModel' structure
// *****

```

```

// It defines the current values of the optional elements of the

```



object model.

// These are the optional objects, the optional access rights of attributes and/or // methods. Also, default values for writing attributes can also be defined here.

ObjectModel = {

// Optional objects implemented

OptionalObjects = '\'

+ '1-1:0.2.0.255|1,' // Active firmware version 1 (@329)

+ '1-1:0.2.8.255|1,' // Active firmware version signature 1

(@333)

+ '1-2:0.2.0.255|1,' // Active firmware version 2 (@337)

+ '1-2:0.2.8.255|1,' // Active firmware version signature 2

(@341)

+ '1-0:9.8.0.255|3,' // Apparent energy import (+VA) (QI+QIV)

(@406)

+ '1-0:5.8.1.255|3,' // Reactive energy (QI) rate 1 (@515)

+ '1-0:5.8.2.255|3,' // Reactive energy (QI) rate 2 (@521)

+ '1-0:5.8.3.255|3,' // Reactive energy (QI) rate 3 (@527)

+ '1-0:5.8.4.255|3,' // Reactive energy (QI) rate 4 (@533)

+ '1-0:6.8.1.255|3,' // Reactive energy (QII) rate 1 (@539)

+ '1-0:6.8.2.255|3,' // Reactive energy (QII) rate 2 (@545)

+ '1-0:6.8.3.255|3,' // Reactive energy (QII) rate 3 (@551)

+ '1-0:6.8.4.255|3,' // Reactive energy (QII) rate 4 (@557)

+ '1-0:7.8.1.255|3,' // Reactive energy (QIII) rate 1 (@563)

+ '1-0:7.8.2.255|3,' // Reactive energy (QIII) rate 2 (@569)

+ '1-0:7.8.3.255|3,' // Reactive energy (QIII) rate 3 (@575)

+ '1-0:7.8.4.255|3,' // Reactive energy (QIII) rate 4 (@581)

+ '1-0:8.8.1.255|3,' // Reactive energy (QIV) rate 1 (@587)

+ '1-0:8.8.2.255|3,' // Reactive energy (QIV) rate 2 (@593)

+ '1-0:8.8.3.255|3,' // Reactive energy (QIV) rate 3 (@599)

+ '1-0:8.8.4.255|3,' // Reactive energy (QIV) rate 4 (@605)

+ '1-0:15.8.1.255|3,' // Active energy Combined total

(|+A|+|-A|) rate 1 (@659)

+ '1-0:15.8.2.255|3,' // Active energy Combined total

(|+A|+|-A|) rate 2 (@665)

+ '1-0:15.8.3.255|3,' // Active energy Combined total

(|+A|+|-A|) rate 3 (@671)

+ '1-0:15.8.4.255|3,' // Active energy Combined total

(|+A|+|-A|) rate 4 (@677)

+ '1-0:9.4.0.255|5,' // Demand Register 5 - Apparent energy import (+VA) (@736)

+ '1-0:9.6.0.255|4,' // Maximum Demand Register 21 - Apparent energy import (+VA) (@970)

+ '1-0:9.6.1.255|4,' // Maximum Demand Register 22 - Apparent energy import (+VA) - rate 1 (@978)

+ '1-0:9.6.2.255|4,' // Maximum Demand Register 23 - Apparent energy import (+VA) - rate 2 (@986)

+ '1-0:9.6.3.255|4,' // Maximum Demand Register 24 - Apparent energy import (+VA) - rate 3 (@994)

+ '1-0:9.6.4.255|4,' // Maximum Demand Register 25 - Apparent energy import (+VA) - rate 4 (@1002)

```

// An optional list of InstanceExtraInfo can be specified.
Each InstanceExtraInfo is used
// to specify optional elements of instances.
InstanceExtraInfo = {
// Each instance must be identified by its logical name (in
hex or dotted notation)...
LogicalName = '0-0:1.0.0.255'
// ... and by its class id.
ClassId = 8

// An optional list of AttributeExtraInfo can be specified
AttributeExtraInfo = {
// The attribute id identifies the attribute
AttributeId = 2
// If the attribute is writable, then the data written by
the set test can be specified
// using the xml presentation of the data, as a string
// See the help file for the xml of the possible data
choices
SetData = '\<Data><OctetString Value =
"07DB0C0506063B12008000FF" /></Data>'
}
}

InstanceExtraInfo = {
// Set value for Consumer Message Text
LogicalName = '0-0:96.13.0.255'
ClassId = 1
AttributeExtraInfo = {
AttributeId = 2
SetData = '\<Data><OctetString Value="3132333435363738"
/></Data>'
}
}

InstanceExtraInfo = {
// Current association (@9)
LogicalName = '0-0:40.0.0.255'
ClassId = 15
AttributeExtraInfo = {
// authentication_mechanism_name
AttributeId = 6
AccessRights = [GET,SET]
}
AttributeExtraInfo = {
// secret
AttributeId = 7
SetData = '\<Data><OctetString Value = "3132333435363738"
/></Data>'
AccessRights = [SET]
}
MethodExtraInfo = {
// change_HLS_secret
MethodId = 2
AccessRights = [ACTION]
}
}

```

```
    }  
  }  
  
InstanceExtraInfo = {  
  // Limiter (@213)  
  LogicalName = '0-0:17.0.0.255'  
  ClassId = 71  
  AttributeExtraInfo = {  
    // actions  
    AttributeId = 11  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus client channel 1 (@1483)  
  LogicalName = '0-1:24.1.0.255'  
  ClassId = 72  
  MethodExtraInfo = {  
    // capture  
    MethodId = 3  
    AccessRights = [ACTION]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus client channel 2 (@1505)  
  LogicalName = '0-2:24.1.0.255'  
  ClassId = 72  
  MethodExtraInfo = {  
    // capture  
    MethodId = 3  
    AccessRights = [ACTION]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus client channel 3 (@1527)  
  LogicalName = '0-3:24.1.0.255'  
  ClassId = 72  
  MethodExtraInfo = {  
    // capture  
    MethodId = 3  
    AccessRights = [ACTION]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus client channel 4 (@1549)  
  LogicalName = '0-4:24.1.0.255'  
  ClassId = 72  
  MethodExtraInfo = {  
    // capture  
    MethodId = 3  
    AccessRights = [ACTION]  
  }  
}
```

```

}

}

// Mandatory 'TestParameters' structure
// *****
// Defines miscellaneous values used during the test
TestParameters = {

    // After starting a discovery, the tool polls
    // the meters network until it finds the meter specified by
    // 'MeterId'.
    // This polling will last at least the specified time (in ms).
    MeterDiscoveryTimeout = 400000

    // The 'DefaultAccessTimeout' is the time (in ms) allowed to
    // complete an
    // access (read, write or action)
    DefaultAccessTimeout = 240000

    // The accesses have a priority between 1 (highest priority) and
    // 10 (lowest priority)
    DefaultPriority = 5

    // Optional delay (in ms) after executing the Disconnect
    // Control (class 70)
    // connect and disconnect actions performed directly or via a
    // script table.
    ConnectDisconnectDelay = 20000

    // Mandatory DC system title
    // KEMA DCSYSTEMTITLE LGZIT000002
    DCSystemTitle = '4C475A4954000002' //KEMA PLC MODEM

    // Mandatory structure for the ImageTransfer
    ImageTransfer = {
        // Image identifier as passed to the image_transfer_initiate
        // method
        ImageIdentifier =
        '4143540D0A54533D31303841323838380D0A414D4D5F4E4C525F434F44450D0A5
        2454C330D0A315F50484153450D0A4D49430D0A48573D58582E59592E5A5A0D0A4
        C5246573D30312E30322E30300D0A4E4C5246573D30312E30302E30310D0A' //
        // 1ph compresse NLR v1.0
        // Filename of the image to transfer. If no filepath is given,
        // then the file
        // is supposed to be in the same directory as the CTI file
        ImageFileName =
        '\nlr_program_internal_1ph_comp_chk_download.bin'
        // Time (in ms) that the iCTT loops reading the image_transfer
        // status waiting for changes
        Timeout = 8000
    }
}
}

```

```
// Mandatory 'PLCConfig' structure
// *****
// The PLCConfig is set before each test session. The various
members are
// defined in the appropriate document. The values defined
hereafter are
// the default values
```

```
PLCConfig = {
  AddrMAC = 0xC00
  TimeoutNotAddr = 360
  MaxSubFrames = 7
  TimeUpdatePeriod = 0
  BkgTaskEnabled = 1
  BkgMinDelay = 60
  DiscoverTimeSlots = 20
  ResponseProbability = 100
  MaxCredit = 2
  DiscoverPeriod = 0 // was 60, disable periodic discovery
  TransmissionGain = 0
  ReceptionGain = 8
  BaudRate = 1
  InputFrequency = 0
  NbComOkDecrCredit = 3
  DecrCredit = 1
  IncrCredit = 2
  MaxRetry = 1
  RepeaterCallEnabled = 0
  RepeaterCallLevel = 1000
  NewBcplTSlotCount = 10
  AlarmMngtEnabled = 0 // was 1, Disable alarms
  AlarmMngtDelay = 0
  AutoDiscoveryPriority = 2
  FCTxValue = 0
}
```

```
// Mandatory 'SecurityElements'
// *****
// There are 3 sets of 'SecurityElements', one for each test
mode
// (Standard, Tunnel, Local)
```

```
// Each set contains one structure per client, each with the
following members:
```

```
// ContextName: either LONG_NAMES or LONG_NAMES_WITH_CIPHERING
```

```
// MechanismName: either LOWEST_LEVEL_SECURITY, LOW_LEVEL_SECURITY
or HIGH_LEVEL_SECURITY_GMAC
```

```
// Policy: either NO_SECURITY, AUTHENTICATION, ENCRYPTION or
AUTHENTICATION_AND_ENCRYPTION
```

```
// The policy determines how the APDU are ciphered. It is NOT the
value of
```

```

                IDIS Reg No 0002 Kema_Report.txt
// the security_policy attribute of the security setup object of
the DUT.
// However, in a ciphered context, only APDU's with a ciphering
''policy'' larger or equal to
// the security_policy of the DUT will be accepted.

// Password: if required by the mechanism name.

// StandardSecurityElements
// Mandatory, used for the ''standard'' mode (DC via Java API).
// No context name is required since the DC selects the context
according
// to the ''Policy'' member. If zero, then the DC generates an
AARQ with LONG_NAMES context.
// If positive then the DC generates an AARQ with
LONG_NAME_WITH_CIPHERING context.
StandardSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
    }
}

// LocalSecurityElements
// Mandatory, used for the ''local'' mode.
LocalSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = NO_SECURITY // AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
        FrameCounterInstance = '\0-1:43.1.0.255'
    }

    PreEstablished = {
        Policy = NO_SECURITY
    }
}

```

```
}
}
// TunnelSecurityElements
// Mandatory, used for the 'tunnel' mode.
TunnelSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
    }
}

// Parameters of the 'Local' HDLC Profile
HDLCProfile = {

    PhysicalLayer = {
        OpeningMode = MODE_E // or DIRECT_HDLC
        HdlcBaud = 9600
    }

    DataLinkLayer = {
        InactivityTimeout = 30000
        InterFrameTimeout = 50
        ResponseTimeout = 2000
        DISCToNDMTimeout = 2000
        AddressingSchemes = [ONE_BYTE_ADDRESSING] //
        TWO_BYTES_ADDRESSING, FOUR_BYTES_ADDRESSING
        // For TWO and FOUR bytes addressing schemes, we have to
        specify also a ServerLowerMACAddress
        //ServerLowerMACAddress = 0x11
    }
}

// END CTI_Template

*****
* Miscellaneous *
*****

TestMode: Tunnel
Test Plan Signature: F075C74704643B4CEC05B5D6C72E8FB7
Object Model: IDIS - object model - V1.23
```

IDIS Reg No 0002 Kema\_Report.txt

(20110420).xlsx

DUT system title: 414345647099FBE0

DC MeterId: ACE647099FBE0

Run number: 10

--

865DB305E9204A2A9B8CF8691DA7D402