

Final Interoperability Test Report

FIT #: **8**
 Date: 07.11.2013
 Location: Zug, Switzerland
 Page 1 of 3

APPLICANT

Company: Elster GmbH
 Address: Steinernstrasse 19-21, 55252 Mainz Kastel, Germany

DEVICE		
Device type	AS3500 + AM500	
<i>Type indication on MID certificate</i>		<i>MID Certificate No.</i>
AS3500		T10449, T10509
<i>IDIS Specification reference</i>	<i>KEMA IDIS Certification run No</i>	<i>Digital signature of the test report.</i>
Package 1 ed. 1.1	31	F5E63A01DECFD9AF315AB5742B22CB2A
<i>First certification</i>	<i>IDIS Label</i>	<i>Modular device</i>
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
General information about the device		
Meter AS3500 combined with PLC module AM500.		

FIRMWARE VERSIONS TESTED				<i>Final Integration Test No. 8</i>
Firmware No.	Firmware ID1	Firmware ID2	Firmware ID3	Verdict
1	V030A00.00	V030203.00		Passed with remark
2	V030A00.00	V030204.03		Passed

 Elster GmbH

 Iskraemeco d.d.

 Itron

 Landis+Gyr AG

Fit #8

Device:AS3500 + AM500

Zug, Switzerland, 07.11.2013

Page 2 of 3

FIRMWARE VERSIONS HISTORY				Final Integration Test	
Firmware No.	Firmware ID1	Firmware ID2	Firmware ID3	No.	Verdict
1	V030A00.00	V030203.00		8	Passed with remark
2	V030A00.00	V030204.03		8	Passed

TEST REPORT - Firmware No. 1		
<i>Test</i>	<i>Verdict</i>	<i>Remark</i>
Meter discovery and registering	Passed	
M-Bus device discovery [Extension M]	Passed	
S-FSK related data	Passed	
All Device ID's	Passed	M-Bus Device Ids are encoded correctly. Issue with M-Bus identification numbers identified during FIT #5 is still present. Issue is resolved in firmware version V030204.03 of AM500 module.
SAP assignment	Passed	
COSEM logical device name	Passed	
FW version and signature	Passed	
Broadcast Date and time	Passed	
Broadcast Special Days Table	Passed	
Event logs	Passed	
Billing period data	Passed	
Optical Port Connectivity	Passed	
Alarm Reporting	Passed	

TEST REPORT - Firmware No. 2		
<i>Test</i>	<i>Verdict</i>	<i>Remark</i>
Meter discovery and registering	Passed	
M-Bus device discovery [Extension M]	Passed	
S-FSK related data	Passed	
All Device ID's	Passed	
SAP assignment	Passed	
COSEM logical device name	Passed	
FW version and signature	Passed	
Broadcast Date and time	Passed	
Broadcast Special Days Table	Passed	
Event logs	Passed	
Billing period data	Passed	
Optical Port Connectivity	Passed	
Alarm Reporting	Passed	

```

*****
IDIS Conformance test report
07-NOV-2013 09:03:19
iCTT Package 1, Edition 1.1, Revision 1 (209)
Licensed to: IDIS Assoc.
Tester: info@idis-association.com
*****
    
```

```

*****
* Identification *
*****
    
```

```

Manufacturer = {
  Name = '\Elster GmbH'
  ThreeLettersId = '\ELS'
}
DeviceUnderTest = {
  IDISDeviceType = 101
  IDISFunctionType = [EXTENSION_D, EXTENSION_L, EXTENSION_M]
  SerialNr = 5201270
  Type = '\AS3500(V)'
}
    
```

```

Active firmware version (1-0:0.2.0.255) = \V030A00.00
Active firmware version 1 (1-1:0.2.0.255) = \V030204.03
    
```

```

*****
* Summary *
*****
    
```

```

PASSED                194
FAILED                 0
DISABLED              40
INAPPLICABLE          8
INCONCLUSIVE          0
FATAL                 0
TOTAL                 242
    
```

```

*****
Test Case 1 : Discovery, 1 item(s)
*****
    
```

```

(1) Meter Discovery                                     PASSED
    
```

```

*****
Test Case 2 : Connect and release, 4 item(s)
*****
    
```

```

(1) Connect Public                                     PASSED
(2) Release Public                                     PASSED
(3) Connect Management                                 PASSED
(4) Release Management                                 PASSED
    
```

```

*****
Test Case 3 : Read S-FSK settings, 35 item(s)
*****
    
```

```

Mngmt Get S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(1) .logical_name                                     PASSED
    <Data>
      <OctetString Value="00001A0000FF" />
    </Data>
(2) .initiator_electrical_phase                       PASSED
    <Data>
      <Enum Value="00" />
    </Data>
(3) .delta_electrical_phase                           PASSED
    <Data>
    
```

```

    <Enum Value="00" />
  </Data>
(4) .max_receiving_gain PASSED
  <Data>
    <Unsigned Value="2A" />
  </Data>
(5) .max_transmitting_gain PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(6) .search_initiator_gain PASSED
  <Data>
    <Unsigned Value="62" />
  </Data>
(7) .frequencies PASSED
  <Data>
    <Structure Qty="0002" >
      <DoubleLongUnsigned Value="0000F744" />
      <DoubleLongUnsigned Value="00012110" />
    </Structure>
  </Data>
(8) .mac_address PASSED
  <Data>
    <LongUnsigned Value="0008" />
  </Data>
(9) .mac_group_addresses PASSED
  <Data>
    <Array Qty="0005" >
      <LongUnsigned Value="0000" />
      <LongUnsigned Value="0000" />
      <LongUnsigned Value="0000" />
      <LongUnsigned Value="0000" />
      <LongUnsigned Value="0000" />
    </Array>
  </Data>
(10) .repeater PASSED
  <Data>
    <Enum Value="02" />
  </Data>
(11) .repeater_status PASSED
  <Data>
    <Bool Value="00" />
  </Data>
(12) .min_delta_credit PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(13) .initiator_mac_address PASSED
  <Data>
    <LongUnsigned Value="0C00" />
  </Data>
(14) .synchronization_locked PASSED
  <Data>
    <Bool Value="01" />
  </Data>
(15) .transmission_speed PASSED
  <Data>
    <Enum Value="03" />
  </Data>

Mngmt Get S-FSK Active Initiator 0-0:26.1.0.255 (@1950)
(16) .logical_name PASSED
  <Data>
    <OctetString Value="00001A0100FF" />
  </Data>
(17) .active_initiator PASSED

```

```

    <Data>
      <Structure Qty="0003" >
        <OctetString Value="4C475A1169000000" />
        <LongUnsigned Value="0C00" />
        <Unsigned Value="01" />
      </Structure>
    </Data>

Mngmt Get S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)
(18) .logical_name PASSED
    <Data>
      <OctetString Value="00001A0200FF" />
    </Data>
(19) .search_initiator_timeout PASSED
    <Data>
      <LongUnsigned Value="0258" />
    </Data>
(20) .synchronization_confirmation_timeout PASSED
    <Data>
      <LongUnsigned Value="0005" />
    </Data>
(21) .timeout_not_addressed PASSED
    <Data>
      <LongUnsigned Value="0168" />
    </Data>
(22) .timeout_frame_not_OK PASSED
    <Data>
      <LongUnsigned Value="001E" />
    </Data>

Mngmt Get S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(23) .logical_name PASSED
    <Data>
      <OctetString Value="00001A0300FF" />
    </Data>
(24) .synchronization_register PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0C00" />
          <DoubleLongUnsigned Value="00000002" />
        </Structure>
      </Array>
    </Data>
(25) .desynchronization_listing PASSED
    <Data>
      <Structure Qty="0005" >
        <DoubleLongUnsigned Value="00000006" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000001" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
    </Data>
(26) .broadcast_frames_counter PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0C00" />
          <DoubleLongUnsigned Value="0000000D" />
        </Structure>
      </Array>
    </Data>
(27) .repetitions_counter PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />

```

```

    </Data>
(28) .transmissions_counter PASSED
    <Data>
        <DoubleLongUnsigned Value="00000030" />
    </Data>
(29) .CRC_OK_frames_counter PASSED
    <Data>
        <DoubleLongUnsigned Value="00000101" />
    </Data>
(30) .CRC_NOK_frames_counter PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(31) .logical_name PASSED
    <Data>
        <OctetString Value="00001A0500FF" />
    </Data>
(32) .max_frame_length PASSED
    <Data>
        <Unsigned Value="F2" />
    </Data>
(33) .reply_status_list PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Unsigned Value="07" />
            </Structure>
        </Array>
    </Data>

Mngmt Get S-FSK Reporting system list 0-0:26.6.0.255 (@1978)
(34) .logical_name INAPPLICABLE
    Optional object is not implemented
(35) .reporting_system_list INAPPLICABLE
    Optional object is not implemented

*****
Test Case 4 : Read Device ID's, 12 item(s)
*****

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)
(1) .logical_name PASSED
    <Data>
        <OctetString Value="0000600100FF" />
    </Data>
(2) .value PASSED
    <Data>
        <OctetString Value="\05201270" />
    </Data>

Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)
(3) .logical_name PASSED
    <Data>
        <OctetString Value="0000600101FF" />
    </Data>
(4) .value PASSED
    <Data>
        <OctetString Value="\807945T" />
    </Data>

Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)
(5) .logical_name PASSED
    <Data>

```

```

        <OctetString Value="0000600102FF" />
    </Data>
(6) .value                                     PASSED
    <Data>
        <OctetString Value="" />
    </Data>

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)
(7) .logical_name                             PASSED
    <Data>
        <OctetString Value="0000600103FF" />
    </Data>
(8) .value                                     PASSED
    <Data>
        <OctetString Value="" />
    </Data>

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)
(9) .logical_name                             PASSED
    <Data>
        <OctetString Value="0000600104FF" />
    </Data>
(10) .value                                    PASSED
    <Data>
        <OctetString Value="" />
    </Data>

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)
(11) .logical_name                            PASSED
    <Data>
        <OctetString Value="0000600105FF" />
    </Data>
(12) .value                                    PASSED
    <Data>
        <OctetString Value="" />
    </Data>

*****
Test Case 5 : Read SAP Assignment, 2 item(s)
*****

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)
(1) .logical_name                             PASSED
    <Data>
        <OctetString Value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list                     PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <OctetString Value="\ELS1010705201270" />
            </Structure>
        </Array>
    </Data>

*****
Test Case 6 : Read COSEM logical device name, 2 item(s)
*****

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)
(1) .logical_name                             PASSED
    <Data>
        <OctetString Value="00002A0000FF" />
    </Data>
(2) .value                                    PASSED

```



```
<Data>
  <OctetString Value="\ELS1010705201270" />
</Data>
```

```
*****
Test Case 7 : Read Active FW version, 12 item(s)
*****
```

Mngmt Get Active firmware version 1-0:0.2.0.255 (@321)

(1) .logical_name PASSED

```
<Data>
  <OctetString Value="0100000200FF" />
</Data>
```

(2) .value PASSED

```
<Data>
  <OctetString Value="\V030A00.00" />
</Data>
```

Mngmt Get Active firmware version signature 1-0:0.2.8.255 (@325)

(3) .logical_name PASSED

```
<Data>
  <OctetString Value="0100000208FF" />
</Data>
```

(4) .value PASSED

```
<Data>
  <OctetString Value="\3(" />
</Data>
```

Mngmt Get Active firmware version 1 1-1:0.2.0.255 (@329)

(5) .logical_name PASSED

```
<Data>
  <OctetString Value="0101000200FF" />
</Data>
```

(6) .value PASSED

```
<Data>
  <OctetString Value="\V030204.03" />
</Data>
```

Mngmt Get Active firmware version signature 1 1-1:0.2.8.255 (@333)

(7) .logical_name PASSED

```
<Data>
  <OctetString Value="0101000208FF" />
</Data>
```

(8) .value PASSED

```
<Data>
  <OctetString Value="EB770A46" />
</Data>
```

Mngmt Get Active firmware version 2 1-2:0.2.0.255 (@337)

(9) .logical_name INAPPLICABLE

Optional object is not implemented

(10) .value INAPPLICABLE

Optional object is not implemented

Mngmt Get Active firmware version signature 2 1-2:0.2.8.255 (@341)

(11) .logical_name INAPPLICABLE

Optional object is not implemented

(12) .value INAPPLICABLE

Optional object is not implemented

```
*****
Test Case 8 : Broadcast Clock <as set in CTI>, 1 item(s)
*****
```

Pre Set Clock 0-0:1.0.0.255 (@75)

(1) .time PASSED

```
<Data>
  <OctetString Value="07DD0B05FF121D34FF8000FF" />
</Data>
```

```
*****
Test Case 9 : Read Clock, 1 item(s)
*****
```

Mngmt Get Clock 0-0:1.0.0.255 (@75)

(1) .time

PASSED

```
<Data>
  <OctetString Value="07DD0B0502121D3800FFC400" />
</Data>
```

```
*****
Test Case 10 : Set Special Days Table <as set in CTI>, 1 item(s)
*****
```

Mngmt Set Special Days Table 0-0:11.0.0.255 (@113)

(1) .entries

PASSED

```
<Data>
  <Array Qty="001E" >
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0101FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0102FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0103FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0104FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0105FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0106FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0107FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0108FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0109FF" />
      <Unsigned Value="02" />
    </Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF010AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0201FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0202FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0203FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0204FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0205FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0206FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0207FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0208FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0209FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF020AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0301FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0302FF" />
  <Unsigned Value="02" />
</Structure>
```

```

<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0303FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0304FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0305FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0306FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0307FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0308FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0309FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF030AFF" />
  <Unsigned Value="02" />
</Structure>
</Array>
</Data>

```

 Test Case 11 : Read Special Days Table, 1 item(s)

Mngmt Get Special Days Table 0-0:11.0.0.255 (@113)
 (1) .entries

PASSED

```

<_Data>
  <Array Qty="001E" >
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0101FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0102FF" />
      <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFF0103FF" />
      <Unsigned Value="02" />
    </Structure>
  </Array>

```

```
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0104FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0105FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0106FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0107FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0108FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0109FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF010AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0201FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0202FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0203FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0204FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0205FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0206FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
```

```
<LongUnsigned Value="0001" />
<OctetString Value="FFFF0207FF" />
<Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0208FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0209FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF020AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0301FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0302FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0303FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0304FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0305FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0306FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0307FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0308FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0309FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
```

```

    <OctetString Value="FFFF030AFF" />
    <Unsigned Value="02" />
  </Structure>
</Array>
</_Data>

```

```

*****
Test Case 12 : Read Event Log buffers, 4 item(s)
*****

```

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)
 (1) .buffer

PASSED

```

  entries_in_use: 10
  <Data>
    <DoubleLongUnsigned Value="0000000A" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0003" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0047" />
        <OctetString Value="0000110000FF" />
        <Integer Value="03" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

Buffer has 10 elements:

```

  <Data>
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <OctetString Value="07DC070C04001C3A00FFC480" />
        <Enum Value="3E" />
        <LongUnsigned Value="FFFF" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="07DC070C04001D0E00FFC480" />
        <Enum Value="3F" />
        <LongUnsigned Value="FFFF" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="07DC070C04001D1F00FFC480" />
        <Enum Value="3E" />
        <LongUnsigned Value="FFFF" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="07DC070C04001D3500FFC480" />
        <Enum Value="3F" />
        <LongUnsigned Value="FFFF" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="07DC070C0400222F00FFC480" />
        <Enum Value="3E" />
        <LongUnsigned Value="FFFF" />
      </Structure>
    </Array>
  </Data>

```

```

</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DC070C0400223600FFC480" />
  <Enum Value="3F" />
  <LongUnsigned Value="FFFF" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DD0B04010C000000FFC400" />
  <Enum Value="40" />
  <LongUnsigned Value="FFFF" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DD0B04010C0A0000FFC400" />
  <Enum Value="45" />
  <LongUnsigned Value="FFFF" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DD0B040110301100FFC400" />
  <Enum Value="43" />
  <LongUnsigned Value="FFFF" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DD0B040110301200FFC400" />
  <Enum Value="43" />
  <LongUnsigned Value="FFFF" />
</Structure>
</Array>
</Data>

```

Earliest date: 12-JUL-2012 00:28:58, latest date: 04-NOV-2013 16:48:18
 Middle date: 12-JUL-2012 00:34:54

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)

(2) .buffer

PASSED

entries_in_use: 100

```

<Data>
  <DoubleLongUnsigned Value="00000064" />
</Data>

```

capture_objects:

```

<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600B00FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Buffer has 100 elements:

```

<_Data>
  <Array Qty="0064" >
    <Structure Qty="0002" >
      <OctetString Value="07DC070C0402262C00FFC480" />
      <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DC070C0402270800FFC480" />
      <Enum Value="01" />
    </Structure>
  <Structure Qty="0002" >

```



```
<OctetString Value="07DC070C0402270800FFC480" />
<Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04022D3700FFC480" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04022D3700FFC480" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04022D3700FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0402380E00FFC480" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403012E00FFC480" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403012E00FFC480" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403012E00FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403043500FFC480" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403232B00FFC480" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403233200FFC480" />
  <Enum Value="12" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403251600FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300600FFC400" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300600FFC400" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300700FFC400" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300800FFC400" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300800FFC400" />
  <Enum Value="13" />
</Structure>
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300900FFC400" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300A00FFC400" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300A00FFC400" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300A00FFC400" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300B00FFC400" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110300B00FFC400" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110302E00FFC400" />
  <Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110303100FFC400" />
  <Enum Value="0B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110312D00FFC400" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110312D00FFC400" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C040A340E00FFC400" />
  <Enum Value="03" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B040110312D00FFC400" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C040B340E00FFC480" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C040B3B3100FFC480" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C040B3B3100FFC480" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C040B3B3100FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
```

```
<OctetString Value="07DC070C0417091F00FFC480" />
<Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04170E3200FFC480" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04170E3200FFC480" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04170E3200FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0515171700FFC480" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05151C1600FFC480" />
  <Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05151D0600FFC480" />
  <Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05151D0F00FFC480" />
  <Enum Value="0B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0515372A00FFC480" />
  <Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0515373100FFC480" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0515373100FFC480" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0515373100FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05153A0A00FFC480" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516003500FFC480" />
  <Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516010000FFC480" />
  <Enum Value="0B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05160E1600FFC480" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05160E1600FFC480" />
  <Enum Value="0F" />
</Structure>
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05160E1600FFC480" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05160E1600FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516132100FFC480" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516132300FFC480" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516132300FFC480" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516150100FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516150C00FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516151800FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516162200FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516172200FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516180E00FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516191F00FFC480" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516191F00FFC480" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05161A2F00FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05161E1A00FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05161F1300FFC480" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
```

```
<OctetString Value="07DC070D0516211B00FFC480" />
<Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516212300FFC480" />
  <Enum Value="0B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D0516223100FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD081F06173B3B00FFC480" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD09010700001300FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD091E01173B3B00FFC480" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0A010200001200FFC480" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0A1F04173B3B00FFC400" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B010500001900FFC400" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030B2E3B00FFC400" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030B372900FFC400" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B0502121D3400FFC400" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050214380100FFC400" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050214380100FFC400" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050214380100FFC400" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050217130400FFC400" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050217152F00FFC400" />
  <Enum Value="01" />
</Structure>
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050217152F00FFC400" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050217152F00FFC400" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B060300183600FFC400" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B060300220A00FFC400" />
  <Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B060300221500FFC400" />
  <Enum Value="0B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B0603012A3700FFC400" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B0603012A3700FFC400" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B0603012A3700FFC400" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F041600FFC400" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F112300FFC400" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F112300FFC400" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F161D00FFC400" />
  <Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F162400FFC400" />
  <Enum Value="0B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F2B0F00FFC400" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B0502121D3400FFC400" />
  <Enum Value="05" />
</Structure>
</Array>
```

```
</_Data>
```

Earliest date: 12-JUL-2012 02:38:44, latest date: 06-NOV-2013 15:43:15
Middle date: 13-JUL-2012 22:14:22

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)

(3) .buffer

PASSED

entries_in_use: 30

<Data>

<DoubleLongUnsigned Value="0000001E" />

</Data>

capture_objects:

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0000600B01FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 30 elements:

<_Data>

<Array Qty="001E" >

<Structure Qty="0002" >

<OctetString Value="07DC070C04002C0600FFC480" />

<Enum Value="31" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002C2B00FFC480" />

<Enum Value="31" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002D1200FFC480" />

<Enum Value="31" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002D1600FFC480" />

<Enum Value="31" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002D1A00FFC480" />

<Enum Value="31" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002D1E00FFC480" />

<Enum Value="31" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002D2200FFC480" />

<Enum Value="31" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002D2600FFC480" />

<Enum Value="31" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002D2A00FFC480" />

<Enum Value="32" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DC070C04002D2A00FFC480" />

<Enum Value="31" />

</Structure>

```
<Structure Qty="0002" >
  <OctetString Value="07DC070C04002D2D00FFC480" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04002D3300FFC480" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04002E1000FFC480" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04002E1800FFC480" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04002E2500FFC480" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C04002E2D00FFC480" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0402383700FFC480" />
  <Enum Value="2E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403050D00FFC480" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403050D00FFC480" />
  <Enum Value="2C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403243000FFC480" />
  <Enum Value="29" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403243000FFC480" />
  <Enum Value="2D" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0403250900FFC480" />
  <Enum Value="2E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070C0417093400FFC480" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DC070D05153A1F00FFC480" />
  <Enum Value="29" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050213081C00FFC400" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B050213092600FFC400" />
  <Enum Value="29" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B060300190F00FFC400" />
```



```

    <Enum Value="2C" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DD0B0603001A1800FFC400" />
    <Enum Value="2D" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DD0B06030F042900FFC400" />
    <Enum Value="28" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DD0B06030F053300FFC400" />
    <Enum Value="29" />
  </Structure>
</Array>
</_Data>

```

Earliest date: 12-JUL-2012 00:44:06, latest date: 06-NOV-2013 15:05:51

Middle date: 12-JUL-2012 00:46:45

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)

(4) .buffer

PASSED

entries_in_use: 6

```

  <Data>
    <DoubleLongUnsigned Value="00000006" />
  </Data>

```

capture_objects:

```

  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

Buffer has 6 elements:

```

  <Data>
    <Array Qty="0006" >
      <Structure Qty="0002" >
        <OctetString Value="07D001010600000000FFC400" />
        <Enum Value="52" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07D001010600000000FFC400" />
        <Enum Value="53" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DD0A1F0413090C00FFC400" />
        <Enum Value="4C" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DD0A1F0413090C00FFC400" />
        <Enum Value="4D" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DC070C040C301800FFC480" />
        <Enum Value="4E" />
      </Structure>
      <Structure Qty="0002" >

```

```

    <OctetString Value="07DC070C040C310F00FFC480" />
    <Enum Value="57" />
  </Structure>
</Array>
</Data>

```

Earliest date: 01-JAN-2000 00:00:00, latest date: 31-OCT-2013 19:09:12
 Middle date: 31-OCT-2013 19:09:12

```

*****
Test Case 13 : Read Data of Billing Period 1 buffer, 1 item(s)
*****

```

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)
 (1) .buffer

PASSED

```

  entries_in_use: 19
  <Data>
    <DoubleLongUnsigned Value="00000013" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0005" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
  Buffer has 19 elements:
  <_Data>
    <Array Qty="0013" >
      <Structure Qty="0005" >
        <OctetString Value="07DD0A1F0413090C00FFC400" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
      <Structure Qty="0005" >
        <OctetString Value="07DD0B0105102C2F00FFC400" />
        <DoubleLongUnsigned Value="00000000" />

```

```
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B010500000000FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B010511210B00FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B010511190A00FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B010500000000FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B02060C2C0000FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B030702120400FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DC070C0400222B00FFC480" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B03070C000000FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B030709151000FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
```

```

</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B04010A363400FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DC070C0400222600FFC480" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B04010C000000FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B040110300600FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD081F06173B3B00FFC480" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD09010700000000FFC480" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0A010200000000FFC480" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0005" >
  <OctetString Value="07DD0B010500000000FFC400" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
</Array>
</_Data>

```

Earliest date: 12-JUL-2012 00:34:38, latest date: 04-NOV-2013 16:48:06
 Middle date: 03-NOV-2013 12:00:00

```

*****
Test Case 14 : MBUS Libra Ref test, 130 item(s)
*****

```

```

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(1) .mbus_port_reference PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(2) .capture_definition PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0002" >
          <OctetString Value="\L" />
          <OctetString Value="933A" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\L" />
          <OctetString Value="13" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
          <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
          <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
        </Structure>
      </Array>
    </Data>
(3) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(4) .primary_address PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(5) .identification_number PASSED
    <Data>
      <DoubleLongUnsigned Value="00047BB1" />
    </Data>
(6) .manufacturer_id PASSED
    <Data>
      <LongUnsigned Value="19AC" />
    </Data>
(7) .version PASSED
    <Data>
      <Unsigned Value="02" />
    </Data>
(8) .device_type PASSED
    <Data>
      <Unsigned Value="03" />
    </Data>
(9) .access_number PASSED
    <Data>
      <Unsigned Value="DA" />
    </Data>
(10) .status PASSED
    <Data>
      <Unsigned Value="40" />
    </Data>
(11) .alarm PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(12) .mbus_port_reference PASSED
    <Data>

```

```

    <OctetString Value="0000180600FF" />
  </Data>
(13) .capture_definition PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <OctetString Value="\L" />
        <OctetString Value="933A" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="\L" />
        <OctetString Value="13" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFF" />
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFF" />
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFF" />
      </Structure>
    </Array>
  </Data>
(14) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(15) .primary_address PASSED
  <Data>
    <Unsigned Value="02" />
  </Data>
(16) .identification_number PASSED
  <Data>
    <DoubleLongUnsigned Value="00047BB2" />
  </Data>
(17) .manufacturer_id PASSED
  <Data>
    <LongUnsigned Value="19AC" />
  </Data>
(18) .version PASSED
  <Data>
    <Unsigned Value="02" />
  </Data>
(19) .device_type PASSED
  <Data>
    <Unsigned Value="03" />
  </Data>
(20) .access_number PASSED
  <Data>
    <Unsigned Value="77" />
  </Data>
(21) .status PASSED
  <Data>
    <Unsigned Value="40" />
  </Data>
(22) .alarm PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(23) .mbus_port_reference PASSED
  <Data>
    <OctetString Value="0000180600FF" />
  </Data>
(24) .capture_definition PASSED

```

```

<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\L" />
      <OctetString Value="933A" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\L" />
      <OctetString Value="13" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFF" />
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFF" />
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFF" />
    </Structure>
  </Array>
</Data>
(25) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(26) .primary_address PASSED
  <Data>
    <Unsigned Value="03" />
  </Data>
(27) .identification_number PASSED
  <Data>
    <DoubleLongUnsigned Value="00047BB4" />
  </Data>
(28) .manufacturer_id PASSED
  <Data>
    <LongUnsigned Value="19AC" />
  </Data>
(29) .version PASSED
  <Data>
    <Unsigned Value="02" />
  </Data>
(30) .device_type PASSED
  <Data>
    <Unsigned Value="03" />
  </Data>
(31) .access_number PASSED
  <Data>
    <Unsigned Value="AE" />
  </Data>
(32) .status PASSED
  <Data>
    <Unsigned Value="40" />
  </Data>
(33) .alarm PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(34) .mbus_port_reference PASSED
  <Data>
    <OctetString Value="0000180600FF" />
  </Data>
(35) .capture_definition PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >

```

```

        <OctetString Value="\L" />
        <OctetString Value="933A" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="\L" />
        <OctetString Value="13" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Structure>
</Array>
</Data>
(36) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(37) .primary_address PASSED
    <Data>
        <Unsigned Value="04" />
    </Data>
(38) .identification_number PASSED
    <Data>
        <DoubleLongUnsigned Value="00047BB3" />
    </Data>
(39) .manufacturer_id PASSED
    <Data>
        <LongUnsigned Value="19AC" />
    </Data>
(40) .version PASSED
    <Data>
        <Unsigned Value="02" />
    </Data>
(41) .device_type PASSED
    <Data>
        <Unsigned Value="03" />
    </Data>
(42) .access_number PASSED
    <Data>
        <Unsigned Value="C7" />
    </Data>
(43) .status PASSED
    <Data>
        <Unsigned Value="40" />
    </Data>
(44) .alarm PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1571)
(45) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="05F5DD56" />
    </Data>
(46) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FD" />
            <Enum Value="0D" />
        </Structure>
    </Data>

```



```
(47) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1579)
(49) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000227" />
    </Data>
(50) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="FD" />
        <Enum Value="0E" />
      </Structure>
    </Data>
(51) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1603)
(61) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="05F5DD18" />
    </Data>
(62) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="FD" />
        <Enum Value="0D" />
      </Structure>
    </Data>
(63) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1611)
(65) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="000004AE" />
    </Data>
(66) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="FD" />
        <Enum Value="0E" />
      </Structure>
    </Data>
(67) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1635)
(77) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="05F5DD28" />
    </Data>
(78) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="FD" />
        <Enum Value="0D" />
      </Structure>
    </Data>
```

```

    </Structure>
  </Data>
(79) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1643)
(81) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="000001E7" />
  </Data>
(82) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="FD" />
      <Enum Value="0E" />
    </Structure>
  </Data>
(83) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1667)
(93) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="05F5DD26" />
  </Data>
(94) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="FD" />
      <Enum Value="0D" />
    </Structure>
  </Data>
(95) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1675)
(97) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="000003CC" />
  </Data>
(98) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="FD" />
      <Enum Value="0E" />
    </Structure>
  </Data>
(99) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)
(109) .value PASSED
  <Data>
    <OctetString Value="\00000540029380911" />
  </Data>

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)
(110) .value PASSED
```

```

    <Data>
      <OctetString Value="\00000540029381011" />
    </Data>

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)
(111) .value PASSED
    <Data>
      <OctetString Value="\00000540029381211" />
    </Data>

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)
(112) .value PASSED
    <Data>
      <OctetString Value="\00000540029381111" />
    </Data>

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)
(113) .buffer PASSED
  entries_in_use: 13
    <Data>
      <DoubleLongUnsigned Value="0000000D" />
    </Data>
  capture_objects:
    <Data>
      <Array Qty="0006" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0001600A03FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180201FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180202FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180203FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180204FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
  Buffer has 13 elements:
    <_Data>
      <Array Qty="000D" >

```

```
<Structure Qty="0006" >
  <OctetString Value="07DD081F0617000000FFC480" />
  <Unsigned Value="AC" />
  <DoubleLongUnsigned Value="05F5DD56" />
  <DoubleLongUnsigned Value="00000227" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD09010700000000FFC480" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="05F5DD56" />
  <DoubleLongUnsigned Value="00000227" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD091E0117000000FFC480" />
  <Unsigned Value="2C" />
  <DoubleLongUnsigned Value="05F5DD56" />
  <DoubleLongUnsigned Value="00000227" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0A010200000000FFC480" />
  <Unsigned Value="08" />
  <DoubleLongUnsigned Value="05F5DD56" />
  <DoubleLongUnsigned Value="00000227" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0A1F0417000000FFC400" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="05F5DD56" />
  <DoubleLongUnsigned Value="00000227" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B010500000000FFC400" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="05F5DD56" />
  <DoubleLongUnsigned Value="00000227" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B06030B000000FFC400" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="05F5DD56" />
  <DoubleLongUnsigned Value="00000227" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B050213000000FFC400" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="05F5DD56" />
  <DoubleLongUnsigned Value="00000227" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B050214000000FFC400" />
```

```

    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="05F5DD56" />
    <DoubleLongUnsigned Value="00000227" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B050217000000FFC400" />
    <Unsigned Value="80" />
    <DoubleLongUnsigned Value="05F5DD56" />
    <DoubleLongUnsigned Value="00000227" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B060300000000FFC400" />
    <Unsigned Value="80" />
    <DoubleLongUnsigned Value="05F5DD56" />
    <DoubleLongUnsigned Value="00000227" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B060301000000FFC400" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="05F5DD56" />
    <DoubleLongUnsigned Value="00000227" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B06030F000000FFC400" />
    <Unsigned Value="80" />
    <DoubleLongUnsigned Value="05F5DD56" />
    <DoubleLongUnsigned Value="00000227" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
</Array>
</_Data>

```

Earliest date: 31-AUG-2013 23:00:00, latest date: 06-NOV-2013 15:00:00

Middle date: 06-NOV-2013 11:00:00

(114) .capture_objects

PASSED

```

  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180202FF" />

```

```

        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(115) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(116) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000D" />
    </Data>

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)
(117) .buffer PASSED
    entries_in_use: 13
    <Data>
        <DoubleLongUnsigned Value="0000000D" />
    </Data>
    capture_objects:
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0002600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180202FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

    <LongUnsigned Value="0004" />
    <OctetString Value="0002180204FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>
Buffer has 13 elements:
<_Data>
  <Array Qty="000D" >
    <Structure Qty="0006" >
      <OctetString Value="07DD081F0617000000FFC480" />
      <Unsigned Value="AC" />
      <DoubleLongUnsigned Value="05F5DD18" />
      <DoubleLongUnsigned Value="000004AE" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD09010700000000FFC480" />
      <Unsigned Value="08" />
      <DoubleLongUnsigned Value="05F5DD18" />
      <DoubleLongUnsigned Value="000004AE" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD091E0117000000FFC480" />
      <Unsigned Value="2C" />
      <DoubleLongUnsigned Value="05F5DD18" />
      <DoubleLongUnsigned Value="000004AE" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0A010200000000FFC480" />
      <Unsigned Value="08" />
      <DoubleLongUnsigned Value="05F5DD18" />
      <DoubleLongUnsigned Value="000004AE" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0A1F0417000000FFC400" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="05F5DD18" />
      <DoubleLongUnsigned Value="000004AE" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0B010500000000FFC400" />
      <Unsigned Value="00" />
      <DoubleLongUnsigned Value="05F5DD18" />
      <DoubleLongUnsigned Value="000004AE" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0B06030B000000FFC400" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="05F5DD18" />
      <DoubleLongUnsigned Value="000004AE" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>

```

```

<Structure Qty="0006" >
  <OctetString Value="07DD0B050213000000FFC400" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="05F5DD18" />
  <DoubleLongUnsigned Value="000004AE" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B050214000000FFC400" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="05F5DD18" />
  <DoubleLongUnsigned Value="000004AE" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B050217000000FFC400" />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="05F5DD18" />
  <DoubleLongUnsigned Value="000004AE" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B060300000000FFC400" />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="05F5DD18" />
  <DoubleLongUnsigned Value="000004AE" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B060301000000FFC400" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="05F5DD18" />
  <DoubleLongUnsigned Value="000004AE" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B06030F000000FFC400" />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="05F5DD18" />
  <DoubleLongUnsigned Value="000004AE" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>

```

```
</Array>
```

```
</_Data>
```

Earliest date: 31-AUG-2013 23:00:00, latest date: 06-NOV-2013 15:00:00

Middle date: 06-NOV-2013 11:00:00

(118) .capture_objects

PASSED

```
<Data>
```

```

<Array Qty="0006" >
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <OctetString Value="0002600A03FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />

```



```

    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180202FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180203FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180204FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
(119) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(120) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="0000000D" />
  </Data>

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)
(121) .buffer PASSED
  entries_in_use: 13
  <Data>
    <DoubleLongUnsigned Value="0000000D" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0003600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180202FF" />
      </Structure>
    </Array>
  </Data>

```

```

    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0003180203FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0003180204FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 13 elements:
<_Data>
  <Array Qty="000D" >
    <Structure Qty="0006" >
      <OctetString Value="07DD081F0617000000FFC480" />
      <Unsigned Value="2C" />
      <DoubleLongUnsigned Value="05F5DD28" />
      <DoubleLongUnsigned Value="000001E7" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD09010700000000FFC480" />
      <Unsigned Value="08" />
      <DoubleLongUnsigned Value="05F5DD28" />
      <DoubleLongUnsigned Value="000001E7" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD091E0117000000FFC480" />
      <Unsigned Value="2C" />
      <DoubleLongUnsigned Value="05F5DD28" />
      <DoubleLongUnsigned Value="000001E7" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0A010200000000FFC480" />
      <Unsigned Value="08" />
      <DoubleLongUnsigned Value="05F5DD28" />
      <DoubleLongUnsigned Value="000001E7" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0A1F0417000000FFC400" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="05F5DD28" />
      <DoubleLongUnsigned Value="000001E7" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0B010500000000FFC400" />
      <Unsigned Value="00" />
      <DoubleLongUnsigned Value="05F5DD28" />
      <DoubleLongUnsigned Value="000001E7" />
      <DoubleLongUnsigned Value="00000000" />

```

```

    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B06030B000000FFC400" />
    <Unsigned Value="24" />
    <DoubleLongUnsigned Value="05F5DD28" />
    <DoubleLongUnsigned Value="000001E7" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B050213000000FFC400" />
    <Unsigned Value="24" />
    <DoubleLongUnsigned Value="05F5DD28" />
    <DoubleLongUnsigned Value="000001E7" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B050214000000FFC400" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="05F5DD28" />
    <DoubleLongUnsigned Value="000001E7" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B050217000000FFC400" />
    <Unsigned Value="80" />
    <DoubleLongUnsigned Value="05F5DD28" />
    <DoubleLongUnsigned Value="000001E7" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B060300000000FFC400" />
    <Unsigned Value="80" />
    <DoubleLongUnsigned Value="05F5DD28" />
    <DoubleLongUnsigned Value="000001E7" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B060301000000FFC400" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="05F5DD28" />
    <DoubleLongUnsigned Value="000001E7" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DD0B06030F000000FFC400" />
    <Unsigned Value="80" />
    <DoubleLongUnsigned Value="05F5DD28" />
    <DoubleLongUnsigned Value="000001E7" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
</Array>
</_Data>

```

Earliest date: 31-AUG-2013 23:00:00, latest date: 06-NOV-2013 15:00:00

Middle date: 06-NOV-2013 11:00:00

(122) .capture_objects

PASSED

<Data>

<Array Qty="0006" >

<Structure Qty="0004" >

```

    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <OctetString Value="0003600A03FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0003180201FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0003180202FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0003180203FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0003180204FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
(123) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(124) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="0000000D" />
  </Data>

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)
(125) .buffer PASSED
  entries_in_use: 13
  <Data>
    <DoubleLongUnsigned Value="0000000D" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0004600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0004180201FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0004180202FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0004180203FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0004180204FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 13 elements:
<_Data>
  <Array Qty="000D" >
    <Structure Qty="0006" >
      <OctetString Value="07DD081F0617000000FFC480" />
      <Unsigned Value="2C" />
      <DoubleLongUnsigned Value="05F5DD26" />
      <DoubleLongUnsigned Value="000003CC" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD09010700000000FFC480" />
      <Unsigned Value="08" />
      <DoubleLongUnsigned Value="05F5DD26" />
      <DoubleLongUnsigned Value="000003CC" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD091E0117000000FFC480" />
      <Unsigned Value="2C" />
      <DoubleLongUnsigned Value="05F5DD26" />
      <DoubleLongUnsigned Value="000003CC" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0A010200000000FFC480" />
      <Unsigned Value="08" />
      <DoubleLongUnsigned Value="05F5DD26" />
      <DoubleLongUnsigned Value="000003CC" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DD0A1F0417000000FFC400" />
      <Unsigned Value="24" />
      <DoubleLongUnsigned Value="05F5DD26" />

```

```
<DoubleLongUnsigned Value="000003CC" />
<DoubleLongUnsigned Value="00000000" />
<DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B010500000000FFC400" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="05F5DD26" />
  <DoubleLongUnsigned Value="000003CC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B06030B000000FFC400" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="05F5DD26" />
  <DoubleLongUnsigned Value="000003CC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B050213000000FFC400" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="05F5DD26" />
  <DoubleLongUnsigned Value="000003CC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B050214000000FFC400" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="05F5DD26" />
  <DoubleLongUnsigned Value="000003CC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B050217000000FFC400" />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="05F5DD26" />
  <DoubleLongUnsigned Value="000003CC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B060300000000FFC400" />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="05F5DD26" />
  <DoubleLongUnsigned Value="000003CC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B060301000000FFC400" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="05F5DD26" />
  <DoubleLongUnsigned Value="000003CC" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DD0B06030F000000FFC400" />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="05F5DD26" />
  <DoubleLongUnsigned Value="000003CC" />
  <DoubleLongUnsigned Value="00000000" />
```

```

    <DoubleLongUnsigned Value="00000000" />
  </Structure>
</Array>
</_Data>
Earliest date: 31-AUG-2013 23:00:00, latest date: 06-NOV-2013 15:00:00
Middle date: 06-NOV-2013 11:00:00
(126) .capture_objects PASSED
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0004600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(127) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(128) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="0000000D" />
  </Data>

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)
(129) .buffer PASSED
  entries_in_use: 30
  <Data>
    <DoubleLongUnsigned Value="0000001E" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >

```

```

    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <OctetString Value="0000600B03FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 30 elements:
<_Data>
  <Array Qty="001E" >
    <Structure Qty="0002" >
      <OctetString Value="07DD0A010200000C00FFC480" />
      <Enum Value="86" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B06030B310200FFC400" />
      <Enum Value="68" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B06030B310200FFC400" />
      <Enum Value="7C" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B06030B310200FFC400" />
      <Enum Value="86" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B0502121E3B00FFC400" />
      <Enum Value="68" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B0502121E3B00FFC400" />
      <Enum Value="7C" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B0502121E3B00FFC400" />
      <Enum Value="86" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B0603001B2D00FFC400" />
      <Enum Value="64" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B0603001B2D00FFC400" />
      <Enum Value="6E" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B060300251500FFC400" />
      <Enum Value="78" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B06030F052F00FFC400" />
      <Enum Value="67" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B06030F053300FFC400" />
      <Enum Value="71" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DD0B06030F053700FFC400" />

```



```
<Enum Value="7B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F060300FFC400" />
  <Enum Value="85" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F083200FFC400" />
  <Enum Value="68" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F083200FFC400" />
  <Enum Value="72" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F083200FFC400" />
  <Enum Value="7C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F083200FFC400" />
  <Enum Value="86" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F130B00FFC400" />
  <Enum Value="67" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F130F00FFC400" />
  <Enum Value="71" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F131300FFC400" />
  <Enum Value="7B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F131A00FFC400" />
  <Enum Value="85" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F160D00FFC400" />
  <Enum Value="68" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F160D00FFC400" />
  <Enum Value="72" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F160D00FFC400" />
  <Enum Value="7C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B06030F160D00FFC400" />
  <Enum Value="86" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B0502121D3A00FFC400" />
  <Enum Value="68" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B0502121D3A00FFC400" />
  <Enum Value="72" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DD0B0502121D3A00FFC400" />
  <Enum Value="7C" />
</Structure>
```

```

        <Structure Qty="0002" >
          <OctetString Value="07DD0B0502121D3A00FFC400" />
          <Enum Value="86" />
        </Structure>
      </Array>
    </_Data>
    Earliest date: 01-OCT-2013 00:00:12, latest date: 06-NOV-2013 15:22:13
    Middle date: 06-NOV-2013 15:08:50
(130) .entries_in_use PASSED
      <Data>
        <DoubleLongUnsigned Value="0000001E" />
      </Data>

```

```

*****
Test Case 15 : Re-read S-FSK, 35 item(s)
*****

```

```

Mngmt Get S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(1) .logical_name PASSED
      <Data>
        <OctetString Value="00001A0000FF" />
      </Data>
(2) .initiator_electrical_phase PASSED
      <Data>
        <Enum Value="00" />
      </Data>
(3) .delta_electrical_phase PASSED
      <Data>
        <Enum Value="00" />
      </Data>
(4) .max_receiving_gain PASSED
      <Data>
        <Unsigned Value="2A" />
      </Data>
(5) .max_transmitting_gain PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(6) .search_initiator_gain PASSED
      <Data>
        <Unsigned Value="62" />
      </Data>
(7) .frequencies PASSED
      <Data>
        <Structure Qty="0002" >
          <DoubleLongUnsigned Value="0000F744" />
          <DoubleLongUnsigned Value="00012110" />
        </Structure>
      </Data>
(8) .mac_address PASSED
      <Data>
        <LongUnsigned Value="0008" />
      </Data>
(9) .mac_group_addresses PASSED
      <Data>
        <Array Qty="0005" >
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
        </Array>
      </Data>
(10) .repeater PASSED
      <Data>
        <Enum Value="02" />

```

```

    </Data>
(11) .repeater_status PASSED
    <Data>
      <Bool Value="00" />
    </Data>
(12) .min_delta_credit PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(13) .initiator_mac_address PASSED
    <Data>
      <LongUnsigned Value="0C00" />
    </Data>
(14) .synchronization_locked PASSED
    <Data>
      <Bool Value="01" />
    </Data>
(15) .transmission_speed PASSED
    <Data>
      <Enum Value="03" />
    </Data>

Mngmt Get S-FSK Active Initiator 0-0:26.1.0.255 (@1950)
(16) .logical_name PASSED
    <Data>
      <OctetString Value="00001A0100FF" />
    </Data>
(17) .active_initiator PASSED
    <Data>
      <Structure Qty="0003" >
        <OctetString Value="4C475A1169000000" />
        <LongUnsigned Value="0C00" />
        <Unsigned Value="01" />
      </Structure>
    </Data>

Mngmt Get S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)
(18) .logical_name PASSED
    <Data>
      <OctetString Value="00001A0200FF" />
    </Data>
(19) .search_initiator_timeout PASSED
    <Data>
      <LongUnsigned Value="0258" />
    </Data>
(20) .synchronization_confirmation_timeout PASSED
    <Data>
      <LongUnsigned Value="0005" />
    </Data>
(21) .timeout_not_addressed PASSED
    <Data>
      <LongUnsigned Value="0168" />
    </Data>
(22) .timeout_frame_not_OK PASSED
    <Data>
      <LongUnsigned Value="001E" />
    </Data>

Mngmt Get S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(23) .logical_name PASSED
    <Data>
      <OctetString Value="00001A0300FF" />
    </Data>
(24) .synchronization_register PASSED
    <Data>
      <Array Qty="0001" >

```

```

        <Structure Qty="0002" >
            <LongUnsigned Value="0C00" />
            <DoubleLongUnsigned Value="00000002" />
        </Structure>
    </Array>
</Data>
(25) .desynchronization_listing PASSED
    <Data>
        <Structure Qty="0005" >
            <DoubleLongUnsigned Value="00000006" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000001" />
            <DoubleLongUnsigned Value="00000000" />
            <DoubleLongUnsigned Value="00000000" />
        </Structure>
    </Data>
(26) .broadcast_frames_counter PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0C00" />
                <DoubleLongUnsigned Value="0000000D" />
            </Structure>
        </Array>
    </Data>
(27) .repetitions_counter PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(28) .transmissions_counter PASSED
    <Data>
        <DoubleLongUnsigned Value="0000014F" />
    </Data>
(29) .CRC_OK_frames_counter PASSED
    <Data>
        <DoubleLongUnsigned Value="0000069F" />
    </Data>
(30) .CRC_NOK_frames_counter PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(31) .logical_name PASSED
    <Data>
        <OctetString Value="00001A0500FF" />
    </Data>
(32) .max_frame_length PASSED
    <Data>
        <Unsigned Value="F2" />
    </Data>
(33) .reply_status_list PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Unsigned Value="07" />
            </Structure>
        </Array>
    </Data>

Mngmt Get S-FSK Reporting system list 0-0:26.6.0.255 (@1978)
(34) .logical_name INAPPLICABLE
    Optional object is not implemented
(35) .reporting_system_list INAPPLICABLE
    Optional object is not implemented

```

```

*****
* CTI *
*****

```

```

// CTI: ELS IDIS FIT#3
// AS3000V
// Last update: 2012-07-10, NM

```

```

Manufacturer = {
  Name = '\Elster GmbH'
  ThreeLettersId = '\ELS'
}

```

```

DeviceUnderTest = {
  IDISDeviceType = 101
  IDISFunctionType = [Extension_D, Extension_L, Extension_M]
  SerialNr = 5201270
  Type = '\AS3500(V)'
}

```

```

ObjectModel = {

```

```

// Optional objects implemented
// Optional objects implemented
OptionalObjects = '\
+ '0-2:96.3.10.255|70,' // Load Mgmt - Relay control 2 (@205)
+ '1-1:0.2.0.255|1,' // Active firmware version 1 (@329)
+ '1-1:0.2.8.255|1,' // Active firmware version signature 1 (@333)
+ '1-0:5.8.1.255|3,' // Reactive energy (QI) rate 1 (@515)
+ '1-0:5.8.2.255|3,' // Reactive energy (QI) rate 2 (@521)
+ '1-0:5.8.3.255|3,' // Reactive energy (QI) rate 3 (@527)
+ '1-0:5.8.4.255|3,' // Reactive energy (QI) rate 4 (@533)
+ '1-0:6.8.1.255|3,' // Reactive energy (QII) rate 1 (@539)
+ '1-0:6.8.2.255|3,' // Reactive energy (QII) rate 2 (@545)
+ '1-0:6.8.3.255|3,' // Reactive energy (QII) rate 3 (@551)
+ '1-0:6.8.4.255|3,' // Reactive energy (QII) rate 4 (@557)
+ '1-0:7.8.1.255|3,' // Reactive energy (QIII) rate 1 (@563)
+ '1-0:7.8.2.255|3,' // Reactive energy (QIII) rate 2 (@569)
+ '1-0:7.8.3.255|3,' // Reactive energy (QIII) rate 3 (@575)
+ '1-0:7.8.4.255|3,' // Reactive energy (QIII) rate 4 (@581)
+ '1-0:8.8.1.255|3,' // Reactive energy (QIV) rate 1 (@587)
+ '1-0:8.8.2.255|3,' // Reactive energy (QIV) rate 2 (@593)
+ '1-0:8.8.3.255|3,' // Reactive energy (QIV) rate 3 (@599)
+ '1-0:8.8.4.255|3' // Reactive energy (QIV) rate 4 (@605)

```

```

InstanceExtraInfo = {
  // Activity Calendar (@100)
  LogicalName = '0-0:13.0.0.255'
  ClassId = 20
  MethodExtraInfo = {
    // activate_passive_calendar
    MethodId = 1
    AccessRights = [ACTION]
  }
}

```

```

InstanceExtraInfo = {
  // Predefined Scripts - MDI reset / end of billing period (@135)
  LogicalName = '0-0:10.0.1.255'
  ClassId = 9
  AttributeExtraInfo = {
    // scripts
    AttributeId = 2
    AccessRights = [GET]
  }
}

```

```
    }
}

InstanceExtraInfo = {
    // Load Mgmt - Relay control 1 (@197)
    LogicalName = '0-1:96.3.10.255'
    ClassId = 70
    AttributeExtraInfo = {
        // control_mode
        AttributeId = 4
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Load Mgmt - Relay control 2 (@205)
    LogicalName = '0-2:96.3.10.255'
    ClassId = 70
    AttributeExtraInfo = {
        // control_mode
        AttributeId = 4
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Limiter (@213)
    LogicalName = '0-0:17.0.0.255'
    ClassId = 71
    AttributeExtraInfo = {
        // actions
        AttributeId = 11
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Predefined Scripts - Image activation (@316)
    LogicalName = '0-0:10.0.107.255'
    ClassId = 9
    AttributeExtraInfo = {
        // scripts
        AttributeId = 2
        AccessRights = [GET]
    }
}

InstanceExtraInfo = {
    // M-Bus client channel 1 (@1483)
    LogicalName = '0-1:24.1.0.255'
    ClassId = 72
    MethodExtraInfo = {
        // synchronize_clock
        MethodId = 5
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus client channel 2 (@1505)
    LogicalName = '0-2:24.1.0.255'
    ClassId = 72
    MethodExtraInfo = {
        // synchronize_clock
        MethodId = 5
        AccessRights = [ACTION]
    }
}
```

```
    }
}

InstanceExtraInfo = {
    // M-Bus client channel 3 (@1527)
    LogicalName = '0-3:24.1.0.255'
    ClassId = 72
    MethodExtraInfo = {
        // synchronize_clock
        MethodId = 5
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus client channel 4 (@1549)
    LogicalName = '0-4:24.1.0.255'
    ClassId = 72
    MethodExtraInfo = {
        // synchronize_clock
        MethodId = 5
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 1 (@1571)
    LogicalName = '0-1:24.2.1.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 2 (@1579)
    LogicalName = '0-1:24.2.2.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 3 (@1587)
    LogicalName = '0-1:24.2.3.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 4 (@1595)
    LogicalName = '0-1:24.2.4.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}
```

```
    }  
  }  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 2, instance 1 (@1603)  
  LogicalName = '0-2:24.2.1.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 2, instance 2 (@1611)  
  LogicalName = '0-2:24.2.2.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 2, instance 3 (@1619)  
  LogicalName = '0-2:24.2.3.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 2, instance 4 (@1627)  
  LogicalName = '0-2:24.2.4.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 3, instance 1 (@1635)  
  LogicalName = '0-3:24.2.1.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 3, instance 2 (@1643)  
  LogicalName = '0-3:24.2.2.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}
```



```
    }  
  }  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 3, instance 3 (@1651)  
  LogicalName = '0-3:24.2.3.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 3, instance 4 (@1659)  
  LogicalName = '0-3:24.2.4.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 4, instance 1 (@1667)  
  LogicalName = '0-4:24.2.1.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 4, instance 2 (@1675)  
  LogicalName = '0-4:24.2.2.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 4, instance 3 (@1683)  
  LogicalName = '0-4:24.2.3.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 4, instance 4 (@1691)  
  LogicalName = '0-4:24.2.4.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}
```

```

    }
}

InstanceExtraInfo = {
  // S-FSK MAC counters (@1962)
  LogicalName = '0-0:26.3.0.255'
  ClassId = 53
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  // Set clock to 05/11/2013 12:29:52
  LogicalName = '0-0:1.0.0.255'
  ClassId = 8
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><OctetString Value="07DD0B05FF121D34FF8000FF" /></Data>'
  }
}

InstanceExtraInfo = {
  // Set special days to 30 entries
  LogicalName = '0-0:11.0.0.255'
  ClassId = 11
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data>'
+ '    <Array Qty="1E" >'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0101FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0102FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0103FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0104FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0105FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0106FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0107FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '    </Array>'
  }
}

```

```
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0108FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0109FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF010AFF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0201FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0202FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0203FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0204FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0205FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0206FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0207FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0208FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0209FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF020AFF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
```

```

+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0301FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0302FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0303FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0304FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0305FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0306FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0307FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0308FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0309FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF030AFF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'    </Array>'
+'  </Data>'
+'}
}
}

```

```

TestParameters = {
  MeterDiscoveryTimeout = 240000
  DefaultAccessTimeout = 240000
  DefaultPriority = 5
  ConnectDisconnectDelay = 4000
  //DCSystemTitle = '4C475A4954000002' //KEMA PLC MODEM
  DCSsystemTitle = '4C475A1169000000' //FIT PLC MODEM

  ImageTransfer = {

```

```
    ImageIdentifier = '\AM50001.01.01.00-00000'
    ImageFileName = '\FW_AM50001.01.01.00-00000_meter.bin'
    Timeout = 120000
  }
}

TestOptions = {
}

PLCConfig = {
  AddrMAC = 0xC00
  TimeoutNotAddr = 360
  MaxSubFrames = 7
  TimeUpdatePeriod = 0
  BkgTaskEnabled = 1
  BkgMinDelay = 60
  DiscoverTimeSlots = 20
  ResponseProbability = 100
  MaxCredit = 2
  DiscoverPeriod = 0
  TransmissionGain = 0
  ReceptionGain = 8
  BaudRate = 1
  InputFrequency = 0
  NbComOkDecrCredit = 3
  DecrCredit = 1
  IncrCredit = 2
  MaxRetry = 1
  RepeaterCallEnabled = 0
  RepeaterCallLevel = 1000
  NewBcplTSlotCount = 10
  AlarmMngtEnabled = 0
  AlarmMngtDelay = 0
  AutoDiscoveryPriority = 2
  FCTxValue = 0
}

StandardSecurityElements = {

  Public = {
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }

  Management = {
    MechanismName = LOW_LEVEL_SECURITY
    Policy = NO_SECURITY
    Password = '\12345678'
  }

  PreEstablished = {
    Policy = NO_SECURITY
  }
}

LocalSecurityElements = {

  Public = {
    ContextName = LONG_NAMES
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }

  Management = {
    ContextName = LONG_NAMES_WITH_CIPHERING
    MechanismName = HIGH_LEVEL_SECURITY_GMAC
  }
}
```

```
    Policy = AUTHENTICATION_AND_ENCRYPTION
    Password = '\12345678'
}

PreEstablished = {
    Policy = AUTHENTICATION_AND_ENCRYPTION
}
}

TunnelSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
    }
}

HDLCPprofile = {

    PhysicalLayer = {
        // EchoingPort = FALSE
        OpeningMode = DIRECT_HDLC
        HdlcBaud = 9600
    }

    DataLinkLayer = {
        InactivityTimeout = 120000
        InterFrameTimeout = 50
        ResponseTimeout = 2000
        ServerLowerMacAddress = 0x11
        DISCToNDMTimeout = 0
        AddressingSchemes = [ONE_BYTE_ADDRESSING, TWO_BYTES_ADDRESSING, FOUR_BYTES_ADDRESSING]
    }
}

*****
* Miscellaneous *
*****

TestMode:                Tunnel
Test Plan Signature:     2E7528F668226F15938A849EB132DD6A
Object Model:            IDIS - object model - V1.24 (20111025)-MBUS Ref 1.xlsx
DUT system title:       454C5365704F5D76
DC MeterId:             ELS65704F5D76
Run number:              322
--

1CDEBDAAB82397EBDC6FBED221EAA833
```