

IDIS 0007: Iskraemeco ME381 Kema\_Report

\*\*\*\*\*

IDIS Conformance test report

26-SEP-2011 12:40:30

iCTT version 1.0.3

Licensed to: KEMA-IDIS Cert.

Tester: B. Roelofsen

\*\*\*\*\*

\*\*\*\*\*

\* Identification \*

\*\*\*\*\*

```

Manufacturer = {
  Name = '\Iskraemeco, d.d.'
  ThreeLettersId = '\ISK'
}
DeviceUnderTest = {
  IDISFunctionType = [EXTENSION_D, EXTENSION_L, EXTENSION_M]
  IDISDeviceType = 100
  SerialNr = 50699930
}

```

\*\*\*\*\*

\* Summary \*

\*\*\*\*\*

PASSED	1372
FAILED	0
DISABLED	0
INAPPLICABLE	126
INCONCLUSIVE	0
FATAL	0
TOTAL	1498

\*\*\*\*\*

Test Case 1 : Discovery, 1 item(s)

\*\*\*\*\*

(1) Meter Discovery

PASSED

\*\*\*\*\*

Test Case 2 : Connect and release, 4 item(s)

\*\*\*\*\*

- (1) Connect Public PASSED
- (2) Release Public PASSED
- (3) Connect Management PASSED
- (4) Release Management PASSED

\*\*\*\*\*

Test Case 3 : Get public object-list, 1 item(s)

\*\*\*\*\*

Public Get Current association 0-0:40.0.0.255 (@9)

(1) .object\_list PASSED

```
<_Data>
  <Array Qty="0203" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <Unsigned Value="00" />
      <OctetString Value="0000010000FF" />
      <Structure Qty="0002" >
        <Array Qty="0009" >
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="00" />
            <NullData />
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="00" />
            <NullData />
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="03" />
            <Enum Value="00" />
            <NullData />
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="04" />
            <Enum Value="00" />
          </Structure>
        </Array>
      </Structure>
    </Array>
  </_Data>
```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0006" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
```

```

</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0009" />
    <Unsigned Value="00" />
    <OctetString Value="00000A0065FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0009" />
    <Unsigned Value="00" />
    <OctetString Value="00000A0066FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```



```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0165FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A01FBFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A01FCFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0009" />
    <Unsigned Value="00" />
    <OctetString Value="00000A01FDFE" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0009" />
    <Unsigned Value="00" />
    <OctetString Value="00000A0265FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A3280FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```
                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0009" />
    <Unsigned Value="00" />
    <OctetString Value="00000A3281FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="000B" />
    <Unsigned Value="00" />
    <OctetString Value="00000B0000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0014" />
  <Unsigned Value="00" />
  <OctetString Value="00000D0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0003" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0003" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />

```

```
<Unsigned Value="00" />
<OctetString Value="00000F0001FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="0A" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="0B" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />

```

```

<OctetString Value="0000110001FF" />
<Structure Qty="0002" >
  <Array Qty="000B" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0A" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0B" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0013" />
    <Unsigned Value="01" />
    <OctetString Value="0000140000FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >

```



```

    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0000150000FF" />
<Structure Qty="0002" >
  <Array Qty="0008" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
    </Structure>
  </Array>
</Structure>

```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0000150001FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>

```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000150002FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0000160000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="004A" />
  <Unsigned Value="00" />
  <OctetString Value="0000180600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0032" />
  <Unsigned Value="01" />
  <OctetString Value="00001A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000F" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
<Enum Value="00" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0C" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0D" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0E" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0F" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0033" />
    <Unsigned Value="00" />
    <OctetString Value="00001A0100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0034" />
    <Unsigned Value="00" />
    <OctetString Value="00001A0200FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>
```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="05" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0035" />
    <Unsigned Value="00" />
    <OctetString Value="00001A0300FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0037" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0038" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0011" />
    <Unsigned Value="00" />
    <OctetString Value="0000290000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```



```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

        IDIS Reg No 0007 Kema_Report.txt
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="00002B0101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0012" />
    <Unsigned Value="00" />
    <OctetString Value="00002C0000FF" />
    <Structure Qty="0002" >

```

```

<Array Qty="0007" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />

```

```

    <Enum Value="00" />
  </Structure>
<Structure Qty="0002" >
  <Integer Value="02" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

<Unsigned Value="00" />
<OctetString Value="0000600101FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600103FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600104FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600105FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600106FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```



```
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600107FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600108FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600204FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600301FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600302FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000060030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600500FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600700FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600705FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600709FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="000060070AFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000060070EFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000060070FFF" />

```



```
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600713FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
```

```
<Structure Qty="0002" >
  <Integer Value="01" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600714FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
```

```

<OctetString Value="0000600715FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000600A02FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A80FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B04FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600D00FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```



```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600F01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000603F0AFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000606000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616101FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

<Unsigned Value="00" />
<OctetString Value="0000616201FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000061620AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000061620BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000620100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
    </Array>
  </Structure>
  </Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>

```



```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000620200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```
    <Integer Value="01" />
    <Integer Value="02" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
```

```
<Structure Qty="0002" >
  <Integer Value="02" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636201FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636202FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0002" >
    <Integer Value="01" />
    <Integer Value="02" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
```

```

    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636203FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636204FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >

```



```
<Integer Value="01" />
<Enum Value="00" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0002" >
    <Integer Value="01" />
    <Integer Value="02" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
```

```
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080000CFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080000DFF" />
```

```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

<Unsigned Value="00" />
<OctetString Value="0000800101FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800601FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070CFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070DFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070EFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070FFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800710FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800711FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```



```

        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="000080080AFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="000080080BFF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="000080080CFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="000080080DFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800832FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800A00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800A01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800A02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E03FF" />
  <Structure Qty="0002" >

```

```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E0AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```



```

<OctetString Value="0000801E0CFF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E0DFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000801E14FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802800FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802801FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802802FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802803FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802804FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802900FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802901FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000803201FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C00FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C01FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >

```

```
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0000803C02FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
```



```

    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C04FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C0AFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C0BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C0CFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C14FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C15FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C16FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C17FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C18FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C19FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1AFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1CFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1EFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1FFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C20FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C28FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
```

```

        IDIS Reg No 0007 Kema_Report.txt
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C29FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>

```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2AFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
```

```

    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C2CFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >

```

```

        IDIS Reg No 0007 Kema_Report.txt
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C2DFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>

```



```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2EFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2FFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
```

```

    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C30FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000804600FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000804601FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806401FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806402FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```
<Unsigned Value="00" />
<OctetString Value="0000806403FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806404FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080640AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806414FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806415FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806416FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```



```

    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806601FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806700FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806701FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000806702FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000C40000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
```

```

    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C40001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C40100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />

```

```

    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C40101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C40300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C43C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46100FF" />
  <Structure Qty="0002" >

```

```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```

<OctetString Value="0000C4610AFF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C4610BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```



```

<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000C46200FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46202FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46203FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00010A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00010F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

```
<Integer Value="02" />
<Enum Value="00" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0001160000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0001180100FF" />
  <Structure Qty="0002" >

```

```
<Array Qty="000C" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
  </Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >

```

```

    <Integer Value="05" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0001180201FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```



```

    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0001180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0002" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<LongUnsigned Value="0007" />
<Unsigned Value="01" />
<OctetString Value="0001180500FF" />
<Structure Qty="0002" >
  <Array Qty="0008" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
    </Structure>
  </Array>
</Structure>

```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0001600100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
</Array>

```



```

    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000160030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Structure Qty="0003" >
  </Structure>
</Structure>

```

```

    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >

```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A80FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001804600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001804601FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0048" />
    <Unsigned Value="00" />
    <OctetString Value="0002180100FF" />
    <Structure Qty="0002" >
        <Array Qty="000C" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0A" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0B" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0C" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0008" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180201FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
    </Array>
  </Structure>
</Structure>

```



```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <Array Qty="0002" >
    <Integer Value="01" />
    <Integer Value="02" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>

```

```

<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0002" >

```

```

    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

        IDIS Reg No 0007 Kema_Report.txt
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0002600101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0046" />
    <Unsigned Value="00" />
    <OctetString Value="000260030AFF" />
    <Structure Qty="0002" >

```



```
<Array Qty="0004" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600A80FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600B04FF" />
```

```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0003180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
      </Structure>
    </Array>
  </Structure>

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0A" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0B" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0C" />

```

```
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
  </Structure>
```

```
<Integer Value="07" />
<Enum Value="00" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0003180500FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>

```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A80FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0003600B04FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0048" />
    <Unsigned Value="00" />
    <OctetString Value="0004180100FF" />
    <Structure Qty="0002" >
        <Array Qty="000C" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```



```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >

```

```

    <Integer Value="0A" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0B" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0C" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0008" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="05" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="06" />
        <Enum Value="00" />
    </Structure>
</Array>

```

```

    <Structure Qty="0002" >
      <Integer Value="07" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="08" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
<NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0004180204FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0004180300FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0004180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >

```



```

    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0004180500FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
    </Array>
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />

```

```

    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600101FF" />
  <Structure Qty="0002" >

```

```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```

<OctetString Value="0004600B04FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0100000100FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
```

```

</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >

```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000301FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000302FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```



```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000402FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000403FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100000405FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100000406FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000800FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100000802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000901FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000902FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010000090BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="0100010400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
            </Structure>
        </Array>
    </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100010500FF" />

```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010600FF" />
</Structure>
```



```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
</Structure>
```

```

<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />

```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010603FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010604FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010605FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010606FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010607FF" />
</Structure>
```

```

<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010608FF" />

```



```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010700FF" />
</Structure>
```

```

<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010803FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010807FF" />

```

```
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100020400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```



```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```



```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100030400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030600FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```



```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030601FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030604FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030605FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030606FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030607FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100030608FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```



```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >

```

```
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="0100030802FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```
<Unsigned Value="00" />
<OctetString Value="0100030806FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >
```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```



```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100040400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
<Integer Value="06" />
<Enum Value="00" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100040600FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100040603FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```



```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100040607FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100040608FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040804FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```



```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040805FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100040808FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050804FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050807FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>

```

```
                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050808FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060806FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100060807FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```



```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070805FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070806FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```



```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080805FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="0100090400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
            </Structure>
        </Array>
    </Structure>
</Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090500FF" />

```



```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090600FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090601FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090602FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090603FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090604FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090605FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090606FF" />
</Structure>
```

```

<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090607FF" />

```



```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090608FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090700FF" />
</Structure>
```

```
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100090802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100090803FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100090806FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100090807FF" />

```



```
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```



```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F81FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2300FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2381FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >

```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
```



```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000E0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>

```

```
</Structure>
<Structure Qty="0002" >
  <Integer Value="02" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```



```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```
<Unsigned Value="00" />
<OctetString Value="01000F0800FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >
```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```



```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```
<Unsigned Value="00" />
<OctetString Value="01000F0804FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```
<Unsigned Value="00" />
<OctetString Value="01000F0808FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>

```

```
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100100800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100101800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0015" />
    <Unsigned Value="00" />
    <OctetString Value="01001F0400FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100200700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100202200FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100202400FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100202500FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >

```



```

    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100202600FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100210700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>

```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100600501FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
```

```
    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF01FF" />
  <Structure Qty="0002" >
```

```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```
<OctetString Value="010060EF0AFF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF0BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
```

```

<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="010060EF14FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
```



```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F20AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F20BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F301FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="010060F30AFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="010060F30BFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F401FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F40AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F40BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="010060F500FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="010060F600FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >

```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >

```

```

    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />

```



```
<OctetString Value="0100630200FF" />
```

```
<Structure Qty="0002" >
```

```
<Array Qty="0008" >
```

```
<Structure Qty="0003" >
```

```
<Integer Value="01" />
```

```
<Enum Value="00" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="02" />
```

```
<Enum Value="00" />
```

```
<Array Qty="0002" >
```

```
<Integer Value="01" />
```

```
<Integer Value="02" />
```

```
</Array>
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="03" />
```

```
<Enum Value="00" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="04" />
```

```
<Enum Value="00" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="05" />
```

```
<Enum Value="00" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="06" />
```

```
<Enum Value="00" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="07" />
```

```
<Enum Value="00" />
```

```
<NullData />
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="00" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100636100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
      <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
      </Array>
    </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
  </Structure>
```

```

    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="00" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
```

```
    </Array>
  </Structure>
</Structure>
</Array>
</_Data>
```

```
*****
Test Case 4 : Get mngmt object-list, 1 item(s)
*****
```

Mngmt Get Current association 0-0:40.0.0.255 (@9)

(1) .object\_list

PASSED

```
  <_Data>
    <Array Qty="0203" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <Unsigned Value="00" />
        <OctetString Value="0000010000FF" />
        <Structure Qty="0002" >
          <Array Qty="0009" >
            <Structure Qty="0003" >
              <Integer Value="01" />
              <Enum Value="01" />
              <NullData />
            </Structure>
            <Structure Qty="0003" >
              <Integer Value="02" />
              <Enum Value="03" />
              <NullData />
            </Structure>
            <Structure Qty="0003" >
              <Integer Value="03" />
              <Enum Value="03" />
              <NullData />
            </Structure>
            <Structure Qty="0003" >
              <Integer Value="04" />
              <Enum Value="01" />
              <NullData />
            </Structure>
          </Array>
        </Structure>
      </Structure>
    </Array>
  </_Data>
```

```

<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0006" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >

```

```
    <Integer Value="04" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0009" />
<Unsigned Value="00" />
<OctetString Value="00000A0001FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0065FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0066FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0165FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0009" />
<Unsigned Value="00" />
<OctetString Value="00000A01FBFF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A01FCFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A01FDFE" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0265FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A3280FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A3281FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000B" />
  <Unsigned Value="00" />
  <OctetString Value="00000B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0014" />
  <Unsigned Value="00" />
  <OctetString Value="00000D0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >

```

```

<LongUnsigned Value="0006" />
<Unsigned Value="00" />
<OctetString Value="00000E0001FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0003" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="01" />
    </Structure>
  </Array>

```

```

</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0003" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="03" />

```

```
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0001FF" />
```

```
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0016" />
    <Unsigned Value="00" />
    <OctetString Value="00000F0100FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110001FF" />
  <Structure Qty="0002" >
```

```

<Array Qty="000B" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="03" />
    <NullData />
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0013" />
  <Unsigned Value="01" />
  <OctetString Value="0000140000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="02" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="02" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="02" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />

```

```
<OctetString Value="0000150000FF" />
```

```
<Structure Qty="0002" >
```

```
<Array Qty="0008" >
```

```
<Structure Qty="0003" >
```

```
<Integer Value="01" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="02" />
```

```
<Enum Value="01" />
```

```
<Array Qty="0002" >
```

```
<Integer Value="01" />
```

```
<Integer Value="02" />
```

```
</Array>
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="03" />
```

```
<Enum Value="03" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="04" />
```

```
<Enum Value="03" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="05" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="06" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="07" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000150001FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
```

```

    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000150002FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0000160000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >

```

```

    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="03" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

<LongUnsigned Value="004A" />
<Unsigned Value="00" />
<OctetString Value="0000180600FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0032" />
  <Unsigned Value="01" />
  <OctetString Value="00001A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000F" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <NullData />
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0D" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0E" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0F" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0033" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0034" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0200FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0035" />
    <Unsigned Value="00" />
    <OctetString Value="00001A0300FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0037" />
    <Unsigned Value="00" />
    <OctetString Value="00001A0500FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>

```



```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0038" />
    <Unsigned Value="00" />
    <OctetString Value="00001A0600FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="000F" />
    <Unsigned Value="01" />
    <OctetString Value="0000280000FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
```

```
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0011" />
  <Unsigned Value="00" />
  <OctetString Value="0000290000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="00002B0100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0012" />
  <Unsigned Value="00" />
  <OctetString Value="00002C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >

```

```

    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>

```

```

    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="04" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600101FF" />

```



```
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
```

```

<Unsigned Value="00" />
<OctetString Value="0000600103FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600104FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600105FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600106FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600107FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600108FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Array Qty="0000" >
      </Array>
    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600204FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600301FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600302FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0046" />
    <Unsigned Value="00" />
    <OctetString Value="000060030AFF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600500FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```



```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600700FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600705FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600709FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000060070AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="000060070EFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="000060070FFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600713FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />

```

```
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600714FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600715FF" />
  <Structure Qty="0002" >
```

```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```
<OctetString Value="0000600A02FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000600A04FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A80FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
```



```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600D01FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600E00FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600F01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000603F0AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000606000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000616100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000616101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616201FF" />

```



```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000061620AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```
<Unsigned Value="00" />
<OctetString Value="000061620BFF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000620100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
  </Structure>
</Structure>
```

```

    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000620200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
      <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
      </Array>
    </Array>
  </Structure>

```

```
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
```

```
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636201FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Structure>
  </Structure>
  <Structure Qty="0003" >
```

```

    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0000636202FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
            </Structure>
        </Array>
    </Structure>

```



```

    <Enum Value="01" />
    <Array Qty="0002" >
      <Integer Value="01" />
      <Integer Value="02" />
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />

```

```

        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0000636203FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
            </Structure>
        </Array>
    </Structure>

```

```

    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636204FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

```

    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0002" >
    <Integer Value="01" />
    <Integer Value="02" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>

```

```

</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080000CFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080000DFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800101FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```

<Unsigned Value="00" />
<OctetString Value="0000800601FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```



```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070CFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070DFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

    </Structure>
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070EFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000080070FFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800710FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800711FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="000080080AFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="000080080BFF" />
```

```
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="000080080CFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="000080080DFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800832FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800A00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000800A01FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000800A02FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```



```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000800A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E0AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E0CFF" />
  <Structure Qty="0002" >
```

```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000801E0DFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```
<OctetString Value="0000801E14FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802800FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000802801FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802802FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802803FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802804FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802900FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000802901FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```



```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C01FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
```

```

<OctetString Value="0000803C02FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
      </Structure>
    </Array>
  </Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C04FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />

```

```
<Unsigned Value="00" />
<OctetString Value="0000803C0AFF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C0BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >
```

```

    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C0CFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C14FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="0000803C15FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C16FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```



```
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C17FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C18FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

<Unsigned Value="00" />
<OctetString Value="0000803C19FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1AFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1CFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />

```

```
<Unsigned Value="00" />
<OctetString Value="0000803C1EFF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C1FFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C20FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C28FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C29FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>

```



```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2AFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2CFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000803C2DFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>

```

```

</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2EFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C2FFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000803C30FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000804600FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000804601FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000806400FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="00" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000806401FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >

```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806402FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806403FF" />
```



```
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806404FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
```

```

<Unsigned Value="00" />
<OctetString Value="000080640AFF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="00" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806414FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806415FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806416FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806601FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
```

```
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806700FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806701FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000806702FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C40000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000C40001FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000C40100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C40101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C40300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C43C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C4610AFF" />
  <Structure Qty="0002" >
```

```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C4610BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```
<OctetString Value="0000C46200FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0000C46202FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C46203FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00010A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00010F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0001160000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
  </Structure>

```

```

    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="03" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0048" />
    <Unsigned Value="00" />
    <OctetString Value="0001180100FF" />
    <Structure Qty="0002" >
        <Array Qty="000C" >
            <Structure Qty="0003" >

```



```

    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >

```

```

    <Integer Value="09" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0A" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0B" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="0C" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0008" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="05" />
        <Enum Value="01" />
    </Structure>

```

```
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
```



```
<Unsigned Value="00" />
<OctetString Value="0001180400FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
```

```
<OctetString Value="0001180500FF" />
```

```
<Structure Qty="0002" >
```

```
<Array Qty="0008" >
```

```
<Structure Qty="0003" >
```

```
<Integer Value="01" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="02" />
```

```
<Enum Value="01" />
```

```
<Array Qty="0002" >
```

```
<Integer Value="01" />
```

```
<Integer Value="02" />
```

```
</Array>
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="03" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="04" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="05" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="06" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
```

```
<Structure Qty="0003" >
```

```
<Integer Value="07" />
```

```
<Enum Value="01" />
```

```
<NullData />
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000160030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0001600A03FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A80FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001804600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001804601FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0002180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>

```

```

</Structure>
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180202FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180204FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0002180300FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

<Integer Value="02" />
<Enum Value="01" />
<Array Qty="0002" >
  <Integer Value="01" />
  <Integer Value="02" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />

```



```

    <Enum Value="01" />
  </Structure>
<Structure Qty="0002" >
  <Integer Value="02" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0002600100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000260030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >

```

```

    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0002600A03FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0002600A80FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0002600B04FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >

```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0003180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <NullData />
```

```
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
</Structure>
```



```

<Unsigned Value="00" />
<OctetString Value="0003180201FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />

```

```

<Unsigned Value="00" />
<OctetString Value="0003180202FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />

```

```

<Unsigned Value="00" />
<OctetString Value="0003180203FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />

```

```

<Unsigned Value="00" />
<OctetString Value="0003180204FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />

```

```
<Unsigned Value="01" />
<OctetString Value="0003180300FF" />
<Structure Qty="0002" >
  <Array Qty="0008" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
```

```

    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
      <Array Qty="0002" >
        <Integer Value="01" />
        <Integer Value="02" />
      </Array>
    </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
  </Structure>
```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>

```



```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A80FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0004180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />

```

```

    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
  </Structure>

```

```
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180300FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0046" />
    <Unsigned Value="00" />
    <OctetString Value="0004180400FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0002" >
    <Integer Value="01" />
    <Integer Value="02" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>

```

```

    <Array Qty="0002" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600B04FF" />
  <Structure Qty="0002" >
```

```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```



```
<OctetString Value="0100000100FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0100000208FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000301FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000302FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Array>
</Structure>
```

```
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000402FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000403FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000405FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000406FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100000800FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100000802FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000901FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
<Structure Qty="0004" >

```

```

<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0100000902FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010000090BFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```



```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100010400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```



```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />

```

```

<Unsigned Value="00" />
<OctetString Value="0100020400FF" />
<Structure Qty="0002" >
  <Array Qty="0009" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
</Structure>

```

```

    <Integer Value="08" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020600FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>

```



```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020603FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>

```

```
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020605FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020607FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>

```

```

    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```



```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100020800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>

```

```

</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100020803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100020804FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100020807FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
```



```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100030400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```



```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030801FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030802FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```



```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030805FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030806FF" />

```

```
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100040400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```



```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100090400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090604FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```



```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100090608FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090803FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
```



```

<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
```

```

    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >

```

```
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />

```

```
<Unsigned Value="00" />
<OctetString Value="01000A0500FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```

<Unsigned Value="00" />
<OctetString Value="01000A0600FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />

```



```

<Unsigned Value="00" />
<OctetString Value="01000A0601FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />

```

```
<Unsigned Value="00" />
<OctetString Value="01000A0602FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```
<Unsigned Value="00" />
<OctetString Value="01000A0603FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```
<Unsigned Value="00" />
<OctetString Value="01000A0604FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```

<Unsigned Value="00" />
<OctetString Value="01000A0605FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />

```

```
<Unsigned Value="00" />
<OctetString Value="01000A0606FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
```

```

<Unsigned Value="00" />
<OctetString Value="01000A0607FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />

```

```

<Unsigned Value="00" />
<OctetString Value="01000A0608FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```



```

<Unsigned Value="00" />
<OctetString Value="01000A0700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```
<Unsigned Value="00" />
<OctetString Value="01000A0803FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0804FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
```

```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```
<Unsigned Value="00" />
<OctetString Value="01000A0807FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0808FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >
```

```

    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```



```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F81FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>

```

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2300FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2381FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
      </Structure>
    </Array>
  </Structure>

```



```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000C2D00FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
```

```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000E0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
<Structure Qty="0002" >
```

```
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```



```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0601FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0602FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0603FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0604FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0605FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0606FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0607FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >

```

```
                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0608FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
```



```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0800FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0801FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0803FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0804FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0805FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0806FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
```

```
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0807FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0808FF" />
```

```
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >

```

```

    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100100800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100101800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >

```

```
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="01001F0700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100200700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100210700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100600501FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF0AFF" />
  <Structure Qty="0002" >

```



```

<Array Qty="0002" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060EF0BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```
<OctetString Value="010060EF14FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="010060F200FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F20AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F20BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F301FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F30AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F30BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="010060F400FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="010060F401FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```

    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F40AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F40BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />

```



```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F500FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="010060F600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0100630100FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0002" >
                    <Integer Value="01" />
                    <Integer Value="02" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
            </Structure>
        </Array>
    </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630200FF" />
  <Structure Qty="0002" >

```

```

<Array Qty="0008" >
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0002" >
      <Integer Value="01" />
      <Integer Value="02" />
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >

```

```
<Integer Value="08" />
<Enum Value="01" />
<NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100636100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0002" >
          <Integer Value="01" />
          <Integer Value="02" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >

```

```

<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0101000200FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0101000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```
</Structure>  
</Array>  
</_Data>
```

```
*****  
Test Case 5 : Get public attributes, 15 item(s)  
*****
```

Public Get SAP Assignment 0-0:41.0.0.255 (@4)

```
(1) .logical_name PASSED  
    <Data>  
      <OctetString Value="0000290000FF" />  
    </Data>  
(2) .SAP_assignment_list PASSED  
    <Data>  
      <Array Qty="0001" >  
        <Structure Qty="0002" >  
          <LongUnsigned Value="0001" />  
          <OctetString Value="\ISK1000750699930" />  
        </Structure>  
      </Array>  
    </Data>
```

Public Get Current association 0-0:40.0.0.255 (@9)

```
(3) .logical_name PASSED  
    <Data>  
      <OctetString Value="0000280000FF" />  
    </Data>  
(4) .associated_partners_id PASSED  
    <Data>  
      <Structure Qty="0002" >  
        <Integer Value="10" />  
        <LongUnsigned Value="0001" />  
      </Structure>  
    </Data>  
(5) .application_context_name PASSED  
    <Data>  
      <OctetString Value="60857405080101" />  
    </Data>  
(6) .xDLMS_context_info PASSED
```



```
<Data>
  <Structure Qty="0006" >
    <BitString Value="000000000001101000011101" />
    <LongUnsigned Value="00EF" />
    <LongUnsigned Value="00EF" />
    <Unsigned Value="06" />
    <Integer Value="00" />
    <OctetString Value="00000000000000000000000000000000" />
  </Structure>
</Data>
(7) .authentication_mechanism_name PASSED
  <Data>
    <OctetString Value="60857405080200" />
  </Data>
(8) .association_status PASSED
  <Data>
    <Enum Value="02" />
  </Data>
(9) .security_setup_reference PASSED
  <Data>
    <OctetString Value="00002B0000FF" />
  </Data>

Public Get Security - Receive frame counter - broadcast key 0-0:43.1.1.255 (@33)
(10) .logical_name PASSED
  <Data>
    <OctetString Value="00002B0101FF" />
  </Data>
(11) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>

Public Get Security - Receive frame counter - unicast key 0-0:43.1.0.255 (@37)
(12) .logical_name PASSED
  <Data>
    <OctetString Value="00002B0100FF" />
  </Data>
(13) .value PASSED
  <Data>
```

```
<DoubleLongUnsigned Value="047154B3" />
</Data>
```

Public Get COSEM logical device name 0-0:42.0.0.255 (@42)

(14) .logical\_name PASSED

```
<Data>
  <OctetString Value="00002A0000FF" />
</Data>
```

(15) .value PASSED

```
<Data>
  <OctetString Value="\ISK1000750699930" />
</Data>
```

```
*****
Test Case 6 : Get mngmt attributes, 1127 item(s)
*****
```

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)

(1) .logical\_name PASSED

```
<Data>
  <OctetString Value="0000290000FF" />
</Data>
```

(2) .SAP\_assignment\_list PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <OctetString Value="\ISK1000750699930" />
    </Structure>
  </Array>
</Data>
```

Mngmt Get Current association 0-0:40.0.0.255 (@9)

(3) .logical\_name PASSED

```
<Data>
  <OctetString Value="0000280000FF" />
</Data>
```

(4) .associated\_partners\_id PASSED

```
<Data>
  <Structure Qty="0002" >
```

```

    <Integer Value="01" />
    <LongUnsigned Value="0001" />
  </Structure>
</Data>
(5) .application_context_name PASSED
  <Data>
    <OctetString Value="60857405080103" />
  </Data>
(6) .xDLMS_context_info PASSED
  <Data>
    <Structure Qty="0006" >
      <BitString Value="000000000001101000011101" />
      <LongUnsigned Value="00EF" />
      <LongUnsigned Value="00EF" />
      <Unsigned Value="06" />
      <Integer Value="00" />
      <OctetString Value="00000000000000000000000000000000" />
    </Structure>
  </Data>
(7) .authentication_mechanism_name PASSED
  <Data>
    <OctetString Value="60857405080205" />
  </Data>
(8) .association_status PASSED
  <Data>
    <Enum Value="02" />
  </Data>
(9) .security_setup_reference PASSED
  <Data>
    <OctetString Value="00002B0000FF" />
  </Data>
Mngmt Get Security setup 0-0:43.0.0.255 (@24)
(10) .logical_name PASSED
  <Data>
    <OctetString Value="00002B0000FF" />
  </Data>
(11) .security_policy PASSED
  <Data>
    <Enum Value="00" />
  </Data>

```

```

    </Data>
(12) .security_suite                                     PASSED
    <Data>
        <Enum Value="00" />
    </Data>
(13) .client_system_title                               PASSED
    <Data>
        <OctetString Value="4C475A4954000002" />
    </Data>
(14) .server_system_title                               PASSED
    <Data>
        <OctetString Value="49534B6473059E9A" />
    </Data>

Mngmt Get Security - Receive frame counter - broadcast key 0-0:43.1.1.255 (@33)
(15) .logical_name                                     PASSED
    <Data>
        <OctetString Value="00002B0101FF" />
    </Data>
(16) .value                                           PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Security - Receive frame counter - unicast key 0-0:43.1.0.255 (@37)
(17) .logical_name                                     PASSED
    <Data>
        <OctetString Value="00002B0100FF" />
    </Data>
(18) .value                                           PASSED
    <Data>
        <DoubleLongUnsigned Value="04715666" />
    </Data>

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)
(19) .logical_name                                     PASSED
    <Data>
        <OctetString Value="00002A0000FF" />
    </Data>
(20) .value                                           PASSED

```

```

<Data>
  <OctetString Value="\ISK1000750699930" />
</Data>

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)
(21) .logical_name PASSED
  <Data>
    <OctetString Value="0000600100FF" />
  </Data>
(22) .value PASSED
  <Data>
    <OctetString Value="\50699930" />
  </Data>

Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)
(23) .logical_name PASSED
  <Data>
    <OctetString Value="0000600101FF" />
  </Data>
(24) .value PASSED
  <Data>
    <OctetString Value="\ " />
  </Data>

Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)
(25) .logical_name PASSED
  <Data>
    <OctetString Value="0000600102FF" />
  </Data>
(26) .value PASSED
  <Data>
    <OctetString Value="\ " />
  </Data>

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)
(27) .logical_name PASSED
  <Data>
    <OctetString Value="0000600103FF" />
  </Data>
(28) .value PASSED

```

```

    <Data>
      <OctetString Value="\ " />
    </Data>

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)
(29) .logical_name PASSED
    <Data>
      <OctetString Value="0000600104FF" />
    </Data>
(30) .value PASSED
    <Data>
      <OctetString Value="\ " />
    </Data>

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)
(31) .logical_name PASSED
    <Data>
      <OctetString Value="0000600105FF" />
    </Data>
(32) .value PASSED
    <Data>
      <OctetString Value="\ " />
    </Data>

Mngmt Get Currently active energy tariff 0-0:96.14.0.255 (@70)
(33) .logical_name PASSED
    <Data>
      <OctetString Value="0000600E00FF" />
    </Data>
(34) .value PASSED
    <Data>
      <OctetString Value="0001" />
    </Data>

Mngmt Get Clock 0-0:1.0.0.255 (@75)
(35) .logical_name PASSED
    <Data>
      <OctetString Value="0000010000FF" />
    </Data>
(36) .time PASSED

```

```

    <Data>
      <OctetString Value="07DB091A010B140900FF8880" />
    </Data>
(37) .time_zone PASSED
    <Data>
      <Long Value="FFC4" />
    </Data>
(38) .status PASSED
    <Data>
      <Unsigned Value="80" />
    </Data>
(39) .daylights_savings_begin PASSED
    <Data>
      <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(40) .daylights_savings_end PASSED
    <Data>
      <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(41) .daylights_savings_deviation PASSED
    <Data>
      <Integer Value="3C" />
    </Data>
(42) .daylights_savings_enabled PASSED
    <Data>
      <Bool Value="01" />
    </Data>
(43) .clock_base PASSED
    <Data>
      <Enum Value="01" />
    </Data>

Mngmt Get Local Time 1-0:0.9.1.255 (@86)
(44) .logical_name PASSED
    <Data>
      <OctetString Value="0100000901FF" />
    </Data>
(45) .value PASSED
    <Data>
      <OctetString Value="0B141D00" />

```

```

</Data>
Mngmt Get Local Date 1-0:0.9.2.255 (@90)
(46) .logical_name PASSED
    <Data>
        <OctetString Value="0100000902FF" />
    </Data>
(47) .value PASSED
    <Data>
        <OctetString Value="07DB091A01" />
    </Data>
Mngmt Get Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(48) .logical_name PASSED
    <Data>
        <OctetString Value="010000090BFF" />
    </Data>
(49) .value PASSED
    <Data>
        <Unsigned Value="3C" />
    </Data>
(50) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>
Mngmt Get Activity Calendar 0-0:13.0.0.255 (@100)
(51) .logical_name PASSED
    <Data>
        <OctetString Value="00000D0000FF" />
    </Data>
(52) .calendar_name_active PASSED
    <Data>
        <OctetString Value="\CNP_5A37" />
    </Data>
(53) .season_profile_active PASSED
    <Data>

```



```

    <Array Qty="0001" >
      <Structure Qty="0003" >
        <OctetString Value="01" />
        <OctetString Value="FFFF0101FF000000008000FF" />
        <OctetString Value="01" />
      </Structure>
    </Array>
  </Data>
(54) .week_profile_table_active PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0008" >
        <OctetString Value="01" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
      </Structure>
    </Array>
  </Data>
(55) .day_profile_table_active PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Unsigned Value="00" />
        <Array Qty="0001" >
          <Structure Qty="0003" >
            <OctetString Value="00000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0001" />
          </Structure>
        </Array>
      </Structure>
    </Array>
  </Data>
(56) .calendar_name_passive PASSED
  <Data>

```

```

    <OctetString Value="\CNP_5A37" />
  </Data>
(57) .season_profile_passive PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <OctetString Value="01" />
        <OctetString Value="FFFF0101FF000000008000FF" />
        <OctetString Value="01" />
      </Structure>
    </Array>
  </Data>
(58) .week_profile_table_passive PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0008" >
        <OctetString Value="01" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
      </Structure>
    </Array>
  </Data>
(59) .day_profile_table_passive PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Unsigned Value="00" />
        <Array Qty="0001" >
          <Structure Qty="0003" >
            <OctetString Value="00000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0001" />
          </Structure>
        </Array>
      </Structure>
    </Array>
  </Data>

```

```

    </Array>
  </Data>
(60) .activate_passive_calendar_time PASSED
  <Data>
    <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
  </Data>

Mngmt Get Special Days Table 0-0:11.0.0.255 (@113)
(61) .logical_name PASSED
  <Data>
    <OctetString Value="00000B0000FF" />
  </Data>
(62) .entries PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <LongUnsigned Value="0001" />
        <OctetString Value="FFFF0915FF" />
        <Unsigned Value="02" />
      </Structure>
    </Array>
  </Data>

Mngmt Get Register activation - Energy 0-0:14.0.1.255 (@117)
(63) .logical_name PASSED
  <Data>
    <OctetString Value="00000E0001FF" />
  </Data>
(64) .register_assignment PASSED
  <_Data>
    <Array Qty="0058" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
      </Structure>
    <Structure Qty="0002" >

```

```
<LongUnsigned Value="0003" />
<OctetString Value="0100010803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020804FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0003" />
<OctetString Value="0100020805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0806FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0003" />
<OctetString Value="01000F0807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030808FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0003" />
<OctetString Value="0100040801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050802FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0003" />
<OctetString Value="0100050803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060804FF" />
</Structure>
<Structure Qty="0002" >
```



```
<LongUnsigned Value="0003" />
<OctetString Value="0100060805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070806FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0003" />
<OctetString Value="0100070807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080808FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0003" />
<OctetString Value="0100090801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100090802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100090803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100090804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100090805FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100090806FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100090807FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100090808FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000A0801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000A0802FF" />
</Structure>
<Structure Qty="0002" >
```

```

    <LongUnsigned Value="0003" />
    <OctetString Value="01000A0803FF" />
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="01000A0804FF" />
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="01000A0805FF" />
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="01000A0806FF" />
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="01000A0807FF" />
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="01000A0808FF" />
</Structure>
</Array>
</_Data>
(65) .mask_list
<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="0001" />
            <Array Qty="000B" >
                <Unsigned Value="01" />
                <Unsigned Value="09" />
                <Unsigned Value="11" />
                <Unsigned Value="19" />
                <Unsigned Value="21" />
                <Unsigned Value="29" />
                <Unsigned Value="31" />
                <Unsigned Value="39" />
                <Unsigned Value="41" />
            </Array>
        </Structure>
    </Array>

```

PASSED

```

    <Unsigned Value="49" />
    <Unsigned Value="51" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0002" />
  <Array Qty="000B" >
    <Unsigned Value="02" />
    <Unsigned Value="0A" />
    <Unsigned Value="12" />
    <Unsigned Value="1A" />
    <Unsigned Value="22" />
    <Unsigned Value="2A" />
    <Unsigned Value="32" />
    <Unsigned Value="3A" />
    <Unsigned Value="42" />
    <Unsigned Value="4A" />
    <Unsigned Value="52" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0003" />
  <Array Qty="000B" >
    <Unsigned Value="03" />
    <Unsigned Value="0B" />
    <Unsigned Value="13" />
    <Unsigned Value="1B" />
    <Unsigned Value="23" />
    <Unsigned Value="2B" />
    <Unsigned Value="33" />
    <Unsigned Value="3B" />
    <Unsigned Value="43" />
    <Unsigned Value="4B" />
    <Unsigned Value="53" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="000B" >
    <Unsigned Value="04" />

```

```

    <Unsigned Value="0C" />
    <Unsigned Value="14" />
    <Unsigned Value="1C" />
    <Unsigned Value="24" />
    <Unsigned Value="2C" />
    <Unsigned Value="34" />
    <Unsigned Value="3C" />
    <Unsigned Value="44" />
    <Unsigned Value="4C" />
    <Unsigned Value="54" />
  </Array>
</Structure>
</Array>
</Data>
(66) .active_mask PASSED
  <Data>
    <OctetString Value="0001" />
  </Data>

Mngmt Get Register activation - Maximum Demand 0-0:14.0.2.255 (@123)
(67) .logical_name PASSED
  <Data>
    <OctetString Value="00000E0002FF" />
  </Data>

(68) .register_assignment PASSED
  <_Data>
    <Array Qty="0038" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100010601FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100010602FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100010603FF" />
      </Structure>
    </Array>
  </Data>

```

```
<LongUnsigned Value="0004" />
<OctetString Value="0100010604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100010605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100010606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100010607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100010608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020605FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0004" />
<OctetString Value="0100020606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000F0601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000F0602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000F0603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000F0604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000F0605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000F0606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000F0607FF" />
</Structure>
<Structure Qty="0002" >
```



```
<LongUnsigned Value="0004" />
<OctetString Value="01000F0608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040601FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0004" />
<OctetString Value="0100040602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090603FF" />
</Structure>
<Structure Qty="0002" >
```

```
<LongUnsigned Value="0004" />
<OctetString Value="0100090604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090605FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090606FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090607FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100090608FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000A0601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000A0602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000A0603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000A0604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="01000A0605FF" />
</Structure>
<Structure Qty="0002" >
```

```

    <LongUnsigned Value="0004" />
    <OctetString Value="01000A0606FF" />
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <OctetString Value="01000A0607FF" />
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <OctetString Value="01000A0608FF" />
</Structure>
</Array>
</Data>
(69) .mask_list
<Data>
    <Array Qty="0008" >
        <Structure Qty="0002" >
            <OctetString Value="0001" />
            <Array Qty="0007" >
                <Unsigned Value="01" />
                <Unsigned Value="09" />
                <Unsigned Value="11" />
                <Unsigned Value="19" />
                <Unsigned Value="21" />
                <Unsigned Value="29" />
                <Unsigned Value="31" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="0002" />
            <Array Qty="0007" >
                <Unsigned Value="02" />
                <Unsigned Value="0A" />
                <Unsigned Value="12" />
                <Unsigned Value="1A" />
                <Unsigned Value="22" />
                <Unsigned Value="2A" />
                <Unsigned Value="32" />
            </Array>
        </Structure>
    </Array>
</Data>

```

PASSED

```
<Structure Qty="0002" >
  <OctetString Value="0003" />
  <Array Qty="0007" >
    <Unsigned Value="03" />
    <Unsigned Value="0B" />
    <Unsigned Value="13" />
    <Unsigned Value="1B" />
    <Unsigned Value="23" />
    <Unsigned Value="2B" />
    <Unsigned Value="33" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="0007" >
    <Unsigned Value="04" />
    <Unsigned Value="0C" />
    <Unsigned Value="14" />
    <Unsigned Value="1C" />
    <Unsigned Value="24" />
    <Unsigned Value="2C" />
    <Unsigned Value="34" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0005" />
  <Array Qty="0007" >
    <Unsigned Value="05" />
    <Unsigned Value="0D" />
    <Unsigned Value="15" />
    <Unsigned Value="1D" />
    <Unsigned Value="25" />
    <Unsigned Value="2D" />
    <Unsigned Value="35" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0006" />
  <Array Qty="0007" >
    <Unsigned Value="06" />
```

```
<Unsigned Value="0E" />
<Unsigned Value="16" />
<Unsigned Value="1E" />
<Unsigned Value="26" />
<Unsigned Value="2E" />
<Unsigned Value="36" />
</Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0007" />
  <Array Qty="0007" >
    <Unsigned Value="07" />
    <Unsigned Value="0F" />
    <Unsigned Value="17" />
    <Unsigned Value="1F" />
    <Unsigned Value="27" />
    <Unsigned Value="2F" />
    <Unsigned Value="37" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0008" />
  <Array Qty="0007" >
    <Unsigned Value="08" />
    <Unsigned Value="10" />
    <Unsigned Value="18" />
    <Unsigned Value="20" />
    <Unsigned Value="28" />
    <Unsigned Value="30" />
    <Unsigned Value="38" />
  </Array>
</Structure>
</Array>
</Data>
(70) .active_mask
  <Data>
    <OctetString Value="0001" />
  </Data>
```

PASSED

```

(71) .logical_name                                     PASSED
    <Data>
      <OctetString Value="00000A0064FF" />
    </Data>
(72) .scripts                                         PASSED
    <_Data>
      <Array Qty="0004" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0001" />
          <Array Qty="0003" >
            <Structure Qty="0005" >
              <Enum Value="01" />
              <LongUnsigned Value="0006" />
              <OctetString Value="00000E0001FF" />
              <Integer Value="04" />
              <OctetString Value="0001" />
            </Structure>
            <Structure Qty="0005" >
              <Enum Value="01" />
              <LongUnsigned Value="0006" />
              <OctetString Value="00000E0002FF" />
              <Integer Value="04" />
              <OctetString Value="0001" />
            </Structure>
            <Structure Qty="0005" >
              <Enum Value="02" />
              <LongUnsigned Value="0046" />
              <OctetString Value="000160030AFF" />
              <Integer Value="02" />
              <Integer Value="00" />
            </Structure>
          </Array>
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0002" />
          <Array Qty="0003" >
            <Structure Qty="0005" >
              <Enum Value="01" />
              <LongUnsigned Value="0006" />
              <OctetString Value="00000E0001FF" />
            </Structure>
          </Array>
        </Structure>
      </Array>
    </_Data>

```

```
<Integer Value="04" />
<OctetString Value="0001" />
</Structure>
<Structure Qty="0005" >
  <Enum Value="01" />
  <LongUnsigned Value="0006" />
  <OctetString Value="00000E0002FF" />
  <Integer Value="04" />
  <OctetString Value="0001" />
</Structure>
<Structure Qty="0005" >
  <Enum Value="02" />
  <LongUnsigned Value="0046" />
  <OctetString Value="000160030AFF" />
  <Integer Value="02" />
  <Integer Value="00" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="0001" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="0001" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
    </Structure>
  </Array>
</Structure>
```



```

                IDIS Reg No 0007 Kema_Report.txt
                <Integer Value="02" />
                <Integer Value="00" />
            </Structure>
        </Array>
    </Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <Array Qty="0003" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="0001" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="0001" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
</Array>
</_Data>

```

```

Mngmt Get Predefined Scripts - MDI reset / end of billing period 0-0:10.0.1.255 (@135)
(73) .logical_name PASSED
    <Data>
        <OctetString Value="00000A0001FF" />
    </Data>
(74) .scripts PASSED

```

```

<Data>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0007" />
          <OctetString Value="0000620100FF" />
          <Integer Value="01" />
          <Integer Value="00" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0002" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0007" />
          <OctetString Value="0000620200FF" />
          <Integer Value="01" />
          <Integer Value="00" />
        </Structure>
      </Array>
    </Structure>
  </Array>
</Data>

```

Mngmt Get End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(75) .logical\_name PASSED

```

<Data>
  <OctetString Value="00000F0000FF" />
</Data>

```

(76) .executed\_script PASSED

```

<Data>
  <Structure Qty="0002" >
    <OctetString Value="00000A0001FF" />
    <LongUnsigned Value="0001" />
  </Structure>

```

```

    </Data>
(77) .type PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(78) .execution_time PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="00000000" />
                <OctetString Value="FFFFFF01FF" />
            </Structure>
        </Array>
    </Data>

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)
(79) .logical_name PASSED
    <Data>
        <OctetString Value="0000620100FF" />
    </Data>
(80) .capture_objects PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010801FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010802FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

    </Structure>
  </Array>
</Data>
(81) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(82) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(83) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(84) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
(85) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="0000003A" />
    </Data>

Mngmt Get Disconnect control scheduler 0-0:15.0.1.255 (@158)
(86) .logical_name PASSED
    <Data>
      <OctetString Value="00000F0001FF" />
    </Data>
(87) .executed_script PASSED
    <Data>
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0002" />
      </Structure>

```

```

    </Data>
(88) .type PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(89) .execution_time PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="0C0A0000" />
                <OctetString Value="FFFFFFFF" />
            </Structure>
        </Array>
    </Data>

Mngmt Get Disconnecter script table 0-0:10.0.106.255 (@164)
(90) .logical_name PASSED
    <Data>
        <OctetString Value="00000A006AFF" />
    </Data>
(91) .scripts PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                        <LongUnsigned Value="0046" />
                        <OctetString Value="000060030AFF" />
                        <Integer Value="01" />
                        <Integer Value="00" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0002" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

```

```

    <LongUnsigned Value="0046" />
    <OctetString Value="000060030AFF" />
    <Integer Value="02" />
    <Integer Value="00" />
  </Structure>
</Array>
</Structure>
</Array>
</Data>

```

```

Mngmt Get Disconnect control 0-0:96.3.10.255 (@169)
(92) .logical_name PASSED
    <Data>
      <OctetString Value="000060030AFF" />
    </Data>
(93) .output_state PASSED
    <Data>
      <Bool Value="01" />
    </Data>
(94) .control_state PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(95) .control_mode PASSED
    <Data>
      <Enum Value="06" />
    </Data>

Mngmt Get Event Object - Disconnect Control log 0-0:96.11.2.255 (@177)
(96) .logical_name PASSED
    <Data>
      <OctetString Value="0000600B02FF" />
    </Data>
(97) .value PASSED
    <Data>
      <Enum Value="00" />
    </Data>

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)
(98) .logical_name PASSED

```

```
<Data>
  <OctetString Value="0000636202FF" />
</Data>
(99) .capture_objects PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(100) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(101) .sort_method PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(102) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(103) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="0000001E" />
```

```

(104) </Data> .profile_entries PASSED
      <Data>
        <DoubleLongUnsigned Value="0000001E" />
      </Data>

Mngmt Get Load Mgmt script table 0-0:10.0.103.255 (@192)
(105) .logical_name PASSED
      <Data>
        <OctetString Value="00000A0067FF" />
      </Data>

(106) .scripts PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0001" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000160030AFF" />
                <Integer Value="01" />
                <Integer Value="00" />
              </Structure>
            </Array>
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0002" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000160030AFF" />
                <Integer Value="02" />
                <Integer Value="00" />
              </Structure>
            </Array>
          </Structure>
        </Array>
      </Data>

```



```
Mngmt Get Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)
(107) .logical_name PASSED
      <Data>
        <OctetString Value="000160030AFF" />
      </Data>
(108) .output_state PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(109) .control_state PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(110) .control_mode PASSED
      <Data>
        <Enum Value="06" />
      </Data>

Mngmt Get Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)
(111) .logical_name PASSED
      <Data>
        <OctetString Value="000260030AFF" />
      </Data>
(112) .output_state PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(113) .control_state PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(114) .control_mode PASSED
      <Data>
        <Enum Value="06" />
      </Data>

Mngmt Get Limiter 0-0:17.0.0.255 (@213)
(115) .logical_name PASSED
      <Data>
```

```

    <OctetString Value="0000110000FF" />
  </Data>
(116) .monitored_value PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0003" />
      <OctetString Value="01005A0700FF" />
      <Integer Value="02" />
    </Structure>
  </Data>
(117) .threshold_active PASSED
  <Data>
    <LongUnsigned Value="03E7" />
  </Data>
(118) .threshold_normal PASSED
  <Data>
    <LongUnsigned Value="03E7" />
  </Data>
(119) .treshold_emergency PASSED
  <Data>
    <LongUnsigned Value="03E7" />
  </Data>
(120) .min_over_threshold_duration PASSED
  <Data>
    <DoubleLongUnsigned Value="000000B4" />
  </Data>
(121) .min_under_threshold_duration PASSED
  <Data>
    <DoubleLongUnsigned Value="000000B4" />
  </Data>
(122) .emergency_profile PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0000" />
      <OctetString Value="00000000000000000000800000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Data>
(123) .emergency_profile_group_id_list PASSED
  <Data>

```

```

    <Array Qty="0001" >
      <LongUnsigned Value="0000" />
    </Array>
  </Data>
(124) .emergency_profile_active PASSED
  <Data>
    <Bool Value="00" />
  </Data>
(125) .actions PASSED
  <Data>
    <Structure Qty="0002" >
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0001" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0002" />
      </Structure>
    </Structure>
  </Data>

Mngmt Get Supervision monitor 1 - Fuse supervision L1 1-0:31.4.0.255 (@226)
(126) .logical_name PASSED
  <Data>
    <OctetString Value="01001F0400FF" />
  </Data>
(127) .thresholds PASSED
  <Data>
    <Array Qty="0001" >
      <DoubleLongUnsigned Value="000003E7" />
    </Array>
  </Data>
(128) .monitored_value PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0005" />
      <OctetString Value="01001F0400FF" />
      <Integer Value="02" />
    </Structure>

```

&lt;/Data&gt;

(129) .actions

PASSED

&lt;Data&gt;

&lt;Array Qty="0001" &gt;

&lt;Structure Qty="0002" &gt;

&lt;Structure Qty="0002" &gt;

&lt;OctetString Value="00000A006AFF" /&gt;

&lt;LongUnsigned Value="0001" /&gt;

&lt;/Structure&gt;

&lt;Structure Qty="0002" &gt;

&lt;OctetString Value="00000A006AFF" /&gt;

&lt;LongUnsigned Value="0002" /&gt;

&lt;/Structure&gt;

&lt;/Structure&gt;

&lt;/Array&gt;

&lt;/Data&gt;

Mngmt Get Supervision monitor 2 - Fuse supervision L2 1-0:51.4.0.255 (@232)

(130) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(131) .thresholds

INAPPLICABLE

Object is not required according to OM and/or extensions

(132) .monitored\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(133) .actions

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Supervision monitor 3 - Fuse supervision L3 1-0:71.4.0.255 (@238)

(134) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(135) .thresholds

INAPPLICABLE

Object is not required according to OM and/or extensions

(136) .monitored\_value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(137) .actions  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Error Register 0-0:97.97.0.255 (@245)  
(138) .logical\_name PASSED  
    <Data>  
        <OctetString Value="0000616100FF" />  
    </Data>  
(139) .value PASSED  
    <Data>  
        <DoubleLongUnsigned Value="00000000" />  
    </Data>

Mngmt Get Alarm Register 0-0:97.98.0.255 (@249)  
(140) .logical\_name PASSED  
    <Data>  
        <OctetString Value="0000616200FF" />  
    </Data>  
(141) .value PASSED  
    <Data>  
        <DoubleLongUnsigned Value="00000000" />  
    </Data>

Mngmt Get Alarm Filter 0-0:97.98.10.255 (@253)  
(142) .logical\_name PASSED  
    <Data>  
        <OctetString Value="000061620AFF" />  
    </Data>  
(143) .value PASSED  
    <Data>  
        <DoubleLongUnsigned Value="00000000" />  
    </Data>

Mngmt Get Event Object - Standard Event Log 0-0:96.11.0.255 (@257)  
(144) .logical\_name PASSED  
    <Data>  
        <OctetString Value="0000600B00FF" />  
    </Data>

```

(145) .value                                     PASSED
      <Data>
        <Enum Value="02" />
      </Data>

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)
(146) .logical_name                             PASSED
      <Data>
        <OctetString Value="0000636200FF" />
      </Data>
(147) .capture_objects                         PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600B00FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(148) .capture_period                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(149) .sort_method                             PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(150) .sort_object                             PASSED
      <Data>
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
        </Structure>
      </Data>

```

```

    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
(151) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="00000064" />
  </Data>
(152) .profile_entries PASSED
  <Data>
    <DoubleLongUnsigned Value="00000064" />
  </Data>

Mngmt Get Event Object - Fraud Detection Log 0-0:96.11.1.255 (@272)
(153) .logical_name PASSED
  <Data>
    <OctetString Value="0000600B01FF" />
  </Data>
(154) .value PASSED
  <Data>
    <Enum Value="00" />
  </Data>

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)
(155) .logical_name PASSED
  <Data>
    <OctetString Value="0000636201FF" />
  </Data>
(156) .capture_objects PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B01FF" />
      </Structure>
    </Array>
  </Data>

```

```

        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(157) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(158) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(159) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(160) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="0000001E" />
    </Data>
(161) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="0000001E" />
    </Data>
Mngmt Get Consumer Message Text 0-0:96.13.0.255 (@288)
(162) .logical_name PASSED
    <Data>
        <OctetString Value="0000600D00FF" />
    </Data>
(163) .value PASSED
    <Data>
        <OctetString Value="\ISKRAEMECO,d.d." />
    </Data>

```



Mngmt Get Consumer Message Code 0-0:96.13.1.255 (@292)

(164) .logical\_name PASSED  
<Data>  
    <OctetString Value="0000600D01FF" />  
</Data>

(165) .value PASSED  
<Data>  
    <OctetString Value="\ " />  
</Data>

Mngmt Get Image transfer 0-0:44.0.0.255 (@297)

(166) .logical\_name PASSED  
<Data>  
    <OctetString Value="00002C0000FF" />  
</Data>

(167) .image\_block\_size PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000080" />  
</Data>

(168) .image\_transferred\_block\_status PASSED  
<Data>  
    <BitString Value="" />  
</Data>

(169) .image\_first\_not\_transferred\_block\_number PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(170) .image\_transfer\_enabled PASSED  
<Data>  
    <Bool Value="00" />  
</Data>

(171) .image\_transfer status PASSED  
<Data>  
    <Enum Value="00" />  
</Data>

(172) .image\_to\_activate\_info PASSED  
<Data>  
    <Array Qty="0000" >  
    </Array>

```

</Data>
Mngmt Get Image transfer activation scheduler 0-0:15.0.2.255 (@310)
(173) .logical_name PASSED
      <Data>
        <OctetString Value="00000F0002FF" />
      </Data>
(174) .executed_script PASSED
      <Data>
        <Structure Qty="0002" >
          <OctetString Value="00000A006BFF" />
          <LongUnsigned Value="0001" />
        </Structure>
      </Data>
(175) .type PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(176) .execution_time PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <OctetString Value="12370000" />
            <OctetString Value="07DB091503" />
          </Structure>
        </Array>
      </Data>
Mngmt Get Predefined Scripts - Image activation 0-0:10.0.107.255 (@316)
(177) .logical_name PASSED
      <Data>
        <OctetString Value="00000A006BFF" />
      </Data>
(178) .scripts PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0001" />
            <Array Qty="0001" >
              <Structure Qty="0005" >

```

```

    <Enum Value="00" />
    <LongUnsigned Value="0000" />
    <OctetString Value="000000000000" />
    <Integer Value="00" />
    <OctetString Value="\\" />
  </Structure>
</Array>
</Structure>
</Array>
</Data>

```

```

Mngmt Get Active firmware version 1-0:0.2.0.255 (@321)
(179) .logical_name PASSED
    <Data>
      <OctetString Value="0100000200FF" />
    </Data>
(180) .value PASSED
    <Data>
      <OctetString Value="\ISKACME381100500" />
    </Data>

Mngmt Get Active firmware version signature 1-0:0.2.8.255 (@325)
(181) .logical_name PASSED
    <Data>
      <OctetString Value="0100000208FF" />
    </Data>
(182) .value PASSED
    <Data>
      <OctetString Value="89ABEDF54394C70117585A1EAEAE3729" />
    </Data>

Mngmt Get Active firmware version 1 1-1:0.2.0.255 (@329)
(183) .logical_name PASSED
    <Data>
      <OctetString Value="0101000200FF" />
    </Data>
(184) .value PASSED
    <Data>
      <OctetString Value="\ISKAMME381100500" />
    </Data>

```

```

Mngmt Get Active firmware version signature 1 1-1:0.2.8.255 (@333)
(185) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0101000208FF" />
      </Data>
(186) .value                                           PASSED
      <Data>
        <OctetString Value="4450CF35096AC2EFDCB26AAF99ABE30C" />
      </Data>

Mngmt Get Active firmware version 2 1-2:0.2.0.255 (@337)
(187) .logical_name
INAPPLICABLE
      Optional object is not implemented
(188) .value
INAPPLICABLE
      Optional object is not implemented

Mngmt Get Active firmware version signature 2 1-2:0.2.8.255 (@341)
(189) .logical_name
INAPPLICABLE
      Optional object is not implemented
(190) .value
INAPPLICABLE
      Optional object is not implemented

Mngmt Get Active energy import (+A) 1-0:1.8.0.255 (@346)
(191) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100010800FF" />
      </Data>
(192) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="0000005D" />
      </Data>
(193) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />

```

```

    <Enum Value="1E" />
  </Structure>
</Data>

Mngmt Get Active energy export (-A) 1-0:2.8.0.255 (@352)
(194) .logical_name PASSED
    <Data>
      <OctetString Value="0100020800FF" />
    </Data>
(195) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
(196) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1E" />
      </Structure>
    </Data>

Mngmt Get Active energy (|+A|+|-A|)
Combined total 1-0:15.8.0.255 (@358)
(197) .logical_name PASSED
    <Data>
      <OctetString Value="01000F0800FF" />
    </Data>
(198) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000063" />
    </Data>
(199) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1E" />
      </Structure>
    </Data>

Mngmt Get Active energy (|+A|-|-A|)

```

Combined total 1-0:16.8.0.255 (@364)

(200) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100100800FF" />  
</Data>

(201) .value PASSED  
<Data>  
    <DoubleLong Value="00000057" />  
</Data>

(202) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="1E" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy QI (+Ri) 1-0:5.8.0.255 (@370)

(203) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100050800FF" />  
</Data>

(204) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(205) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy QII (+Rc) 1-0:6.8.0.255 (@376)

(206) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100060800FF" />  
</Data>

(207) .value PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(208) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy QIII (-Ri) 1-0:7.8.0.255 (@382)
(209) .logical_name PASSED
  <Data>
    <OctetString Value="0100070800FF" />
  </Data>
(210) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(211) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy QIV (-Rc) 1-0:8.8.0.255 (@388)
(212) .logical_name PASSED
  <Data>
    <OctetString Value="0100080800FF" />
  </Data>
(213) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(214) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
```

```

    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>

```

```

Mngmt Get Reactive energy import (+R)
(QI+QII) 1-0:3.8.0.255 (@394)
(215) .logical_name PASSED
    <Data>
      <OctetString Value="0100030800FF" />
    </Data>
(216) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(217) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy export (-R)
(QIII+QIV) 1-0:4.8.0.255 (@400)
(218) .logical_name PASSED
    <Data>
      <OctetString Value="0100040800FF" />
    </Data>
(219) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(220) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

```



```

Mngmt Get Apparent energy import (+VA)
(QI+QIV) 1-0:9.8.0.255 (@406)
(221) .logical_name PASSED
      <Data>
        <OctetString Value="0100090800FF" />
      </Data>
(222) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="0000005C" />
      </Data>
(223) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>

Mngmt Get Apparent energy export (-VA)
(QII+QIII) 1-0:10.8.0.255 (@412)
(224) .logical_name PASSED
      <Data>
        <OctetString Value="01000A0800FF" />
      </Data>
(225) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(226) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>

Mngmt Get Active energy import (+A) rate 1 1-0:1.8.1.255 (@419)
(227) .logical_name PASSED
      <Data>

```

```

    <OctetString Value="0100010801FF" />
  </Data>
(228) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="0000005D" />
    </Data>
(229) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1E" />
      </Structure>
    </Data>

Mngmt Get Active energy import (+A) rate 2 1-0:1.8.2.255 (@425)
(230) .logical_name PASSED
    <Data>
      <OctetString Value="0100010802FF" />
    </Data>
(231) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(232) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1E" />
      </Structure>
    </Data>

Mngmt Get Active energy import (+A) rate 3 1-0:1.8.3.255 (@431)
(233) .logical_name PASSED
    <Data>
      <OctetString Value="0100010803FF" />
    </Data>
(234) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>

```

(235) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>  
</Data>

Mngmt Get Active energy import (+A) rate 4 1-0:1.8.4.255 (@437)

(236) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100010804FF" />  
</Data>

(237) .value PASSED  
<Data>  
 <DoubleLongUnsigned Value="00000000" />  
</Data>

(238) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>  
</Data>

Mngmt Get Active energy export (-A) rate 1 1-0:2.8.1.255 (@443)

(239) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100020801FF" />  
</Data>

(240) .value PASSED  
<Data>  
 <DoubleLongUnsigned Value="00000006" />  
</Data>

(241) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>

```

</Data>
Mngmt Get Active energy export (-A) rate 2 1-0:2.8.2.255 (@449)
(242) .logical_name PASSED
      <Data>
        <OctetString Value="0100020802FF" />
      </Data>
(243) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(244) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>
Mngmt Get Active energy export (-A) rate 3 1-0:2.8.3.255 (@455)
(245) .logical_name PASSED
      <Data>
        <OctetString Value="0100020803FF" />
      </Data>
(246) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(247) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>
Mngmt Get Active energy export (-A) rate 4 1-0:2.8.4.255 (@461)
(248) .logical_name PASSED
      <Data>
        <OctetString Value="0100020804FF" />

```

```
(249) </Data> .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(250) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>
Mngmt Get Reactive energy (+R) rate 1 1-0:3.8.1.255 (@467)
(251) .logical_name PASSED
      <Data>
        <OctetString Value="0100030801FF" />
      </Data>
(252) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(253) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
Mngmt Get Reactive energy (+R) rate 2 1-0:3.8.2.255 (@473)
(254) .logical_name PASSED
      <Data>
        <OctetString Value="0100030802FF" />
      </Data>
(255) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(256) .scaler_unit PASSED
```

```

<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>

Mngmt Get Reactive energy (+R) rate 3 1-0:3.8.3.255 (@479)
(257) .logical_name PASSED
  <Data>
    <OctetString Value="0100030803FF" />
  </Data>
(258) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(259) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy (+R) rate 4 1-0:3.8.4.255 (@485)
(260) .logical_name PASSED
  <Data>
    <OctetString Value="0100030804FF" />
  </Data>
(261) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(262) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

```

```
Mngmt Get Reactive energy (-R) rate 1 1-0:4.8.1.255 (@491)
(263) .logical_name PASSED
      <Data>
        <OctetString Value="0100040801FF" />
      </Data>
(264) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(265) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (-R) rate 2 1-0:4.8.2.255 (@497)
(266) .logical_name PASSED
      <Data>
        <OctetString Value="0100040802FF" />
      </Data>
(267) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(268) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (-R) rate 3 1-0:4.8.3.255 (@503)
(269) .logical_name PASSED
      <Data>
        <OctetString Value="0100040803FF" />
      </Data>
```

(270) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(271) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy (-R) rate 4 1-0:4.8.4.255 (@509)

(272) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100040804FF" />  
</Data>

(273) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(274) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy (QI) rate 1 1-0:5.8.1.255 (@515)

(275) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100050801FF" />  
</Data>

(276) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(277) .scaler\_unit PASSED  
<Data>



```
<Structure Qty="0002" >
  <Integer Value="00" />
  <Enum Value="20" />
</Structure>
</Data>

Mngmt Get Reactive energy (QI) rate 2 1-0:5.8.2.255 (@521)
(278) .logical_name PASSED
  <Data>
    <OctetString Value="0100050802FF" />
  </Data>
(279) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(280) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy (QI) rate 3 1-0:5.8.3.255 (@527)
(281) .logical_name PASSED
  <Data>
    <OctetString Value="0100050803FF" />
  </Data>
(282) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(283) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>
```

Mngmt Get Reactive energy (QI) rate 4 1-0:5.8.4.255 (@533)

(284) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100050804FF" />  
</Data>

(285) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(286) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy (QII) rate 1 1-0:6.8.1.255 (@539)

(287) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100060801FF" />  
</Data>

(288) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(289) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy (QII) rate 2 1-0:6.8.2.255 (@545)

(290) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100060802FF" />  
</Data>

(291) .value PASSED

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(292) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QII) rate 3 1-0:6.8.3.255 (@551)
(293) .logical_name PASSED
    <Data>
      <OctetString Value="0100060803FF" />
    </Data>
(294) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(295) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QII) rate 4 1-0:6.8.4.255 (@557)
(296) .logical_name PASSED
    <Data>
      <OctetString Value="0100060804FF" />
    </Data>
(297) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(298) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >

```

```

    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>

Mngmt Get Reactive energy (QIII) rate 1 1-0:7.8.1.255 (@563)
(299) .logical_name PASSED
    <Data>
      <OctetString Value="0100070801FF" />
    </Data>
(300) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(301) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 2 1-0:7.8.2.255 (@569)
(302) .logical_name PASSED
    <Data>
      <OctetString Value="0100070802FF" />
    </Data>
(303) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(304) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 3 1-0:7.8.3.255 (@575)

```

(305)	.logical_name <Data> <OctetString Value="0100070803FF" /> </Data>	PASSED
(306)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(307)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt	Get Reactive energy (QIII) rate 4 1-0:7.8.4.255 (@581)	
(308)	.logical_name <Data> <OctetString Value="0100070804FF" /> </Data>	PASSED
(309)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(310)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="20" /> </Structure> </Data>	PASSED
Mngmt	Get Reactive energy (QIV) rate 1 1-0:8.8.1.255 (@587)	
(311)	.logical_name <Data> <OctetString Value="0100080801FF" /> </Data>	PASSED
(312)	.value <Data>	PASSED

```

    <DoubleLongUnsigned Value="00000000" />
  </Data>
(313) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy (QIV) rate 2 1-0:8.8.2.255 (@593)
(314) .logical_name PASSED
  <Data>
    <OctetString Value="0100080802FF" />
  </Data>
(315) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(316) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy (QIV) rate 3 1-0:8.8.3.255 (@599)
(317) .logical_name PASSED
  <Data>
    <OctetString Value="0100080803FF" />
  </Data>
(318) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(319) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />

```

```

    <Enum Value="20" />
  </Structure>
</Data>

Mngmt Get Reactive energy (QIV) rate 4 1-0:8.8.4.255 (@605)
(320) .logical_name PASSED
    <Data>
      <OctetString Value="0100080804FF" />
    </Data>
(321) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(322) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA) rate 1 1-0:9.8.1.255 (@611)
(323) .logical_name PASSED
    <Data>
      <OctetString Value="0100090801FF" />
    </Data>
(324) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="0000005C" />
    </Data>
(325) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1F" />
      </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA) rate 2 1-0:9.8.2.255 (@617)
(326) .logical_name PASSED

```

```

    <Data>
      <OctetString Value="0100090802FF" />
    </Data>
(327) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(328) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1F" />
      </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA) rate 3 1-0:9.8.3.255 (@623)
(329) .logical_name PASSED
    <Data>
      <OctetString Value="0100090803FF" />
    </Data>
(330) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(331) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1F" />
      </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA) rate 4 1-0:9.8.4.255 (@629)
(332) .logical_name PASSED
    <Data>
      <OctetString Value="0100090804FF" />
    </Data>
(333) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />

```



```

(334) </Data>
      .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>

Mngmt Get Apparent energy export (-VA) rate 1 1-0:10.8.1.255 (@635)
(335) .logical_name PASSED
      <Data>
        <OctetString Value="01000A0801FF" />
      </Data>
(336) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(337) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>

Mngmt Get Apparent energy export (-VA) rate 2 1-0:10.8.2.255 (@641)
(338) .logical_name PASSED
      <Data>
        <OctetString Value="01000A0802FF" />
      </Data>
(339) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(340) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>

```

```

    </Structure>
  </Data>

Mngmt Get Apparent energy export (-VA) rate 3 1-0:10.8.3.255 (@647)
(341) .logical_name PASSED
      <Data>
        <OctetString Value="01000A0803FF" />
      </Data>
(342) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(343) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>

Mngmt Get Apparent energy export (-VA) rate 4 1-0:10.8.4.255 (@653)
(344) .logical_name PASSED
      <Data>
        <OctetString Value="01000A0804FF" />
      </Data>
(345) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(346) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 1 1-0:15.8.1.255 (@659)
(347) .logical_name PASSED
      <Data>

```

```

    <OctetString Value="01000F0801FF" />
  </Data>
(348) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000063" />
    </Data>
(349) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1E" />
      </Structure>
    </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 2 1-0:15.8.2.255 (@665)
(350) .logical_name PASSED
    <Data>
      <OctetString Value="01000F0802FF" />
    </Data>
(351) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(352) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1E" />
      </Structure>
    </Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 3 1-0:15.8.3.255 (@671)
(353) .logical_name PASSED
    <Data>
      <OctetString Value="01000F0803FF" />
    </Data>
(354) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>

```

(355) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>  
</Data>

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 4 1-0:15.8.4.255 (@677)

(356) .logical\_name PASSED  
<Data>  
 <OctetString Value="01000F0804FF" />  
</Data>

(357) .value PASSED  
<Data>  
 <DoubleLongUnsigned Value="00000000" />  
</Data>

(358) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="1E" />  
 </Structure>  
</Data>

Mngmt Get Demand Register 1 - Active energy import (+A) 1-0:1.4.0.255 (@684)

(359) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100010400FF" />  
</Data>

(360) .current\_average\_value PASSED  
<Data>  
 <DoubleLongUnsigned Value="00000000" />  
</Data>

(361) .last\_average\_value PASSED  
<Data>  
 <DoubleLongUnsigned Value="00000000" />  
</Data>

(362) .scaler\_unit PASSED  
<Data>

```

    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1B" />
    </Structure>
  </Data>
(363) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(364) .capture_time PASSED
  <Data>
    <OctetString Value="07DB091A010B1E0000FF8880" />
  </Data>
(365) .start_time_current PASSED
  <Data>
    <OctetString Value="07DB091A010B1E0000FF8880" />
  </Data>
(366) .period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>
(367) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="0001" />
  </Data>
Mngmt Get Demand Register 2 - Active energy export (-A) 1-0:2.4.0.255 (@697)
(368) .logical_name PASSED
  <Data>
    <OctetString Value="0100020400FF" />
  </Data>
(369) .current_average_value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(370) .last_average_value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(371) .scaler_unit PASSED

```

```

<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
(372) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(373) .capture_time PASSED
<Data>
  <OctetString Value="07DB091A010B1E0000FF8880" />
</Data>
(374) .start_time_current PASSED
<Data>
  <OctetString Value="07DB091A010B1E0000FF8880" />
</Data>
(375) .period PASSED
<Data>
  <DoubleLongUnsigned Value="00000384" />
</Data>
(376) .number_of_periods PASSED
<Data>
  <LongUnsigned Value="0001" />
</Data>

Mngmt Get Demand Register 3 - Reactive energy import (+R) 1-0:3.4.0.255 (@710)
(377) .logical_name PASSED
<Data>
  <OctetString Value="0100030400FF" />
</Data>
(378) .current_average_value PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(379) .last_average_value PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>

```

```
(380) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(381) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(382) .capture_time PASSED
      <Data>
        <OctetString Value="07DB091A010B1E0000FF8880" />
      </Data>
(383) .start_time_current PASSED
      <Data>
        <OctetString Value="07DB091A010B1E0000FF8880" />
      </Data>
(384) .period PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>
(385) .number_of_periods PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>
Mngmt Get Demand Register 4 - Reactive energy export (-R) 1-0:4.4.0.255 (@723)
(386) .logical_name PASSED
      <Data>
        <OctetString Value="0100040400FF" />
      </Data>
(387) .current_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(388) .last_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```

    </Data>
(389) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(390) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(391) .capture_time PASSED
    <Data>
        <OctetString Value="07DB091A010B1E0000FF8880" />
    </Data>
(392) .start_time_current PASSED
    <Data>
        <OctetString Value="07DB091A010B1E0000FF8880" />
    </Data>
(393) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(394) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Demand Register 5 - Apparent energy import (+VA) 1-0:9.4.0.255 (@736)
(395) .logical_name PASSED
    <Data>
        <OctetString Value="0100090400FF" />
    </Data>
(396) .current_average_value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(397) .last_average_value PASSED
    <Data>

```



```

    <DoubleLongUnsigned Value="00000000" />
  </Data>
(398) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1C" />
    </Structure>
  </Data>
(399) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(400) .capture_time PASSED
  <Data>
    <OctetString Value="07DB091A010B1E0000FF8880" />
  </Data>
(401) .start_time_current PASSED
  <Data>
    <OctetString Value="07DB091A010B1E0000FF8880" />
  </Data>
(402) .period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>
(403) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="0001" />
  </Data>

Mngmt Get Demand Register 6 - Apparent energy export (-VA) 1-0:10.4.0.255 (@749)
(404) .logical_name PASSED
  <Data>
    <OctetString Value="01000A0400FF" />
  </Data>
(405) .current_average_value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(406) .last_average_value PASSED

```

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(407) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1C" />
      </Structure>
    </Data>
(408) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(409) .capture_time PASSED
    <Data>
      <OctetString Value="07DB091A010B1E0000FF8880" />
    </Data>
(410) .start_time_current PASSED
    <Data>
      <OctetString Value="07DB091A010B1E0000FF8880" />
    </Data>
(411) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(412) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Last Average Demand Register 1 - Active energy import (+A) 1-0:1.5.0.255
(@762)
(413) .logical_name PASSED
    <Data>
      <OctetString Value="0100010500FF" />
    </Data>
(414) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />

```

```

    </Data>
(415) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(416) .status                                         PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(417) .capture_time                                   PASSED
    <Data>
        <OctetString Value="07DB091A010B1E0000FF8880" />
    </Data>

Mngmt Get Last Average Demand Register 2 - Active energy export (-A) 1-0:2.5.0.255
(@770)
(418) .logical_name                                   PASSED
    <Data>
        <OctetString Value="0100020500FF" />
    </Data>
(419) .value                                          PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(420) .scaler_unit                                   PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(421) .status                                         PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(422) .capture_time                                   PASSED
    <Data>

```

```
<OctetString Value="07DB091A010B1E0000FF8880" />
</Data>
```

Mngmt Get Last Average Demand Register 3 - Reactive energy import (+R) 1-0:3.5.0.255 (@778)

```
(423) .logical_name PASSED
      <Data>
        <OctetString Value="0100030500FF" />
      </Data>
```

```
(424) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```
(425) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
```

```
(426) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

```
(427) .capture_time PASSED
      <Data>
        <OctetString Value="07DB091A010B1E0000FF8880" />
      </Data>
```

Mngmt Get Last Average Demand Register 4 - Reactive energy export (-R) 1-0:4.5.0.255 (@786)

```
(428) .logical_name PASSED
      <Data>
        <OctetString Value="0100040500FF" />
      </Data>
```

```
(429) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```
(430) .scaler_unit PASSED
```

```

    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(431) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(432) .capture_time PASSED
    <Data>
      <OctetString Value="07DB091A010B1E0000FF8880" />
    </Data>

Mngmt Get Last Average Demand Register 5 - Apparent energy import (+VA) 1-0:9.5.0.255
(@794)
(433) .logical_name PASSED
    <Data>
      <OctetString Value="0100090500FF" />
    </Data>
(434) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(435) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1C" />
      </Structure>
    </Data>
(436) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(437) .capture_time PASSED
    <Data>
      <OctetString Value="07DB091A010B1E0000FF8880" />
    </Data>

```

```

Mngmt Get Last Average Demand Register 6 - Apparent energy export (-VA)
1-0:10.5.0.255 (@802)
(438) .logical_name PASSED
      <Data>
        <OctetString Value="01000A0500FF" />
      </Data>
(439) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(440) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(441) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(442) .capture_time PASSED
      <Data>
        <OctetString Value="07DB091A010B1E0000FF8880" />
      </Data>

Mngmt Get Maximum Demand Register 1 - Active energy import (+A) 1-0:1.6.0.255 (@810)
(443) .logical_name PASSED
      <Data>
        <OctetString Value="0100010600FF" />
      </Data>
(444) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(445) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />

```

```

        <Enum Value="1B" />
    </Structure>
</Data>
(446) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(447) .capture_time PASSED
    <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Maximum Demand Register 2 - Active energy import (+A) - rate 1 1-0:1.6.1.255
(@818)
(448) .logical_name PASSED
    <Data>
        <OctetString Value="0100010601FF" />
    </Data>
(449) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(450) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(451) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(452) .capture_time PASSED
    <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Maximum Demand Register 3 - Active energy import (+A) - rate 2 1-0:1.6.2.255
(@826)

```

```

(453) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100010602FF" />
      </Data>
(454) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(455) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(456) .status                                          PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(457) .capture_time                                   PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get Maximum Demand Register 4 - Active energy import (+A) - rate 3 1-0:1.6.3.255
(@834)
(458) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100010603FF" />
      </Data>
(459) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(460) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>

```



```

    </Data>
(461) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(462) .capture_time PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get Maximum Demand Register 5 - Active energy import (+A) - rate 4 1-0:1.6.4.255
(@842)
(463) .logical_name PASSED
    <Data>
        <OctetString Value="0100010604FF" />
    </Data>
(464) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(465) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(466) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(467) .capture_time PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get Maximum Demand Register 6 - Active energy export (-A) 1-0:2.6.0.255 (@850)
(468) .logical_name PASSED
    <Data>
        <OctetString Value="0100020600FF" />

```

```

    </Data>
(469) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(470) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(471) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(472) .capture_time PASSED
    <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Maximum Demand Register 7 - Active energy export (-A) - rate 1 1-0:2.6.1.255
(@858)
(473) .logical_name PASSED
    <Data>
        <OctetString Value="0100020601FF" />
    </Data>
(474) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(475) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(476) .status PASSED
    <Data>

```

```

    <Unsigned Value="00" />
  </Data>
(477) .capture_time PASSED
    <Data>
      <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Maximum Demand Register 8 - Active energy export (-A) - rate 2 1-0:2.6.2.255
(@866)
(478) .logical_name PASSED
    <Data>
      <OctetString Value="0100020602FF" />
    </Data>
(479) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(480) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>
(481) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(482) .capture_time PASSED
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get Maximum Demand Register 9 - Active energy export (-A) - rate 3 1-0:2.6.3.255
(@874)
(483) .logical_name PASSED
    <Data>
      <OctetString Value="0100020603FF" />
    </Data>
(484) .value PASSED

```

```

<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(485) .scaler_unit PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
(486) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(487) .capture_time PASSED
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
</Data>

Mngmt Get Maximum Demand Register 10 - Active energy export (-A) - rate 4
1-0:2.6.4.255 (@882)
(488) .logical_name PASSED
<Data>
  <OctetString Value="0100020604FF" />
</Data>
(489) .value PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(490) .scaler_unit PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
(491) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>

```

```

(492) .capture_time                                     PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get Maximum Demand Register 11 - Reactive energy import (+R) 1-0:3.6.0.255
(@890)
(493) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100030600FF" />
      </Data>
(494) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(495) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(496) .status                                          PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(497) .capture_time                                     PASSED
      <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
      </Data>

Mngmt Get Maximum Demand Register 12 - Reactive energy import (+R) - rate 1
1-0:3.6.1.255 (@898)
(498) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100030601FF" />
      </Data>
(499) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />

```

```

    </Data>
(500) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(501) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(502) .capture_time PASSED
    <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Maximum Demand Register 13 - Reactive energy import (+R) - rate 2
1-0:3.6.2.255 (@906)
(503) .logical_name PASSED
    <Data>
        <OctetString Value="0100030602FF" />
    </Data>
(504) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(505) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(506) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(507) .capture_time PASSED
    <Data>

```

```
<OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
</Data>

Mngmt Get Maximum Demand Register 14 - Reactive energy import (+R) - rate 3
1-0:3.6.3.255 (@914)
(508) .logical_name PASSED
    <Data>
    <OctetString Value="0100030603FF" />
    </Data>
(509) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
    </Data>
(510) .scaler_unit PASSED
    <Data>
    <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1D" />
    </Structure>
    </Data>
(511) .status PASSED
    <Data>
    <Unsigned Value="00" />
    </Data>
(512) .capture_time PASSED
    <Data>
    <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get Maximum Demand Register 15 - Reactive energy import (+R) - rate 4
1-0:3.6.4.255 (@922)
(513) .logical_name PASSED
    <Data>
    <OctetString Value="0100030604FF" />
    </Data>
(514) .value PASSED
    <Data>
    <DoubleLongUnsigned Value="00000000" />
    </Data>
(515) .scaler_unit PASSED
```

```

    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(516) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(517) .capture_time PASSED
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get Maximum Demand Register 16 - Reactive energy export (-R) 1-0:4.6.0.255
(@930)
(518) .logical_name PASSED
    <Data>
      <OctetString Value="0100040600FF" />
    </Data>
(519) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(520) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(521) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(522) .capture_time PASSED
    <Data>
      <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

```



```

Mngmt Get Maximum Demand Register 17 - Reactive energy export (-R) - rate 1
1-0:4.6.1.255 (@938)
(523) .logical_name PASSED
      <Data>
        <OctetString Value="0100040601FF" />
      </Data>
(524) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(525) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(526) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(527) .capture_time PASSED
      <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
      </Data>

Mngmt Get Maximum Demand Register 18 - Reactive energy export (-R) - rate 2
1-0:4.6.2.255 (@946)
(528) .logical_name PASSED
      <Data>
        <OctetString Value="0100040602FF" />
      </Data>
(529) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(530) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >

```

```

    <Integer Value="00" />
    <Enum Value="1D" />
  </Structure>
</Data>
(531) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(532) .capture_time PASSED
  <Data>
    <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
  </Data>

Mngmt Get Maximum Demand Register 19 - Reactive energy export (-R) - rate 3
1-0:4.6.3.255 (@954)
(533) .logical_name PASSED
  <Data>
    <OctetString Value="0100040603FF" />
  </Data>
(534) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(535) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1D" />
    </Structure>
  </Data>
(536) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(537) .capture_time PASSED
  <Data>
    <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
  </Data>

Mngmt Get Maximum Demand Register 20 - Reactive energy export (-R) - rate 4
```

```

1-0:4.6.4.255 (@962)
(538) .logical_name PASSED
      <Data>
        <OctetString Value="0100040604FF" />
      </Data>
(539) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(540) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(541) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(542) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get Maximum Demand Register 21 - Apparent energy import (+VA) 1-0:9.6.0.255
(@970)
(543) .logical_name PASSED
      <Data>
        <OctetString Value="0100090600FF" />
      </Data>
(544) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(545) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>

```

```

    </Structure>
    </Data>
(546) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(547) .capture_time PASSED
    <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Maximum Demand Register 22 - Apparent energy import (+VA) - rate 1
1-0:9.6.1.255 (@978)
(548) .logical_name PASSED
    <Data>
        <OctetString Value="0100090601FF" />
    </Data>
(549) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(550) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1C" />
        </Structure>
    </Data>
(551) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(552) .capture_time PASSED
    <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Maximum Demand Register 23 - Apparent energy import (+VA) - rate 2
1-0:9.6.2.255 (@986)
(553) .logical_name PASSED

```

```

    <Data>
      <OctetString Value="0100090602FF" />
    </Data>
(554) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(555) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1C" />
      </Structure>
    </Data>
(556) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(557) .capture_time PASSED
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get Maximum Demand Register 24 - Apparent energy import (+VA) - rate 3
1-0:9.6.3.255 (@994)
(558) .logical_name PASSED
    <Data>
      <OctetString Value="0100090603FF" />
    </Data>
(559) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(560) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1C" />
      </Structure>
    </Data>

```

```

(561) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(562) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get Maximum Demand Register 25 - Apparent energy import (+VA) - rate 4
1-0:9.6.4.255 (@1002)
(563) .logical_name PASSED
      <Data>
        <OctetString Value="0100090604FF" />
      </Data>
(564) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(565) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(566) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(567) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get Maximum Demand Register 26 - Apparent energy export (-VA) 1-0:10.6.0.255
(@1010)
(568) .logical_name PASSED
      <Data>
        <OctetString Value="01000A0600FF" />

```

```

    </Data>
(569) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(570) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1C" />
        </Structure>
    </Data>
(571) .status                                     PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(572) .capture_time                              PASSED
    <Data>
        <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Maximum Demand Register 27 - Apparent energy export (-VA) - rate 1
1-0:10.6.1.255 (@1018)
(573) .logical_name                             PASSED
    <Data>
        <OctetString Value="01000A0601FF" />
    </Data>
(574) .value                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(575) .scaler_unit                               PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1C" />
        </Structure>
    </Data>
(576) .status                                     PASSED
    <Data>

```

```
    <Unsigned Value="00" />
  </Data>
(577) .capture_time PASSED
  <Data>
    <OctetString Value="07DB0915030F2D0000FF8880" />
  </Data>

Mngmt Get Maximum Demand Register 28 - Apparent energy export (-VA) - rate 2
1-0:10.6.2.255 (@1026)
(578) .logical_name PASSED
  <Data>
    <OctetString Value="01000A0602FF" />
  </Data>
(579) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(580) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1C" />
    </Structure>
  </Data>
(581) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(582) .capture_time PASSED
  <Data>
    <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
  </Data>

Mngmt Get Maximum Demand Register 29 - Apparent energy export (-VA) - rate 3
1-0:10.6.3.255 (@1034)
(583) .logical_name PASSED
  <Data>
    <OctetString Value="01000A0603FF" />
  </Data>
(584) .value PASSED
```



```

<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(585) .scaler_unit PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1C" />
  </Structure>
</Data>
(586) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(587) .capture_time PASSED
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
</Data>

Mngmt Get Maximum Demand Register 30 - Apparent energy export (-VA) - rate 4
1-0:10.6.4.255 (@1042)
(588) .logical_name PASSED
<Data>
  <OctetString Value="01000A0604FF" />
</Data>
(589) .value PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(590) .scaler_unit PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1C" />
  </Structure>
</Data>
(591) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>

```

```

(592) .capture_time                                     PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get Profile status - Load profile with period 1 0-0:96.10.1.255 (@1051)
(593) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0000600A01FF" />
      </Data>
(594) .status                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

Mngmt Get Load profile with period 1
i.e. General Load Profile 1-0:99.1.0.255 (@1055)
(595) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100630100FF" />
      </Data>
(596) .capture_objects                                  PASSED
      <Data>
        <Array Qty="0003" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600A01FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010800FF" />
            <Integer Value="02" />
          </Structure>
        </Array>
      </Data>

```

```

        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(597) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(598) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(599) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(600) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000089" />
    </Data>
(601) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="00004E00" />
    </Data>

Mngmt Get Profile status - Load profile with period 2 0-0:96.10.2.255 (@1066)
(602) .logical_name PASSED
    <Data>
        <OctetString Value="0000600A02FF" />
    </Data>
(603) .status PASSED
    <Data>
        <Unsigned Value="C0" />
    </Data>

```

Mngmt Get Load profile with period 2  
 i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

- (604) .logical\_name

```

                <Data>
                <OctetString Value="0100630200FF" />
            </Data>
            
```

PASSED
- (605) .capture\_objects

```

                <Data>
                <Array Qty="0004" >
                <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600A02FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010800FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100020800FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
                </Structure>
            </Array>
            </Data>
            
```

PASSED
- (606) .capture\_period

```

                <Data>
                <DoubleLongUnsigned Value="00015180" />
            </Data>
            
```

PASSED
- (607) .sort\_method

PASSED

```

<Data>
  <Enum Value="01" />
</Data>
(608) .sort_object PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
(609) .entries_in_use PASSED
<Data>
  <DoubleLongUnsigned Value="00000011" />
</Data>
(610) .profile_entries PASSED
<Data>
  <DoubleLongUnsigned Value="00002580" />
</Data>

Mngmt Get Number of power failures in any phase 0-0:96.7.21.255 (@1082)
(611) .logical_name PASSED
<Data>
  <OctetString Value="0000600715FF" />
</Data>
(612) .value PASSED
<Data>
  <LongUnsigned Value="004D" />
</Data>

Mngmt Get Number of long power failures in any phase 0-0:96.7.9.255 (@1086)
(613) .logical_name PASSED
<Data>
  <OctetString Value="0000600709FF" />
</Data>
(614) .value PASSED
<Data>
  <LongUnsigned Value="0029" />
</Data>

```

```

Mngmt Get Time threshold for long power failure 0-0:96.7.20.255 (@1090)
(615) .logical_name PASSED
      <Data>
        <OctetString Value="0000600714FF" />
      </Data>
(616) .value PASSED
      <Data>
        <LongUnsigned Value="00B4" />
      </Data>
(617) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

Mngmt Get Duration of last long power failure in any phase 0-0:96.7.19.255 (@1096)
(618) .logical_name PASSED
      <Data>
        <OctetString Value="0000600713FF" />
      </Data>
(619) .value PASSED
      <Data>
        <LongUnsigned Value="1840" />
      </Data>
(620) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

Mngmt Get Threshold for voltage sag 1-0:12.31.0.255 (@1102)
(621) .logical_name PASSED
      <Data>
        <OctetString Value="01000C1F00FF" />
      </Data>

```

(622)	.value <Data> <LongUnsigned Value="00CF" /> </Data>	PASSED
(623)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="23" /> </Structure> </Data>	PASSED
Mngmt	Get Time threshold for voltage sag 1-0:12.43.0.255 (@1108)	
(624)	.logical_name <Data> <OctetString Value="01000C2B00FF" /> </Data>	PASSED
(625)	.value <Data> <LongUnsigned Value="001E" /> </Data>	PASSED
(626)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="07" /> </Structure> </Data>	PASSED
Mngmt	Get Number of voltage sags in phase L1 1-0:32.32.0.255 (@1114)	
(627)	.logical_name <Data> <OctetString Value="0100202000FF" /> </Data>	PASSED
(628)	.value <Data> <LongUnsigned Value="0004" /> </Data>	PASSED
Mngmt	Get Number of voltage sags in phase L2 1-0:52.32.0.255 (@1118)	

```

(629) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(630) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Number of voltage sags in phase L3 1-0:72.32.0.255 (@1122)
(631) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(632) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage sag in phase L1 1-0:32.33.0.255 (@1126)
(633) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0100202100FF" />
    </Data>
(634) .value                                           PASSED
    <Data>
        <LongUnsigned Value="0004" />
    </Data>
(635) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Duration of last voltage sag in phase L2 1-0:52.33.0.255 (@1132)
(636) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(637) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(638) .scaler_unit

```



INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage sag in phase L3 1-0:72.33.0.255 (@1138)  
(639) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(640) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

(641) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Magnitude of last voltage sag in phase L1 1-0:32.34.0.255 (@1144)  
(642) .logical\_name

PASSED

<Data>  
  <OctetString Value="0100202200FF" />  
</Data>

(643) .value

PASSED

<Data>  
  <LongUnsigned Value="0052" />  
</Data>

(644) .scaler\_unit

PASSED

<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="23" />  
  </Structure>  
</Data>

Mngmt Get Magnitude of last voltage sag in phase L2 1-0:52.34.0.255 (@1150)  
(645) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(646) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

(647) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Magnitude of last voltage sag in phase L3 1-0:72.34.0.255 (@1156)

(648) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(649) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

(650) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Threshold for voltage swell 1-0:12.35.0.255 (@1162)

(651) .logical\_name

PASSED

<Data>

<OctetString Value="01000C2300FF" />

</Data>

(652) .value

PASSED

<Data>

<LongUnsigned Value="00FD" />

</Data>

(653) .scaler\_unit

PASSED

<Data>

<Structure Qty="0002" >

<Integer Value="00" />

<Enum Value="23" />

</Structure>

</Data>

Mngmt Get Time threshold for voltage swell 1-0:12.44.0.255 (@1168)

(654) .logical\_name

PASSED

<Data>

<OctetString Value="01000C2C00FF" />

</Data>

(655) .value

PASSED

<Data>

<LongUnsigned Value="001E" />

</Data>

(656) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="07" />
  </Structure>
</Data>

Mngmt Get Number of voltage swells in phase L1 1-0:32.36.0.255 (@1174)
(657) .logical_name PASSED
  <Data>
    <OctetString Value="0100202400FF" />
  </Data>
(658) .value PASSED
  <Data>
    <LongUnsigned Value="0000" />
  </Data>

Mngmt Get Number of voltage swells in phase L2 1-0:52.36.0.255 (@1178)
(659) .logical_name
INAPPLICABLE
  Object is not required according to OM and/or extensions
(660) .value
INAPPLICABLE
  Object is not required according to OM and/or extensions

Mngmt Get Number of voltage swells in phase L3 1-0:72.36.0.255 (@1182)
(661) .logical_name
INAPPLICABLE
  Object is not required according to OM and/or extensions
(662) .value
INAPPLICABLE
  Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage swell in phase L1 1-0:32.37.0.255 (@1186)
(663) .logical_name PASSED
  <Data>
    <OctetString Value="0100202500FF" />
  </Data>
(664) .value PASSED
  <Data>
```

```

    <LongUnsigned Value="0000" />
  </Data>
(665) .scaler_unit                                     PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="07" />
    </Structure>
  </Data>

Mngmt Get Duration of last voltage swell in phase L2 1-0:52.37.0.255 (@1192)
(666) .logical_name
INAPPLICABLE
  Object is not required according to OM and/or extensions
(667) .value
INAPPLICABLE
  Object is not required according to OM and/or extensions
(668) .scaler_unit
INAPPLICABLE
  Object is not required according to OM and/or extensions

Mngmt Get Duration of last voltage swell in phase L3 1-0:72.37.0.255 (@1198)
(669) .logical_name
INAPPLICABLE
  Object is not required according to OM and/or extensions
(670) .value
INAPPLICABLE
  Object is not required according to OM and/or extensions
(671) .scaler_unit
INAPPLICABLE
  Object is not required according to OM and/or extensions

Mngmt Get Magnitude of last voltage swell in phase L1 1-0:32.38.0.255 (@1204)
(672) .logical_name                                     PASSED
  <Data>
    <OctetString Value="0100202600FF" />
  </Data>
(673) .value                                           PASSED
  <Data>
    <LongUnsigned Value="0000" />

```

```

    </Data>
(674) .scaler_unit                                     PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Magnitude of last voltage swell in phase L2 1-0:52.38.0.255 (@1210)
(675) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(676) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(677) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Magnitude of last voltage swell in phase L3 1-0:72.38.0.255 (@1216)
(678) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(679) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(680) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)
(681) .logical_name                                     PASSED
    <Data>
        <OctetString Value="01000C2700FF" />
    </Data>
(682) .value                                           PASSED
    <Data>
        <LongUnsigned Value="0067" />
    </Data>

```

```
(683) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

Mngmt Get Time threshold for voltage cut 1-0:12.45.0.255 (@1228)
(684) .logical_name PASSED
      <Data>
        <OctetString Value="01000C2D00FF" />
      </Data>
(685) .value PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(686) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)
(687) .logical_name PASSED
      <Data>
        <OctetString Value="0100636100FF" />
      </Data>
(688) .capture_objects PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
```

```

                                IDIS Reg No 0007 Kema_Report.txt
                                <LongUnsigned Value="0003" />
                                <OctetString Value="0000600713FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                                </Structure>
                                </Array>
                                </Data>
(689) .capture_period PASSED
                                <Data>
                                    <DoubleLongUnsigned Value="00000000" />
                                </Data>
(690) .sort_method PASSED
                                <Data>
                                    <Enum Value="01" />
                                </Data>
(691) .sort_object PASSED
                                <Data>
                                    <Structure Qty="0004" >
                                        <LongUnsigned Value="0008" />
                                        <OctetString Value="0000010000FF" />
                                        <Integer Value="02" />
                                        <LongUnsigned Value="0000" />
                                    </Structure>
                                </Data>
(692) .entries_in_use PASSED
                                <Data>
                                    <DoubleLongUnsigned Value="0000000A" />
                                </Data>
(693) .profile_entries PASSED
                                <Data>
                                    <DoubleLongUnsigned Value="0000000A" />
                                </Data>
Mngmt Get Event Object - Power Quality Log 0-0:96.11.4.255 (@1245)
(694) .logical_name PASSED
                                <Data>
                                    <OctetString Value="0000600B04FF" />
                                </Data>
(695) .value PASSED
                                <Data>

```

```

    <Enum Value="55" />
  </Data>

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)
(696) .logical_name PASSED
  <Data>
    <OctetString Value="0000636204FF" />
  </Data>
(697) .capture_objects PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(698) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(699) .sort_method PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(700) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>

```



```

    </Structure>
  </Data>
(701) .entries_in_use                                     PASSED
    <Data>
      <DoubleLongUnsigned Value="0000001D" />
    </Data>
(702) .profile_entries                                   PASSED
    <Data>
      <DoubleLongUnsigned Value="00000064" />
    </Data>

Mngmt Get Instantaneous voltage L1 1-0:32.7.0.255 (@1260)
(703) .logical_name                                     PASSED
    <Data>
      <OctetString Value="0100200700FF" />
    </Data>
(704) .value                                           PASSED
    <Data>
      <LongUnsigned Value="00E1" />
    </Data>
(705) .scaler_unit                                     PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="23" />
      </Structure>
    </Data>

Mngmt Get Average voltage L1 1-0:32.24.0.255 (@1266)
(706) .logical_name                                     PASSED
    <Data>
      <OctetString Value="0100201800FF" />
    </Data>
(707) .value                                           PASSED
    <Data>
      <LongUnsigned Value="00E3" />
    </Data>
(708) .scaler_unit                                     PASSED
    <Data>
      <Structure Qty="0002" >

```

```

    <Integer Value="00" />
    <Enum Value="23" />
  </Structure>
</Data>

Mngmt Get Instantaneous current L1 1-0:31.7.0.255 (@1272)
(709) .logical_name PASSED
    <Data>
      <OctetString Value="01001F0700FF" />
    </Data>
(710) .value PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>
(711) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="21" />
      </Structure>
    </Data>

Mngmt Get Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255 (@1278)
(712) .logical_name PASSED
    <Data>
      <OctetString Value="01001F0400FF" />
    </Data>
(713) .current_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(714) .last_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(715) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="21" />
      </Structure>
    </Data>

```

```

    </Structure>
  </Data>
(716) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(717) .capture_time PASSED
    <Data>
      <OctetString Value="07DB091A010B2C3600FF8880" />
    </Data>
(718) .start_time_current PASSED
    <Data>
      <OctetString Value="07DB091A010B2B1B00FF8880" />
    </Data>
(719) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000001" />
    </Data>
(720) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="005A" />
    </Data>

Mngmt Get Instantaneous voltage L2 1-0:52.7.0.255 (@1291)
(721) .logical_name
INAPPLICABLE
  Object is not required according to OM and/or extensions
(722) .value
INAPPLICABLE
  Object is not required according to OM and/or extensions
(723) .scaler_unit
INAPPLICABLE
  Object is not required according to OM and/or extensions

Mngmt Get Average voltage L2 1-0:52.24.0.255 (@1297)
(724) .logical_name
INAPPLICABLE
  Object is not required according to OM and/or extensions
(725) .value
INAPPLICABLE

```

Object is not required according to OM and/or extensions  
(726) .scaler\_unit  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Instantaneous current L2 1-0:51.7.0.255 (@1303)  
(727) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions

(728) .value  
INAPPLICABLE

Object is not required according to OM and/or extensions

(729) .scaler\_unit  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Sliding Average current L2 (for fuse supervision) 1-0:51.4.0.255 (@1309)  
(730) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions

(731) .current\_average\_value  
INAPPLICABLE

Object is not required according to OM and/or extensions

(732) .last\_average\_value  
INAPPLICABLE

Object is not required according to OM and/or extensions

(733) .scaler\_unit  
INAPPLICABLE

Object is not required according to OM and/or extensions

(734) .status  
INAPPLICABLE

Object is not required according to OM and/or extensions

(735) .capture\_time  
INAPPLICABLE

Object is not required according to OM and/or extensions

(736) .start\_time\_current  
INAPPLICABLE

Object is not required according to OM and/or extensions

(737) .period  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(738) .number\_of\_periods  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Instantaneous voltage L3 1-0:72.7.0.255 (@1322)  
(739) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(740) .value

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(741) .scaler\_unit

INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Average voltage L3 1-0:72.24.0.255 (@1328)  
(742) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(743) .value

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(744) .scaler\_unit

INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Instantaneous current L3 1-0:71.7.0.255 (@1334)  
(745) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(746) .value

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(747) .scaler\_unit

INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Sliding Average current L3 (for fuse supervision) 1-0:71.4.0.255 (@1340)  
(748) .logical\_name

INAPPLICABLE  
 Object is not required according to OM and/or extensions  
 (749) .current\_average\_value  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
 (750) .last\_average\_value  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
 (751) .scaler\_unit  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
 (752) .status  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
 (753) .capture\_time  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
 (754) .start\_time\_current  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
 (755) .period  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions  
 (756) .number\_of\_periods  
 INAPPLICABLE  
 Object is not required according to OM and/or extensions

Mngmt Get Instantaneous current  
 (sum over all phases) 1-0:90.7.0.255 (@1353)

(757) .logical_name	PASSED
<Data>	
<OctetString Value="01005A0700FF" />	
</Data>	
(758) .value	PASSED
<Data>	
<LongUnsigned Value="0000" />	
</Data>	
(759) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	

```

    <Integer Value="00" />
    <Enum Value="21" />
  </Structure>
</Data>

Mngmt Get Instantaneous net frequency; any phase 1-0:14.7.0.255 (@1359)
(760) .logical_name PASSED
    <Data>
      <OctetString Value="01000E0700FF" />
    </Data>
(761) .value PASSED
    <Data>
      <LongUnsigned Value="0032" />
    </Data>
(762) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="2C" />
      </Structure>
    </Data>

Mngmt Get Instantaneous active power (|+A|+|-A|) 1-0:15.7.0.255 (@1365)
(763) .logical_name PASSED
    <Data>
      <OctetString Value="01000F0700FF" />
    </Data>
(764) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(765) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>

Mngmt Get Instantaneous active import power (+A) 1-0:1.7.0.255 (@1371)

```

(766)	.logical_name		PASSED
	<Data>		
	<OctetString Value="0100010700FF" />		
	</Data>		
(767)	.value		PASSED
	<Data>		
	<DoubleLongUnsigned Value="00000000" />		
	</Data>		
(768)	.scaler_unit		PASSED
	<Data>		
	<Structure Qty="0002" >		
	<Integer Value="00" />		
	<Enum Value="1B" />		
	</Structure>		
	</Data>		
Mngmt	Get Instantaneous active export power (-A) 1-0:2.7.0.255 (@1377)		
(769)	.logical_name		PASSED
	<Data>		
	<OctetString Value="0100020700FF" />		
	</Data>		
(770)	.value		PASSED
	<Data>		
	<DoubleLongUnsigned Value="00000000" />		
	</Data>		
(771)	.scaler_unit		PASSED
	<Data>		
	<Structure Qty="0002" >		
	<Integer Value="00" />		
	<Enum Value="1B" />		
	</Structure>		
	</Data>		
Mngmt	Get Instantaneous reactive import power (+R) 1-0:3.7.0.255 (@1383)		
(772)	.logical_name		PASSED
	<Data>		
	<OctetString Value="0100030700FF" />		
	</Data>		
(773)	.value		PASSED
	<Data>		



```

    <DoubleLongUnsigned Value="00000000" />
  </Data>
(774) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1D" />
    </Structure>
  </Data>

Mngmt Get Instantaneous reactive export power (-R) 1-0:4.7.0.255 (@1389)
(775) .logical_name PASSED
  <Data>
    <OctetString Value="0100040700FF" />
  </Data>
(776) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(777) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1D" />
    </Structure>
  </Data>

Mngmt Get Instantaneous apparent import power (+VA) 1-0:9.7.0.255 (@1395)
(778) .logical_name PASSED
  <Data>
    <OctetString Value="0100090700FF" />
  </Data>
(779) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(780) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />

```

```

    <Enum Value="1C" />
  </Structure>
</Data>

Mngmt Get Instantaneous apparent export power (-VA) 1-0:10.7.0.255 (@1401)
(781) .logical_name PASSED
    <Data>
      <OctetString Value="01000A0700FF" />
    </Data>
(782) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(783) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1C" />
      </Structure>
    </Data>

Mngmt Get Average Import Power (+A) 1-0:1.24.0.255 (@1407)
(784) .logical_name PASSED
    <Data>
      <OctetString Value="0100011800FF" />
    </Data>
(785) .current_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(786) .last_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(787) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>

```

```

    </Data>
(788) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(789) .capture_time PASSED
    <Data>
        <OctetString Value="07DB091A010B2E0000FF8880" />
    </Data>
(790) .start_time_current PASSED
    <Data>
        <OctetString Value="07DB091A010B200000FF8880" />
    </Data>
(791) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="0000003C" />
    </Data>
(792) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="000F" />
    </Data>

Mngmt Get Average Net Power (|+A|-|-A|) 1-0:16.24.0.255 (@1420)
(793) .logical_name PASSED
    <Data>
        <OctetString Value="0100101800FF" />
    </Data>
(794) .current_average_value PASSED
    <Data>
        <DoubleLong Value="00000000" />
    </Data>
(795) .last_average_value PASSED
    <Data>
        <DoubleLong Value="00000000" />
    </Data>
(796) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>

```

```

    </Structure>
  </Data>
(797) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(798) .capture_time PASSED
  <Data>
    <OctetString Value="07DB091A010B2E0000FF8880" />
  </Data>
(799) .start_time_current PASSED
  <Data>
    <OctetString Value="07DB091A010B200000FF8880" />
  </Data>
(800) .period PASSED
  <Data>
    <DoubleLongUnsigned Value="0000003C" />
  </Data>
(801) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="000F" />
  </Data>

Mngmt Get Average Total Power (|+A|+|-A|) 1-0:15.24.0.255 (@1433)
(802) .logical_name PASSED
  <Data>
    <OctetString Value="01000F1800FF" />
  </Data>
(803) .current_average_value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(804) .last_average_value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(805) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />

```

```

    <Enum Value="1B" />
  </Structure>
</Data>
(806) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(807) .capture_time PASSED
  <Data>
    <OctetString Value="07DB091A010B2E0000FF8880" />
  </Data>
(808) .start_time_current PASSED
  <Data>
    <OctetString Value="07DB091A010B200000FF8880" />
  </Data>
(809) .period PASSED
  <Data>
    <DoubleLongUnsigned Value="0000003C" />
  </Data>
(810) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="000F" />
  </Data>

Mngmt Get Instantaneous Power factor (+A/+VA) 1-0:13.7.0.255 (@1446)
(811) .logical_name PASSED
  <Data>
    <OctetString Value="01000D0700FF" />
  </Data>
(812) .value PASSED
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
(813) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="FD" />
      <Enum Value="FF" />
    </Structure>
  </Data>

```

```

Mngmt Get Last Average Power factor (+A/+VA) 1-0:13.5.0.255 (@1452)
(814) .logical_name                                     PASSED
      <Data>
        <OctetString Value="01000D0500FF" />
      </Data>
(815) .value                                           PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(816) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="FD" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(817) .status                                          PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(818) .capture_time                                   PASSED
      <Data>
        <OctetString Value="07DB091A010B2D0000FF8880" />
      </Data>

Mngmt Get Minimum Power factor (+A/+VA) 1-0:13.3.0.255 (@1460)
(819) .logical_name                                     PASSED
      <Data>
        <OctetString Value="01000D0300FF" />
      </Data>
(820) .value                                           PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(821) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="FD" />
          <Enum Value="FF" />
        </Structure>
      </Data>

```

```

    </Structure>
  </Data>
(822) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(823) .capture_time PASSED
    <Data>
      <OctetString Value="07DB0915030F2D0000FF8880" />
    </Data>

Mngmt Get Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)
(824) .logical_name PASSED
    <Data>
      <OctetString Value="0100000802FF" />
    </Data>
(825) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000258" />
    </Data>
(826) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="07" />
      </Structure>
    </Data>

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1475)
(827) .logical_name PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(828) .comm_speed PASSED
    <Data>
      <Enum Value="03" />
    </Data>

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1479)
(829) .logical_name

```

INAPPLICABLE

Optional object is not implemented

(830) .comm\_speed

INAPPLICABLE

Optional object is not implemented

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1483)

(831) .logical\_name PASSED

<Data>

<OctetString Value="0001180100FF" />

</Data>

(832) .mbus\_port\_reference PASSED

<Data>

<OctetString Value="0000180600FF" />

</Data>

(833) .capture\_definition PASSED

<Data>

<Array Qty="0000" >

</Array>

</Data>

(834) .capture\_period PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(835) .primary\_address PASSED

<Data>

<Unsigned Value="00" />

</Data>

(836) .identification\_number PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(837) .manufacturer\_id PASSED

<Data>

<LongUnsigned Value="0000" />

</Data>

(838) .version PASSED

<Data>

<Unsigned Value="00" />

</Data>



(839)	.device_type <Data> <Unsigned Value="00" /> </Data>	PASSED
(840)	.access_number <Data> <Unsigned Value="00" /> </Data>	PASSED
(841)	.status <Data> <Unsigned Value="00" /> </Data>	PASSED
(842)	.alarm <Data> <Unsigned Value="00" /> </Data>	PASSED
Mngmt	Get M-Bus client channel 2 0-2:24.1.0.255 (@1505)	
(843)	.logical_name <Data> <OctetString Value="0002180100FF" /> </Data>	PASSED
(844)	.mbus_port_reference <Data> <OctetString Value="0000180600FF" /> </Data>	PASSED
(845)	.capture_definition <Data> <Array Qty="0000" > </Array> </Data>	PASSED
(846)	.capture_period <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(847)	.primary_address <Data> <Unsigned Value="00" /> </Data>	PASSED
(848)	.identification_number	PASSED

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(849) .manufacturer_id                                     PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>
(850) .version                                             PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(851) .device_type                                         PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(852) .access_number                                       PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(853) .status                                              PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(854) .alarm                                               PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(855) .logical_name                                       PASSED
    <Data>
      <OctetString Value="0003180100FF" />
    </Data>
(856) .mbus_port_reference                                 PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(857) .capture_definition                                  PASSED
    <Data>
      <Array Qty="0000" >

```

```

    </Array>
  </Data>
(858) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(859) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(860) .identification_number PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(861) .manufacturer_id PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>
(862) .version PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(863) .device_type PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(864) .access_number PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(865) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(866) .alarm PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

```

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1549)

(867)	.logical_name <Data> <OctetString Value="0004180100FF" /> </Data>	PASSED
(868)	.mbus_port_reference <Data> <OctetString Value="0000180600FF" /> </Data>	PASSED
(869)	.capture_definition <Data> <Array Qty="0000" > </Array> </Data>	PASSED
(870)	.capture_period <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(871)	.primary_address <Data> <Unsigned Value="00" /> </Data>	PASSED
(872)	.identification_number <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(873)	.manufacturer_id <Data> <LongUnsigned Value="0000" /> </Data>	PASSED
(874)	.version <Data> <Unsigned Value="00" /> </Data>	PASSED
(875)	.device_type <Data> <Unsigned Value="00" /> </Data>	PASSED
(876)	.access_number <Data> <Unsigned Value="00" />	PASSED

```

    </Data>
(877) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(878) .alarm PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1571)
(879) .logical_name PASSED
    <Data>
        <OctetString Value="0001180201FF" />
    </Data>
(880) .value PASSED
    <Data>
        <DoubleLong Value="00000000" />
    </Data>
(881) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(882) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(883) .capture_time PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1579)
(884) .logical_name PASSED
    <Data>
        <OctetString Value="0001180202FF" />
    </Data>

```

```

(885) .value                                     PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(886) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(887) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(888) .capture_time                              PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get M-Bus Value channel 1, instance 3 0-1:24.2.3.255 (@1587)
(889) .logical_name                               PASSED
      <Data>
        <OctetString Value="0001180203FF" />
      </Data>
(890) .value                                     PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(891) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(892) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

```

```

(893) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get M-Bus Value channel 1, instance 4 0-1:24.2.4.255 (@1595)
(894) .logical_name PASSED
      <Data>
        <OctetString Value="0001180204FF" />
      </Data>
(895) .value PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(896) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(897) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(898) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1603)
(899) .logical_name PASSED
      <Data>
        <OctetString Value="0002180201FF" />
      </Data>
(900) .value PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(901) .scaler_unit PASSED

```

```

<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
(902) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(903) .capture_time PASSED
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
</Data>

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1611)
(904) .logical_name PASSED
<Data>
  <OctetString Value="0002180202FF" />
</Data>
(905) .value PASSED
<Data>
  <DoubleLong Value="00000000" />
</Data>
(906) .scaler_unit PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
(907) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(908) .capture_time PASSED
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
</Data>

```



```

Mngmt Get M-Bus Value channel 2, instance 3 0-2:24.2.3.255 (@1619)
(909) .logical_name PASSED
      <Data>
        <OctetString Value="0002180203FF" />
      </Data>
(910) .value PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(911) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(912) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(913) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get M-Bus Value channel 2, instance 4 0-2:24.2.4.255 (@1627)
(914) .logical_name PASSED
      <Data>
        <OctetString Value="0002180204FF" />
      </Data>
(915) .value PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(916) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>

```

```

    </Data>
(917) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(918) .capture_time PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1635)
(919) .logical_name PASSED
    <Data>
        <OctetString Value="0003180201FF" />
    </Data>
(920) .value PASSED
    <Data>
        <DoubleLong Value="00000000" />
    </Data>
(921) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(922) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(923) .capture_time PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1643)
(924) .logical_name PASSED
    <Data>
        <OctetString Value="0003180202FF" />
    </Data>

```

```
(925) .value PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(926) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(927) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(928) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>
Mngmt Get M-Bus Value channel 3, instance 3 0-3:24.2.3.255 (@1651)
(929) .logical_name PASSED
      <Data>
        <OctetString Value="0003180203FF" />
      </Data>
(930) .value PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(931) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(932) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
```

```

(933) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get M-Bus Value channel 3, instance 4 0-3:24.2.4.255 (@1659)
(934) .logical_name PASSED
      <Data>
        <OctetString Value="0003180204FF" />
      </Data>
(935) .value PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(936) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(937) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(938) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1667)
(939) .logical_name PASSED
      <Data>
        <OctetString Value="0004180201FF" />
      </Data>
(940) .value PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(941) .scaler_unit PASSED

```

```

<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
(942) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(943) .capture_time PASSED
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
</Data>

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1675)
(944) .logical_name PASSED
<Data>
  <OctetString Value="0004180202FF" />
</Data>
(945) .value PASSED
<Data>
  <DoubleLong Value="00000000" />
</Data>
(946) .scaler_unit PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
(947) .status PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(948) .capture_time PASSED
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
</Data>

```

```

Mngmt Get M-Bus Value channel 4, instance 3 0-4:24.2.3.255 (@1683)
(949) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0004180203FF" />
      </Data>
(950) .value                                           PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(951) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(952) .status                                          PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(953) .capture_time                                    PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1691)
(954) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0004180204FF" />
      </Data>
(955) .value                                           PASSED
      <Data>
        <DoubleLong Value="00000000" />
      </Data>
(956) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>

```

```
</Data>
(957) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(958) .capture_time PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      </Data>

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)
(959) .logical_name PASSED
      <Data>
        <OctetString Value="0001600100FF" />
      </Data>
(960) .value PASSED
      <Data>
        <OctetString Value="\ " />
      </Data>

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)
(961) .logical_name PASSED
      <Data>
        <OctetString Value="0002600100FF" />
      </Data>
(962) .value PASSED
      <Data>
        <OctetString Value="\ " />
      </Data>

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)
(963) .logical_name PASSED
      <Data>
        <OctetString Value="0003600100FF" />
      </Data>
(964) .value PASSED
      <Data>
        <OctetString Value="\ " />
      </Data>
```

```

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.1.255 (@1711)
(965) .logical_name PASSED
      <Data>
        <OctetString Value="0004600100FF" />
      </Data>
(966) .value PASSED
      <Data>
        <OctetString Value="\ " />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)
(967) .logical_name PASSED
      <Data>
        <OctetString Value="0001600101FF" />
      </Data>
(968) .value PASSED
      <Data>
        <OctetString Value="\ " />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)
(969) .logical_name PASSED
      <Data>
        <OctetString Value="0002600101FF" />
      </Data>
(970) .value PASSED
      <Data>
        <OctetString Value="\ " />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)
(971) .logical_name PASSED
      <Data>
        <OctetString Value="0003600101FF" />
      </Data>
(972) .value PASSED
      <Data>
        <OctetString Value="\ " />
      </Data>

```



Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)  
(973) .logical\_name PASSED  
    <Data>  
        <OctetString Value="0004600101FF" />  
    </Data>  
(974) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Get Profile status for M-Bus Master Load profile 1 0-1:96.10.3.255 (@1731)  
(975) .logical\_name PASSED  
    <Data>  
        <OctetString Value="0001600A03FF" />  
    </Data>  
(976) .status PASSED  
    <Data>  
        <Unsigned Value="00" />  
    </Data>

Mngmt Get Profile status for M-Bus Master Load profile 2 0-2:96.10.3.255 (@1735)  
(977) .logical\_name PASSED  
    <Data>  
        <OctetString Value="0002600A03FF" />  
    </Data>  
(978) .status PASSED  
    <Data>  
        <Unsigned Value="00" />  
    </Data>

Mngmt Get Profile status for M-Bus Master Load profile 3 0-3:96.10.3.255 (@1739)  
(979) .logical\_name PASSED  
    <Data>  
        <OctetString Value="0003600A03FF" />  
    </Data>  
(980) .status PASSED  
    <Data>  
        <Unsigned Value="00" />  
    </Data>

```

Mngmt Get Profile status for M-Bus Master Load profile 4 0-4:96.10.3.255 (@1743)
(981) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0004600A03FF" />
      </Data>
(982) .status                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)
(983) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0001180300FF" />
      </Data>
(984) .capture_objects                                  PASSED
      <Data>
        <Array Qty="0003" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0001600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180201FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(985) .capture_period                                   PASSED
      <Data>

```

```

    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(986) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(987) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(988) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="0000003F" />
    </Data>
(989) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="000001E0" />
    </Data>

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)
(990) .logical_name PASSED
    <Data>
      <OctetString Value="0002180300FF" />
    </Data>
(991) .capture_objects PASSED
    <Data>
      <Array Qty="0003" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />

```

```

    <OctetString Value="0002600A03FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>
(992) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(993) .sort_method PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(994) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(995) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="0000003F" />
  </Data>
(996) .profile_entries PASSED
  <Data>
    <DoubleLongUnsigned Value="000001E0" />
  </Data>
Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)
(997) .logical_name PASSED

```

```

<Data>
  <OctetString Value="0003180300FF" />
</Data>
(998) .capture_objects PASSED
<Data>
  <Array Qty="0003" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0003600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0003180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
(999) .capture_period PASSED
<Data>
  <DoubleLongUnsigned Value="00000E10" />
</Data>
(1000) .sort_method PASSED
<Data>
  <Enum Value="01" />
</Data>
(1001) .sort_object PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
  </Structure>

```

```

        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(1002) .entries_in_use                                     PASSED
    <Data>
        <DoubleLongUnsigned Value="0000003F" />
    </Data>
(1003) .profile_entries                                   PASSED
    <Data>
        <DoubleLongUnsigned Value="000001E0" />
    </Data>

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)
(1004) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0004180300FF" />
    </Data>
(1005) .capture_objects                                  PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0004600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

(1006)	.capture_period <Data> <DoubleLongUnsigned Value="00000E10" /> </Data>	PASSED
(1007)	.sort_method <Data> <Enum Value="01" /> </Data>	PASSED
(1008)	.sort_object <Data> <Structure Qty="0004" > <LongUnsigned Value="0008" /> <OctetString Value="0000010000FF" /> <Integer Value="02" /> <LongUnsigned Value="0000" /> </Structure> </Data>	PASSED
(1009)	.entries_in_use <Data> <DoubleLongUnsigned Value="0000003F" /> </Data>	PASSED
(1010)	.profile_entries <Data> <DoubleLongUnsigned Value="000001E0" /> </Data>	PASSED
Mngmt Get M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)		
(1011)	.logical_name <Data> <OctetString Value="0001180400FF" /> </Data>	PASSED
(1012)	.output_state <Data> <Bool Value="01" /> </Data>	PASSED
(1013)	.control_state <Data> <Enum Value="01" /> </Data>	PASSED
(1014)	.control_mode	PASSED

```

<Data>
  <Enum Value="01" />
</Data>

Mngmt Get M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)
(1015) .logical_name PASSED
  <Data>
    <OctetString Value="0002180400FF" />
  </Data>
(1016) .output_state PASSED
  <Data>
    <Bool Value="01" />
  </Data>
(1017) .control_state PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(1018) .control_mode PASSED
  <Data>
    <Enum Value="01" />
  </Data>

Mngmt Get M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)
(1019) .logical_name PASSED
  <Data>
    <OctetString Value="0003180400FF" />
  </Data>
(1020) .output_state PASSED
  <Data>
    <Bool Value="01" />
  </Data>
(1021) .control_state PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(1022) .control_mode PASSED
  <Data>
    <Enum Value="01" />
  </Data>

```



```

Mngmt Get M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)
(1023) .logical_name PASSED
      <Data>
        <OctetString Value="0004180400FF" />
      </Data>
(1024) .output_state PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(1025) .control_state PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(1026) .control_mode PASSED
      <Data>
        <Enum Value="01" />
      </Data>

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1823)
(1027) .logical_name PASSED
      <Data>
        <OctetString Value="00010F0001FF" />
      </Data>
(1028) .executed_script PASSED
      <Data>
        <Structure Qty="0002" >
          <OctetString Value="00010A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
      </Data>
(1029) .type PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(1030) .execution_time PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <OctetString Value="FFFFFFFF" />
            <OctetString Value="FFFFFFFF" />
          </Structure>
        </Array>
      </Data>

```

```

    </Structure>
  </Array>
</Data>

Mngmt Get M-Bus Disconnecter script table 0-1:10.0.106.255 (@1829)
(1031) .logical_name PASSED
  <Data>
    <OctetString Value="00010A006AFF" />
  </Data>

(1032) .scripts PASSED
  <_Data>
    <Array Qty="0008" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0001" />
        <Array Qty="0001" >
          <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0001180400FF" />
            <Integer Value="01" />
            <Integer Value="00" />
          </Structure>
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0002" />
        <Array Qty="0001" >
          <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0001180400FF" />
            <Integer Value="02" />
            <Integer Value="00" />
          </Structure>
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <Array Qty="0001" >
          <Structure Qty="0005" >

```

```

    <Enum Value="02" />
    <LongUnsigned Value="0046" />
    <OctetString Value="0002180400FF" />
    <Integer Value="01" />
    <Integer Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0005" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0003180400FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0006" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0003180400FF" />
      <Integer Value="02" />
    </Structure>
  </Array>
</Structure>

```

```

        <Integer Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0007" />
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0004180400FF" />
            <Integer Value="01" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0008" />
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0004180400FF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Get Event Objects - M-Bus Master Control logs 1 0-1:96.11.4.255 (@1834)

(1033) .logical\_name

PASSED

```

<Data>
    <OctetString Value="0001600B04FF" />
</Data>

```

(1034) .value

PASSED

```

<Data>
    <Enum Value="00" />
</Data>

```

```

Mngmt Get Event Objects - M-Bus Master Control logs 2 0-2:96.11.4.255 (@1838)
(1035) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0002600B04FF" />
      </Data>
(1036) .value                                           PASSED
      <Data>
        <Enum Value="00" />
      </Data>

Mngmt Get Event Objects - M-Bus Master Control logs 3 0-3:96.11.4.255 (@1842)
(1037) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0003600B04FF" />
      </Data>
(1038) .value                                           PASSED
      <Data>
        <Enum Value="00" />
      </Data>

Mngmt Get Event Objects - M-Bus Master Control logs 4 0-4:96.11.4.255 (@1846)
(1039) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0004600B04FF" />
      </Data>
(1040) .value                                           PASSED
      <Data>
        <Enum Value="00" />
      </Data>

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)
(1041) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0001180500FF" />
      </Data>
(1042) .capture_objects                                  PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >

```

```

        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1043) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1044) .sort_method PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1045) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1046) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(1047) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000C" />
    </Data>

```

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)

(1048) .logical\_name PASSED  
<Data>  
  <OctetString Value="0002180500FF" />  
</Data>

(1049) .capture\_objects PASSED  
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0002600B04FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>

(1050) .capture\_period PASSED  
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>

(1051) .sort\_method PASSED  
<Data>  
  <Enum Value="01" />  
</Data>

(1052) .sort\_object PASSED  
<Data>  
  <Structure Qty="0004" >  
    <LongUnsigned Value="0008" />  
    <OctetString Value="0000010000FF" />  
    <Integer Value="02" />  
    <LongUnsigned Value="0000" />  
  </Structure>  
</Data>

(1053) .entries\_in\_use PASSED  
<Data>

```

    <DoubleLongUnsigned Value="00000005" />
  </Data>
(1054) .profile_entries PASSED
  <Data>
    <DoubleLongUnsigned Value="0000000C" />
  </Data>

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)
(1055) .logical_name PASSED
  <Data>
    <OctetString Value="0003180500FF" />
  </Data>
(1056) .capture_objects PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0003600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(1057) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(1058) .sort_method PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(1059) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >

```



```

                                IDIS Reg No 0007 Kema_Report.txt
                                <LongUnsigned Value="0008" />
                                <OctetString Value="0000010000FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                                </Structure>
                                </Data>
(1060) .entries_in_use                                             PASSED
                                <Data>
                                    <DoubleLongUnsigned Value="00000005" />
                                </Data>
(1061) .profile_entries                                           PASSED
                                <Data>
                                    <DoubleLongUnsigned Value="0000000C" />
                                </Data>

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)
(1062) .logical_name                                             PASSED
                                <Data>
                                    <OctetString Value="0004180500FF" />
                                </Data>
(1063) .capture_objects                                           PASSED
                                <Data>
                                    <Array Qty="0002" >
                                        <Structure Qty="0004" >
                                            <LongUnsigned Value="0008" />
                                            <OctetString Value="0000010000FF" />
                                            <Integer Value="02" />
                                            <LongUnsigned Value="0000" />
                                        </Structure>
                                        <Structure Qty="0004" >
                                            <LongUnsigned Value="0001" />
                                            <OctetString Value="0004600B04FF" />
                                            <Integer Value="02" />
                                            <LongUnsigned Value="0000" />
                                        </Structure>
                                    </Array>
                                </Data>
(1064) .capture_period                                           PASSED
                                <Data>
                                    <DoubleLongUnsigned Value="00000000" />

```

```

</Data>
(1065) .sort_method PASSED
<Data>
  <Enum Value="01" />
</Data>
(1066) .sort_object PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
(1067) .entries_in_use PASSED
<Data>
  <DoubleLongUnsigned Value="00000005" />
</Data>
(1068) .profile_entries PASSED
<Data>
  <DoubleLongUnsigned Value="0000000C" />
</Data>

Mngmt Get Event Object - M-Bus Event Log 0-0:96.11.3.255 (@1894)
(1069) .logical_name PASSED
<Data>
  <OctetString Value="0000600B03FF" />
</Data>
(1070) .value PASSED
<Data>
  <Enum Value="00" />
</Data>

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)
(1071) .logical_name PASSED
<Data>
  <OctetString Value="0000636203FF" />
</Data>
(1072) .capture_objects PASSED
<Data>

```

```

    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(1073) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(1074) .sort_method PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(1075) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(1076) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="0000000D" />
  </Data>
(1077) .profile_entries PASSED
  <Data>
    <DoubleLongUnsigned Value="0000001E" />
  </Data>

```

```

Mngmt Get IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)
(1078) .logical_name PASSED
      <Data>
        <OctetString Value="0000140000FF" />
      </Data>
(1079) .default_mode PASSED
      <Data>
        <Enum Value="00" />
      </Data>
(1080) .default_baud PASSED
      <Data>
        <Enum Value="00" />
      </Data>
(1081) .prop_baud PASSED
      <Data>
        <Enum Value="05" />
      </Data>
(1082) .response_time PASSED
      <Data>
        <Enum Value="00" />
      </Data>
(1083) .device_addr PASSED
      <Data>
        <OctetString Value="\00000000" />
      </Data>

Mngmt Get IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)
(1084) .logical_name PASSED
      <Data>
        <OctetString Value="0000160000FF" />
      </Data>
(1085) .comm_speed PASSED
      <Data>
        <Enum Value="05" />
      </Data>
(1086) .window_size_transmit PASSED
      <Data>
        <Unsigned Value="01" />
      </Data>

```

(1087)	.window_size_receive <Data> <Unsigned Value="01" /> </Data>	PASSED
(1088)	.max_info_field_lenght_transmit <Data> <LongUnsigned Value="007E" /> </Data>	PASSED
(1089)	.max_info_field_lenght_receive <Data> <LongUnsigned Value="007E" /> </Data>	PASSED
(1090)	.inter_octet_time_out <Data> <LongUnsigned Value="0032" /> </Data>	PASSED
(1091)	.inactivity_time_out <Data> <LongUnsigned Value="0078" /> </Data>	PASSED
(1092)	.device_address <Data> <LongUnsigned Value="0011" /> </Data>	PASSED
Mngmt Get S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)		
(1093)	.logical_name <Data> <OctetString Value="00001A0000FF" /> </Data>	PASSED
(1094)	.initiator_electrical_phase <Data> <Enum Value="00" /> </Data>	PASSED
(1095)	.delta_electrical_phase <Data> <Enum Value="00" /> </Data>	PASSED
(1096)	.max_receiving_gain <Data>	PASSED

```

    <Unsigned Value="2A" />
  </Data>
(1097) .max_transmitting_gain PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(1098) .search_initiator_gain PASSED
  <Data>
    <Unsigned Value="62" />
  </Data>
(1099) .frequencies PASSED
  <Data>
    <Structure Qty="0002" >
      <DoubleLongUnsigned Value="0000F744" />
      <DoubleLongUnsigned Value="00012110" />
    </Structure>
  </Data>
(1100) .mac_address PASSED
  <Data>
    <LongUnsigned Value="0005" />
  </Data>
(1101) .mac_group_addresses PASSED
  <Data>
    <Array Qty="0005" >
      <LongUnsigned Value="0000" />
      <LongUnsigned Value="0000" />
      <LongUnsigned Value="0000" />
      <LongUnsigned Value="0000" />
      <LongUnsigned Value="0000" />
    </Array>
  </Data>
(1102) .repeater PASSED
  <Data>
    <Enum Value="02" />
  </Data>
(1103) .repeater_status PASSED
  <Data>
    <Bool Value="00" />
  </Data>
(1104) .min_delta_credit PASSED

```

```

<Data>
  <Unsigned Value="00" />
</Data>
(1105) .initiator_mac_address PASSED
<Data>
  <LongUnsigned Value="0C00" />
</Data>
(1106) .synchronization_locked PASSED
<Data>
  <Bool Value="01" />
</Data>
(1107) .transmission_speed PASSED
<Data>
  <Enum Value="03" />
</Data>

Mngmt Get S-FSK Active Initiator 0-0:26.1.0.255 (@1950)
(1108) .logical_name PASSED
<Data>
  <OctetString Value="00001A0100FF" />
</Data>
(1109) .active_initiator PASSED
<Data>
  <Structure Qty="0003" >
    <OctetString Value="4C475A4954000002" />
    <LongUnsigned Value="0C00" />
    <Unsigned Value="00" />
  </Structure>
</Data>

Mngmt Get S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)
(1110) .logical_name PASSED
<Data>
  <OctetString Value="00001A0200FF" />
</Data>
(1111) .search_initiator_timeout PASSED
<Data>
  <LongUnsigned Value="0000" />
</Data>
(1112) .synchronization_confirmation_timeout PASSED

```

```

<Data>
  <LongUnsigned Value="0028" />
</Data>
(1113) .timeout_not_addressed PASSED
<Data>
  <LongUnsigned Value="02D0" />
</Data>
(1114) .timeout_frame_not_OK PASSED
<Data>
  <LongUnsigned Value="001E" />
</Data>

Mngmt Get S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(1115) .logical_name PASSED
<Data>
  <OctetString Value="00001A0300FF" />
</Data>
(1116) .synchronization_register PASSED
<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0C00" />
      <DoubleLongUnsigned Value="000002B3" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>
</Data>
(1117) .desynchronization_listing PASSED
<Data>

```



```

    <Structure Qty="0005" >
      <DoubleLongUnsigned Value="00000002" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="000002AE" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Data>
(1118) .broadcast_frames_counter PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0C00" />
        <DoubleLongUnsigned Value="0000000D" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0000" />
        <DoubleLongUnsigned Value="00000000" />
      </Structure>
    </Array>
  </Data>
(1119) .repetitions_counter PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(1120) .transmissions_counter PASSED
  <Data>
    <DoubleLongUnsigned Value="000007E6" />
  </Data>
(1121) .CRC_OK_frames_counter PASSED
  <Data>
    <DoubleLongUnsigned Value="000007FE" />
  </Data>

```

```

    </Data>
(1122) .CRC_NOK_frames_counter PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(1123) .logical_name PASSED
    <Data>
        <OctetString Value="00001A0500FF" />
    </Data>
(1124) .max_frame_length PASSED
    <Data>
        <Unsigned Value="F2" />
    </Data>
(1125) .reply_status_list PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Unsigned Value="07" />
            </Structure>
        </Array>
    </Data>

Mngmt Get S-FSK Reporting system list 0-0:26.6.0.255 (@1978)
(1126) .logical_name PASSED
    <Data>
        <OctetString Value="00001A0600FF" />
    </Data>
(1127) .reporting_system_list PASSED
    <Data>
        <Array Qty="0005" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
            <OctetString Value="\ " />
            <OctetString Value="\ " />
            <OctetString Value="\ " />
        </Array>
    </Data>

```

\*\*\*\*\*  
Test Case 7 : Set mngmt attributes, 189 item(s)  
\*\*\*\*\*

Mngmt Set Current association 0-0:40.0.0.255 (@9)  
(1) .authentication\_mechanism\_name PASSED  
    <Data>  
        <OctetString Value="60857405080200" />  
    </Data>  
(2) .secret  
INAPPLICABLE  
    Optional access right not available

Mngmt Set Security setup 0-0:43.0.0.255 (@24)  
(3) .security\_suite PASSED  
    <Data>  
        <Enum Value="00" />  
    </Data>

Mngmt Set Device ID 2 0-0:96.1.1.255 (@50)  
(4) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set Device ID 3 0-0:96.1.2.255 (@54)  
(5) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set Device ID 4 0-0:96.1.3.255 (@58)  
(6) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set Device ID 5 0-0:96.1.4.255 (@62)  
(7) .value PASSED

```

    <Data>
      <OctetString Value="\ " />
    </Data>

Mngmt Set Clock 0-0:1.0.0.255 (@75)
(8) .time PASSED
    <Data>
      <OctetString Value="07DB091A010B140900FF8880" />
    </Data>
(9) .time_zone PASSED
    <Data>
      <Long Value="FFC4" />
    </Data>
(10) .daylights_savings_begin PASSED
    <Data>
      <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(11) .daylights_savings_end PASSED
    <Data>
      <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(12) .daylights_savings_deviation PASSED
    <Data>
      <Integer Value="3C" />
    </Data>
(13) .daylights_savings_enabled PASSED
    <Data>
      <Bool Value="01" />
    </Data>

Mngmt Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(14) .value PASSED
    <Data>
      <Unsigned Value="3C" />
    </Data>

Mngmt Set Activity Calendar 0-0:13.0.0.255 (@100)
(15) .calendar_name_passive PASSED
    <Data>
      <OctetString Value="\CNP_5A37" />
  
```

```

</Data>
(16) .season_profile_passive PASSED
<Data>
  <Array Qty="0001" >
    <Structure Qty="0003" >
      <OctetString Value="01" />
      <OctetString Value="FFFF0101FF000000008000FF" />
      <OctetString Value="01" />
    </Structure>
  </Array>
</Data>
(17) .week_profile_table_passive PASSED
<Data>
  <Array Qty="0001" >
    <Structure Qty="0008" >
      <OctetString Value="01" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Data>
(18) .day_profile_table_passive PASSED
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Unsigned Value="00" />
      <Array Qty="0001" >
        <Structure Qty="0003" >
          <OctetString Value="00000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0001" />
        </Structure>
      </Array>
    </Structure>
  </Array>
</Data>

```

</Data>  
(19) .activate\_passive\_calendar\_time PASSED  
<Data>  
    <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />  
</Data>

Mngmt Set Special Days Table 0-0:11.0.0.255 (@113)  
(20) .entries PASSED  
<Data>  
    <Array Qty="0001" >  
        <Structure Qty="0003" >  
            <LongUnsigned Value="0001" />  
            <OctetString Value="FFFF0915FF" />  
            <Unsigned Value="02" />  
        </Structure>  
    </Array>  
</Data>

Mngmt Set Register activation - Energy 0-0:14.0.1.255 (@117)  
(21) .register\_assignment  
INAPPLICABLE  
Optional access right not available

(22) .mask\_list PASSED  
<Data>  
    <Array Qty="0004" >  
        <Structure Qty="0002" >  
            <OctetString Value="0001" />  
            <Array Qty="000B" >  
                <Unsigned Value="01" />  
                <Unsigned Value="09" />  
                <Unsigned Value="11" />  
                <Unsigned Value="19" />  
                <Unsigned Value="21" />  
                <Unsigned Value="29" />  
                <Unsigned Value="31" />  
                <Unsigned Value="39" />  
                <Unsigned Value="41" />  
                <Unsigned Value="49" />  
                <Unsigned Value="51" />  
            </Array>  
        </Structure>  
    </Array>

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0002" />
  <Array Qty="000B" >
    <Unsigned Value="02" />
    <Unsigned Value="0A" />
    <Unsigned Value="12" />
    <Unsigned Value="1A" />
    <Unsigned Value="22" />
    <Unsigned Value="2A" />
    <Unsigned Value="32" />
    <Unsigned Value="3A" />
    <Unsigned Value="42" />
    <Unsigned Value="4A" />
    <Unsigned Value="52" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0003" />
  <Array Qty="000B" >
    <Unsigned Value="03" />
    <Unsigned Value="0B" />
    <Unsigned Value="13" />
    <Unsigned Value="1B" />
    <Unsigned Value="23" />
    <Unsigned Value="2B" />
    <Unsigned Value="33" />
    <Unsigned Value="3B" />
    <Unsigned Value="43" />
    <Unsigned Value="4B" />
    <Unsigned Value="53" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="000B" >
    <Unsigned Value="04" />
    <Unsigned Value="0C" />
    <Unsigned Value="14" />
    <Unsigned Value="1C" />
  </Array>
</Structure>
```

```
<Unsigned Value="24" />
<Unsigned Value="2C" />
<Unsigned Value="34" />
<Unsigned Value="3C" />
<Unsigned Value="44" />
<Unsigned Value="4C" />
<Unsigned Value="54" />
</Array>
</Structure>
</Array>
</Data>
```

Mngmt Set Register activation - Maximum Demand 0-0:14.0.2.255 (@123)

(23) .register\_assignment

INAPPLICABLE

Optional access right not available

(24) .mask\_list

PASSED

```
<Data>
  <Array Qty="0008" >
    <Structure Qty="0002" >
      <OctetString Value="0001" />
      <Array Qty="0007" >
        <Unsigned Value="01" />
        <Unsigned Value="09" />
        <Unsigned Value="11" />
        <Unsigned Value="19" />
        <Unsigned Value="21" />
        <Unsigned Value="29" />
        <Unsigned Value="31" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0002" />
      <Array Qty="0007" >
        <Unsigned Value="02" />
        <Unsigned Value="0A" />
        <Unsigned Value="12" />
        <Unsigned Value="1A" />
        <Unsigned Value="22" />
        <Unsigned Value="2A" />
      </Array>
    </Structure>
  </Array>
```



```

    <Unsigned Value="32" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0003" />
  <Array Qty="0007" >
    <Unsigned Value="03" />
    <Unsigned Value="0B" />
    <Unsigned Value="13" />
    <Unsigned Value="1B" />
    <Unsigned Value="23" />
    <Unsigned Value="2B" />
    <Unsigned Value="33" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="0007" >
    <Unsigned Value="04" />
    <Unsigned Value="0C" />
    <Unsigned Value="14" />
    <Unsigned Value="1C" />
    <Unsigned Value="24" />
    <Unsigned Value="2C" />
    <Unsigned Value="34" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0005" />
  <Array Qty="0007" >
    <Unsigned Value="05" />
    <Unsigned Value="0D" />
    <Unsigned Value="15" />
    <Unsigned Value="1D" />
    <Unsigned Value="25" />
    <Unsigned Value="2D" />
    <Unsigned Value="35" />
  </Array>
</Structure>
<Structure Qty="0002" >

```

```

<OctetString Value="0006" />
<Array Qty="0007" >
  <Unsigned Value="06" />
  <Unsigned Value="0E" />
  <Unsigned Value="16" />
  <Unsigned Value="1E" />
  <Unsigned Value="26" />
  <Unsigned Value="2E" />
  <Unsigned Value="36" />
</Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0007" />
  <Array Qty="0007" >
    <Unsigned Value="07" />
    <Unsigned Value="0F" />
    <Unsigned Value="17" />
    <Unsigned Value="1F" />
    <Unsigned Value="27" />
    <Unsigned Value="2F" />
    <Unsigned Value="37" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0008" />
  <Array Qty="0007" >
    <Unsigned Value="08" />
    <Unsigned Value="10" />
    <Unsigned Value="18" />
    <Unsigned Value="20" />
    <Unsigned Value="28" />
    <Unsigned Value="30" />
    <Unsigned Value="38" />
  </Array>
</Structure>
</Array>
</Data>

```

Mngmt Set Tariffication script table 0-0:10.0.100.255 (@129)  
 (25) .scripts

PASSED

```
<_Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <Array Qty="0003" >
        <Structure Qty="0005" >
          <Enum Value="01" />
          <LongUnsigned Value="0006" />
          <OctetString Value="00000E0001FF" />
          <Integer Value="04" />
          <OctetString Value="0001" />
        </Structure>
        <Structure Qty="0005" >
          <Enum Value="01" />
          <LongUnsigned Value="0006" />
          <OctetString Value="00000E0002FF" />
          <Integer Value="04" />
          <OctetString Value="0001" />
        </Structure>
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="000160030AFF" />
          <Integer Value="02" />
          <Integer Value="00" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0002" />
      <Array Qty="0003" >
        <Structure Qty="0005" >
          <Enum Value="01" />
          <LongUnsigned Value="0006" />
          <OctetString Value="00000E0001FF" />
          <Integer Value="04" />
          <OctetString Value="0001" />
        </Structure>
        <Structure Qty="0005" >
          <Enum Value="01" />

```

```

                IDIS Reg No 0007 Kema_Report.txt
                <LongUnsigned Value="0006" />
                <OctetString Value="00000E0002FF" />
                <Integer Value="04" />
                <OctetString Value="0001" />
            </Structure>
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <Array Qty="0003" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="0001" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="0001" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="02" />
            <Integer Value="00" />
        </Structure>
    </Array>
</Structure>

```

```

<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="0001" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="0001" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="02" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
</Array>
</_Data>

```

- |   |        |
|---|--------|
| Mngmt Set End of billing period 1 scheduler 0-0:15.0.0.255 (@140) |        |
| (26) .type  | PASSED |
| <Data>  |        |
| <Enum Value="01" />   |        |
| </Data>   |        |
| (27) .execution_time  | PASSED |
| <Data>  |        |
| <Array Qty="0001" >   |        |
| <Structure Qty="0002" >   |        |
| <OctetString Value="00000000" />                                  |        |
| <OctetString Value="FFFFFF01FF" />                                |        |

```

    </Structure>
  </Array>
</Data>

```

Mngmt Set Data of billing period 1 0-0:98.1.0.255 (@146)

(28) .capture\_objects

PASSED

```

<Data>
  <Array Qty="0003" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Mngmt Set Disconnect control scheduler 0-0:15.0.1.255 (@158)

(29) .executed\_script

PASSED

```

<Data>
  <Structure Qty="0002" >
    <OctetString Value="00000A006AFF" />
    <LongUnsigned Value="0002" />
  </Structure>
</Data>

```

(30) .type

PASSED

```

<Data>
  <Enum Value="01" />

```

```

    </Data>
(31) .execution_time PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="0C0A0000" />
                <OctetString Value="FFFFFFFF" />
            </Structure>
        </Array>
    </Data>

Mngmt Set Disconnect control 0-0:96.3.10.255 (@169)
(32) .control_mode PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Mngmt Set Disconnecter Control Log 0-0:99.98.2.255 (@181)
(33) .capture_objects
INAPPLICABLE
    Optional access right not available

Mngmt Set Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)
(34) .control_mode PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Mngmt Set Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)
(35) .control_mode PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Mngmt Set Limiter 0-0:17.0.0.255 (@213)
(36) .monitored_value PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0003" />
            <OctetString Value="01005A0700FF" />
        </Structure>
    </Data>

```

```

    <Integer Value="02" />
  </Structure>
</Data>
(37) .threshold_normal PASSED
  <Data>
    <LongUnsigned Value="03E7" />
  </Data>
(38) .treshold_emergency PASSED
  <Data>
    <LongUnsigned Value="03E7" />
  </Data>
(39) .min_over_threshold_duration PASSED
  <Data>
    <DoubleLongUnsigned Value="000000B4" />
  </Data>
(40) .min_under_threshold_duration PASSED
  <Data>
    <DoubleLongUnsigned Value="000000B4" />
  </Data>
(41) .emergency_profile PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0000" />
      <OctetString Value="00000000000000000000800000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Data>
(42) .emergency_profile_group_id_list PASSED
  <Data>
    <Array Qty="0001" >
      <LongUnsigned Value="0000" />
    </Array>
  </Data>
(43) .actions PASSED
  <Data>
    <Structure Qty="0002" >
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0001" />
      </Structure>
    </Structure>
  </Data>

```



```

    <Structure Qty="0002" >
      <OctetString Value="00000A006AFF" />
      <LongUnsigned Value="0002" />
    </Structure>
  </Structure>
</Data>

```

Mngmt Set Supervision monitor 1 - Fuse supervision L1 1-0:31.4.0.255 (@226) PASSED  
 (44) .thresholds

```

    <Data>
      <Array Qty="0001" >
        <DoubleLongUnsigned Value="000003E7" />
      </Array>
    </Data>

```

(45) .monitored\_value PASSED

```

    <Data>
      <Structure Qty="0003" >
        <LongUnsigned Value="0005" />
        <OctetString Value="01001F0400FF" />
        <Integer Value="02" />
      </Structure>
    </Data>

```

(46) .actions PASSED

```

    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0001" />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0002" />
          </Structure>
        </Structure>
      </Array>
    </Data>

```

Mngmt Set Supervision monitor 2 - Fuse supervision L2 1-0:51.4.0.255 (@232)  
 (47) .thresholds

INAPPLICABLE

Object is not required according to OM and/or extensions  
(48) .monitored\_value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(49) .actions

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Supervision monitor 3 - Fuse supervision L3 1-0:71.4.0.255 (@238)

(50) .thresholds

INAPPLICABLE

Object is not required according to OM and/or extensions  
(51) .monitored\_value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(52) .actions

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Error Register 0-0:97.97.0.255 (@245)

(53) .value

<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

PASSED

Mngmt Set Alarm Register 0-0:97.98.0.255 (@249)

(54) .value

<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

PASSED

Mngmt Set Alarm Filter 0-0:97.98.10.255 (@253)

(55) .value

<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

PASSED

Mngmt Set Standard Event Log 0-0:99.98.0.255 (@261)

(56) .capture\_objects

INAPPLICABLE

Optional access right not available

Mngmt Set Fraud Detection Log 0-0:99.98.1.255 (@276)  
 (57) .capture\_objects

INAPPLICABLE

Optional access right not available

Mngmt Set Consumer Message Text 0-0:96.13.0.255 (@288)  
 (58) .value

PASSED

```
<Data>
  <OctetString Value="\ISKRAEMECO,d.d." />
</Data>
```

Mngmt Set Consumer Message Code 0-0:96.13.1.255 (@292)  
 (59) .value

PASSED

```
<Data>
  <OctetString Value="\ " />
</Data>
```

Mngmt Set Image transfer 0-0:44.0.0.255 (@297)  
 (60) .image\_transfer\_enabled

PASSED

```
<Data>
  <Bool Value="00" />
</Data>
```

Mngmt Set Image transfer activation scheduler 0-0:15.0.2.255 (@310)  
 (61) .type

PASSED

```
<Data>
  <Enum Value="01" />
</Data>
```

(62) .execution\_time

PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <OctetString Value="12370000" />
      <OctetString Value="07DB091503" />
    </Structure>
  </Array>
</Data>
```

```

Mngmt Set Demand Register 1 - Active energy import (+A) 1-0:1.4.0.255 (@684)
(63) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(64) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Demand Register 2 - Active energy export (-A) 1-0:2.4.0.255 (@697)
(65) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(66) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Demand Register 3 - Reactive energy import (+R) 1-0:3.4.0.255 (@710)
(67) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(68) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Demand Register 4 - Reactive energy export (-R) 1-0:4.4.0.255 (@723)
(69) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(70) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

```

```

Mngmt Set Demand Register 5 - Apparent energy import (+VA) 1-0:9.4.0.255 (@736)
(71) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(72) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Demand Register 6 - Apparent energy export (-VA) 1-0:10.4.0.255 (@749)
(73) .period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(74) .number_of_periods PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Load profile with period 1
i.e. General Load Profile 1-0:99.1.0.255 (@1055)
(75) .capture_objects PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600A01FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
            </Structure>
        </Array>
    </Data>

```

```

                                IDIS Reg No 0007 Kema_Report.txt
                                <OctetString Value="0100010800FF" />
                                <Integer Value="02" />
                                <LongUnsigned Value="0000" />
                                </Structure>
                                </Array>
                                </Data>
(76) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>

Mngmt Set Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)
(77) .capture_objects PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600A02FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010800FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100020800FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

        </Array>
    </Data>
(78) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00015180" />
    </Data>

Mngmt Set Time threshold for long power failure 0-0:96.7.20.255 (@1090)
(79) .value PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

Mngmt Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)
(80) .value PASSED
    <Data>
        <LongUnsigned Value="00CF" />
    </Data>

Mngmt Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)
(81) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)
(82) .value PASSED
    <Data>
        <LongUnsigned Value="00FD" />
    </Data>

Mngmt Set Time threshold for voltage swell 1-0:12.44.0.255 (@1168)
(83) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)
(84) .value PASSED
    <Data>

```

```
<LongUnsigned Value="0067" />
</Data>

Mngmt Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)
(85) .value PASSED
  <Data>
    <LongUnsigned Value="001E" />
  </Data>

Mngmt Set Power Failure Event Log 1-0:99.97.0.255 (@1234)
(86) .capture_objects PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0000600713FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

Mngmt Set Power Quality Log 0-0:99.98.4.255 (@1249)
(87) .capture_objects
INAPPLICABLE
  Optional access right not available

Mngmt Set Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255 (@1278)
(88) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="005A" />
  </Data>

Mngmt Set Sliding Average current L2 (for fuse supervision) 1-0:51.4.0.255 (@1309)
```



```

(89) .number_of_periods
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Set Sliding Average current L3 (for fuse supervision) 1-0:71.4.0.255 (@1340)
(90) .number_of_periods
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Set Average Import Power (+A) 1-0:1.24.0.255 (@1407)
(91) .number_of_periods                                     PASSED
    <Data>
        <LongUnsigned Value="000F" />
    </Data>

Mngmt Set Average Net Power (|+A|-|-A|) 1-0:16.24.0.255 (@1420)
(92) .number_of_periods                                     PASSED
    <Data>
        <LongUnsigned Value="000F" />
    </Data>

Mngmt Set Average Total Power (|+A|+|-A|) 1-0:15.24.0.255 (@1433)
(93) .number_of_periods                                     PASSED
    <Data>
        <LongUnsigned Value="000F" />
    </Data>

Mngmt Set Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)
(94) .value                                                 PASSED
    <Data>
        <DoubleLongUnsigned Value="00000258" />
    </Data>

Mngmt Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(95) .mbus_port_reference                                     PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>

(96) .capture_definition                                     PASSED
    <Data>

```

```
    <Array Qty="0000" >
      </Array>
    </Data>
(97) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(98) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(99) .mbus_port_reference PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(100) .capture_definition PASSED
    <Data>
      <Array Qty="0000" >
        </Array>
      </Data>
(101) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(102) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(103) .mbus_port_reference PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(104) .capture_definition PASSED
    <Data>
      <Array Qty="0000" >
        </Array>
```

```

    </Data>
(105) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(106) .primary_address PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(107) .mbus_port_reference PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(108) .capture_definition PASSED
    <Data>
        <Array Qty="0000" >
            </Array>
    </Data>
(109) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(110) .primary_address PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1571)
(111) .scaler_unit
INAPPLICABLE
    Optional access right not available

Mngmt Set M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1579)
(112) .scaler_unit
INAPPLICABLE
    Optional access right not available

Mngmt Set M-Bus Value channel 1, instance 3 0-1:24.2.3.255 (@1587)

```

(113) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 1, instance 4 0-1:24.2.4.255 (@1595)  
(114) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1603)  
(115) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1611)  
(116) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 2, instance 3 0-2:24.2.3.255 (@1619)  
(117) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 2, instance 4 0-2:24.2.4.255 (@1627)  
(118) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1635)  
(119) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1643)  
(120) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 3, instance 3 0-3:24.2.3.255 (@1651)

(121) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 3, instance 4 0-3:24.2.4.255 (@1659)  
(122) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1667)  
(123) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1675)  
(124) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 4, instance 3 0-4:24.2.3.255 (@1683)  
(125) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1691)  
(126) .scaler\_unit  
INAPPLICABLE  
Optional access right not available  
  
Mngmt Set M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)  
(127) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>  
  
Mngmt Set M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)  
(128) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)  
(129) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)  
(130) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)  
(131) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)  
(132) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)  
(133) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)  
(134) .value PASSED  
    <Data>  
        <OctetString Value="\ " />  
    </Data>

Mngmt Set M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)  
(135) .capture\_objects PASSED  
    <Data>

```

    <Array Qty="0003" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(136) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>

Mngmt Set M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)
(137) .capture_objects PASSED
  <Data>
    <Array Qty="0003" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0002600A03FF" />
        <Integer Value="02" />
      </Structure>
    </Array>
  </Data>

```

```

        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0002180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(138) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>

Mngmt Set M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)
(139) .capture_objects PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0003600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0003180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(140) .capture_period PASSED

```



```

<Data>
  <DoubleLongUnsigned Value="00000E10" />
</Data>

Mngmt Set M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)
(141) .capture_objects PASSED
  <Data>
    <Array Qty="0003" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0004600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

(142) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>

Mngmt Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)
(143) .control_mode PASSED
  <Data>
    <Enum Value="01" />
  </Data>

Mngmt Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)

```

```

(144) .control_mode                                     PASSED
      <Data>
        <Enum Value="01" />
      </Data>

Mngmt Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)
(145) .control_mode                                     PASSED
      <Data>
        <Enum Value="01" />
      </Data>

Mngmt Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)
(146) .control_mode                                     PASSED
      <Data>
        <Enum Value="01" />
      </Data>

Mngmt Set M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1823)
(147) .executed_script                                  PASSED
      <Data>
        <Structure Qty="0002" >
          <OctetString Value="00010A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
      </Data>

(148) .type                                             PASSED
      <Data>
        <Enum Value="01" />
      </Data>

(149) .execution_time                                  PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <OctetString Value="FFFFFFFF" />
            <OctetString Value="FFFFFFFFFFFF" />
          </Structure>
        </Array>
      </Data>

Mngmt Set M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)

```

(150) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)

(151) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

(152) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

(153) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set M-Bus Event Log 0-0:99.98.3.255 (@1898)

(154) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)

(155) .default\_mode

PASSED

<Data>  
 <Enum Value="00" />  
</Data>

(156) .default\_baud

PASSED

<Data>  
 <Enum Value="00" />  
</Data>

(157) .prop\_baud

PASSED

<Data>  
 <Enum Value="05" />  
</Data>

(158) .response\_time

PASSED

<Data>  
 <Enum Value="00" />

```
</Data>
(159) .device_addr PASSED
      <Data>
        <OctetString Value="\00000000" />
      </Data>
(160) .pass_p1 PASSED
      <Data>
        <OctetString Value="\12345678" />
      </Data>
(161) .pass_p2 PASSED
      <Data>
        <OctetString Value="\12345678" />
      </Data>
(162) .pass_p3 PASSED
      <Data>
        <OctetString Value="\12345678" />
      </Data>

Mngmt Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)
(163) .comm_speed PASSED
      <Data>
        <Enum Value="05" />
      </Data>
(164) .window_size_transmit PASSED
      <Data>
        <Unsigned Value="01" />
      </Data>
(165) .window_size_receive PASSED
      <Data>
        <Unsigned Value="01" />
      </Data>
(166) .max_info_field_lenght_transmit PASSED
      <Data>
        <LongUnsigned Value="007E" />
      </Data>
(167) .max_info_field_lenght_receive PASSED
      <Data>
        <LongUnsigned Value="007E" />
      </Data>
(168) .inter_octet_time_out PASSED
```

```

    <Data>
      <LongUnsigned Value="0032" />
    </Data>
(169) .inactivity_time_out PASSED
    <Data>
      <LongUnsigned Value="0078" />
    </Data>
(170) .device_address PASSED
    <Data>
      <LongUnsigned Value="0011" />
    </Data>

Mngmt Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(171) .initiator_electrical_phase PASSED
    <Data>
      <Enum Value="00" />
    </Data>
(172) .max_receiving_gain PASSED
    <Data>
      <Unsigned Value="2A" />
    </Data>
(173) .max_transmitting_gain PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(174) .search_initiator_gain PASSED
    <Data>
      <Unsigned Value="62" />
    </Data>
(175) .frequencies PASSED
    <Data>
      <Structure Qty="0002" >
        <DoubleLongUnsigned Value="0000F744" />
        <DoubleLongUnsigned Value="00012110" />
      </Structure>
    </Data>
(176) .mac_group_addresses PASSED
    <Data>
      <Array Qty="0005" >
        <LongUnsigned Value="0000" />

```

```

        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
        <LongUnsigned Value="0000" />
    </Array>
</Data>
(177) .repeater PASSED
    <Data>
        <Enum Value="02" />
    </Data>
(178) .min_delta_credit PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(179) .transmission_speed PASSED
    <Data>
        <Enum Value="03" />
    </Data>

Mngmt Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)
(180) .search_initiator_timeout PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(181) .synchronization_confirmation_timeout PASSED
    <Data>
        <LongUnsigned Value="0028" />
    </Data>
(182) .timeout_not_addressed PASSED
    <Data>
        <LongUnsigned Value="02D0" />
    </Data>
(183) .timeout_frame_not_OK PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(184) .broadcast_frames_counter
INAPPLICABLE

```

Optional access right not available  
(185) .repetitions\_counter  
INAPPLICABLE

Optional access right not available  
(186) .transmissions\_counter  
INAPPLICABLE

Optional access right not available  
(187) .CRC\_OK\_frames\_counter  
INAPPLICABLE

Optional access right not available  
(188) .CRC\_NOK\_frames\_counter  
INAPPLICABLE

Optional access right not available

Mngmt Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)

(189) .max\_frame\_length PASSED  
<Data>  
<Unsigned Value="F2" />  
</Data>

\*\*\*\*\*  
Test Case 8 : Set Pre attributes, 62 item(s)  
\*\*\*\*\*

Pre Set Clock 0-0:1.0.0.255 (@75)

(1) .time PASSED  
<Data>  
<OctetString Value="07DB091A010B140900FF8880" />  
</Data>

(2) .time\_zone PASSED  
<Data>  
<Long Value="FFC4" />  
</Data>

(3) .daylights\_savings\_begin PASSED  
<Data>  
<OctetString Value="FFFF03FE07020000008000FF" />  
</Data>

(4) .daylights\_savings\_end PASSED  
<Data>  
<OctetString Value="FFFF0AFE07030000008000FF" />

```

    </Data>
(5) .daylights_savings_deviation                                     PASSED
    <Data>
        <Integer Value="3C" />
    </Data>
(6) .daylights_savings_enabled                                     PASSED
    <Data>
        <Bool Value="01" />
    </Data>

Pre Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(7) .value                                                         PASSED
    <Data>
        <Unsigned Value="3C" />
    </Data>

Pre Set Activity Calendar 0-0:13.0.0.255 (@100)
(8) .calendar_name_passive                                       PASSED
    <Data>
        <OctetString Value="\CNP_5A37" />
    </Data>
(9) .season_profile_passive                                       PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFF0101FF000000008000FF" />
                <OctetString Value="01" />
            </Structure>
        </Array>
    </Data>
(10) .week_profile_table_passive                                   PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0008" >
                <OctetString Value="01" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
                <Unsigned Value="00" />
            </Structure>
        </Array>
    </Data>

```



```
        <Unsigned Value="00" />
        <Unsigned Value="00" />
        <Unsigned Value="00" />
    </Structure>
</Array>
</Data>
(11) .day_profile_table_passive PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Array Qty="0001" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0001" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>
(12) .activate_passive_calendar_time PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
    </Data>

Pre Set Special Days Table 0-0:11.0.0.255 (@113)
(13) .entries PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <LongUnsigned Value="0001" />
                <OctetString Value="FFFF0915FF" />
                <Unsigned Value="02" />
            </Structure>
        </Array>
    </Data>

Pre Set Register activation - Energy 0-0:14.0.1.255 (@117)
(14) .register_assignment
```

INAPPLICABLE

Optional access right not available

(15) .mask\_list

PASSED

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="0001" />
      <Array Qty="000B" >
        <Unsigned Value="01" />
        <Unsigned Value="09" />
        <Unsigned Value="11" />
        <Unsigned Value="19" />
        <Unsigned Value="21" />
        <Unsigned Value="29" />
        <Unsigned Value="31" />
        <Unsigned Value="39" />
        <Unsigned Value="41" />
        <Unsigned Value="49" />
        <Unsigned Value="51" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0002" />
      <Array Qty="000B" >
        <Unsigned Value="02" />
        <Unsigned Value="0A" />
        <Unsigned Value="12" />
        <Unsigned Value="1A" />
        <Unsigned Value="22" />
        <Unsigned Value="2A" />
        <Unsigned Value="32" />
        <Unsigned Value="3A" />
        <Unsigned Value="42" />
        <Unsigned Value="4A" />
        <Unsigned Value="52" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="0003" />
      <Array Qty="000B" >
```

```
<Unsigned Value="03" />
<Unsigned Value="0B" />
<Unsigned Value="13" />
<Unsigned Value="1B" />
<Unsigned Value="23" />
<Unsigned Value="2B" />
<Unsigned Value="33" />
<Unsigned Value="3B" />
<Unsigned Value="43" />
<Unsigned Value="4B" />
<Unsigned Value="53" />
</Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="000B" >
    <Unsigned Value="04" />
    <Unsigned Value="0C" />
    <Unsigned Value="14" />
    <Unsigned Value="1C" />
    <Unsigned Value="24" />
    <Unsigned Value="2C" />
    <Unsigned Value="34" />
    <Unsigned Value="3C" />
    <Unsigned Value="44" />
    <Unsigned Value="4C" />
    <Unsigned Value="54" />
  </Array>
</Structure>
</Array>
</Data>
```

Pre Set Register activation - Maximum Demand 0-0:14.0.2.255 (@123)

(16) .register\_assignment

INAPPLICABLE

Optional access right not available

(17) .mask\_list

PASSED

```
<Data>
  <Array Qty="0008" >
    <Structure Qty="0002" >
```

```
<OctetString Value="0001" />
<Array Qty="0007" >
  <Unsigned Value="01" />
  <Unsigned Value="09" />
  <Unsigned Value="11" />
  <Unsigned Value="19" />
  <Unsigned Value="21" />
  <Unsigned Value="29" />
  <Unsigned Value="31" />
</Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0002" />
  <Array Qty="0007" >
    <Unsigned Value="02" />
    <Unsigned Value="0A" />
    <Unsigned Value="12" />
    <Unsigned Value="1A" />
    <Unsigned Value="22" />
    <Unsigned Value="2A" />
    <Unsigned Value="32" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0003" />
  <Array Qty="0007" >
    <Unsigned Value="03" />
    <Unsigned Value="0B" />
    <Unsigned Value="13" />
    <Unsigned Value="1B" />
    <Unsigned Value="23" />
    <Unsigned Value="2B" />
    <Unsigned Value="33" />
  </Array>
</Structure>
<Structure Qty="0002" >
  <OctetString Value="0004" />
  <Array Qty="0007" >
    <Unsigned Value="04" />
    <Unsigned Value="0C" />
```

```

        <Unsigned Value="14" />
        <Unsigned Value="1C" />
        <Unsigned Value="24" />
        <Unsigned Value="2C" />
        <Unsigned Value="34" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="0005" />
    <Array Qty="0007" >
        <Unsigned Value="05" />
        <Unsigned Value="0D" />
        <Unsigned Value="15" />
        <Unsigned Value="1D" />
        <Unsigned Value="25" />
        <Unsigned Value="2D" />
        <Unsigned Value="35" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="0006" />
    <Array Qty="0007" >
        <Unsigned Value="06" />
        <Unsigned Value="0E" />
        <Unsigned Value="16" />
        <Unsigned Value="1E" />
        <Unsigned Value="26" />
        <Unsigned Value="2E" />
        <Unsigned Value="36" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="0007" />
    <Array Qty="0007" >
        <Unsigned Value="07" />
        <Unsigned Value="0F" />
        <Unsigned Value="17" />
        <Unsigned Value="1F" />
        <Unsigned Value="27" />
        <Unsigned Value="2F" />
    </Array>

```

```

        <Unsigned Value="37" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="0008" />
    <Array Qty="0007" >
        <Unsigned Value="08" />
        <Unsigned Value="10" />
        <Unsigned Value="18" />
        <Unsigned Value="20" />
        <Unsigned Value="28" />
        <Unsigned Value="30" />
        <Unsigned Value="38" />
    </Array>
</Structure>
</Array>
</Data>

```

Pre Set Consumer Message Text 0-0:96.13.0.255 (@288)

(18) .value

PASSED

```

    <Data>
        <OctetString Value="\ISKRAEMECO,d.d." />
    </Data>

```

Pre Set Consumer Message Code 0-0:96.13.1.255 (@292)

(19) .value

PASSED

```

    <Data>
        <OctetString Value="\ " />
    </Data>

```

Pre Set Time threshold for long power failure 0-0:96.7.20.255 (@1090)

(20) .value

PASSED

```

    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

```

Pre Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)

(21) .value

PASSED

```

    <Data>
        <LongUnsigned Value="00CF" />

```

```
</Data>

Pre Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)
(22) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Pre Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)
(23) .value PASSED
    <Data>
        <LongUnsigned Value="00FD" />
    </Data>

Pre Set Time threshold for voltage swell 1-0:12.44.0.255 (@1168)
(24) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Pre Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)
(25) .value PASSED
    <Data>
        <LongUnsigned Value="0067" />
    </Data>

Pre Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)
(26) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Pre Set Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)
(27) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000258" />
    </Data>

Pre Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(28) .capture_period PASSED
```

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>

Pre Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(29) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>

Pre Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(30) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>

Pre Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(31) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>

Pre Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)
(32) .control_mode PASSED
  <Data>
    <Enum Value="01" />
  </Data>

Pre Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)
(33) .control_mode PASSED
  <Data>
    <Enum Value="01" />
  </Data>

Pre Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)
(34) .control_mode PASSED
  <Data>
    <Enum Value="01" />
  </Data>
```



```
Pre Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)
(35) .control_mode PASSED
    <Data>
      <Enum Value="01" />
    </Data>

Pre Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)
(36) .default_mode PASSED
    <Data>
      <Enum Value="00" />
    </Data>
(37) .default_baud PASSED
    <Data>
      <Enum Value="00" />
    </Data>
(38) .prop_baud PASSED
    <Data>
      <Enum Value="05" />
    </Data>
(39) .response_time PASSED
    <Data>
      <Enum Value="00" />
    </Data>
(40) .device_addr PASSED
    <Data>
      <OctetString Value="\00000000" />
    </Data>
(41) .pass_p1 PASSED
    <Data>
      <OctetString Value="\12345678" />
    </Data>
(42) .pass_p2 PASSED
    <Data>
      <OctetString Value="\12345678" />
    </Data>
(43) .pass_p3 PASSED
    <Data>
      <OctetString Value="\12345678" />
    </Data>
```

```
Pre Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)
(44) .comm_speed PASSED
    <Data>
      <Enum Value="05" />
    </Data>
(45) .window_size_transmit PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(46) .window_size_receive PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(47) .max_info_field_lenght_transmit PASSED
    <Data>
      <LongUnsigned Value="007E" />
    </Data>
(48) .max_info_field_lenght_receive PASSED
    <Data>
      <LongUnsigned Value="007E" />
    </Data>
(49) .inter_octet_time_out PASSED
    <Data>
      <LongUnsigned Value="0032" />
    </Data>
(50) .inactivity_time_out PASSED
    <Data>
      <LongUnsigned Value="0078" />
    </Data>

Pre Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(51) .max_receiving_gain PASSED
    <Data>
      <Unsigned Value="2A" />
    </Data>
(52) .max_transmitting_gain PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(53) .search_initiator_gain PASSED
```

```

    <Data>
      <Unsigned Value="62" />
    </Data>
(54) .frequencies PASSED
    <Data>
      <Structure Qty="0002" >
        <DoubleLongUnsigned Value="0000F744" />
        <DoubleLongUnsigned Value="00012110" />
      </Structure>
    </Data>
(55) .min_delta_credit PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(56) .transmission_speed PASSED
    <Data>
      <Enum Value="03" />
    </Data>

Pre Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)
(57) .search_initiator_timeout PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>
(58) .synchronization_confirmation_timeout PASSED
    <Data>
      <LongUnsigned Value="0028" />
    </Data>
(59) .timeout_not_addressed PASSED
    <Data>
      <LongUnsigned Value="02D0" />
    </Data>
(60) .timeout_frame_not_OK PASSED
    <Data>
      <LongUnsigned Value="001E" />
    </Data>

Pre Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(61) .max_frame_length PASSED
    <Data>

```

<Unsigned Value="F2" />  
</Data>

(62) Pre Set passive calendar name and check  
calendar\_name\_passive set to "CNP\_D9B4"

PASSED

\*\*\*\*\*  
Test Case 9 : Selective access of profiles, 17 item(s)  
\*\*\*\*\*

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)

(1) .buffer  
entries\_in\_use: 6

PASSED

<Data>  
<DoubleLongUnsigned Value="00000006" />  
</Data>

capture\_objects:

<Data>  
<Array Qty="0003" >  
<Structure Qty="0004" >  
<LongUnsigned Value="0008" />  
<OctetString Value="0000010000FF" />  
<Integer Value="02" />  
<LongUnsigned Value="0000" />  
</Structure>  
<Structure Qty="0004" >  
<LongUnsigned Value="0003" />  
<OctetString Value="0100010801FF" />  
<Integer Value="02" />  
<LongUnsigned Value="0000" />  
</Structure>  
<Structure Qty="0004" >  
<LongUnsigned Value="0003" />  
<OctetString Value="0100010802FF" />  
<Integer Value="02" />  
<LongUnsigned Value="0000" />  
</Structure>  
</Array>  
</Data>

Buffer has 6 elements:

<Data>

IDIS Reg No 0007 Kema\_Report.txt

```
<Array Qty="0006" >  
  <Structure Qty="0003" >  
    <OctetString Value="07DB0915030F2C2C00FF8880" />  
    <DoubleLongUnsigned Value="0000005D" />  
    <DoubleLongUnsigned Value="00000000" />  
  </Structure>  
  <Structure Qty="0003" >  
    <OctetString Value="07DB09160406152200FF8880" />  
    <DoubleLongUnsigned Value="0000005D" />  
    <DoubleLongUnsigned Value="00000000" />  
  </Structure>  
  <Structure Qty="0003" >  
    <OctetString Value="07DB09160406152200FF8880" />  
    <DoubleLongUnsigned Value="0000005D" />  
    <DoubleLongUnsigned Value="00000000" />  
  </Structure>  
  <Structure Qty="0003" >  
    <OctetString Value="07DB09160406152200FF8880" />  
    <DoubleLongUnsigned Value="0000005D" />  
    <DoubleLongUnsigned Value="00000000" />  
  </Structure>  
  <Structure Qty="0003" >  
    <OctetString Value="07DB09160406152200FF8880" />  
    <DoubleLongUnsigned Value="0000005D" />  
    <DoubleLongUnsigned Value="00000000" />  
  </Structure>  
  <Structure Qty="0003" >  
    <OctetString Value="07DB09160406152200FF8880" />  
    <DoubleLongUnsigned Value="0000005D" />  
    <DoubleLongUnsigned Value="00000000" />  
  </Structure>  
  <Structure Qty="0003" >  
    <OctetString Value="07DB09160406152200FF8880" />  
    <DoubleLongUnsigned Value="0000005D" />  
    <DoubleLongUnsigned Value="00000000" />  
  </Structure>  
</Array>  
</Data>
```

Earliest date: 21-SEP-2011 15:44:44, latest date: 22-SEP-2011 06:21:34

Middle date: 22-SEP-2011 06:21:34

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)

(2) .buffer

entries\_in\_use: 30

<Data>

PASSED

```

    <DoubleLongUnsigned Value="0000001E" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 30 elements:
  <_Data>
    <Array Qty="001E" >
      <Structure Qty="0002" >
        <OctetString Value="07DB091503090A2D00FF8880" />
        <Enum Value="3F" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB091503090B0800FF8880" />
        <Enum Value="3E" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB091503090B1E00FF8880" />
        <Enum Value="3F" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB091503090B1E00FF8880" />
        <Enum Value="3B" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DB091503090B3300FF8880" />

```

```
<Enum Value="3E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091503090C0B00FF8880" />
  <Enum Value="3F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091503090C0B00FF8880" />
  <Enum Value="3B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150309120500FF8880" />
  <Enum Value="3E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150309120E00FF8880" />
  <Enum Value="3F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030C050000FF8880" />
  <Enum Value="40" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030C0A0000FF8880" />
  <Enum Value="45" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F230A00FF8880" />
  <Enum Value="3E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F231E00FF8880" />
  <Enum Value="3F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F231E00FF8880" />
  <Enum Value="3B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F233600FF8880" />
```

```
<Enum Value="3E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F240E00FF8880" />
  <Enum Value="3F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F242300FF8880" />
  <Enum Value="3E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F243600FF8880" />
  <Enum Value="3F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F243600FF8880" />
  <Enum Value="3B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F251100FF8880" />
  <Enum Value="3E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F252500FF8880" />
  <Enum Value="3F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F260000FF8880" />
  <Enum Value="3E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F261400FF8880" />
  <Enum Value="3F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F261400FF8880" />
  <Enum Value="3B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F262C00FF8880" />
```



IDIS Reg No 0007 Kema\_Report.txt

```
<Enum Value="3E" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F270400FF8880" />
  <Enum Value="3F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F270400FF8880" />
  <Enum Value="3B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150300000000FF8880" />
  <Enum Value="45" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Enum Value="40" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030C0A0000FF8880" />
  <Enum Value="45" />
</Structure>
</Array>
</_Data>
```

Earliest date: 21-SEP-2011 00:00:00, latest date: 21-SEP-2011 15:39:04  
Middle date: 21-SEP-2011 15:36:14

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)

(3) .buffer

entries\_in\_use: 100

```
<Data>
  <DoubleLongUnsigned Value="00000064" />
</Data>
capture_objects:
<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
    </Structure>
  </Array>
</Data>
```

PASSED

```

    <LongUnsigned Value="0000" />
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <OctetString Value="0000600B00FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 100 elements:
<_Data>
  <Array Qty="0064" >
    <Structure Qty="0002" >
      <OctetString Value="07DB0915030F373900FF8880" />
      <Enum Value="2F" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB0915030F382700FF8880" />
      <Enum Value="13" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB0915030F382700FF8880" />
      <Enum Value="2F" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB0915030F391400FF8880" />
      <Enum Value="30" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB0915030F391B00FF8880" />
      <Enum Value="30" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB0915030F392700FF8880" />
      <Enum Value="13" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB0915030F392700FF8880" />
      <Enum Value="2F" />

```

```

</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F392A00FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A0400FF8880" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A0400FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A1600FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A2600FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A2C00FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A3800FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A3800FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A3800FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3A3800FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3B0000FF8880" />
  <Enum Value="13" />

```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3B0000FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3B1100FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3B1100FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3B1100FF8880" />
  <Enum Value="30" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150310010000FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150310011800FF8880" />
  <Enum Value="33" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150310011A00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091503111A3B00FF8880" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091503111B1000FF8880" />
  <Enum Value="12" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091503111B3200FF8880" />
  <Enum Value="2F" />
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150312353B00FF8880" />
  <Enum Value="11" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150312360C00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150312370000FF8880" />
  <Enum Value="12" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09160406151F00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09160406152000FF8880" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09160406152100FF8880" />
  <Enum Value="09" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091604061A2400FF8880" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091604061F1000FF8880" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09160406203500FF8880" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09160406232900FF8880" />
  <Enum Value="02" />
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09160406251500FF8880" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A0108033700FF8880" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A0108040800FF8880" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A01083B0800FF8880" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A0109082300FF8880" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010A340300FF8880" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B3B0700FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B3B1500FF8880" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B140900FF8880" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B140B00FF8880" />
  <Enum Value="2F" />
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B141B00FF8880" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B152A00FF8880" />
  <Enum Value="0A" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B152A00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B152D00FF8880" />
  <Enum Value="0B" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B192400FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B193700FF8880" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B140900FF8880" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B140C00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B141200FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B141B00FF8880" />
  <Enum Value="2F" />
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B142700FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B143400FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B150500FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B151300FF8880" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B151300FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B152200FF8880" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B152200FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B153100FF8880" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B153100FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B160300FF8880" />
  <Enum Value="13" />
```



```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B160300FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B161200FF8880" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B161200FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B161F00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B162E00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B170500FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B171800FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B172500FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B173500FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B180600FF8880" />
  <Enum Value="2F" />
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B181300FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B182100FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B182F00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B190100FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B190F00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B191C00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B192B00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B193800FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B1A0A00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B1A1700FF8880" />
  <Enum Value="2F" />
```

```
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1A2500FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1A3200FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1B0400FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1B1100FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1D1500FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1D2200FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1D3200FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1E0300FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1E1200FF8880" />  
  <Enum Value="2F" />  
</Structure>  
<Structure Qty="0002" >  
  <OctetString Value="07DB091A010B1E1F00FF8880" />  
  <Enum Value="2F" />
```

```

</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B1E2E00FF8880" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B211D00FF8880" />
  <Enum Value="13" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010B211D00FF8880" />
  <Enum Value="2F" />
</Structure>
</Array>
</_Data>

```

Earliest date: 21-SEP-2011 15:55:57, latest date: 26-SEP-2011 11:59:21  
 Middle date: 26-SEP-2011 11:21:45

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)

(4) .buffer

PASSED

```

entries_in_use: 30
  <Data>
    <DoubleLongUnsigned Value="0000001E" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>

```

```
</Data>
Buffer has 30 elements:
<_Data>
  <Array Qty="001E" >
    <Structure Qty="0002" >
      <OctetString Value="07DB091301130F0F00FF8880" />
      <Enum Value="32" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB09130113110500FF8880" />
      <Enum Value="31" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB09130113130900FF8880" />
      <Enum Value="32" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB091402073A0800FF8880" />
      <Enum Value="31" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB091402073B1900FF8880" />
      <Enum Value="32" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB091402073B2100FF8880" />
      <Enum Value="32" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB09140208011300FF8880" />
      <Enum Value="31" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB09140208031600FF8880" />
      <Enum Value="32" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB0914020D0F3800FF8880" />
      <Enum Value="2C" />
    </Structure>
  </Array>
</_Data>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DB09140210040400FF8880" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09140210051800FF8880" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09140210052000FF8880" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09140210071100FF8880" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09140210091100FF8880" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150306152E00FF8880" />
  <Enum Value="2C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09020500042B00FF8880" />
  <Enum Value="2C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150308191F00FF8880" />
  <Enum Value="2C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091503091C0B00FF8880" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091503091D1F00FF8880" />
  <Enum Value="32" />
</Structure>
```

```
<Structure Qty="0002" >
  <OctetString Value="07DB091503091D2900FF8880" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091503091F1A00FF8880" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150309211C00FF8880" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030E173600FF8880" />
  <Enum Value="28" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F362100FF8880" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F373300FF8880" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F380100FF8880" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F392E00FF8880" />
  <Enum Value="31" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0915030F3B3300FF8880" />
  <Enum Value="32" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A0108033800FF8880" />
  <Enum Value="28" />
</Structure>
```

IDIS Reg No 0007 Kema\_Report.txt

```
<Structure Qty="0002" >  
  <OctetString Value="07DB091A0108033800FF8880" />  
  <Enum Value="2C" />  
</Structure>
```

```
</Array>
```

```
</_Data>
```

Earliest date: 02-SEP-2011 00:04:43, latest date: 26-SEP-2011 08:03:56

Middle date: 02-SEP-2011 00:04:43

Mngmt Get Load profile with period 1  
i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(5) .buffer

PASSED

entries\_in\_use: 140

```
<Data>
```

```
  <DoubleLongUnsigned Value="0000008C" />
```

```
</Data>
```

capture\_objects:

```
<Data>
```

```
  <Array Qty="0003" >
```

```
    <Structure Qty="0004" >
```

```
      <LongUnsigned Value="0008" />
```

```
      <OctetString Value="0000010000FF" />
```

```
      <Integer Value="02" />
```

```
      <LongUnsigned Value="0000" />
```

```
    </Structure>
```

```
    <Structure Qty="0004" >
```

```
      <LongUnsigned Value="0001" />
```

```
      <OctetString Value="0000600A01FF" />
```

```
      <Integer Value="02" />
```

```
      <LongUnsigned Value="0000" />
```

```
    </Structure>
```

```
    <Structure Qty="0004" >
```

```
      <LongUnsigned Value="0003" />
```

```
      <OctetString Value="0100010800FF" />
```

```
      <Integer Value="02" />
```

```
      <LongUnsigned Value="0000" />
```

```
    </Structure>
```

```
  </Array>
```

```
</Data>
```

Buffer has 140 elements:



```
<_Data>
  <Array Qty="008C" >
    <Structure Qty="0003" >
      <OctetString Value="07D30101030C0F0000FFC400" />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DB08010113000000FF8880" />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
    </Structure>
    <Structure Qty="0003" >
      <NullData />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DB08010114000000FF8880" />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
    </Structure>
    <Structure Qty="0003" >
      <NullData />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DB08010116000000FF8880" />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
    </Structure>
    <Structure Qty="0003" >
      <NullData />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DB08020200000000FF8880" />
      <Unsigned Value="20" />
    </Structure>
  </Array>

```

```
<DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB08040400000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB08050500000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB08070700000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB08090200000000FF8880" />
  <Unsigned Value="20" />
```

```

    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB080A0300000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09020500000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="E0" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB091503080F0000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="C0" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />

```

```

    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB091503082D0000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB091503082D0000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />

```

```

    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150300000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150304000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150308000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />

```

```

    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB091503091E0000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB091503091E0000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />

```

```

    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030D1E0000FF8880" />
    <Unsigned Value="C0" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030E1E0000FF8880" />
    <Unsigned Value="40" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />

```

```

    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030F0F0000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150300000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150304000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150308000000FF8880" />
    <Unsigned Value="00" />

```



```

    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030F2D0000FF8880" />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150310000000FF8880" />
    <Unsigned Value="20" />

```



```
<DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
```



```
<DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
```

```
<DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
```

```
<DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
```





```
<DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="C0" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB091A01080F0000FF8880" />
  <Unsigned Value="C0" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB091A0109000000FF8880" />
  <Unsigned Value="40" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB091A010B000000FF8880" />
  <Unsigned Value="40" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
```

```
<DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB091A010B1E0000FF8880" />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
</Structure>
</Array>
</_Data>
```

Earliest date: 01-JAN-2003 12:15:00, latest date: 26-SEP-2011 11:30:00  
Middle date: 21-SEP-2011 16:00:00

Mngmt Get Load profile with period 2  
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

(6) .buffer

entries\_in\_use: 17

```
<Data>
  <DoubleLongUnsigned Value="00000011" />
</Data>
```

capture\_objects:

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
```

PASSED

```

    <Integer Value="02" />
    <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <OctetString Value="0000600A02FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <OctetString Value="0100010800FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <OctetString Value="0100020800FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 17 elements:
<_Data>
  <Array Qty="0011" >
    <Structure Qty="0004" >
      <OctetString Value="07D301020400000000FFC400" />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
      <DoubleLongUnsigned Value="00000006" />
    </Structure>
    <Structure Qty="0004" >
      <OctetString Value="07DB08020200000000FF8880" />
      <Unsigned Value="20" />
      <DoubleLongUnsigned Value="0000005D" />
      <DoubleLongUnsigned Value="00000006" />
    </Structure>
    <Structure Qty="0004" >
      <NullData />
  </Array>

```

```
<Unsigned Value="20" />
<DoubleLongUnsigned Value="0000005D" />
<DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
```

```

<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB09020500000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="E0" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB09150300000000FF8880" />
  <Unsigned Value="E0" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <OctetString Value="07DB09150300000000FF8880" />
  <Unsigned Value="E0" />
  <DoubleLongUnsigned Value="0000005D" />
  <DoubleLongUnsigned Value="00000006" />
</Structure>
<Structure Qty="0004" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLongUnsigned Value="0000005D" />

```

```
                IDIS Reg No 0007 Kema_Report.txt
                <DoubleLongUnsigned Value="00000006" />
            </Structure>
        <Structure Qty="0004" >
            <NullData />
            <Unsigned Value="C0" />
            <DoubleLongUnsigned Value="0000005D" />
            <DoubleLongUnsigned Value="00000006" />
        </Structure>
    </Array>
</_Data>
Earliest date: 02-JAN-2003 00:00:00, latest date: 21-SEP-2011 00:00:00
Middle date: 02-SEP-2011 00:00:00
```

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)

(7) .buffer

PASSED

```
entries_in_use: 10
  <Data>
    <DoubleLongUnsigned Value="0000000A" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0000600713FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 10 elements:
  <Data>
    <Array Qty="000A" >
      <Structure Qty="0002" >
```

```
                IDIS Reg No 0007 Kema_Report.txt
                <OctetString Value="07DB09020501242100FF8880" />
                <LongUnsigned Value="0004" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB09020501242C00FF8880" />
                <LongUnsigned Value="0004" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB09020501243600FF8880" />
                <LongUnsigned Value="0004" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB09130112031D00FF8880" />
                <LongUnsigned Value="000F" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB0914020D253500FF8880" />
                <LongUnsigned Value="044A" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB0915030E173400FF8880" />
                <LongUnsigned Value="0D76" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB091604061F1000FF8880" />
                <LongUnsigned Value="0118" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB091A0108033700FF8880" />
                <LongUnsigned Value="5A4A" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB091A01083B0800FF8880" />
                <LongUnsigned Value="0CE4" />
        </Structure>
        <Structure Qty="0002" >
                <OctetString Value="07DB091A010A340300FF8880" />
                <LongUnsigned Value="1840" />
        </Structure>
</Array>
```

</Data>  
Earliest date: 02-SEP-2011 01:36:33, latest date: 26-SEP-2011 10:52:03  
Middle date: 21-SEP-2011 14:23:52

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)

(8) .buffer

PASSED

entries\_in\_use: 29  
<Data>  
  <DoubleLongUnsigned Value="0000001D" />  
</Data>  
capture\_objects:  
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0000600B04FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>

Buffer has 29 elements:

<\_Data>  
  <Array Qty="001D" >  
    <Structure Qty="0002" >  
      <OctetString Value="07DB09020500111600FF8880" />  
      <Enum Value="FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB091301113A1C00FF8880" />  
      <Enum Value="52" />  
    </Structure>  
    <Structure Qty="0002" >  
      <OctetString Value="07DB091301113A1C00FF8880" />



```
<Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091301113A1D00FF8880" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091301113A1D00FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091301113A2500FF8880" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091301113A2500FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091301113A2E00FF8880" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091301113A2E00FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091301113A3400FF8880" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091301113A3400FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09130112072B00FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09130112072B00FF8880" />
```

```
<Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0914020D253600FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB0914020D253600FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150306152E00FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150306152E00FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150308191F00FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09150308191F00FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091604061F1100FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091604061F1100FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09160406232A00FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB09160406232A00FF8880" />
```

IDIS Reg No 0007 Kema\_Report.txt

```
<Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A0108033800FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A0108033800FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A01083B0900FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A01083B0900FF8880" />
  <Enum Value="55" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010A340400FF8880" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB091A010A340400FF8880" />
  <Enum Value="55" />
</Structure>
</Array>
</_Data>
```

Earliest date: 02-SEP-2011 00:17:22, latest date: 26-SEP-2011 10:52:04  
Middle date: 20-SEP-2011 13:37:54

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)

(9) .buffer

entries\_in\_use: 63

```
<Data>
  <DoubleLongUnsigned Value="0000003F" />
</Data>
capture_objects:
<Data>
  <Array Qty="0003" >
```

PASSED

```

<Structure Qty="0004" >
  <LongUnsigned Value="0008" />
  <OctetString Value="0000010000FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <OctetString Value="0001600A03FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0001180201FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 63 elements:
<_Data>
  <Array Qty="003F" >
    <Structure Qty="0003" >
      <OctetString Value="07DB08020200000000FF8880" />
      <Unsigned Value="00" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <NullData />
      <Unsigned Value="20" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DB08040400000000FF8880" />
      <Unsigned Value="20" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <NullData />

```

```

    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB08050500000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB08070700000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB08090200000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB080A0300000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />

```

```

    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09020500000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="E0" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150309000000FF8880" />
    <Unsigned Value="E0" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150309000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150300000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />

```

```

    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150304000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150308000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030A000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />

```

```

    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030A000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030E000000FF8880" />
    <Unsigned Value="C0" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="40" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150300000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150304000000FF8880" />

```



```

    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150308000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150310000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />

```

```
<Unsigned Value="20" />
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150310000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
```

```
<Unsigned Value="00" />
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
```

IDIS Reg No 0007 Kema\_Report.txt

```
<Unsigned Value="C0" />
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB091A0109000000FF8880" />
  <Unsigned Value="C0" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="80" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="40" />
  <DoubleLong Value="00000000" />
</Structure>
</Array>
</_Data>
```

Earliest date: 02-AUG-2011 00:00:00, latest date: 26-SEP-2011 09:00:00

Middle date: 21-SEP-2011 00:00:00

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)

(10) .buffer

entries\_in\_use: 63

```
<Data>
  <DoubleLongUnsigned Value="0000003F" />
</Data>
capture_objects:
```

```
<Data>
  <Array Qty="0003" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
```

PASSED

```

    <OctetString Value="0002600A03FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>
Buffer has 63 elements:
  <_Data>
    <Array Qty="003F" >
      <Structure Qty="0003" >
        <OctetString Value="07DB08020200000000FF8880" />
        <Unsigned Value="00" />
        <DoubleLong Value="00000000" />
      </Structure>
      <Structure Qty="0003" >
        <NullData />
        <Unsigned Value="20" />
        <DoubleLong Value="00000000" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="07DB08040400000000FF8880" />
        <Unsigned Value="20" />
        <DoubleLong Value="00000000" />
      </Structure>
      <Structure Qty="0003" >
        <NullData />
        <Unsigned Value="20" />
        <DoubleLong Value="00000000" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="07DB08050500000000FF8880" />
        <Unsigned Value="20" />
        <DoubleLong Value="00000000" />
      </Structure>
    </Array>
  </_Data>

```

```

<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB08070700000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB08090200000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB080A0300000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09020500000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>

```

```
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="E0" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150309000000FF8880" />
  <Unsigned Value="E0" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150309000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150300000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150304000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
```

```
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150308000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030A000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
```



```
<Structure Qty="0003" >
  <OctetString Value="07DB0915030A000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030E000000FF8880" />
  <Unsigned Value="C0" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="40" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150300000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150304000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
```

```

<Structure Qty="0003" >
  <OctetString Value="07DB09150308000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150310000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150310000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>

```

```

<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>

```

```
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="C0" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB091A0109000000FF8880" />
  <Unsigned Value="C0" />
  <DoubleLong Value="00000000" />
</Structure>
```

IDIS Reg No 0007 Kema\_Report.txt

```
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="80" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="40" />
  <DoubleLong Value="00000000" />
</Structure>
</Array>
</_Data>
```

Earliest date: 02-AUG-2011 00:00:00, latest date: 26-SEP-2011 09:00:00  
Middle date: 21-SEP-2011 00:00:00

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)

(11) .buffer

PASSED

entries\_in\_use: 63

```
<Data>
  <DoubleLongUnsigned Value="0000003F" />
</Data>
capture_objects:
<Data>
  <Array Qty="0003" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0003600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0003180201FF" />
      <Integer Value="02" />
    </Structure>
```

```
<LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 63 elements:
<_Data>
  <Array Qty="003F" >
    <Structure Qty="0003" >
      <OctetString Value="07DB08020200000000FF8880" />
      <Unsigned Value="00" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <NullData />
      <Unsigned Value="20" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DB08040400000000FF8880" />
      <Unsigned Value="20" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <NullData />
      <Unsigned Value="20" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DB08050500000000FF8880" />
      <Unsigned Value="20" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <NullData />
      <Unsigned Value="20" />
      <DoubleLong Value="00000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DB08070700000000FF8880" />
      <Unsigned Value="20" />
    </Structure>
  </Array>
</Data>
```

```

    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB08090200000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB080A0300000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09020500000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="E0" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150309000000FF8880" />
    <Unsigned Value="E0" />

```

```
                IDIS Reg No 0007 Kema_Report.txt
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150309000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150300000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150304000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150308000000FF8880" />
    <Unsigned Value="00" />
```



```

    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030A000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030C000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030A000000FF8880" />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB0915030E000000FF8880" />
    <Unsigned Value="C0" />

```

```

    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="40" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150300000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150304000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB09150308000000FF8880" />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="20" />

```

```
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150310000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150310000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
```

```
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
```

```

    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="00" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="C0" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <OctetString Value="07DB091A0109000000FF8880" />
    <Unsigned Value="C0" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="80" />
    <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
    <NullData />
    <Unsigned Value="40" />

```

```
<DoubleLong Value="00000000" />
</Structure>
</Array>
</_Data>
Earliest date: 02-AUG-2011 00:00:00, latest date: 26-SEP-2011 09:00:00
Middle date: 21-SEP-2011 00:00:00
```

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)

(12) .buffer

PASSED

```
entries_in_use: 63
<Data>
  <DoubleLongUnsigned Value="0000003F" />
</Data>
capture_objects:
<Data>
  <Array Qty="0003" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0004600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
Buffer has 63 elements:
<_Data>
  <Array Qty="003F" >
    <Structure Qty="0003" >
```

```
                IDIS Reg No 0007 Kema_Report.txt
                <OctetString Value="07DB08020200000000FF8880" />
                <Unsigned Value="00" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB08040400000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB08050500000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB08070700000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
```

```
                IDIS Reg No 0007 Kema_Report.txt
                <OctetString Value="07DB08090200000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB080A0300000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB09020500000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="E0" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB09150309000000FF8880" />
                <Unsigned Value="E0" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
```



```
                IDIS Reg No 0007 Kema_Report.txt
                <OctetString Value="07DB09150309000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB09150300000000FF8880" />
                <Unsigned Value="00" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB09150304000000FF8880" />
                <Unsigned Value="00" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB09150308000000FF8880" />
                <Unsigned Value="00" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
```

```
                IDIS Reg No 0007 Kema_Report.txt
                <OctetString Value="07DB0915030C000000FF8880" />
                <Unsigned Value="00" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB0915030A000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB0915030C000000FF8880" />
                <Unsigned Value="00" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB0915030A000000FF8880" />
                <Unsigned Value="20" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <OctetString Value="07DB0915030E000000FF8880" />
                <Unsigned Value="C0" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
                <NullData />
                <Unsigned Value="40" />
                <DoubleLong Value="00000000" />
        </Structure>
        <Structure Qty="0003" >
```

```
<NullData />
<Unsigned Value="20" />
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150300000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150304000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150308000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
```

```
<NullData />
<Unsigned Value="20" />
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150310000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB0915030C000000FF8880" />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB09150310000000FF8880" />
  <Unsigned Value="20" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
```

```
<NullData />
<Unsigned Value="00" />
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
```

```
<NullData />
<Unsigned Value="00" />
<DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="00" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="C0" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="07DB091A0109000000FF8880" />
  <Unsigned Value="C0" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="80" />
  <DoubleLong Value="00000000" />
</Structure>
<Structure Qty="0003" >
  <NullData />
  <Unsigned Value="40" />
  <DoubleLong Value="00000000" />
</Structure>
</Array>
</_Data>
Earliest date: 02-AUG-2011 00:00:00, latest date: 26-SEP-2011 09:00:00
Middle date: 21-SEP-2011 00:00:00
```

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)

```

(13) .buffer
  entries_in_use: 5
    <Data>
      <DoubleLongUnsigned Value="00000005" />
    </Data>
  capture_objects:
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0001600B04FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
  Buffer has 5 elements:
    <Data>
      <Array Qty="0005" >
        <Structure Qty="0002" >
          <OctetString Value="07DB08020200000300FF8880" />
          <Enum Value="FF" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="07DB08020200000400FF8880" />
          <Enum Value="A2" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="07DB08020200000400FF8880" />
          <Enum Value="A3" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="07DB08020200000500FF8880" />
          <Enum Value="A2" />
        </Structure>
      </Array>
    </Data>

```

```

</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000500FF8880" />
  <Enum Value="A3" />
</Structure>
</Array>
</Data>

```

Earliest date: 02-AUG-2011 00:00:03, latest date: 02-AUG-2011 00:00:05  
 Middle date: 02-AUG-2011 00:00:04

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)

(14) .buffer

PASSED

```

entries_in_use: 5
  <Data>
    <DoubleLongUnsigned Value="00000005" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0002600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

Buffer has 5 elements:

```

<Data>
  <Array Qty="0005" >
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000600FF8880" />
      <Enum Value="FF" />
    </Structure>

```



```

IDIS Reg No 0007 Kema_Report.txt
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000700FF8880" />
  <Enum Value="AC" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000700FF8880" />
  <Enum Value="AD" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000800FF8880" />
  <Enum Value="AC" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000800FF8880" />
  <Enum Value="AD" />
</Structure>
</Array>
</Data>

```

Earliest date: 02-AUG-2011 00:00:06, latest date: 02-AUG-2011 00:00:08  
Middle date: 02-AUG-2011 00:00:07

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

(15) .buffer

PASSED

```

entries_in_use: 5
  <Data>
    <DoubleLongUnsigned Value="00000005" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0003600B04FF" />
        <Integer Value="02" />
      </Structure>
    </Array>
  </Data>

```

```
<LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 5 elements:
<Data>
  <Array Qty="0005" >
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000900FF8880" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000A00FF8880" />
      <Enum Value="B6" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000A00FF8880" />
      <Enum Value="B7" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000B00FF8880" />
      <Enum Value="B6" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000B00FF8880" />
      <Enum Value="B7" />
    </Structure>
  </Array>
</Data>
Earliest date: 02-AUG-2011 00:00:09, latest date: 02-AUG-2011 00:00:11
Middle date: 02-AUG-2011 00:00:10
```

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

(16) .buffer

PASSED

entries\_in\_use: 5

```
<Data>
  <DoubleLongUnsigned Value="00000005" />
</Data>
capture_objects:
<Data>
```

```

<Array Qty="0002" >
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
  <Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <OctetString Value="0004600B04FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>
Buffer has 5 elements:
<Data>
  <Array Qty="0005" >
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000C00FF8880" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000D00FF8880" />
      <Enum Value="C0" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000D00FF8880" />
      <Enum Value="C1" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000E00FF8880" />
      <Enum Value="C0" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000E00FF8880" />
      <Enum Value="C1" />
    </Structure>
  </Array>
</Data>

```

Earliest date: 02-AUG-2011 00:00:12, latest date: 02-AUG-2011 00:00:14

Middle date: 02-AUG-2011 00:00:13

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)

(17) .buffer

PASSED

entries\_in\_use: 13

```
<Data>
  <DoubleLongUnsigned Value="0000000D" />
</Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
```

Buffer has 13 elements:

```
<_Data>
  <Array Qty="000D" >
    <Structure Qty="0002" >
      <OctetString Value="07DB09020500111600FF8880" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000200FF8880" />
      <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DB08020200000200FF8880" />
      <Enum Value="FE" />
    </Structure>
  </Array>
</_Data>
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000200FF8880" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000200FF8880" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07D30101030C011600FFC400" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07D30101030C012000FFC400" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07D30101030C012700FFC400" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07D30101030C012F00FFC400" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000300FF8880" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000300FF8880" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000300FF8880" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DB08020200000300FF8880" />
  <Enum Value="FE" />
```

```
</Structure>
</Array>
</_Data>
Earliest date: 01-JAN-2003 12:01:22, latest date: 02-SEP-2011 00:17:22
Middle date: 01-JAN-2003 12:01:32
```

```
*****
Test Case 10 : Multiple references, 4 item(s)
*****
```

```
(1) Public, logical names
Reading 5 attributes
```

PASSED

```
<Result Qty="0005" >
  <Data>
    <OctetString Value="0000290000FF" />
  </Data>
  <Data>
    <OctetString Value="0000280000FF" />
  </Data>
  <Data>
    <OctetString Value="00002B0101FF" />
  </Data>
  <Data>
    <OctetString Value="00002B0100FF" />
  </Data>
  <Data>
    <OctetString Value="00002A0000FF" />
  </Data>
</Result>
```

```
(2) Mngmt, logical names
Reading 16 attributes
```

PASSED

```
<Result Qty="0010" >
  <Data>
    <OctetString Value="00001A0500FF" />
  </Data>
  <Data>
    <OctetString Value="00001A0300FF" />
  </Data>
  <Data>
    <OctetString Value="00001A0200FF" />
  </Data>
```

```
<Data>
  <OctetString Value="00001A0100FF" />
</Data>
<Data>
  <OctetString Value="00001A0000FF" />
</Data>
<Data>
  <OctetString Value="0000160000FF" />
</Data>
<Data>
  <OctetString Value="0100040700FF" />
</Data>
<Data>
  <OctetString Value="0100030700FF" />
</Data>
<Data>
  <OctetString Value="0100020700FF" />
</Data>
<Data>
  <OctetString Value="0100010700FF" />
</Data>
<Data>
  <OctetString Value="01000F0700FF" />
</Data>
<Data>
  <OctetString Value="01005A0700FF" />
</Data>
<Data>
  <OctetString Value="01001F0700FF" />
</Data>
<Data>
  <OctetString Value="0100201800FF" />
</Data>
<Data>
  <OctetString Value="0100200700FF" />
</Data>
<Data>
  <OctetString Value="0000636204FF" />
</Data>
</Result>
```

(3) Mngmt, mixed attributes

Reading 15 attributes

```
<Result Qty="000F" >
  <Data>
    <OctetString Value="0000290000FF" />
  </Data>
  <Data>
    <Enum Value="00" />
  </Data>
  <Data>
    <Long Value="FFC4" />
  </Data>
  <Data>
    <OctetString Value="0001" />
  </Data>
  <Data>
    <Enum Value="01" />
  </Data>
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
  <Data>
    <DoubleLongUnsigned Value="0000001E" />
  </Data>
  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>
  <Data>
    <LongUnsigned Value="0001" />
  </Data>
  <Data>
    <Enum Value="02" />
  </Data>
  <Data>
    <Bool Value="00" />
  </Data>
</Result>
```



```

</Data>
<Data>
  <Unsigned Value="00" />
</Data>
<Data>
  <LongUnsigned Value="0C00" />
</Data>
<Data>
  <Bool Value="01" />
</Data>
<Data>
  <Enum Value="03" />
</Data>
</Result>
(4) Mngmt, long attributes (block transfer)
  Reading 5 attributes
  <Result Qty="0005" >
    <Data>
      <OctetString Value="\CNP_D9B4" />
    </Data>
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0003" >
          <OctetString Value="01" />
          <OctetString Value="FFFF0101FF000000008000FF" />
          <OctetString Value="01" />
        </Structure>
      </Array>
    </Data>
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0008" >
          <OctetString Value="01" />
          <Unsigned Value="00" />
          <Unsigned Value="00" />
          <Unsigned Value="00" />
          <Unsigned Value="00" />
          <Unsigned Value="00" />
          <Unsigned Value="00" />
          <Unsigned Value="00" />
          <Unsigned Value="00" />
        </Structure>
      </Array>
    </Data>
  </Result>

```

PASSED

```

    </Structure>
  </Array>
</Data>
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Unsigned Value="00" />
      <Array Qty="0001" >
        <Structure Qty="0003" >
          <OctetString Value="00000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0001" />
        </Structure>
      </Array>
    </Structure>
  </Array>
</Data>
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
</Data>
</Result>

```

\*\*\*\*\*  
 Test Case 11 : Disconnect controls, 3 item(s)  
 \*\*\*\*\*

- (1) Disconnect control PASSED
  - Disconnect in control mode 0
  - Test control mode 1
  - Test control mode 2
  - Test control mode 3
  - Test control mode 4
  - Test control mode 5
  - Test control mode 6
- (2) Load Mgmt - Relay control 1 PASSED
- (3) Load Mgmt - Relay control 2 PASSED

\*\*\*\*\*  
 Test Case 12 : Script tables, 3 item(s)  
 \*\*\*\*\*

- (1) Tariffication script table PASSED

Tariffication script table (parameters 1): " •, •, •, •"

Register activation - Energy (mask names): " •, •, •, •"

Tariffication script table (parameters 2): " •, •, •, •"

Register activation - Maximum Demand (mask names): " •, •, •, •, •, •, •, •"

calendar\_name\_passive name: TOU\_D9F5

activate\_passive\_calendar\_time: 26-SEP-2011 11:55:30

activate\_passive\_calendar\_time: 26-SEP-2011 12:00:58

- (2) MDI Reset / End of billing period script table PASSED
- (3) Disconnect script table PASSED

\*\*\*\*\*

Test Case 13 : Miscellaneous tests, 4 item(s)

\*\*\*\*\*

- (1) Set/Get of long attribute PASSED
- (2) S-FSK Initiator, execute reset\_NEW\_not\_synchronized PASSED  
MAC address = 0x005
- (3) Reset S-FSK MAC counters PASSED
- (4) Set S-FSK transmissions counter

INAPPLICABLE

Optional access right not available

\*\*\*\*\*

Test Case 14 : Application association, 17 item(s)

\*\*\*\*\*

- (1) Wrong logical device Id PASSED
- (2) Wrong client Id PASSED
- (3) Opening an already opened application association PASSED
- (4) Error on the Protocol version PASSED
- (5) Application context missing PASSED
- (6) Wrong application context PASSED
- (7) Missing calling AP title in a ciphering AARQ PASSED
- (8) Wrong system title in the Calling AP title PASSED
- (9) ACSE requirement missing PASSED
- (10) Wrong ACSE requirement PASSED
- (11) Authentication mechanism missing PASSED
- (12) Wrong authentication mechanism PASSED
- (13) Authentication value missing PASSED
- (14) Wrong authentication value PASSED
- (15) User information missing PASSED
- (16) Wrong dedicated key PASSED

(17) Incorrect conformance bloc

PASSED

\*\*\*\*\*  
Test Case 15 : xDLMS Services, 20 item(s)  
\*\*\*\*\*

- (1) Get without AA opening PASSED
- (2) Set without AA opening PASSED
- (3) Action without AA opening PASSED
- (4) Get with wrong inner tag PASSED
- (5) Set with wrong inner tag PASSED
- (6) Action with wrong inner tag PASSED
- (7) Error during block transfer with get PASSED
- (8) Error during block transfer with set PASSED
- (9) Get with wrong attribute id PASSED
- (10) Set with wrong attribute id PASSED
- (11) Action with wrong attribute id PASSED
- (12) Get with wrong access right PASSED
- (13) Set with wrong access right PASSED
- (14) Action with wrong access right PASSED
- (15) Get with wrong access selector PASSED
- (16) Get with wrong access parameters PASSED
- (17) Set with wrong data type PASSED
- (18) Action with wrong data type PASSED
- (19) Set with wrong data content PASSED
- (20) Action with wrong data content PASSED

\*\*\*\*\*  
Test Case 16 : Security Activate, 3 item(s)  
\*\*\*\*\*

- (1) Activate 1 PASSED
  - Pre set calendar\_name\_passive to CNP\_5FEE using +A, -E
  - Pre set calendar\_name\_passive to CNP\_8BB5 using +A, -E tweaked A
  - Mngmt get calendar\_name\_passive using +A, -E, expect "CNP\_5FEE"
  - Mngmt set calendar\_name\_passive to CNP\_8BB5 using +A, -E tweaked A
  - Mngmt get calendar\_name\_passive using +A, -E, expect "CNP\_5FEE"
  - Mngmt set security\_policy attribute to 0
- (2) Activate 2 PASSED
  - Pre set calendar\_name\_passive to CNP\_A600 using -A, +E
  - Pre set calendar\_name\_passive to CNP\_5179 using -A, +E tweaked E
  - Mngmt get calendar\_name\_passive using -A, +E, expect "CNP\_A600"

Mngmt set calendar\_name\_passive to CNP\_5179 using -A, +E tweaked E  
Mngmt get calendar\_name\_passive using -A, +E, expect "CNP\_A600"  
Mngmt set security\_policy attribute to 0

(3) Activate 3 PASSED

Pre set calendar\_name\_passive to CNP\_BBE3 using +A, +E  
Pre set calendar\_name\_passive to CNP\_97E5 using +A, +E tweaked A  
Mngmt get calendar\_name\_passive using +A, +E, expect "CNP\_BBE3"  
Mngmt set calendar\_name\_passive to CNP\_97E5 using +A, +E tweaked A  
Mngmt get calendar\_name\_passive using +A, +E, expect "CNP\_BBE3"  
Pre set calendar\_name\_passive to CNP\_46DE using +A, +E tweaked E  
Mngmt get calendar\_name\_passive using +A, +E, expect "CNP\_BBE3"  
Mngmt set calendar\_name\_passive to CNP\_46DE using +A, +E tweaked E  
Mngmt get calendar\_name\_passive using +A, +E, expect "CNP\_BBE3"  
Mngmt set security\_policy attribute to 0

\*\*\*\*\*

Test Case 17 : Frame counter, 5 item(s)

\*\*\*\*\*

- (1) Unicast replay PASSED
- (2) Broadcast replay PASSED
- (3) Unicast Register PASSED
- (4) Broadcast Register PASSED
- (5) Received value PASSED

\*\*\*\*\*

Test Case 18 : Security global key transfer, 4 item(s)

\*\*\*\*\*

- (1) Global unicast encryption key transfer PASSED
- (2) Global broadcast encryption key transfer PASSED
- (3) Global authentication key transfer PASSED
- (4) All key transfer PASSED

\*\*\*\*\*

Test Case 19 : Secured service user information, 9 item(s)

\*\*\*\*\*

- (1) AARQ not encrypted PASSED
- (2) AARQ not authenticated PASSED
- (3) AARQ not encrypted not authenticated PASSED
- (4) AARQ with A security header PASSED
- (5) AARQ with E security header PASSED

- (6) AARQ with empty security header PASSED
- (7) AARQ with invalid frame counter PASSED
- (8) AARQ with invalid authentication PASSED
- (9) AARQ with invalid encryption PASSED

\*\*\*\*\*

Test Case 20 : Application association release service, 6 item(s)

\*\*\*\*\*

- (1) RLRQ invalid release request PASSED
- (2) RLRQ with missing user information PASSED
- (3) RLRQ non secure user information PASSED
- (4) RLRQ invalid security header PASSED
- (5) RLRQ invalid authentication PASSED
- (6) RLRQ invalid encryption PASSED

\*\*\*\*\*

Test Case 21 : Image transfer, 3 item(s)

\*\*\*\*\*

- (1) Basic PASSED
  - Block size: 128
- (2) Full PASSED
  - Block size: 128
  - ImageSize: 222080, Blocks: 1735, Last block size: 128
  - image\_to\_activate\_info:
    - <Data>
      - <Array Qty="0001" >
        - <Structure Qty="0003" >
          - <DoubleLongUnsigned Value="0003634C" />
          - <OctetString Value="49534B2D494D472D434F4D2D49534B00" />
          - <OctetString Value="4450CF35096AC2EFDCB26AAF99ABE30C" />
- (3) Full delayed PASSED
  - Block size: 128
  - ImageSize: 222080, Blocks: 1735, Last block size: 128
  - image\_to\_activate\_info:
    - <Data>
      - <Array Qty="0001" >
        - <Structure Qty="0003" >

```
                IDIS Reg No 0007 Kema_Report.txt
                <DoubleLongUnsigned Value="0003634C" />
                <OctetString Value="49534B2D494D472D434F4D2D49534B00" />
                <OctetString Value="4450CF35096AC2EFDCB26AAF99ABE30C" />
            </Structure>
        </Array>
    </Data>
```

```
*****
* CTI *
*****
```

```
Manufacturer = {
    Name = '\Iskraemeco, d.d.'
    ThreeLettersId = '\ISK'
}
```

```
DeviceUnderTest = {
    IDISFunctionType = [Extension_D, Extension_L, Extension_M]
    IDISDeviceType = 100
    SerialNr = 50699930
}
```

```
ObjectModel = {
    OptionalObjects = '\ ' +
        '1-0:0.9.1.255, ' +
        '1-0:0.9.2.255, ' +
        '0-2:96.3.10.255, ' +
        '1-1:0.2.0.255, ' +
        '1-1:0.2.8.255, ' +
        '1-0:9.8.0.255, ' +
        '1-0:10.8.0.255, ' +
        '1-0:5.8.1.255, ' +
        '1-0:5.8.2.255, ' +
        '1-0:5.8.3.255, ' +
        '1-0:5.8.4.255, ' +
        '1-0:6.8.1.255, ' +
        '1-0:6.8.2.255, ' +
        '1-0:6.8.3.255, ' +
        '1-0:6.8.4.255, ' +
        '1-0:7.8.1.255, ' +
```

'1-0:7.8.2.255, ' +  
'1-0:7.8.3.255, ' +  
'1-0:7.8.4.255, ' +  
'1-0:8.8.1.255, ' +  
'1-0:8.8.2.255, ' +  
'1-0:8.8.3.255, ' +  
'1-0:8.8.4.255, ' +  
'1-0:9.8.1.255, ' +  
'1-0:9.8.2.255, ' +  
'1-0:9.8.3.255, ' +  
'1-0:9.8.4.255, ' +  
'1-0:10.8.1.255, ' +  
'1-0:10.8.2.255, ' +  
'1-0:10.8.3.255, ' +  
'1-0:10.8.4.255, ' +  
'1-0:15.8.1.255, ' +  
'1-0:15.8.2.255, ' +  
'1-0:15.8.3.255, ' +  
'1-0:15.8.4.255, ' +  
'1-0:9.4.0.255, ' +  
'1-0:10.4.0.255, ' +  
'1-0:1.5.0.255, ' +  
'1-0:2.5.0.255, ' +  
'1-0:3.5.0.255, ' +  
'1-0:4.5.0.255, ' +  
'1-0:9.5.0.255, ' +  
'1-0:10.5.0.255, ' +  
'1-0:9.6.0.255, ' +  
'1-0:9.6.1.255, ' +  
'1-0:9.6.2.255, ' +  
'1-0:9.6.3.255, ' +  
'1-0:9.6.4.255, ' +  
'1-0:10.6.0.255, ' +  
'1-0:10.6.1.255, ' +  
'1-0:10.6.2.255, ' +  
'1-0:10.6.3.255, ' +  
'1-0:10.6.4.255, ' +  
'1-0:14.7.0.255, ' +  
'1-0:9.7.0.255, ' +  
'1-0:10.7.0.255, ' +



```
'1-0:16.24.0.255, ' +  
'1-0:13.7.0.255, ' +  
'1-0:13.5.0.255, ' +  
'1-0:13.3.0.255, ' +  
'1-0:0.8.2.255, ' +  
'0-0:20.0.0.255, ' +  
'0-0:26.6.0.255'
```

```
InstanceExtraInfo = {  
    LogicalName = '0-0:10.0.100.255'  
    ClassId = 9  
    MethodExtraInfo = {  
        MethodId = 1  
        AccessRights = [ACTION]  
    }  
}
```

```
InstanceExtraInfo = {  
    LogicalName = '0-0:10.0.1.255'  
    ClassId = 9  
    AttributeExtraInfo = {  
        AttributeId = 2  
        AccessRights = [GET]  
    }  
}
```

```
InstanceExtraInfo = {  
    LogicalName = '0-0:13.0.0.255'  
    ClassId = 20  
    MethodExtraInfo = {  
        MethodId = 1  
        AccessRights = [ACTION]  
    }  
}
```

```
InstanceExtraInfo = {  
    LogicalName = '0-0:15.0.0.255'  
    ClassId = 22  
    AttributeExtraInfo = {  
        AttributeId = 3  
    }  
}
```

```
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-0:15.0.1.255'
    ClassId = 22
    AttributeExtraInfo = {
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-0:15.0.2.255'
    ClassId = 22
    AttributeExtraInfo = {
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-1:15.0.1.255'
    ClassId = 22
    AttributeExtraInfo = {
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-0:17.0.0.255'
    ClassId = 71
    AttributeExtraInfo = {
        AttributeId = 11
        AccessRights = [GET,SET]
    }
}
```

```
InstanceExtraInfo = {
  LogicalName = '0-0:10.0.107.255'
  ClassId = 9
  AttributeExtraInfo = {
    AttributeId = 2
    AccessRights = [GET]
  }
}

InstanceExtraInfo = {
  LogicalName = '0-0:20.0.0.255'
  ClassId = 19
  AttributeExtraInfo = {
    AttributeId = 7
    SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
  }
  AttributeExtraInfo = {
    AttributeId = 8
    SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
  }
  AttributeExtraInfo = {
    AttributeId = 9
    SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
  }
}

InstanceExtraInfo = {
  LogicalName = '0-0:26.3.0.255'
  ClassId = 53
  MethodExtraInfo = {
    MethodId = 1
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  LogicalName = '0-0:40.0.0.255'
  ClassId = 15
  AttributeExtraInfo = {
    AttributeId = 6
```

```

    AccessRights = [GET,SET]
    SetData = '\<Data><OctetString Value="60857405080200" /></Data>'
}
MethodExtraInfo = {
    MethodId = 2
    AccessRights = [ACTION]
}
}

InstanceExtraInfo = {
    LogicalName = '0-1:96.3.10.255'
    ClassId = 70
    AttributeExtraInfo = {
        AttributeId = 4
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-2:96.3.10.255'
    ClassId = 70
    AttributeExtraInfo = {
        AttributeId = 4
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-0:99.98.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-0:99.98.1.255'
    ClassId = 7
    AttributeExtraInfo = {

```

```
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-0:99.98.2.255'
    ClassId = 7
    AttributeExtraInfo = {
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-0:99.98.3.255'
    ClassId = 7
    AttributeExtraInfo = {
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-0:99.98.4.255'
    ClassId = 7
    AttributeExtraInfo = {
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}

InstanceExtraInfo = {
    LogicalName = '1-0:99.97.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
    AttributeExtraInfo = {
```

```

        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

```

```

InstanceExtraInfo = {
    LogicalName = '0-1:24.1.0.255'
    ClassId = 72
    MethodExtraInfo = {
        MethodId = 3
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 4
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 5
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 6
        AccessRights = [ACTION]
    }
}

```

```

InstanceExtraInfo = {
    LogicalName = '0-2:24.1.0.255'
    ClassId = 72
    MethodExtraInfo = {
        MethodId = 3
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 4
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 5
        AccessRights = [ACTION]
    }
}

```

```
    }
    MethodExtraInfo = {
        MethodId = 6
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-3:24.1.0.255'
    ClassId = 72
    MethodExtraInfo = {
        MethodId = 3
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 4
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 5
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 6
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-4:24.1.0.255'
    ClassId = 72
    MethodExtraInfo = {
        MethodId = 3
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 4
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
```

```
        MethodId = 5
        AccessRights = [ACTION]
    }
    MethodExtraInfo = {
        MethodId = 6
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-1:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-2:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-3:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}

InstanceExtraInfo = {
    LogicalName = '0-4:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
```



```
        AttributeId = 2
        SelectiveAccessSelectors = [By_Range,By_Entry]
    }
}
```

```
TestParameters = {
    MeterDiscoveryTimeout = 240000
    DefaultAccessTimeout = 240000
    DefaultPriority = 5
    ConnectDisconnectDelay = 6000
    //DCSystemTitle = '4C475A4954000001'
    DCSystemTitle = '4C475A4954000002' //KEMA PLC MODEM
```

```
    ImageTransfer = {
        ImageIdentifier = ''
        ImageFileName = '\ME381V10_ARM_035000405_M1.bin'
        Timeout = 10000
    }
}
```

```
TestOptions = {
}
```

```
PLCConfig = {
    AddrMAC = 0xC00
    TimeoutNotAddr = 360
    MaxSubFrames = 7
    TimeUpdatePeriod = 0
    BkgTaskEnabled = 1
    BkgMinDelay = 60
    DiscoverTimeSlots = 20
    ResponseProbability = 100
    MaxCredit = 2
    DiscoverPeriod = 0
    TransmissionGain = 0
    ReceptionGain = 8
```

```
BaudRate = 1
InputFrequency = 0
NbComOkDecrCredit = 3
DecrCredit = 1
IncrCredit = 2
MaxRetry = 1
RepeaterCallEnabled = 0
RepeaterCallLevel = 1000
NewBcplTSlotCount = 10
AlarmMngtEnabled = 0
AlarmMngtDelay = 0
AutoDiscoveryPriority = 2
FCTxValue = 0
}

StandardSecurityElements = {

  Public = {
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }

  Management = {
    MechanismName = LOW_LEVEL_SECURITY
    Policy = NO_SECURITY
    Password = '\12345678'
  }

  PreEstablished = {
    Policy = NO_SECURITY
  }
}

LocalSecurityElements = {

  Public = {
    ContextName = LONG_NAMES
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }
}
```

```
Management = {
  ContextName = LONG_NAMES_WITH_CIPHERING
  MechanismName = HIGH_LEVEL_SECURITY_GMAC
  Policy = AUTHENTICATION_AND_ENCRYPTION
  Password = '\12345678'
}

PreEstablished = {
  Policy = AUTHENTICATION_AND_ENCRYPTION
}
}

TunnelSecurityElements = {

  Public = {
    ContextName = LONG_NAMES
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }

  Management = {
    ContextName = LONG_NAMES_WITH_CIPHERING
    MechanismName = HIGH_LEVEL_SECURITY_GMAC
    Policy = AUTHENTICATION_AND_ENCRYPTION
    Password = '\12345678'
  }

  PreEstablished = {
    Policy = AUTHENTICATION_AND_ENCRYPTION
  }
}

HDLCProfile = {

  PhysicalLayer = {
    OpeningMode = MODE_E
    HdlcBaud = 9600
  }
}
```

```
DataLinkLayer = {  
  InactivityTimeout = 120000  
  InterFrameTimeout = 100  
  ResponseTimeout = 4000  
  ServerLowerMacAddress = 0x11  
  DISCToNDMTimeout = 4000  
  AddressingSchemes = [TWO_BYTES_ADDRESSING]  
}  
}
```

```
*****  
* Miscellaneous *  
*****
```

```
TestMode: Tunnel  
Test Plan Signature: F075C74704643B4CEC05B5D6C72E8FB7  
Object Model: IDIS - object model - V1.23 (20110420).xlsx  
DUT system title: 49534B6473059E9A  
DC MeterId: ISK6473059E9A  
Run number: 26  
--
```

15E1B71D148DA0BBDF1B41508C288F00