

IDIS Conformance test report
26-AUG-2011 09:53:11
iCTT version 1.0.3
Licensed to: KEMA-IDIS Cert.
Tester: Bas Roelofsen

* Identification *

```
Manufacturer = {  
  Name = '\Landis+Gyr'  
  ThreeLettersId = '\LGZ'  
}  
DeviceUnderTest = {  
  IDISDeviceType = 101  
  IDISFunctionType = [EXTENSION_D, EXTENSION_L, EXTENSION_M]  
  SerialNr = 1152766  
}
```

* Summary *

| | |
|--------------|------|
| PASSED | 1213 |
| FAILED | 0 |
| DISABLED | 0 |
| INAPPLICABLE | 267 |
| INCONCLUSIVE | 18 |
| FATAL | 0 |
| TOTAL | 1498 |

Test Case 1 : Discovery, 1 item(s)

(1) Meter Discovery
PASSED

Test Case 2 : Connect and release, 4 item(s)

(1) Connect Public
PASSED
(2) Release Public
PASSED
(3) Connect Management
PASSED
(4) Release Management
PASSED

Test Case 3 : Get public object-list, 1 item(s)

Public Get Current association 0-0:40.0.0.255 (@9)

(1) .object_list

PASSED

```
<_Data>
  <Array Qty="0007" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0011" />
      <Unsigned Value="00" />
      <OctetString Value="0000290000FF" />
      <Structure Qty="0002" >
        <Array Qty="0002" >
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="01" />
            <NullData />
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="01" />
            <NullData />
          </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <Unsigned Value="00" />
      <OctetString Value="00002B0100FF" />
      <Structure Qty="0002" >
        <Array Qty="0002" >
          <Structure Qty="0003" >
            <Integer Value="02" />
            <Enum Value="01" />
            <NullData />
          </Structure>
          <Structure Qty="0003" >
            <Integer Value="01" />
            <Enum Value="01" />
            <NullData />
          </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
      </Structure>
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <Unsigned Value="00" />
      <OctetString Value="00002B0101FF" />
      <Structure Qty="0002" >
        <Array Qty="0002" >
          <Structure Qty="0003" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280001FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000C" />
  <Unsigned Value="02" />
  <OctetString Value="0000280002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
</Array>
</_Data>

```

```

*****
Test Case 4 : Get mngmt object-list, 1 item(s)
*****

```

```

Mngmt Get Current association 0-0:40.0.0.255 (@9)
(1) .object_list

```

```

      PASSED
    <_Data>
      <Array Qty="0125" >
        <Structure Qty="0004" >
          <LongUnsigned Value="754A" />
          <Unsigned Value="00" />
          <OctetString Value="0000C70D00FF" />
          <Structure Qty="0002" >
            <Array Qty="000B" >
              <Structure Qty="0003" >
                <Integer Value="0B" />
                <Enum Value="01" />
                <NullData />
              </Structure>
              <Structure Qty="0003" >
                <Integer Value="0A" />
                <Enum Value="01" />
                <NullData />
              </Structure>
              <Structure Qty="0003" >
                <Integer Value="09" />
                <Enum Value="01" />
                <NullData />
              </Structure>
              <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
              </Structure>
            </Array>
          </Structure>
        </Structure>
      </Array>
    </_Data>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7538" />
  <Unsigned Value="00" />
  <OctetString Value="0000C71700FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Array>
  </Structure>

```



```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00010A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0003FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
    
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630200FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7540" />
  <Unsigned Value="00" />
  <OctetString Value="0000C71000FF" />
  <Structure Qty="0002" >
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

IDIS Reg No 0004 Kema_Report.txt

```
<Enum Value="03" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<Integer Value="03" />
<Enum Value="03" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="03" />
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0004 Kema_Report.txt
<LongUnsigned Value="0001" />
<Unsigned Value="00" />
<OctetString Value="0001600101FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0011" />
  <Unsigned Value="00" />
  <OctetString Value="0000290000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180300FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
```


IDIS Reg No 0004 Kema_Report.txt

```
<Integer Value="06" />
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180300FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180300FF" />
  <Structure Qty="0002" >
```

```
<Array Qty="000A" >
  <Structure Qty="0003" >
    <Integer Value="FE" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="FF" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0001" >
      <Integer Value="01" />
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180300FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="004A" />
  <Unsigned Value="00" />
  <OctetString Value="0001180600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="004A" />
  <Unsigned Value="00" />
  <OctetString Value="0000180600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100520800FF" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0006" >
    <Structure Qty="0003" >
      <Integer Value="FD" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7533" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70000FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```



```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00010F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0004180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />

```

IDIS Reg No 0004 Kema_Report.txt

```
<Enum Value="03" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<OctetString Value="0001180400FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7532" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70104FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7532" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70103FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B07FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>

```



```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B04FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B03FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B02FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B01FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="000063620AFF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
    </Structure>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100636100FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Array>
</Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636204FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      <Array Qty="0001" >

```

IDIS Reg No 0004 Kema_Report.txt

```
<Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636203FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<Array Qty="0001" >
  <Integer Value="01" />
</Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636202FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636201FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```



```
IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0000160000FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<OctetString Value="0100470400FF" />
<Structure Qty="0002" >
  <Array Qty="0007" >
    <Structure Qty="0003" >
      <Integer Value="FD" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="0100330400FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />

```

IDIS Reg No 0004 Kema_Report.txt

```
<Enum Value="03" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600500FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600300FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080804FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080803FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
```



```

IDIS Reg No 0004 Kema_Report.txt
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080802FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<OctetString Value="0100080801FF" />
<Structure Qty="0002" >
  <Array Qty="0006" >
    <Structure Qty="0003" >
      <Integer Value="FD" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070804FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070803FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070802FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070801FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="0100060804FF" />
<Structure Qty="0002" >
  <Array Qty="0006" >
    <Structure Qty="0003" >
      <Integer Value="FD" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060803FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />

```

IDIS Reg No 0004 Kema_Report.txt

```
<Enum Value="00" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060802FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060801FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050804FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0004 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100050803FF" />
<Structure Qty="0002" >
  <Array Qty="0006" >
    <Structure Qty="0003" >
      <Integer Value="FD" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050802FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

IDIS Reg No 0004 Kema_Report.txt

```
<Integer Value="FE" />
<Enum Value="00" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050801FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040804FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040803FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040802FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040801FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="FE" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030804FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="FE" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="FF" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030803FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030802FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030801FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020804FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="FE" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="FF" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020803FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020802FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020801FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010804FF" />
    <Structure Qty="0002" >
        <Array Qty="0006" >
            <Structure Qty="0003" >
                <Integer Value="FD" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="00" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010803FF" />
    <Structure Qty="0002" >
        <Array Qty="0006" >
            <Structure Qty="0003" >
                <Integer Value="FD" />
                <Enum Value="03" />
            </Structure>
        </Array>
    </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FE" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010802FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010801FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000E07FFFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100471800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="FF" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100331800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01001F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100481800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100341800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000D2700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600714FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<OctetString Value="01000C2700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2300FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600713FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600700FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600709FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600715FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100482000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100342000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100482400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100342400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0004180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000E" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Integer Value="07" />
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```
IDIS Reg No 0004 Kema_Report.txt
<LongUnsigned Value="0048" />
<Unsigned Value="00" />
<OctetString Value="0003180100FF" />
<Structure Qty="0002" >
  <Array Qty="000E" >
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0C" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0B" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0A" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
  </Array>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<Integer Value="04" />
<Enum Value="03" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0002180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000E" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```


IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
```

IDIS Reg No 0004 Kema_Report.txt

```
<Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0001180100FF" />
  <Structure Qty="0002" >
    <Array Qty="000E" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
</Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0003180204FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0003180203FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```



```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180201FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0001180204FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C71800FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0004 Kema_Report.txt
<LongUnsigned Value="7532" />
<Unsigned Value="00" />
<OctetString Value="0000C70102FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7545" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70101FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
</Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005B0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100510715FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100510714FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010051070AFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0004 Kema_Report.txt
<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100090700FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100820700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0700FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0004 Kema_Report.txt

```
<Array Qty="0003" >
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010051073EFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100510733FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100510728FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000E0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100470700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100330700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100480700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100340700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100200700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0032" />
  <Unsigned Value="01" />

```

```
IDIS Reg No 0004 Kema_Report.txt
<OctetString Value="00001A0000FF" />
<Structure Qty="0002" >
  <Array Qty="000F" >
    <Structure Qty="0003" >
      <Integer Value="0F" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0E" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0D" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0C" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0B" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0A" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
    </Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0038" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0034" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0200FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />

```

IDIS Reg No 0004 Kema_Report.txt

```
<Enum Value="03" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0035" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0037" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0033" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<Unsigned Value="00" />
<OctetString Value="00001A0100FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />

```



```

IDIS Reg No 0004 Kema_Report.txt
<OctetString Value="0100342600FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202200FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70C05FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="02" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70C04FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```


IDIS Reg No 0004 Kema_Report.txt

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="02" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70C03FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="02" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70C02FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70C01FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<OctetString Value="0000620100FF" />
<Structure Qty="0002" >
  <Array Qty="000A" >
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0001" >
        <Integer Value="01" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600806FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="FF" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600805FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600804FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600803FF" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600802FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600801FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630100FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600105FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600104FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600103FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100070800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />

```

```

IDIS Reg No 0004 Kema_Report.txt
<OctetString Value="0100060800FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100100800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000F0800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```



```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0008" />
  <Unsigned Value="00" />
  <OctetString Value="0000010000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0014" />
  <Unsigned Value="00" />
  <OctetString Value="00000D0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="0A" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000B" />
  <Unsigned Value="00" />
  <OctetString Value="00000B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040603FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040602FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040601FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040600FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030604FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

IDIS Reg No 0004 Kema_Report.txt
<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0100030603FF" />
<Structure Qty="0002" >
  <Array Qty="0007" >
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="00" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030602FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="FE" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030601FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />

```

IDIS Reg No 0004 Kema_Report.txt

```
<Enum Value="00" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030600FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020604FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020603FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020602FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020601FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >

```



```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020600FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010604FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010603FF" />
  <Structure Qty="0002" >

```

IDIS Reg No 0004 Kema_Report.txt

```
<Array Qty="0007" >
  <Structure Qty="0003" >
    <Integer Value="FE" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="FF" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="00" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="FF" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010600FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100470400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100330400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```


IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />

```

IDIS Reg No 0004 Kema_Report.txt

```
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100040400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100030400FF" />
  <Structure Qty="0002" >
```

IDIS Reg No 0004 Kema_Report.txt

```
<Array Qty="0009" >
  <Structure Qty="0003" >
    <Integer Value="09" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="08" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```

IDIS Reg No 0004 Kema_Report.txt
<LongUnsigned Value="0005" />
<Unsigned Value="00" />
<OctetString Value="0100020400FF" />
<Structure Qty="0002" >
  <Array Qty="0009" >
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100010400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000060030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0002" >
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010480FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
    </Array>
  </Structure>

```



```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110000FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="753C" />
  <Unsigned Value="01" />
  <OctetString Value="0000C70201FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="753C" />
  <Unsigned Value="01" />
  <OctetString Value="0000C70200FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0012" />
  <Unsigned Value="00" />
  <OctetString Value="00002C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="FC" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

IDIS Reg No 0004 Kema_Report.txt

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="000061620AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="753A" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70300FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000260030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

IDIS Reg No 0004 Kema_Report.txt

```
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000160030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```


IDIS Reg No 0004 Kema_Report.txt

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280001FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000C" />
  <Unsigned Value="02" />
  <OctetString Value="0000280002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010000090BFF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000901FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000902FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7536" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70700FF" />
  <Structure Qty="0002" >
    <Array Qty="0015" >
      <Structure Qty="0003" >
        <Integer Value="15" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="14" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="13" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="12" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="11" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="10" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0F" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0E" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0D" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    <Structure Qty="0003" >

```

IDIS Reg No 0004 Kema_Report.txt

```
<Integer Value="0C" />
<Enum Value="03" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
```

```

IDIS Reg No 0004 Kema_Report.txt
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

IDIS Reg No 0004 Kema_Report.txt
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
</Array>
</_Data>

```

```

*****
Test Case 5 : Get public attributes, 15 item(s)
*****

```

Public Get SAP Assignment 0-0:41.0.0.255 (@4)

(1) .logical_name

PASSED

```

<Data>
  <OctetString Value="0000290000FF" />
</Data>

```

(2) .SAP_assignment_list

PASSED

```

<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <OctetString Value="\LGZ1010701152766" />
    </Structure>
  </Array>
</Data>

```

Public Get Current association 0-0:40.0.0.255 (@9)

(3) .logical_name

PASSED

```

<Data>
  <OctetString Value="0000280000FF" />
</Data>

```

(4) .associated_partners_id

PASSED

```

<Data>
  <Structure Qty="0002" >
    <Integer Value="10" />
    <LongUnsigned Value="0000" />
  </Structure>

```


</Structure>

</Data>

(5) .application_context_name

PASSED

<Data>

<Structure Qty="0007" >

<Unsigned Value="02" />

<Unsigned Value="10" />

<LongUnsigned Value="02F4" />

<Unsigned Value="05" />

<Unsigned Value="08" />

<Unsigned Value="01" />

<Unsigned Value="01" />

</Structure>

</Data>

(6) .xDLMS_context_info

PASSED

<Data>

<Structure Qty="0006" >

<BitString Value="000000000001111000011111" />

<LongUnsigned Value="05DC" />

<LongUnsigned Value="FFFF" />

<Unsigned Value="06" />

<Integer Value="00" />

<OctetString

Value="000000000000000000000000000000" />

</Structure>

</Data>

(7) .authentication_mechanism_name

PASSED

<Data>

<Structure Qty="0007" >

<Unsigned Value="02" />

<Unsigned Value="10" />

<LongUnsigned Value="02F4" />

<Unsigned Value="05" />

<Unsigned Value="08" />

<Unsigned Value="02" />

<Unsigned Value="00" />

</Structure>

</Data>

(8) .association_status

PASSED

<Data>

<Enum Value="02" />

</Data>

(9) .security_setup_reference

PASSED

<Data>

<OctetString Value="00002B0000FF" />

</Data>

Public Get Security - Receive frame counter - broadcast key
0-0:43.1.1.255 (@33)

(10) .logical_name

PASSED

```

                IDIS Reg No 0004 Kema_Report.txt
                <Data>
                  <OctetString Value="00002B0101FF" />
                </Data>
(11) .value
        PASSED
                <Data>
                  <DoubleLongUnsigned Value="0398B194" />
                </Data>

Public Get Security - Receive frame counter - unicast key
0-0:43.1.0.255 (@37)
(12) .logical_name
        PASSED
                <Data>
                  <OctetString Value="00002B0100FF" />
                </Data>
(13) .value
        PASSED
                <Data>
                  <DoubleLongUnsigned Value="03A429BB" />
                </Data>

Public Get COSEM logical device name 0-0:42.0.0.255 (@42)
(14) .logical_name
        PASSED
                <Data>
                  <OctetString Value="00002A0000FF" />
                </Data>
(15) .value
        PASSED
                <Data>
                  <OctetString Value="\LGZ1010701152766" />
                </Data>

```

```

*****
Test Case 6 : Get mngmt attributes, 1127 item(s)
*****

```

```

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)
(1) .logical_name
        PASSED
                <Data>
                  <OctetString Value="0000290000FF" />
                </Data>
(2) .SAP_assignment_list
        PASSED
                <Data>
                  <Array Qty="0001" >
                    <Structure Qty="0002" >
                      <LongUnsigned Value="0001" />
                      <OctetString Value="\LGZ1010701152766" />
                    </Structure>
                  </Array>
                </Data>

```

```

Mngmt Get Current association 0-0:40.0.0.255 (@9)

```

- (3) .logical_name
 PASSED
 <Data>
 <OctetString Value="0000280000FF" />
 </Data>
- (4) .associated_partners_id
 PASSED
 <Data>
 <Structure Qty="0002" >
 <Integer Value="01" />
 <LongUnsigned Value="0000" />
 </Structure>
 </Data>
- (5) .application_context_name
 PASSED
 <Data>
 <Structure Qty="0007" >
 <Unsigned Value="02" />
 <Unsigned Value="10" />
 <LongUnsigned Value="02F4" />
 <Unsigned Value="05" />
 <Unsigned Value="08" />
 <Unsigned Value="01" />
 <Unsigned Value="01" />
 </Structure>
 </Data>
- (6) .xDLMS_context_info
 PASSED
 <Data>
 <Structure Qty="0006" >
 <BitString Value="000000000001111000011111" />
 <LongUnsigned Value="05DC" />
 <LongUnsigned Value="00EF" />
 <Unsigned Value="06" />
 <Integer Value="00" />
 <OctetString
 Value="00000000000000000000000000000000" />
 </Structure>
 </Data>
- (7) .authentication_mechanism_name
 PASSED
 <Data>
 <Structure Qty="0007" >
 <Unsigned Value="02" />
 <Unsigned Value="10" />
 <LongUnsigned Value="02F4" />
 <Unsigned Value="05" />
 <Unsigned Value="08" />
 <Unsigned Value="02" />
 <Unsigned Value="05" />
 </Structure>
 </Data>
- (8) .association_status
 PASSED
 <Data>
 <Enum Value="02" />

```

                IDIS Reg No 0004 Kema_Report.txt
            </Data>
(9) .security_setup_reference
    PASSED
    <Data>
        <OctetString Value="00002B0000FF" />
    </Data>

Mngmt Get Security setup 0-0:43.0.0.255 (@24)
(10) .logical_name
    PASSED
    <Data>
        <OctetString Value="00002B0000FF" />
    </Data>
(11) .security_policy
    PASSED
    <Data>
        <Enum Value="00" />
    </Data>
(12) .security_suite
    PASSED
    <Data>
        <Enum Value="00" />
    </Data>
(13) .client_system_title
    PASSED
    <Data>
        <OctetString Value="4C475A4954000002" />
    </Data>
(14) .server_system_title
    PASSED
    <Data>
        <OctetString Value="4C475A65701196FE" />
    </Data>

Mngmt Get Security - Receive frame counter - broadcast key
0-0:43.1.1.255 (@33)
(15) .logical_name
    PASSED
    <Data>
        <OctetString Value="00002B0101FF" />
    </Data>
(16) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="0398B194" />
    </Data>

Mngmt Get Security - Receive frame counter - unicast key
0-0:43.1.0.255 (@37)
(17) .logical_name
    PASSED
    <Data>
        <OctetString Value="00002B0100FF" />
    </Data>
(18) .value
    PASSED

```



```

IDIS Reg No 0004 Kema_Report.txt
Mngmt Get Clock 0-0:1.0.0.255 (@75)
(35) .logical_name
    PASSED
    <Data>
        <OctetString Value="0000010000FF" />
    </Data>
(36) .time
    PASSED
    <Data>
        <OctetString Value="07DA081A040A1924FF800080" />
    </Data>
(37) .time_zone
    PASSED
    <Data>
        <Long Value="FFC4" />
    </Data>
(38) .status
    PASSED
    <Data>
        <Unsigned Value="80" />
    </Data>
(39) .daylights_savings_begin
    PASSED
    <Data>
        <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(40) .daylights_savings_end
    PASSED
    <Data>
        <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(41) .daylights_savings_deviation
    PASSED
    <Data>
        <Integer Value="3C" />
    </Data>
(42) .daylights_savings_enabled
    PASSED
    <Data>
        <Bool Value="01" />
    </Data>
(43) .clock_base
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>

Mngmt Get Local Time 1-0:0.9.1.255 (@86)
(44) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100000901FF" />
    </Data>
(45) .value
    PASSED
    <Data>

```

```
                IDIS Reg No 0004 Kema_Report.txt
                <OctetString Value="0A193AFF" />
            </Data>
```

Mngmt Get Local Date 1-0:0.9.2.255 (@90)

```
(46) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100000902FF" />
        </Data>
```

```
(47) .value
        PASSED
        <Data>
            <OctetString Value="07DA081A04" />
        </Data>
```

Mngmt Get Clock Time Shift Limit 1-0:0.9.11.255 (@94)

```
(48) .logical_name
        PASSED
        <Data>
            <OctetString Value="010000090BFF" />
        </Data>
```

```
(49) .value
        PASSED
        <Data>
            <Unsigned Value="3C" />
        </Data>
```

```
(50) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="07" />
            </Structure>
        </Data>
```

Mngmt Get Activity Calendar 0-0:13.0.0.255 (@100)

```
(51) .logical_name
        PASSED
        <Data>
            <OctetString Value="00000D0000FF" />
        </Data>
```

```
(52) .calendar_name_active
        PASSED
        <Data>
            <OctetString Value="\TOU_C006" />
        </Data>
```

```
(53) .season_profile_active
        PASSED
        <Data>
            <Array Qty="0004" >
                <Structure Qty="0003" >
                    <OctetString Value="01" />
                    <OctetString Value="FFFF0101FF000000008000FF" />
                    <OctetString Value="01" />
                </Structure>
                <Structure Qty="0003" >
```



```

        IDIS Reg No 0004 Kema_Report.txt
        <OctetString Value="02" />
        <OctetString Value="FFFF0102FF000000008000FF" />
        <OctetString Value="02" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="03" />
        <OctetString Value="FFFF0103FF000000008000FF" />
        <OctetString Value="03" />
    </Structure>
    <Structure Qty="0003" >
        <OctetString Value="04" />
        <OctetString Value="FFFF0104FF000000008000FF" />
        <OctetString Value="04" />
    </Structure>
</Array>
</Data>
(54) .week_profile_table_active
      PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0008" >
          <OctetString Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
          <Unsigned Value="01" />
        </Structure>
        <Structure Qty="0008" >
          <OctetString Value="02" />
          <Unsigned Value="02" />
          <Unsigned Value="02" />
          <Unsigned Value="02" />
          <Unsigned Value="02" />
          <Unsigned Value="02" />
          <Unsigned Value="02" />
          <Unsigned Value="02" />
        </Structure>
        <Structure Qty="0008" >
          <OctetString Value="03" />
          <Unsigned Value="03" />
          <Unsigned Value="03" />
          <Unsigned Value="03" />
          <Unsigned Value="03" />
          <Unsigned Value="03" />
          <Unsigned Value="03" />
          <Unsigned Value="03" />
        </Structure>
        <Structure Qty="0008" >
          <OctetString Value="04" />
          <Unsigned Value="04" />
          <Unsigned Value="04" />
          <Unsigned Value="04" />
          <Unsigned Value="04" />

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Unsigned Value="04" />
        <Unsigned Value="04" />
        <Unsigned Value="04" />
    </Structure>
</Array>
</Data>
(55) .day_profile_table_active
    PASSED
    <_Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <Unsigned Value="01" />
                <Array Qty="0005" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0001" />
                    </Structure>
                    <Structure Qty="0003" >
                        <OctetString Value="04000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0002" />
                    </Structure>
                    <Structure Qty="0003" >
                        <OctetString Value="08000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0003" />
                    </Structure>
                    <Structure Qty="0003" >
                        <OctetString Value="0C000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0004" />
                    </Structure>
                    <Structure Qty="0003" >
                        <OctetString Value="10000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0001" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <Unsigned Value="02" />
                <Array Qty="0005" >
                    <Structure Qty="0003" >
                        <OctetString Value="00000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0003" />
                    </Structure>
                    <Structure Qty="0003" >
                        <OctetString Value="04000000" />
                        <OctetString Value="00000A0064FF" />
                        <LongUnsigned Value="0003" />
                    </Structure>
                    <Structure Qty="0003" >
                        <OctetString Value="08000000" />
                        <OctetString Value="00000A0064FF" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </_Data>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <LongUnsigned Value="0003" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="0C000000" />
  <OctetString Value="00000A0064FF" />
  <LongUnsigned Value="0003" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="10000000" />
  <OctetString Value="00000A0064FF" />
  <LongUnsigned Value="0003" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <Unsigned Value="03" />
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <OctetString Value="00000000" />
      <OctetString Value="00000A0064FF" />
      <LongUnsigned Value="0001" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="04000000" />
      <OctetString Value="00000A0064FF" />
      <LongUnsigned Value="0002" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="08000000" />
      <OctetString Value="00000A0064FF" />
      <LongUnsigned Value="0003" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="0C000000" />
      <OctetString Value="00000A0064FF" />
      <LongUnsigned Value="0004" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="10000000" />
      <OctetString Value="00000A0064FF" />
      <LongUnsigned Value="0001" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <Unsigned Value="04" />
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <OctetString Value="00000000" />
      <OctetString Value="00000A0064FF" />
      <LongUnsigned Value="0001" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="04000000" />
      <OctetString Value="00000A0064FF" />
      <LongUnsigned Value="0002" />

```

```

IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0003" >
  <OctetString Value="08000000" />
  <OctetString Value="00000A0064FF" />
  <LongUnsigned Value="0003" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="0C000000" />
  <OctetString Value="00000A0064FF" />
  <LongUnsigned Value="0004" />
</Structure>
<Structure Qty="0003" >
  <OctetString Value="10000000" />
  <OctetString Value="00000A0064FF" />
  <LongUnsigned Value="0001" />
</Structure>
</Array>
</Structure>
</Array>
</_Data>
(56) .calendar_name_passive
      PASSED
      <Data>
        <OctetString Value="\CNP_421F" />
      </Data>
(57) .season_profile_passive
      PASSED
      <Data>
        <Array Qty="0000" >
        </Array>
      </Data>
(58) .week_profile_table_passive
      PASSED
      <Data>
        <Array Qty="0000" >
        </Array>
      </Data>
(59) .day_profile_table_passive
      PASSED
      <Data>
        <Array Qty="0000" >
        </Array>
      </Data>
(60) .activate_passive_calendar_time
      PASSED
      <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
      </Data>

Mngmt Get Special Days Table 0-0:11.0.0.255 (@113)
(61) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000B0000FF" />
      </Data>
(62) .entries

```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>  
  <Array Qty="0001" >  
    <Structure Qty="0003" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="FFFF0818FF" />  
      <Unsigned Value="02" />  
    </Structure>  
  </Array>  
</Data>
```

Mngmt Get Register activation - Energy 0-0:14.0.1.255 (@117)
(63) .logical_name

PASSED

```
<Data>  
  <OctetString Value="00000E0001FF" />  
</Data>
```

(64) .register_assignment

PASSED

```
<_Data>  
  <Array Qty="0020" >  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100010801FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100010802FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100010803FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100010804FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100020801FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100020802FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100020803FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100020804FF" />  
    </Structure>  
    <Structure Qty="0002" >  
      <LongUnsigned Value="0003" />  
      <OctetString Value="0100030801FF" />  
    </Structure>
```

```
IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060803FF" />
</Structure>
```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100060804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070801FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070802FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080801FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080802FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080804FF" />
    </Structure>
</Array>
</_Data>
(65) .mask_list
    PASSED
<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="5241544531000000" />
            <Array Qty="0003" >
                <Unsigned Value="01" />
                <Unsigned Value="05" />
                <Unsigned Value="09" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="5241544532000000" />
            <Array Qty="0003" >
                <Unsigned Value="02" />
                <Unsigned Value="06" />
            </Array>
        </Structure>
    </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Unsigned Value="0A" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="5241544533000000" />
    <Array Qty="0003" >
        <Unsigned Value="03" />
        <Unsigned Value="07" />
        <Unsigned Value="0B" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="5241544534000000" />
    <Array Qty="0003" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
    </Array>
</Structure>
</Array>
</Data>
(66) .active_mask
    PASSED
    <Data>
        <OctetString Value="5241544533000000" />
    </Data>

```

Mngmt Get Register activation - Maximum Demand 0-0:14.0.2.255 (@123)

```

(67) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000E0002FF" />
    </Data>
(68) .register_assignment
    PASSED
    <_Data>
        <Array Qty="0014" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010600FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010601FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010602FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0100010603FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0004" />
            </Structure>
        </Array>
    </_Data>

```



```
IDIS Reg No 0004 Kema_Report.txt
  <OctetString Value="0100010604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020600FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030600FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040600FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
```

```

        IDIS Reg No 0004 Kema_Report.txt
        <OctetString Value="0100040603FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100040604FF" />
    </Structure>
</Array>
</Data>
(69) .mask_list
    PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="5241544531000000" />
                <Array Qty="0003" >
                    <Unsigned Value="01" />
                    <Unsigned Value="06" />
                    <Unsigned Value="0B" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="5241544532000000" />
                <Array Qty="0003" >
                    <Unsigned Value="01" />
                    <Unsigned Value="06" />
                    <Unsigned Value="0B" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="5241544533000000" />
                <Array Qty="0003" >
                    <Unsigned Value="01" />
                    <Unsigned Value="06" />
                    <Unsigned Value="0B" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="5241544534000000" />
                <Array Qty="0003" >
                    <Unsigned Value="01" />
                    <Unsigned Value="06" />
                    <Unsigned Value="0B" />
                </Array>
            </Structure>
        </Array>
    </Data>
(70) .active_mask
    PASSED
    <Data>
        <OctetString Value="5241544533000000" />
    </Data>

Mngmt Get Tariffication script table 0-0:10.0.100.255 (@129)
(71) .logical_name
    PASSED
    <Data>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    <OctetString Value="00000A0064FF" />
</Data>
(72) .scripts
    PASSED
    <_Data>
    <Array Qty="0004" >
    <Structure Qty="0002" >
    <LongUnsigned Value="0001" />
    <Array Qty="0003" >
    <Structure Qty="0005" >
    <Enum Value="01" />
    <LongUnsigned Value="0006" />
    <OctetString Value="00000E0001FF" />
    <Integer Value="04" />
    <OctetString Value="5241544531000000" />
    </Structure>
    <Structure Qty="0005" >
    <Enum Value="01" />
    <LongUnsigned Value="0006" />
    <OctetString Value="00000E0002FF" />
    <Integer Value="04" />
    <OctetString Value="5241544531000000" />
    </Structure>
    <Structure Qty="0005" >
    <Enum Value="02" />
    <LongUnsigned Value="0046" />
    <OctetString Value="000160030AFF" />
    <Integer Value="02" />
    <Unsigned Value="00" />
    </Structure>
    </Array>
    </Structure>
    <Structure Qty="0002" >
    <LongUnsigned Value="0002" />
    <Array Qty="0003" >
    <Structure Qty="0005" >
    <Enum Value="01" />
    <LongUnsigned Value="0006" />
    <OctetString Value="00000E0001FF" />
    <Integer Value="04" />
    <OctetString Value="5241544532000000" />
    </Structure>
    <Structure Qty="0005" >
    <Enum Value="01" />
    <LongUnsigned Value="0006" />
    <OctetString Value="00000E0002FF" />
    <Integer Value="04" />
    <OctetString Value="5241544532000000" />
    </Structure>
    <Structure Qty="0005" >
    <Enum Value="02" />
    <LongUnsigned Value="0046" />
    <OctetString Value="000160030AFF" />
    <Integer Value="01" />
    <Unsigned Value="00" />
    </Structure>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <Array Qty="0003" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="5241544533000000" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="5241544533000000" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="02" />
            <Unsigned Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <Array Qty="0003" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="5241544534000000" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="5241544534000000" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="01" />
            <Unsigned Value="00" />
        </Structure>
    </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Get Predefined Scripts - MDI reset / end of billing period 0-0:10.0.1.255 (@135)

(73) .logical_name
PASSED
<Data>
 <OctetString Value="00000A0001FF" />
</Data>
(74) .scripts
INAPPLICABLE
Optional access right not available

Mngmt Get End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(75) .logical_name
PASSED
<Data>
 <OctetString Value="00000F0000FF" />
</Data>
(76) .executed_script
PASSED
<Data>
 <Structure Qty="0002" >
 <OctetString Value="00000A0001FF" />
 <LongUnsigned Value="0001" />
 </Structure>
</Data>
(77) .type
PASSED
<Data>
 <Enum Value="01" />
</Data>
(78) .execution_time
PASSED
<Data>
 <Array Qty="0001" >
 <Structure Qty="0002" >
 <OctetString Value="00000000" />
 <OctetString Value="FFFFFFFF" />
 </Structure>
 </Array>
</Data>

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)

(79) .logical_name
PASSED
<Data>
 <OctetString Value="0000620100FF" />
</Data>
(80) .capture_objects
PASSED
<Data>
 <Array Qty="0005" >
 <Structure Qty="0004" >
 <LongUnsigned Value="0008" />
 <OctetString Value="0000010000FF" />
 </Structure>
 </Array>
</Data>

```

        IDIS Reg No 0004 Kema_Report.txt
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(81) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(82) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(83) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(84) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>
(85) .profile_entries
    PASSED

```

```

        IDIS Reg No 0004 Kema_Report.txt
    <Data>
        <DoubleLongUnsigned Value="0000002E" />
    </Data>

Mngmt Get Disconnect control scheduler 0-0:15.0.1.255 (@158)
(86) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000F0001FF" />
    </Data>
(87) .executed_script
    PASSED
    <Data>
        <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0002" />
        </Structure>
    </Data>
(88) .type
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(89) .execution_time
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="0C0A0000" />
                <OctetString Value="FFFFFFFF" />
            </Structure>
        </Array>
    </Data>

Mngmt Get Disconnect script table 0-0:10.0.106.255 (@164)
(90) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000A006AFF" />
    </Data>
(91) .scripts
    PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                        <LongUnsigned Value="0046" />
                        <OctetString Value="000060030AFF" />
                        <Integer Value="01" />
                        <Unsigned Value="00" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0002" >
          <LongUnsigned Value="0002" />
          <Array Qty="0001" >
            <Structure Qty="0005" >
              <Enum Value="02" />
              <LongUnsigned Value="0046" />
              <OctetString Value="000060030AFF" />
              <Integer Value="02" />
              <Unsigned Value="00" />
            </Structure>
          </Array>
        </Structure>
      </Array>
    </Data>

```

Mngmt Get Disconnect control 0-0:96.3.10.255 (@169)

```

(92) .logical_name
      PASSED
      <Data>
        <OctetString Value="000060030AFF" />
      </Data>
(93) .output_state
      PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(94) .control_state
      PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(95) .control_mode
      PASSED
      <Data>
        <Enum Value="06" />
      </Data>

```

Mngmt Get Event Object - Disconnect Control log
0-0:96.11.2.255 (@177)

```

(96) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000600B02FF" />
      </Data>
(97) .value
      PASSED
      <Data>
        <Enum Value="00" />
      </Data>

```

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)

```

(98) .logical_name
      PASSED
      <Data>
        <OctetString Value="0000636202FF" />
      </Data>

```



```

IDIS Reg No 0004 Kema_Report.txt
(99) .capture_objects
    PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B02FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0047" />
                <OctetString Value="0000110000FF" />
                <Integer Value="03" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(100) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(101) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(102) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(103) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000017" />
    </Data>
(104) .profile_entries
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000017" />
    </Data>

```

Mngmt Get Load Mgmt script table 0-0:10.0.103.255 (@192)

```

IDIS Reg No 0004 Kema_Report.txt
(105) .logical_name
      PASSED
      <Data>
        <OctetString Value="00000A0067FF" />
      </Data>
(106) .scripts
      PASSED
      <Data>
        <Array Qty="0004" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0001" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000160030AFF" />
                <Integer Value="01" />
                <Unsigned Value="00" />
              </Structure>
            </Array>
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0002" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000160030AFF" />
                <Integer Value="02" />
                <Unsigned Value="00" />
              </Structure>
            </Array>
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000260030AFF" />
                <Integer Value="01" />
                <Unsigned Value="00" />
              </Structure>
            </Array>
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0004" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000260030AFF" />
                <Integer Value="02" />
                <Unsigned Value="00" />
              </Structure>
            </Array>
        </Array>
      </Data>

```

```
        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
</Array>
</Data>
```

Mngmt Get Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)

```
(107) .logical_name
        PASSED
    <Data>
        <OctetString Value="000160030AFF" />
    </Data>
(108) .output_state
        PASSED
    <Data>
        <Bool Value="01" />
    </Data>
(109) .control_state
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(110) .control_mode
        PASSED
    <Data>
        <Enum Value="06" />
    </Data>
```

Mngmt Get Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)

```
(111) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(112) .output_state
        INAPPLICABLE
        Optional object is not implemented
(113) .control_state
        INAPPLICABLE
        Optional object is not implemented
(114) .control_mode
        INAPPLICABLE
        Optional object is not implemented
```

Mngmt Get Limiter 0-0:17.0.0.255 (@213)

```
(115) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000110000FF" />
    </Data>
(116) .monitored_value
        PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0003" />
            <OctetString Value="01005A0700FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(117) .threshold_active
```

```

                IDIS Reg No 0004 Kema_Report.txt
                PASSED
(118) .threshold_normal
                <Data>
                <DoubleLongUnsigned Value="00000000" />
                </Data>
                PASSED
(119) .treshold_emergency
                <Data>
                <DoubleLongUnsigned Value="00000000" />
                </Data>
                PASSED
(120) .min_over_threshold_duration
                <Data>
                <DoubleLongUnsigned Value="00000000" />
                </Data>
                PASSED
(121) .min_under_threshold_duration
                <Data>
                <DoubleLongUnsigned Value="000000B4" />
                </Data>
                PASSED
(122) .emergency_profile
                <Data>
                <Structure Qty="0003" >
                <LongUnsigned Value="0001" />
                <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
                <DoubleLongUnsigned Value="00000258" />
                </Structure>
                </Data>
(123) .emergency_profile_group_id_list
                <Data>
                <Array Qty="0004" >
                <LongUnsigned Value="0001" />
                <LongUnsigned Value="0002" />
                <LongUnsigned Value="0003" />
                <LongUnsigned Value="0004" />
                </Array>
                </Data>
(124) .emergency_profile_active
                <Data>
                <Bool Value="00" />
                </Data>
(125) .actions
                <Data>
                <Structure Qty="0002" >
                <Structure Qty="0002" >
                <OctetString Value="00000A006AFF" />
                <LongUnsigned Value="0001" />
                </Structure>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Structure>
    </Data>

```

Mngmt Get Supervision monitor 1 - Fuse supervision L1
1-0:31.4.0.255 (@226)

```

(126) .logical_name
      PASSED
      <Data>
        <OctetString Value="01001F0400FF" />
      </Data>
(127) .thresholds
      PASSED
      <Data>
        <Array Qty="0001" >
          <DoubleLongUnsigned Value="00000578" />
        </Array>
      </Data>
(128) .monitored_value
      PASSED
      <Data>
        <Structure Qty="0003" >
          <LongUnsigned Value="0005" />
          <OctetString Value="01001F0400FF" />
          <Integer Value="02" />
        </Structure>
      </Data>
(129) .actions
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
              <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
              <LongUnsigned Value="0000" />
            </Structure>
          </Structure>
        </Array>
      </Data>

```

Mngmt Get Supervision monitor 2 - Fuse supervision L2
1-0:51.4.0.255 (@232)

```

(130) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100330400FF" />
      </Data>
(131) .thresholds
      PASSED

```

IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <Array Qty="0001" >
    <DoubleLongUnsigned Value="00000578" />
  </Array>
</Data>
(132) .monitored_value
      PASSED
<Data>
  <Structure Qty="0003" >
    <LongUnsigned Value="0005" />
    <OctetString Value="0100330400FF" />
    <Integer Value="02" />
  </Structure>
</Data>
(133) .actions
      PASSED
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0001" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Structure>
  </Array>
</Data>

Mngmt Get Supervision monitor 3 - Fuse supervision L3
1-0:71.4.0.255 (@238)
(134) .logical_name
      PASSED
<Data>
  <OctetString Value="0100470400FF" />
</Data>
(135) .thresholds
      PASSED
<Data>
  <Array Qty="0001" >
    <DoubleLongUnsigned Value="00000578" />
  </Array>
</Data>
(136) .monitored_value
      PASSED
<Data>
  <Structure Qty="0003" >
    <LongUnsigned Value="0005" />
    <OctetString Value="0100470400FF" />
    <Integer Value="02" />
  </Structure>
</Data>
(137) .actions
      PASSED
```

IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0001" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Structure>
  </Array>
</Data>
```

Mngmt Get Error Register 0-0:97.97.0.255 (@245)

(138) .logical_name
PASSED

```
<Data>
  <OctetString Value="0000616100FF" />
</Data>
```

(139) .value
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

Mngmt Get Alarm Register 0-0:97.98.0.255 (@249)

(140) .logical_name
PASSED

```
<Data>
  <OctetString Value="0000616200FF" />
</Data>
```

(141) .value
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

Mngmt Get Alarm Filter 0-0:97.98.10.255 (@253)

(142) .logical_name
PASSED

```
<Data>
  <OctetString Value="000061620AFF" />
</Data>
```

(143) .value
PASSED

```
<Data>
  <DoubleLongUnsigned Value="FFFFFFFF" />
</Data>
```

Mngmt Get Event Object - Standard Event Log 0-0:96.11.0.255 (@257)

(144) .logical_name
PASSED

```
<Data>
```

```

        IDIS Reg No 0004 Kema_Report.txt
    <OctetString Value="0000600B00FF" />
</Data>
(145) .value
    PASSED
    <Data>
        <Enum Value="58" />
    </Data>

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)
(146) .logical_name
    PASSED
    <Data>
        <OctetString Value="0000636200FF" />
    </Data>
(147) .capture_objects
    PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B00FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(148) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(149) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(150) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(151) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000044" />

```



```

                IDIS Reg No 0004 Kema_Report.txt
            </Data>
(152) .profile_entries
        PASSED
        <Data>
            <DoubleLongUnsigned Value="000000B5" />
        </Data>

Mngmt Get Event Object - Fraud Detection Log 0-0:96.11.1.255
(@272)
(153) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600B01FF" />
        </Data>
(154) .value
        PASSED
        <Data>
            <Enum Value="00" />
        </Data>

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)
(155) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000636201FF" />
        </Data>
(156) .capture_objects
        PASSED
        <Data>
            <Array Qty="0002" >
                <Structure Qty="0004" >
                    <LongUnsigned Value="0008" />
                    <OctetString Value="0000010000FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0001" />
                    <OctetString Value="0000600B01FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Array>
        </Data>
(157) .capture_period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(158) .sort_method
        PASSED
        <Data>
            <Enum Value="01" />
        </Data>
(159) .sort_object
        PASSED

```

IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0000" />
    <OctetString Value="000000000000" />
    <Integer Value="00" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
```

(160) .entries_in_use
PASSED

```
<Data>
  <DoubleLongUnsigned Value="0000001D" />
</Data>
```

(161) .profile_entries
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000048" />
</Data>
```

Mngmt Get Consumer Message Text 0-0:96.13.0.255 (@288)

(162) .logical_name
PASSED

```
<Data>
  <OctetString Value="0000600D00FF" />
</Data>
```

(163) .value
PASSED

```
<_Data>
  <OctetString
```

```
Value="\WRWEKEHQYQBIGPTGNGSJPABHVLCVYCBTLOMJVICECBLWVGRHWETDWGSFLR
IJLXVHAZQQAVNHDWKNUPPFPALYIMAPOAUWKFXMYJEEPTVHJPNIRRFDUZLVIGMPYL
COUJTXKUTVNTYLOPENLBAIEUCPDDUXILBFQJRHFOHENVDEYCRDCINZRYZHFYMKWDK
GTGZBCSUXZCBMUOONYELSQPSKUTASWMLKXQQUKZCCNJLVQBGXVBCFHYOETACPOAXLG
FCSFJSNENMNOEWHSASQVCHIFPXIIHDKYZNKUGCTCCCXUNDDMKVMFHTSTEMVQNTVCJI
UCHVKUMXEPOGOADFQXBRGIKQACTCUSFDDTILGEEJLJLIZEZOZEBBYIIZZOMQWARVYYY
LPZNLQHWQOQGYLQNFJVMPTYROJVTZYDOUVMNRSRVPZPJBCVSOVCXKCNTOKAQWOZCXS
THCIVPFIRQCXWSMEZDIVKWNHXBFPATKZTGZXITSNJZRYGGKGUCQQQJVVWZYCADIDFPH
MTEGVVGPKPTSCBXSBSVASTLIDCCMFDBLQRXKJXDNMJNOCKLTTZQFMDWHSJNSNGPZSD
VNYWVOBQAANJXGSYRLQPRUCQPYHKIHQZBGPUMRKCAURTZBEKSLMKSJNYJVOHCBJTOI
IKIMXJQJKPSZPOLOTUJJYROGJPPJAXORFPVQIEHHMVUICNVYDRDPDIATVCRLCFLYBT
ZPBMTTUNETWIRXZKARMWXRENSXVJXPKWLUVOCQLQSHYSOWNATGRJTXXPFJXKTVLKJK
XWUKVFMIJFZLMZLUZFKBREXGBMRZDHMRZFPFKGNSCCDKFZOZCZGLASGALBQBBDPDQ
NVZXARCJFMOHRXVXBKFZPPKBEMNSHEYKBRLEFVFXBUVEMYBWJZHWPUWRDJQTJENEWU
YDLCIGMNVLZQTKDBFNUVZOVGBGLJISBVVYBYFSAWYCHZHGTMQVKYGSZGGTFIGDAFSS
QCPLDIESATQKDPNPSYDUGPJHXPVUMWGOQTFIALHJMR" />
```

```
</_Data>
```

Mngmt Get Consumer Message Code 0-0:96.13.1.255 (@292)

(164) .logical_name
PASSED

```
<Data>
  <OctetString Value="0000600D01FF" />
</Data>
```

(165) .value
PASSED

```
<Data>
```



```

        IDIS Reg No 0004 Kema_Report.txt
    <OctetString Value="00000F0002FF" />
</Data>
(174) .executed_script
    PASSED
    <Data>
        <Structure Qty="0002" >
            <OctetString Value="00000A006BFF" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>
(175) .type
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(176) .execution_time
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="FFFFFFFF" />
                <OctetString Value="FFFFFFFF" />
            </Structure>
        </Array>
    </Data>

Mngmt Get Predefined Scripts - Image activation
0-0:10.0.107.255 (@316)
(177) .logical_name
    PASSED
    <Data>
        <OctetString Value="00000A006BFF" />
    </Data>
(178) .scripts
    INAPPLICABLE
    Optional access right not available

Mngmt Get Active firmware version 1-0:0.2.0.255 (@321)
(179) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100000200FF" />
    </Data>
(180) .value
    PASSED
    <Data>
        <OctetString Value="\V030250" />
    </Data>

Mngmt Get Active firmware version signature 1-0:0.2.8.255
(@325)
(181) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100000208FF" />
    </Data>

```

(182) .value
PASSED
<Data>
<OctetString Value="\FF20E102" />
</Data>

Mngmt Get Active firmware version 1 1-1:0.2.0.255 (@329)

(183) .logical_name
INAPPLICABLE
Optional object is not implemented
(184) .value
INAPPLICABLE
Optional object is not implemented

Mngmt Get Active firmware version signature 1 1-1:0.2.8.255
(@333)

(185) .logical_name
INAPPLICABLE
Optional object is not implemented
(186) .value
INAPPLICABLE
Optional object is not implemented

Mngmt Get Active firmware version 2 1-2:0.2.0.255 (@337)

(187) .logical_name
INAPPLICABLE
Optional object is not implemented
(188) .value
INAPPLICABLE
Optional object is not implemented

Mngmt Get Active firmware version signature 2 1-2:0.2.8.255
(@341)

(189) .logical_name
INAPPLICABLE
Optional object is not implemented
(190) .value
INAPPLICABLE
Optional object is not implemented

Mngmt Get Active energy import (+A) 1-0:1.8.0.255 (@346)

(191) .logical_name
PASSED
<Data>
<OctetString Value="0100010800FF" />
</Data>
(192) .value
PASSED
<Data>
<DoubleLongUnsigned Value="00000000" />
</Data>
(193) .scaler_unit
PASSED
<Data>
<Structure Qty="0002" >
<Integer Value="00" />

```
                IDIS Reg No 0004 Kema_Report.txt
                <Enum Value="1E" />
            </Structure>
        </Data>
```

Mngmt Get Active energy export (-A) 1-0:2.8.0.255 (@352)

```
(194) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100020800FF" />
        </Data>
(195) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(196) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1E" />
            </Structure>
        </Data>
```

Mngmt Get Active energy (|+A|+|-A|)

Combined total 1-0:15.8.0.255 (@358)

```
(197) .logical_name
        PASSED
        <Data>
            <OctetString Value="01000F0800FF" />
        </Data>
(198) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(199) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="1E" />
            </Structure>
        </Data>
```

Mngmt Get Active energy (|+A|-|-A|)

Combined total 1-0:16.8.0.255 (@364)

```
(200) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100100800FF" />
        </Data>
(201) .value
        PASSED
        <Data>
            <DoubleLong Value="00000000" />
```

```

    </Data>
(202) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Reactive energy QI (+Ri) 1-0:5.8.0.255 (@370)
(203) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100050800FF" />
    </Data>
(204) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(205) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy QII (+Rc) 1-0:6.8.0.255 (@376)
(206) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100060800FF" />
    </Data>
(207) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(208) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy QIII (-Ri) 1-0:7.8.0.255 (@382)
(209) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100070800FF" />
    </Data>

```

IDIS Reg No 0004 Kema_Report.txt

```
(210) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```
(211) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy QIV (-Rc) 1-0:8.8.0.255 (@388)

```
(212) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100080800FF" />
      </Data>
```

```
(213) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```
(214) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy import (+R)

(QI+QII) 1-0:3.8.0.255 (@394)

```
(215) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100030800FF" />
      </Data>
```

```
(216) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

```
(217) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy export (-R)


```

IDIS Reg No 0004 Kema_Report.txt
(QIII+QIV) 1-0:4.8.0.255 (@400)
(218) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040800FF" />
      </Data>
(219) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(220) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Apparent energy import (+VA)
(QI+QIV) 1-0:9.8.0.255 (@406)
(221) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100090800FF" />
      </Data>
(222) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(223) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>

Mngmt Get Apparent energy export (-VA)
(QII+QIII) 1-0:10.8.0.255 (@412)
(224) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000A0800FF" />
      </Data>
(225) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(226) .scaler_unit
      PASSED
      <Data>

```

```
        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1F" />
        </Structure>
      </Data>
```

Mngmt Get Active energy import (+A) rate 1 1-0:1.8.1.255 (@419)
(227) .logical_name

PASSED

```
      <Data>
        <OctetString Value="0100010801FF" />
      </Data>
```

(228) .value

PASSED

```
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

(229) .scaler_unit

PASSED

```
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>
```

Mngmt Get Active energy import (+A) rate 2 1-0:1.8.2.255 (@425)
(230) .logical_name

PASSED

```
      <Data>
        <OctetString Value="0100010802FF" />
      </Data>
```

(231) .value

PASSED

```
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

(232) .scaler_unit

PASSED

```
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>
```

Mngmt Get Active energy import (+A) rate 3 1-0:1.8.3.255 (@431)
(233) .logical_name

PASSED

```
      <Data>
        <OctetString Value="0100010803FF" />
      </Data>
```

(234) .value

PASSED

```
      <Data>
        <DoubleLongUnsigned Value="00000000" />
```

```

    </Data>
(235) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy import (+A) rate 4 1-0:1.8.4.255 (@437)
(236) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100010804FF" />
    </Data>
(237) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(238) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 1 1-0:2.8.1.255 (@443)
(239) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100020801FF" />
    </Data>
(240) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(241) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 2 1-0:2.8.2.255 (@449)
(242) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100020802FF" />
    </Data>

```

```

IDIS Reg No 0004 Kema_Report.txt
(243) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(244) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Active energy export (-A) rate 3 1-0:2.8.3.255 (@455)
(245) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020803FF" />
      </Data>
(246) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(247) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Active energy export (-A) rate 4 1-0:2.8.4.255 (@461)
(248) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020804FF" />
      </Data>
(249) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(250) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (+R) rate 1 1-0:3.8.1.255 (@467)
(251) .logical_name

```

```

                IDIS Reg No 0004 Kema_Report.txt
                PASSED
                <Data>
                  <OctetString Value="0100030801FF" />
                </Data>
(252) .value
                PASSED
                <Data>
                  <DoubleLongUnsigned Value="00000000" />
                </Data>
(253) .scaler_unit
                PASSED
                <Data>
                  <Structure Qty="0002" >
                    <Integer Value="00" />
                    <Enum Value="20" />
                  </Structure>
                </Data>

Mngmt Get Reactive energy (+R) rate 2 1-0:3.8.2.255 (@473)
(254) .logical_name
                PASSED
                <Data>
                  <OctetString Value="0100030802FF" />
                </Data>
(255) .value
                PASSED
                <Data>
                  <DoubleLongUnsigned Value="00000000" />
                </Data>
(256) .scaler_unit
                PASSED
                <Data>
                  <Structure Qty="0002" >
                    <Integer Value="00" />
                    <Enum Value="20" />
                  </Structure>
                </Data>

Mngmt Get Reactive energy (+R) rate 3 1-0:3.8.3.255 (@479)
(257) .logical_name
                PASSED
                <Data>
                  <OctetString Value="0100030803FF" />
                </Data>
(258) .value
                PASSED
                <Data>
                  <DoubleLongUnsigned Value="00000000" />
                </Data>
(259) .scaler_unit
                PASSED
                <Data>
                  <Structure Qty="0002" >
                    <Integer Value="00" />
                    <Enum Value="20" />
                  </Structure>

```

```

                IDIS Reg No 0004 Kema_Report.txt
            </Data>
Mngmt Get Reactive energy (+R) rate 4 1-0:3.8.4.255 (@485)
(260) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100030804FF" />
        </Data>
(261) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(262) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>

Mngmt Get Reactive energy (-R) rate 1 1-0:4.8.1.255 (@491)
(263) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100040801FF" />
        </Data>
(264) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(265) .scaler_unit
        PASSED
        <Data>
            <Structure Qty="0002" >
                <Integer Value="00" />
                <Enum Value="20" />
            </Structure>
        </Data>

Mngmt Get Reactive energy (-R) rate 2 1-0:4.8.2.255 (@497)
(266) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100040802FF" />
        </Data>
(267) .value
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(268) .scaler_unit
        PASSED
        <Data>

```

```
        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

Mngmt Get Reactive energy (-R) rate 3 1-0:4.8.3.255 (@503)

```
(269) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100040803FF" />
        </Data>
(270) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(271) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
          </Structure>
        </Data>
```

Mngmt Get Reactive energy (-R) rate 4 1-0:4.8.4.255 (@509)

```
(272) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100040804FF" />
        </Data>
(273) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(274) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
          </Structure>
        </Data>
```

Mngmt Get Reactive energy (QI) rate 1 1-0:5.8.1.255 (@515)

```
(275) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(276) .value
        INAPPLICABLE
        Optional object is not implemented
(277) .scaler_unit
        INAPPLICABLE
        Optional object is not implemented
```

Mngmt Get Reactive energy (QI) rate 2 1-0:5.8.2.255 (@521)
(278) .logical_name

INAPPLICABLE

Optional object is not implemented

(279) .value

INAPPLICABLE

Optional object is not implemented

(280) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QI) rate 3 1-0:5.8.3.255 (@527)
(281) .logical_name

INAPPLICABLE

Optional object is not implemented

(282) .value

INAPPLICABLE

Optional object is not implemented

(283) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QI) rate 4 1-0:5.8.4.255 (@533)
(284) .logical_name

INAPPLICABLE

Optional object is not implemented

(285) .value

INAPPLICABLE

Optional object is not implemented

(286) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QII) rate 1 1-0:6.8.1.255 (@539)
(287) .logical_name

INAPPLICABLE

Optional object is not implemented

(288) .value

INAPPLICABLE

Optional object is not implemented

(289) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QII) rate 2 1-0:6.8.2.255 (@545)
(290) .logical_name

INAPPLICABLE

Optional object is not implemented

(291) .value

INAPPLICABLE

Optional object is not implemented

(292) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QII) rate 3 1-0:6.8.3.255 (@551)
(293) .logical_name

INAPPLICABLE

Optional object is not implemented

(294) .value

INAPPLICABLE

Optional object is not implemented

(295) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QII) rate 4 1-0:6.8.4.255 (@557)
(296) .logical_name

INAPPLICABLE

Optional object is not implemented

(297) .value

INAPPLICABLE

Optional object is not implemented

(298) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QIII) rate 1 1-0:7.8.1.255 (@563)
(299) .logical_name

INAPPLICABLE

Optional object is not implemented

(300) .value

INAPPLICABLE

Optional object is not implemented

(301) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QIII) rate 2 1-0:7.8.2.255 (@569)
(302) .logical_name

INAPPLICABLE

Optional object is not implemented

(303) .value

INAPPLICABLE

Optional object is not implemented

(304) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QIII) rate 3 1-0:7.8.3.255 (@575)
(305) .logical_name

INAPPLICABLE

Optional object is not implemented

(306) .value

INAPPLICABLE

Optional object is not implemented

(307) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QIII) rate 4 1-0:7.8.4.255 (@581)

(308) .logical_name
INAPPLICABLE
Optional object is not implemented

(309) .value
INAPPLICABLE
Optional object is not implemented

(310) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Reactive energy (QIV) rate 1 1-0:8.8.1.255 (@587)

(311) .logical_name
INAPPLICABLE
Optional object is not implemented

(312) .value
INAPPLICABLE
Optional object is not implemented

(313) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Reactive energy (QIV) rate 2 1-0:8.8.2.255 (@593)

(314) .logical_name
INAPPLICABLE
Optional object is not implemented

(315) .value
INAPPLICABLE
Optional object is not implemented

(316) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Reactive energy (QIV) rate 3 1-0:8.8.3.255 (@599)

(317) .logical_name
INAPPLICABLE
Optional object is not implemented

(318) .value
INAPPLICABLE
Optional object is not implemented

(319) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Reactive energy (QIV) rate 4 1-0:8.8.4.255 (@605)

(320) .logical_name
INAPPLICABLE
Optional object is not implemented

(321) .value
INAPPLICABLE
Optional object is not implemented

(322) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 1 1-0:9.8.1.255 (@611)

(323) .logical_name

INAPPLICABLE

Optional object is not implemented

(324) .value

INAPPLICABLE

Optional object is not implemented

(325) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 2 1-0:9.8.2.255
(@617)

(326) .logical_name

INAPPLICABLE

Optional object is not implemented

(327) .value

INAPPLICABLE

Optional object is not implemented

(328) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 3 1-0:9.8.3.255
(@623)

(329) .logical_name

INAPPLICABLE

Optional object is not implemented

(330) .value

INAPPLICABLE

Optional object is not implemented

(331) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 4 1-0:9.8.4.255
(@629)

(332) .logical_name

INAPPLICABLE

Optional object is not implemented

(333) .value

INAPPLICABLE

Optional object is not implemented

(334) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 1 1-0:10.8.1.255
(@635)

(335) .logical_name

INAPPLICABLE

Optional object is not implemented

(336) .value

INAPPLICABLE

Optional object is not implemented

(337) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 2 1-0:10.8.2.255 (@641)

(338) .logical_name
INAPPLICABLE
Optional object is not implemented
(339) .value
INAPPLICABLE
Optional object is not implemented
(340) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 3 1-0:10.8.3.255 (@647)

(341) .logical_name
INAPPLICABLE
Optional object is not implemented
(342) .value
INAPPLICABLE
Optional object is not implemented
(343) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 4 1-0:10.8.4.255 (@653)

(344) .logical_name
INAPPLICABLE
Optional object is not implemented
(345) .value
INAPPLICABLE
Optional object is not implemented
(346) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 1 1-0:15.8.1.255 (@659)

(347) .logical_name
INAPPLICABLE
Optional object is not implemented
(348) .value
INAPPLICABLE
Optional object is not implemented
(349) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 2 1-0:15.8.2.255 (@665)

(350) .logical_name
INAPPLICABLE
Optional object is not implemented
(351) .value

INAPPLICABLE

Optional object is not implemented

(352) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 3
1-0:15.8.3.255 (@671)

(353) .logical_name

INAPPLICABLE

Optional object is not implemented

(354) .value

INAPPLICABLE

Optional object is not implemented

(355) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 4
1-0:15.8.4.255 (@677)

(356) .logical_name

INAPPLICABLE

Optional object is not implemented

(357) .value

INAPPLICABLE

Optional object is not implemented

(358) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Demand Register 1 - Active energy import (+A)
1-0:1.4.0.255 (@684)

(359) .logical_name

PASSED

<Data>

<OctetString Value="0100010400FF" />

</Data>

(360) .current_average_value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(361) .last_average_value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(362) .scaler_unit

PASSED

<Data>

<Structure Qty="0002" >

<Integer Value="00" />

<Enum Value="1B" />

</Structure>

</Data>

(363) .status

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
(364) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DA081A04091E00FF800080" />
      </Data>
(365) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DA081A04091E00FF800080" />
      </Data>
(366) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>
(367) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>
```

Mngmt Get Demand Register 2 - Active energy export (-A)
1-0:2.4.0.255 (@697)

```
(368) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020400FF" />
      </Data>
(369) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(370) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(371) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(372) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(373) .capture_time
```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <OctetString Value="07DA081A04091E00FF800080" />
</Data>
(374) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DA081A04091E00FF800080" />
      </Data>
(375) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>
(376) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>
```

Mngmt Get Demand Register 3 - Reactive energy import (+R)
1-0:3.4.0.255 (@710)

```
(377) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100030400FF" />
      </Data>
(378) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(379) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(380) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(381) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(382) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DA081A04091E00FF800080" />
      </Data>
(383) .start_time_current
```

IDIS Reg No 0004 Kema_Report.txt

PASSED

<Data>

<OctetString Value="07DA081A04091E00FF800080" />

</Data>

(384) .period

PASSED

<Data>

<DoubleLongUnsigned Value="00000384" />

</Data>

(385) .number_of_periods

PASSED

<Data>

<LongUnsigned Value="0001" />

</Data>

Mngmt Get Demand Register 4 - Reactive energy export (-R)
1-0:4.4.0.255 (@723)

(386) .logical_name

PASSED

<Data>

<OctetString Value="0100040400FF" />

</Data>

(387) .current_average_value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(388) .last_average_value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(389) .scaler_unit

PASSED

<Data>

<Structure Qty="0002" >

<Integer Value="00" />

<Enum Value="1D" />

</Structure>

</Data>

(390) .status

PASSED

<Data>

<Unsigned Value="00" />

</Data>

(391) .capture_time

PASSED

<Data>

<OctetString Value="07DA081A04091E00FF800080" />

</Data>

(392) .start_time_current

PASSED

<Data>

<OctetString Value="07DA081A04091E00FF800080" />

</Data>

(393) .period

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000384" />
</Data>
(394) .number_of_periods
      PASSED
  <Data>
    <LongUnsigned Value="0001" />
  </Data>
```

Mngmt Get Demand Register 5 - Apparent energy import (+VA)
1-0:9.4.0.255 (@736)

```
(395) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(396) .current_average_value
      INAPPLICABLE
      Optional object is not implemented
(397) .last_average_value
      INAPPLICABLE
      Optional object is not implemented
(398) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
(399) .status
      INAPPLICABLE
      Optional object is not implemented
(400) .capture_time
      INAPPLICABLE
      Optional object is not implemented
(401) .start_time_current
      INAPPLICABLE
      Optional object is not implemented
(402) .period
      INAPPLICABLE
      Optional object is not implemented
(403) .number_of_periods
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Get Demand Register 6 - Apparent energy export (-VA)
1-0:10.4.0.255 (@749)

```
(404) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(405) .current_average_value
      INAPPLICABLE
      Optional object is not implemented
(406) .last_average_value
      INAPPLICABLE
      Optional object is not implemented
(407) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
(408) .status
      INAPPLICABLE
```

Optional object is not implemented

(409) .capture_time

INAPPLICABLE

Optional object is not implemented

(410) .start_time_current

INAPPLICABLE

Optional object is not implemented

(411) .period

INAPPLICABLE

Optional object is not implemented

(412) .number_of_periods

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 1 - Active energy import
(+A) 1-0:1.5.0.255 (@762)

(413) .logical_name

INAPPLICABLE

Optional object is not implemented

(414) .value

INAPPLICABLE

Optional object is not implemented

(415) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(416) .status

INAPPLICABLE

Optional object is not implemented

(417) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 2 - Active energy
export (-A) 1-0:2.5.0.255 (@770)

(418) .logical_name

INAPPLICABLE

Optional object is not implemented

(419) .value

INAPPLICABLE

Optional object is not implemented

(420) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(421) .status

INAPPLICABLE

Optional object is not implemented

(422) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 3 - Reactive energy
import (+R) 1-0:3.5.0.255 (@778)

(423) .logical_name

INAPPLICABLE

Optional object is not implemented

(424) .value

INAPPLICABLE

Optional object is not implemented

(425) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(426) .status

INAPPLICABLE

Optional object is not implemented

(427) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 4 - Reactive energy
export (-R) 1-0:4.5.0.255 (@786)

(428) .logical_name

INAPPLICABLE

Optional object is not implemented

(429) .value

INAPPLICABLE

Optional object is not implemented

(430) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(431) .status

INAPPLICABLE

Optional object is not implemented

(432) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 5 - Apparent energy
import (+VA) 1-0:9.5.0.255 (@794)

(433) .logical_name

INAPPLICABLE

Optional object is not implemented

(434) .value

INAPPLICABLE

Optional object is not implemented

(435) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(436) .status

INAPPLICABLE

Optional object is not implemented

(437) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 6 - Apparent energy
export (-VA) 1-0:10.5.0.255 (@802)

(438) .logical_name

INAPPLICABLE

Optional object is not implemented

(439) .value

INAPPLICABLE

Optional object is not implemented

IDIS Reg No 0004 Kema_Report.txt

(440) .scaler_unit
INAPPLICABLE
Optional object is not implemented
(441) .status
INAPPLICABLE
Optional object is not implemented
(442) .capture_time
INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 1 - Active energy import (+A)
1-0:1.6.0.255 (@810)

(443) .logical_name
PASSED
<Data>
<OctetString Value="0100010600FF" />
</Data>
(444) .value
PASSED
<Data>
<DoubleLongUnsigned Value="00000000" />
</Data>
(445) .scaler_unit
PASSED
<Data>
<Structure Qty="0002" >
<Integer Value="00" />
<Enum Value="1B" />
</Structure>
</Data>
(446) .status
PASSED
<Data>
<Unsigned Value="00" />
</Data>
(447) .capture_time
PASSED
<Data>
<OctetString Value="07D0010106000000FF800000" />
</Data>

Mngmt Get Maximum Demand Register 2 - Active energy import (+A)
- rate 1 1-0:1.6.1.255 (@818)

(448) .logical_name
PASSED
<Data>
<OctetString Value="0100010601FF" />
</Data>
(449) .value
PASSED
<Data>
<DoubleLongUnsigned Value="00000000" />
</Data>
(450) .scaler_unit
PASSED
<Data>

```

        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(451) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(452) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>

Mngmt Get Maximum Demand Register 3 - Active energy import (+A)
- rate 2 1-0:1.6.2.255 (@826)
(453) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010602FF" />
      </Data>
(454) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(455) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(456) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(457) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>

Mngmt Get Maximum Demand Register 4 - Active energy import (+A)
- rate 3 1-0:1.6.3.255 (@834)
(458) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010603FF" />
      </Data>
(459) .value
      PASSED

```

IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(460) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1B" />
    </Structure>
  </Data>
(461) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(462) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>
```

Mngmt Get Maximum Demand Register 5 - Active energy import (+A)
- rate 4 1-0:1.6.4.255 (@842)

```
(463) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100010604FF" />
  </Data>
(464) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(465) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1B" />
    </Structure>
  </Data>
(466) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(467) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>
```

Mngmt Get Maximum Demand Register 6 - Active energy export (-A)
1-0:2.6.0.255 (@850)

```
(468) .logical_name
```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <OctetString Value="0100020600FF" />
</Data>
(469) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(470) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(471) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(472) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>
```

Mngmt Get Maximum Demand Register 7 - Active energy export (-A)
- rate 1 1-0:2.6.1.255 (@858)

```
(473) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020601FF" />
      </Data>
(474) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(475) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(476) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(477) .capture_time
      PASSED
      <Data>
```

```
                IDIS Reg No 0004 Kema_Report.txt
                <OctetString Value="07D0010106000000FF800000" />
            </Data>
```

```
Mngmt Get Maximum Demand Register 8 - Active energy export (-A)
- rate 2 1-0:2.6.2.255 (@866)
  (478) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100020602FF" />
        </Data>
  (479) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
  (480) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
          </Structure>
        </Data>
  (481) .status
        PASSED
        <Data>
          <Unsigned Value="00" />
        </Data>
  (482) .capture_time
        PASSED
        <Data>
          <OctetString Value="07D0010106000000FF800000" />
        </Data>
```

```
Mngmt Get Maximum Demand Register 9 - Active energy export (-A)
- rate 3 1-0:2.6.3.255 (@874)
  (483) .logical_name
        PASSED
        <Data>
          <OctetString Value="0100020603FF" />
        </Data>
  (484) .value
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
  (485) .scaler_unit
        PASSED
        <Data>
          <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
          </Structure>
        </Data>
  (486) .status
        PASSED
```


IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <Unsigned Value="00" />
</Data>
(487) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>
```

Mngmt Get Maximum Demand Register 10 - Active energy export
(-A) - rate 4 1-0:2.6.4.255 (@882)

```
(488) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100020604FF" />
  </Data>
(489) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(490) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1B" />
    </Structure>
  </Data>
(491) .status
      PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(492) .capture_time
      PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>
```

Mngmt Get Maximum Demand Register 11 - Reactive energy import
(+R) 1-0:3.6.0.255 (@890)

```
(493) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100030600FF" />
  </Data>
(494) .value
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(495) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Integer Value="00" />
        <Enum Value="1D" />
    </Structure>
</Data>
(496) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(497) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 12 - Reactive energy import
(+R) - rate 1 1-0:3.6.1.255 (@898)
(498) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100030601FF" />
    </Data>
(499) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(500) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(501) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(502) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 13 - Reactive energy import
(+R) - rate 2 1-0:3.6.2.255 (@906)
(503) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100030602FF" />
    </Data>
(504) .value
        PASSED
    <Data>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(505) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(506) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(507) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

```

Mngmt Get Maximum Demand Register 14 - Reactive energy import
(+R) - rate 3 1-0:3.6.3.255 (@914)

```

(508) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100030603FF" />
    </Data>
(509) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(510) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(511) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(512) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

```

Mngmt Get Maximum Demand Register 15 - Reactive energy import
(+R) - rate 4 1-0:3.6.4.255 (@922)

```

(513) .logical_name
        PASSED

```

IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <OctetString Value="0100030604FF" />
</Data>
(514) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(515) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(516) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(517) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>
```

Mngmt Get Maximum Demand Register 16 - Reactive energy export

(-R) 1-0:4.6.0.255 (@930)

```
(518) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040600FF" />
      </Data>
(519) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(520) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(521) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(522) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
```

</Data>

Mngmt Get Maximum Demand Register 17 - Reactive energy export

(-R) - rate 1 1-0:4.6.1.255 (@938)

(523) .logical_name

PASSED

<Data>

<OctetString Value="0100040601FF" />

</Data>

(524) .value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(525) .scaler_unit

PASSED

<Data>

<Structure Qty="0002" >

<Integer Value="00" />

<Enum Value="1D" />

</Structure>

</Data>

(526) .status

PASSED

<Data>

<Unsigned Value="00" />

</Data>

(527) .capture_time

PASSED

<Data>

<OctetString Value="07D0010106000000FF800000" />

</Data>

Mngmt Get Maximum Demand Register 18 - Reactive energy export

(-R) - rate 2 1-0:4.6.2.255 (@946)

(528) .logical_name

PASSED

<Data>

<OctetString Value="0100040602FF" />

</Data>

(529) .value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(530) .scaler_unit

PASSED

<Data>

<Structure Qty="0002" >

<Integer Value="00" />

<Enum Value="1D" />

</Structure>

</Data>

(531) .status

PASSED

<Data>

```

        IDIS Reg No 0004 Kema_Report.txt
        <Unsigned Value="00" />
    </Data>
(532) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 19 - Reactive energy export
(-R) - rate 3 1-0:4.6.3.255 (@954)
(533) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100040603FF" />
    </Data>
(534) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(535) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(536) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(537) .capture_time
        PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 20 - Reactive energy export
(-R) - rate 4 1-0:4.6.4.255 (@962)
(538) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100040604FF" />
    </Data>
(539) .value
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(540) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />

```

```

                IDIS Reg No 0004 Kema_Report.txt
                <Enum Value="1D" />
            </Structure>
        </Data>
(541) .status
            PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(542) .capture_time
            PASSED
        <Data>
            <OctetString Value="07D0010106000000FF800000" />
        </Data>

```

Mngmt Get Maximum Demand Register 21 - Apparent energy import
(+VA) 1-0:9.6.0.255 (@970)

```

(543) .logical_name
            INAPPLICABLE
            Optional object is not implemented
(544) .value
            INAPPLICABLE
            Optional object is not implemented
(545) .scaler_unit
            INAPPLICABLE
            Optional object is not implemented
(546) .status
            INAPPLICABLE
            Optional object is not implemented
(547) .capture_time
            INAPPLICABLE
            Optional object is not implemented

```

Mngmt Get Maximum Demand Register 22 - Apparent energy import
(+VA) - rate 1 1-0:9.6.1.255 (@978)

```

(548) .logical_name
            INAPPLICABLE
            Optional object is not implemented
(549) .value
            INAPPLICABLE
            Optional object is not implemented
(550) .scaler_unit
            INAPPLICABLE
            Optional object is not implemented
(551) .status
            INAPPLICABLE
            Optional object is not implemented
(552) .capture_time
            INAPPLICABLE
            Optional object is not implemented

```

Mngmt Get Maximum Demand Register 23 - Apparent energy import
(+VA) - rate 2 1-0:9.6.2.255 (@986)

```

(553) .logical_name
            INAPPLICABLE
            Optional object is not implemented
(554) .value

```

INAPPLICABLE

Optional object is not implemented

(555) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(556) .status

INAPPLICABLE

Optional object is not implemented

(557) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Maximum Demand Register 24 - Apparent energy import
(+VA) - rate 3 1-0:9.6.3.255 (@994)

(558) .logical_name

INAPPLICABLE

Optional object is not implemented

(559) .value

INAPPLICABLE

Optional object is not implemented

(560) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(561) .status

INAPPLICABLE

Optional object is not implemented

(562) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Maximum Demand Register 25 - Apparent energy import
(+VA) - rate 4 1-0:9.6.4.255 (@1002)

(563) .logical_name

INAPPLICABLE

Optional object is not implemented

(564) .value

INAPPLICABLE

Optional object is not implemented

(565) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(566) .status

INAPPLICABLE

Optional object is not implemented

(567) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Maximum Demand Register 26 - Apparent energy export
(-VA) 1-0:10.6.0.255 (@1010)

(568) .logical_name

INAPPLICABLE

Optional object is not implemented

(569) .value

INAPPLICABLE

Optional object is not implemented

(570) .scaler_unit
INAPPLICABLE
Optional object is not implemented
(571) .status
INAPPLICABLE
Optional object is not implemented
(572) .capture_time
INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 27 - Apparent energy export
(-VA) - rate 1 1-0:10.6.1.255 (@1018)

(573) .logical_name
INAPPLICABLE
Optional object is not implemented
(574) .value
INAPPLICABLE
Optional object is not implemented
(575) .scaler_unit
INAPPLICABLE
Optional object is not implemented
(576) .status
INAPPLICABLE
Optional object is not implemented
(577) .capture_time
INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 28 - Apparent energy export
(-VA) - rate 2 1-0:10.6.2.255 (@1026)

(578) .logical_name
INAPPLICABLE
Optional object is not implemented
(579) .value
INAPPLICABLE
Optional object is not implemented
(580) .scaler_unit
INAPPLICABLE
Optional object is not implemented
(581) .status
INAPPLICABLE
Optional object is not implemented
(582) .capture_time
INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 29 - Apparent energy export
(-VA) - rate 3 1-0:10.6.3.255 (@1034)

(583) .logical_name
INAPPLICABLE
Optional object is not implemented
(584) .value
INAPPLICABLE
Optional object is not implemented
(585) .scaler_unit
INAPPLICABLE

Optional object is not implemented

(586) .status

INAPPLICABLE

Optional object is not implemented

(587) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Maximum Demand Register 30 - Apparent energy export
(-VA) - rate 4 1-0:10.6.4.255 (@1042)

(588) .logical_name

INAPPLICABLE

Optional object is not implemented

(589) .value

INAPPLICABLE

Optional object is not implemented

(590) .scaler_unit

INAPPLICABLE

Optional object is not implemented

(591) .status

INAPPLICABLE

Optional object is not implemented

(592) .capture_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Profile status - Load profile with period 1
0-0:96.10.1.255 (@1051)

(593) .logical_name

PASSED

<Data>

<OctetString Value="0000600A01FF" />

</Data>

(594) .status

PASSED

<Data>

<Unsigned Value="00" />

</Data>

Mngmt Get Load profile with period 1
i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(595) .logical_name

PASSED

<Data>

<OctetString Value="0100630100FF" />

</Data>

(596) .capture_objects

PASSED

<Data>

<Array Qty="0006" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

```

        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600A01FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010800FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100020800FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="01000F0800FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100100800FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>
(597) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(598) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(599) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(600) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000A" />

```

```

                IDIS Reg No 0004 Kema_Report.txt
        </Data>
(601) .profile_entries
        PASSED
        <Data>
            <DoubleLongUnsigned Value="000013D8" />
        </Data>

Mngmt Get Profile status - Load profile with period 2
0-0:96.10.2.255 (@1066)
(602) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600A02FF" />
        </Data>
(603) .status
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>

Mngmt Get Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)
(604) .logical_name
        PASSED
        <Data>
            <OctetString Value="0100630200FF" />
        </Data>
(605) .capture_objects
        PASSED
        <Data>
            <Array Qty="0006" >
                <Structure Qty="0004" >
                    <LongUnsigned Value="0008" />
                    <OctetString Value="0000010000FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0001" />
                    <OctetString Value="0000600A02FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0003" />
                    <OctetString Value="0100010801FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0003" />
                    <OctetString Value="0100010802FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Array>
        </Data>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(606) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00015180" />
    </Data>
(607) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(608) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(609) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000B" />
    </Data>
(610) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="000002AC" />
    </Data>

Mngmt Get Number of power failures in any phase 0-0:96.7.21.255
(@1082)
(611) .logical_name
        PASSED
    <Data>
        <OctetString Value="0000600715FF" />
    </Data>
(612) .value
        PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

```

Mngmt Get Number of long power failures in any phase
0-0:96.7.9.255 (@1086)

(613) .logical_name
PASSED
<Data>
<OctetString Value="0000600709FF" />
</Data>
(614) .value
PASSED
<Data>
<LongUnsigned Value="0000" />
</Data>

Mngmt Get Time threshold for long power failure 0-0:96.7.20.255
(@1090)

(615) .logical_name
PASSED
<Data>
<OctetString Value="0000600714FF" />
</Data>
(616) .value
PASSED
<Data>
<LongUnsigned Value="00B4" />
</Data>
(617) .scaler_unit
PASSED
<Data>
<Structure Qty="0002" >
<Integer Value="00" />
<Enum Value="07" />
</Structure>
</Data>

Mngmt Get Duration of last long power failure in any phase
0-0:96.7.19.255 (@1096)

(618) .logical_name
PASSED
<Data>
<OctetString Value="0000600713FF" />
</Data>
(619) .value
PASSED
<Data>
<LongUnsigned Value="0000" />
</Data>
(620) .scaler_unit
PASSED
<Data>
<Structure Qty="0002" >
<Integer Value="00" />
<Enum Value="07" />
</Structure>
</Data>

Mngmt Get Threshold for voltage sag 1-0:12.31.0.255 (@1102)

```
(621) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000C1F00FF" />
      </Data>
(622) .value
      PASSED
      <Data>
        <LongUnsigned Value="00CF" />
      </Data>
(623) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>
```

Mngmt Get Time threshold for voltage sag 1-0:12.43.0.255 (@1108)

```
(624) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000C2B00FF" />
      </Data>
(625) .value
      PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(626) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>
```

Mngmt Get Number of voltage sags in phase L1 1-0:32.32.0.255 (@1114)

```
(627) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100202000FF" />
      </Data>
(628) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

Mngmt Get Number of voltage sags in phase L2 1-0:52.32.0.255 (@1118)

IDIS Reg No 0004 Kema_Report.txt

```
(629) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100342000FF" />
      </Data>
```

```
(630) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

Mngmt Get Number of voltage sags in phase L3 1-0:72.32.0.255 (@1122)

```
(631) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100482000FF" />
      </Data>
```

```
(632) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

Mngmt Get Duration of last voltage sag in phase L1 1-0:32.33.0.255 (@1126)

```
(633) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100202100FF" />
      </Data>
```

```
(634) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

```
(635) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>
```

Mngmt Get Duration of last voltage sag in phase L2 1-0:52.33.0.255 (@1132)

```
(636) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100342100FF" />
      </Data>
```

```
(637) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
```



```

</Data>
(638) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

```

Mngmt Get Duration of last voltage sag in phase L3
 1-0:72.33.0.255 (@1138)

```

(639) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100482100FF" />
      </Data>
(640) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>

```

```

(641) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

```

Mngmt Get Magnitude of last voltage sag in phase L1
 1-0:32.34.0.255 (@1144)

```

(642) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100202200FF" />
      </Data>
(643) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>

```

```

(644) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

```

Mngmt Get Magnitude of last voltage sag in phase L2
 1-0:52.34.0.255 (@1150)

```

(645) .logical_name
      PASSED

```

IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <OctetString Value="0100342200FF" />
</Data>
(646) .value
      PASSED
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
(647) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="23" />
    </Structure>
  </Data>
```

Mngmt Get Magnitude of last voltage sag in phase L3
1-0:72.34.0.255 (@1156)

```
(648) .logical_name
      PASSED
  <Data>
    <OctetString Value="0100482200FF" />
  </Data>
(649) .value
      PASSED
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
(650) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="23" />
    </Structure>
  </Data>
```

Mngmt Get Threshold for voltage swell 1-0:12.35.0.255 (@1162)

```
(651) .logical_name
      PASSED
  <Data>
    <OctetString Value="01000C2300FF" />
  </Data>
(652) .value
      PASSED
  <Data>
    <LongUnsigned Value="00FD" />
  </Data>
(653) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="23" />
    </Structure>
```

IDIS Reg No 0004 Kema_Report.txt
</Data>

Mngmt Get Time threshold for voltage swell 1-0:12.44.0.255
(@1168)

(654) .logical_name
PASSED
<Data>
<OctetString Value="01000C2C00FF" />
</Data>
(655) .value
PASSED
<Data>
<LongUnsigned Value="001E" />
</Data>
(656) .scaler_unit
PASSED
<Data>
<Structure Qty="0002" >
<Integer Value="00" />
<Enum Value="07" />
</Structure>
</Data>

Mngmt Get Number of voltage swells in phase L1 1-0:32.36.0.255
(@1174)

(657) .logical_name
PASSED
<Data>
<OctetString Value="0100202400FF" />
</Data>
(658) .value
PASSED
<Data>
<LongUnsigned Value="0000" />
</Data>

Mngmt Get Number of voltage swells in phase L2 1-0:52.36.0.255
(@1178)

(659) .logical_name
PASSED
<Data>
<OctetString Value="0100342400FF" />
</Data>
(660) .value
PASSED
<Data>
<LongUnsigned Value="0000" />
</Data>

Mngmt Get Number of voltage swells in phase L3 1-0:72.36.0.255
(@1182)

(661) .logical_name
PASSED
<Data>
<OctetString Value="0100482400FF" />
</Data>

```
(662) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

Mngmt Get Duration of last voltage swell in phase L1
1-0:32.37.0.255 (@1186)

```
(663) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100202500FF" />
      </Data>
```

```
(664) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

```
(665) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>
```

Mngmt Get Duration of last voltage swell in phase L2
1-0:52.37.0.255 (@1192)

```
(666) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100342500FF" />
      </Data>
```

```
(667) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
```

```
(668) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>
```

Mngmt Get Duration of last voltage swell in phase L3
1-0:72.37.0.255 (@1198)

```
(669) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100482500FF" />
      </Data>
```

```
(670) .value
```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
(671) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="07" />
  </Structure>
</Data>
```

Mngmt Get Magnitude of last voltage swell in phase L1
1-0:32.38.0.255 (@1204)

```
(672) .logical_name
      PASSED
<Data>
  <OctetString Value="0100202600FF" />
</Data>
(673) .value
      PASSED
<Data>
  <LongUnsigned Value="0000" />
</Data>
(674) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Magnitude of last voltage swell in phase L2
1-0:52.38.0.255 (@1210)

```
(675) .logical_name
      PASSED
<Data>
  <OctetString Value="0100342600FF" />
</Data>
(676) .value
      PASSED
<Data>
  <LongUnsigned Value="0000" />
</Data>
(677) .scaler_unit
      PASSED
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Magnitude of last voltage swell in phase L3

```

IDIS Reg No 0004 Kema_Report.txt
1-0:72.38.0.255 (@1216)
(678) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100482600FF" />
      </Data>
(679) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(680) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

Mngmt Get Threshold for missing voltage (voltage cut)
1-0:12.39.0.255 (@1222)
(681) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000C2700FF" />
      </Data>
(682) .value
      PASSED
      <Data>
        <LongUnsigned Value="0067" />
      </Data>
(683) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

Mngmt Get Time threshold for voltage cut 1-0:12.45.0.255
(@1228)
(684) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000C2D00FF" />
      </Data>
(685) .value
      PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(686) .scaler_unit
      PASSED
      <Data>

```

```
        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>
```

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)

```
(687) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100636100FF" />
      </Data>
(688) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0000600713FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(689) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(690) .sort_method
      PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(691) .sort_object
      PASSED
      <Data>
        <Structure Qty="0004" >
          <LongUnsigned Value="0000" />
          <OctetString Value="000000000000" />
          <Integer Value="00" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Data>
(692) .entries_in_use
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(693) .profile_entries
```

IDIS Reg No 0004 Kema_Report.txt
PASSED

<Data>
 <DoubleLongUnsigned Value="00000019" />
</Data>

Mngmt Get Event Object - Power Quality Log 0-0:96.11.4.255
(@1245)

(694) .logical_name
 PASSED
 <Data>
 <OctetString Value="0000600B04FF" />
 </Data>

(695) .value
 PASSED
 <Data>
 <Enum Value="53" />
 </Data>

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)

(696) .logical_name
 PASSED
 <Data>
 <OctetString Value="0000636204FF" />
 </Data>

(697) .capture_objects
 PASSED
 <Data>
 <Array Qty="0002" >
 <Structure Qty="0004" >
 <LongUnsigned Value="0008" />
 <OctetString Value="0000010000FF" />
 <Integer Value="02" />
 <LongUnsigned Value="0000" />
 </Structure>
 <Structure Qty="0004" >
 <LongUnsigned Value="0001" />
 <OctetString Value="0000600B04FF" />
 <Integer Value="02" />
 <LongUnsigned Value="0000" />
 </Structure>
 </Array>
 </Data>

(698) .capture_period
 PASSED
 <Data>
 <DoubleLongUnsigned Value="00000000" />
 </Data>

(699) .sort_method
 PASSED
 <Data>
 <Enum Value="01" />
 </Data>

(700) .sort_object
 PASSED
 <Data>
 <Structure Qty="0004" >


```

        IDIS Reg No 0004 Kema_Report.txt
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(701) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(702) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="000000B5" />
    </Data>

Mngmt Get Instantaneous voltage L1 1-0:32.7.0.255 (@1260)
(703) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100200700FF" />
    </Data>
(704) .value
        PASSED
    <Data>
        <LongUnsigned Value="00DD" />
    </Data>
(705) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Average voltage L1 1-0:32.24.0.255 (@1266)
(706) .logical_name
        PASSED
    <Data>
        <OctetString Value="0100201800FF" />
    </Data>
(707) .value
        PASSED
    <Data>
        <LongUnsigned Value="00DE" />
    </Data>
(708) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

```

Mngmt Get Instantaneous current L1 1-0:31.7.0.255 (@1272)

```
(709) .logical_name
      PASSED
      <Data>
        <OctetString Value="01001F0700FF" />
      </Data>
(710) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(711) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
```

Mngmt Get Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255 (@1278)

```
(712) .logical_name
      PASSED
      <Data>
        <OctetString Value="01001F0400FF" />
      </Data>
(713) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(714) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(715) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
(716) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(717) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DA081A04091120FF800080" />
      </Data>
```

```

IDIS Reg No 0004 Kema_Report.txt
(718) .start_time_current
      PASSED
      <Data>
        <OctetString Value="07DA081A04091120FF800080" />
      </Data>
(719) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(720) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="005A" />
      </Data>

Mngmt Get Instantaneous voltage L2 1-0:52.7.0.255 (@1291)
(721) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100340700FF" />
      </Data>
(722) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(723) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

Mngmt Get Average voltage L2 1-0:52.24.0.255 (@1297)
(724) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100341800FF" />
      </Data>
(725) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(726) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

```

Mngmt Get Instantaneous current L2 1-0:51.7.0.255 (@1303)

```
(727) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100330700FF" />
      </Data>
(728) .value
      PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(729) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
```

Mngmt Get Sliding Average current L2 (for fuse supervision)
1-0:51.4.0.255 (@1309)

```
(730) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100330400FF" />
      </Data>
(731) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(732) .last_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(733) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
(734) .status
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(735) .capture_time
      PASSED
      <Data>
        <OctetString Value="07DA081A04091120FF800080" />
      </Data>
(736) .start_time_current
```

```

                IDIS Reg No 0004 Kema_Report.txt
                PASSED
(737) .period
    <Data>
        <OctetString Value="07DA081A04091120FF800080" />
    </Data>
    PASSED
(738) .number_of_periods
    <Data>
        <DoubleLongUnsigned Value="00000001" />
    </Data>
    PASSED
    <Data>
        <LongUnsigned Value="005A" />
    </Data>

Mngmt Get Instantaneous voltage L3 1-0:72.7.0.255 (@1322)
(739) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100480700FF" />
    </Data>
(740) .value
    PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(741) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Average voltage L3 1-0:72.24.0.255 (@1328)
(742) .logical_name
    PASSED
    <Data>
        <OctetString Value="0100481800FF" />
    </Data>
(743) .value
    PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(744) .scaler_unit
    PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Instantaneous current L3 1-0:71.7.0.255 (@1334)

```

IDIS Reg No 0004 Kema_Report.txt

(745) .logical_name
PASSED
<Data>
 <OctetString Value="0100470700FF" />
</Data>

(746) .value
PASSED
<Data>
 <LongUnsigned Value="0000" />
</Data>

(747) .scaler_unit
PASSED
<Data>
 <Structure Qty="0002" >
 <Integer Value="00" />
 <Enum Value="21" />
 </Structure>
</Data>

Mngmt Get Sliding Average current L3 (for fuse supervision)
1-0:71.4.0.255 (@1340)

(748) .logical_name
PASSED
<Data>
 <OctetString Value="0100470400FF" />
</Data>

(749) .current_average_value
PASSED
<Data>
 <DoubleLongUnsigned Value="00000000" />
</Data>

(750) .last_average_value
PASSED
<Data>
 <DoubleLongUnsigned Value="00000000" />
</Data>

(751) .scaler_unit
PASSED
<Data>
 <Structure Qty="0002" >
 <Integer Value="00" />
 <Enum Value="21" />
 </Structure>
</Data>

(752) .status
PASSED
<Data>
 <Unsigned Value="00" />
</Data>

(753) .capture_time
PASSED
<Data>
 <OctetString Value="07DA081A04091120FF800080" />
</Data>

(754) .start_time_current
PASSED

IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <OctetString Value="07DA081A04091120FF800080" />
</Data>
(755) .period
      PASSED
  <Data>
    <DoubleLongUnsigned Value="00000001" />
  </Data>
(756) .number_of_periods
      PASSED
  <Data>
    <LongUnsigned Value="005A" />
  </Data>
```

Mngmt Get Instantaneous current
(sum over all phases) 1-0:90.7.0.255 (@1353)

```
(757) .logical_name
      PASSED
  <Data>
    <OctetString Value="01005A0700FF" />
  </Data>
(758) .value
      PASSED
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
(759) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="21" />
    </Structure>
  </Data>
```

Mngmt Get Instantaneous net frequency; any phase 1-0:14.7.0.255
(@1359)

```
(760) .logical_name
      PASSED
  <Data>
    <OctetString Value="01000E0700FF" />
  </Data>
(761) .value
      PASSED
  <Data>
    <LongUnsigned Value="0032" />
  </Data>
(762) .scaler_unit
      PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="2C" />
    </Structure>
  </Data>
```

Mngmt Get Instantaneous active power (|+A|+|-A|) 1-0:15.7.0.255
 (@1365)

```
(763) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000F0700FF" />
      </Data>
(764) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(765) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
```

Mngmt Get Instantaneous active import power (+A) 1-0:1.7.0.255
 (@1371)

```
(766) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100010700FF" />
      </Data>
(767) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(768) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
```

Mngmt Get Instantaneous active export power (-A) 1-0:2.7.0.255
 (@1377)

```
(769) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100020700FF" />
      </Data>
(770) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(771) .scaler_unit
      PASSED
```



```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

Mngmt Get Instantaneous reactive import power (+R)
1-0:3.7.0.255 (@1383)

```
(772) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100030700FF" />
      </Data>
(773) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="0000201E" />
      </Data>
(774) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
```

Mngmt Get Instantaneous reactive export power (-R)
1-0:4.7.0.255 (@1389)

```
(775) .logical_name
      PASSED
      <Data>
        <OctetString Value="0100040700FF" />
      </Data>
(776) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="0000201E" />
      </Data>
(777) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
```

Mngmt Get Instantaneous apparent import power (+VA)
1-0:9.7.0.255 (@1395)

```
(778) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(779) .value
      INAPPLICABLE
```

Optional object is not implemented

(780) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Instantaneous apparent export power (-VA)

1-0:10.7.0.255 (@1401)

(781) .logical_name

INAPPLICABLE

Optional object is not implemented

(782) .value

INAPPLICABLE

Optional object is not implemented

(783) .scaler_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Average Import Power (+A) 1-0:1.24.0.255 (@1407)

(784) .logical_name

PASSED

<Data>

<OctetString Value="0100011800FF" />

</Data>

(785) .current_average_value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(786) .last_average_value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(787) .scaler_unit

PASSED

<Data>

<Structure Qty="0002" >

<Integer Value="00" />

<Enum Value="1B" />

</Structure>

</Data>

(788) .status

PASSED

<Data>

<Unsigned Value="00" />

</Data>

(789) .capture_time

PASSED

<Data>

<OctetString Value="07DA081A04091120FF800080" />

</Data>

(790) .start_time_current

PASSED

<Data>

<OctetString Value="07DA081A04091120FF800080" />

</Data>

IDIS Reg No 0004 Kema_Report.txt

```
(791) .period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="0000003C" />
      </Data>
(792) .number_of_periods
      PASSED
      <Data>
        <LongUnsigned Value="000F" />
      </Data>
```

Mngmt Get Average Net Power (|+A|-|-A|) 1-0:16.24.0.255
(@1420)

```
(793) .logical_name
      INAPPLICABLE
      Optional object is not implemented
(794) .current_average_value
      INAPPLICABLE
      Optional object is not implemented
(795) .last_average_value
      INAPPLICABLE
      Optional object is not implemented
(796) .scaler_unit
      INAPPLICABLE
      Optional object is not implemented
(797) .status
      INAPPLICABLE
      Optional object is not implemented
(798) .capture_time
      INAPPLICABLE
      Optional object is not implemented
(799) .start_time_current
      INAPPLICABLE
      Optional object is not implemented
(800) .period
      INAPPLICABLE
      Optional object is not implemented
(801) .number_of_periods
      INAPPLICABLE
      Optional object is not implemented
```

Mngmt Get Average Total Power (|+A|+|-A|) 1-0:15.24.0.255
(@1433)

```
(802) .logical_name
      PASSED
      <Data>
        <OctetString Value="01000F1800FF" />
      </Data>
(803) .current_average_value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(804) .last_average_value
      PASSED
      <Data>
```

```

        IDIS Reg No 0004 Kema_Report.txt
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(805) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(806) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(807) .capture_time
        PASSED
    <Data>
        <OctetString Value="07DA081A04091120FF800080" />
    </Data>
(808) .start_time_current
        PASSED
    <Data>
        <OctetString Value="07DA081A04091120FF800080" />
    </Data>
(809) .period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="0000003C" />
    </Data>
(810) .number_of_periods
        PASSED
    <Data>
        <LongUnsigned Value="000F" />
    </Data>

```

Mngmt Get Instantaneous Power factor (+A/+VA) 1-0:13.7.0.255 (@1446)

```

(811) .logical_name
        PASSED
    <Data>
        <OctetString Value="01000D0700FF" />
    </Data>
(812) .value
        PASSED
    <Data>
        <LongUnsigned Value="03E8" />
    </Data>
(813) .scaler_unit
        PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FD" />
            <Enum Value="FF" />
        </Structure>
    </Data>

```

Mngmt Get Last Average Power factor (+A/+VA) 1-0:13.5.0.255 (@1452)

(814) .logical_name
INAPPLICABLE
Optional object is not implemented
(815) .value
INAPPLICABLE
Optional object is not implemented
(816) .scaler_unit
INAPPLICABLE
Optional object is not implemented
(817) .status
INAPPLICABLE
Optional object is not implemented
(818) .capture_time
INAPPLICABLE
Optional object is not implemented

Mngmt Get Minimum Power factor (+A/+VA) 1-0:13.3.0.255 (@1460)

(819) .logical_name
INAPPLICABLE
Optional object is not implemented
(820) .value
INAPPLICABLE
Optional object is not implemented
(821) .scaler_unit
INAPPLICABLE
Optional object is not implemented
(822) .status
INAPPLICABLE
Optional object is not implemented
(823) .capture_time
INAPPLICABLE
Optional object is not implemented

Mngmt Get Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)

(824) .logical_name
INAPPLICABLE
Optional object is not implemented
(825) .value
INAPPLICABLE
Optional object is not implemented
(826) .scaler_unit
INAPPLICABLE
Optional object is not implemented

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1475)

(827) .logical_name
PASSED
<Data>
<OctetString Value="0000180600FF" />
</Data>
(828) .comm_speed
PASSED

```
<Data>  
  <Enum Value="03" />  
</Data>
```

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1479)

```
(829) .logical_name  
      INAPPLICABLE  
      Optional object is not implemented  
(830) .comm_speed  
      INAPPLICABLE  
      Optional object is not implemented
```

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1483)

```
(831) .logical_name  
      PASSED  
      <Data>  
        <OctetString Value="0001180100FF" />  
      </Data>  
(832) .mbus_port_reference  
      PASSED  
      <Data>  
        <OctetString Value="0000180600FF" />  
      </Data>  
(833) .capture_definition  
      PASSED  
      <Data>  
        <Array Qty="0004" >  
          <Structure Qty="0002" >  
            <OctetString Value="\ " />  
            <OctetString Value="\ " />  
          </Structure>  
          <Structure Qty="0002" >  
            <OctetString Value="\ " />  
            <OctetString Value="\ " />  
          </Structure>  
          <Structure Qty="0002" >  
            <OctetString Value="\ " />  
            <OctetString Value="\ " />  
          </Structure>  
          <Structure Qty="0002" >  
            <OctetString Value="\ " />  
            <OctetString Value="\ " />  
          </Structure>  
        </Array>  
      </Data>  
(834) .capture_period  
      PASSED  
      <Data>  
        <DoubleLongUnsigned Value="00000E10" />  
      </Data>  
(835) .primary_address  
      PASSED  
      <Data>  
        <Unsigned Value="00" />  
      </Data>  
(836) .identification_number
```

```

        IDIS Reg No 0004 Kema_Report.txt
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(837) .manufacturer_id
        PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(838) .version
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(839) .device_type
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(840) .access_number
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(841) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(842) .alarm
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(843) .logical_name
        PASSED
    <Data>
        <OctetString Value="0002180100FF" />
    </Data>
(844) .mbus_port_reference
        PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(845) .capture_definition
        PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
            </Structure>
        </Array>
    </Data>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <OctetString Value="\ " />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="\ " />
        <OctetString Value="\ " />
    </Structure>
    <Structure Qty="0002" >
        <OctetString Value="\ " />
        <OctetString Value="\ " />
    </Structure>
</Array>
</Data>
(846) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(847) .primary_address
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(848) .identification_number
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(849) .manufacturer_id
        PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(850) .version
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(851) .device_type
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(852) .access_number
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(853) .status
        PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(854) .alarm
        PASSED
    <Data>
        <Unsigned Value="00" />

```



```

        IDIS Reg No 0004 Kema_Report.txt
    </Data>
Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(855) .logical_name
        PASSED
        <Data>
            <OctetString Value="0003180100FF" />
        </Data>
(856) .mbus_port_reference
        PASSED
        <Data>
            <OctetString Value="0000180600FF" />
        </Data>
(857) .capture_definition
        PASSED
        <Data>
            <Array Qty="0004" >
                <Structure Qty="0002" >
                    <OctetString Value="\ " />
                    <OctetString Value="\ " />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="\ " />
                    <OctetString Value="\ " />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="\ " />
                    <OctetString Value="\ " />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="\ " />
                    <OctetString Value="\ " />
                </Structure>
            </Array>
        </Data>
(858) .capture_period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000E10" />
        </Data>
(859) .primary_address
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(860) .identification_number
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(861) .manufacturer_id
        PASSED
        <Data>
            <LongUnsigned Value="0000" />
        </Data>
(862) .version

```

IDIS Reg No 0004 Kema_Report.txt
PASSED

(863) .device_type
PASSED
<Data>
 <Unsigned Value="00" />
</Data>

(864) .access_number
PASSED
<Data>
 <Unsigned Value="00" />
</Data>

(865) .status
PASSED
<Data>
 <Unsigned Value="00" />
</Data>

(866) .alarm
PASSED
<Data>
 <Unsigned Value="00" />
</Data>

(867) .logical_name
PASSED
<Data>
 <Unsigned Value="00" />
</Data>

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1549)

(868) .mbus_port_reference
PASSED
<Data>
 <OctetString Value="0004180100FF" />
</Data>

(869) .capture_definition
PASSED
<Data>
 <OctetString Value="0000180600FF" />
</Data>

(869) .capture_definition
PASSED
<Data>
 <Array Qty="0004" >
 <Structure Qty="0002" >
 <OctetString Value="\ " />
 <OctetString Value="\ " />
 </Structure>
 <Structure Qty="0002" >
 <OctetString Value="\ " />
 <OctetString Value="\ " />
 </Structure>
 <Structure Qty="0002" >
 <OctetString Value="\ " />
 <OctetString Value="\ " />
 </Structure>
 <Structure Qty="0002" >
 <OctetString Value="\ " />
 <OctetString Value="\ " />
 </Structure>

```

        IDIS Reg No 0004 Kema_Report.txt
    </Array>
</Data>
(870) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(871) .primary_address
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(872) .identification_number
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(873) .manufacturer_id
    PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(874) .version
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(875) .device_type
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(876) .access_number
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(877) .status
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(878) .alarm
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

```

```

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255
(@1571)
(879) .logical_name
    PASSED
    <Data>
        <OctetString Value="0001180201FF" />
    </Data>
(880) .value

```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(881) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(882) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(883) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>
```

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255
(@1579)

```
(884) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180202FF" />
      </Data>
(885) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(886) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(887) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(888) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>
```

Mngmt Get M-Bus Value channel 1, instance 3 0-1:24.2.3.255
(@1587)

IDIS Reg No 0004 Kema_Report.txt

```
(889) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180203FF" />
      </Data>
(890) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(891) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(892) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(893) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>
```

Mngmt Get M-Bus Value channel 1, instance 4 0-1:24.2.4.255
(@1595)

```
(894) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180204FF" />
      </Data>
(895) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(896) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(897) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(898) .capture_time
      PASSED
```

IDIS Reg No 0004 Kema_Report.txt

```
<Data>
  <OctetString Value="07D0010106000000FF800000" />
</Data>
```

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255
(@1603)

```
(899) .logical_name
      PASSED
      <Data>
        <OctetString Value="0002180201FF" />
      </Data>
(900) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(901) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(902) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(903) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>
```

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255
(@1611)

```
(904) .logical_name
      PASSED
      <Data>
        <OctetString Value="0002180202FF" />
      </Data>
(905) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(906) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(907) .status
```

IDIS Reg No 0004 Kema_Report.txt
PASSED

<Data>
 <Unsigned Value="04" />
</Data>

(908) .capture_time
 PASSED

<Data>
 <OctetString Value="07D0010106000000FF800000" />
</Data>

Mngmt Get M-Bus Value channel 2, instance 3 0-2:24.2.3.255
(@1619)

(909) .logical_name
 PASSED

<Data>
 <OctetString Value="0002180203FF" />
</Data>

(910) .value
 PASSED

<Data>
 <DoubleLongUnsigned Value="00000000" />
</Data>

(911) .scaler_unit
 PASSED

<Data>
 <Structure Qty="0002" >
 <Integer Value="00" />
 <Enum Value="FF" />
 </Structure>
</Data>

(912) .status
 PASSED

<Data>
 <Unsigned Value="04" />
</Data>

(913) .capture_time
 PASSED

<Data>
 <OctetString Value="07D0010106000000FF800000" />
</Data>

Mngmt Get M-Bus Value channel 2, instance 4 0-2:24.2.4.255
(@1627)

(914) .logical_name
 PASSED

<Data>
 <OctetString Value="0002180204FF" />
</Data>

(915) .value
 PASSED

<Data>
 <DoubleLongUnsigned Value="00000000" />
</Data>

(916) .scaler_unit
 PASSED

<Data>

```

        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(917) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(918) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255
(@1635)
(919) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180201FF" />
      </Data>
(920) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(921) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(922) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(923) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255
(@1643)
(924) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003180202FF" />
      </Data>
(925) .value
      PASSED

```



```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(926) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
      </Structure>
    </Data>
(927) .status
      PASSED
    <Data>
      <Unsigned Value="04" />
    </Data>
(928) .capture_time
      PASSED
    <Data>
      <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 3 0-3:24.2.3.255
(@1651)
(929) .logical_name
      PASSED
    <Data>
      <OctetString Value="0003180203FF" />
    </Data>
(930) .value
      PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(931) .scaler_unit
      PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
      </Structure>
    </Data>
(932) .status
      PASSED
    <Data>
      <Unsigned Value="04" />
    </Data>
(933) .capture_time
      PASSED
    <Data>
      <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 4 0-3:24.2.4.255
(@1659)
(934) .logical_name

```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <OctetString Value="0003180204FF" />
</Data>
(935) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(936) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(937) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(938) .capture_time
      PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>
```

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255
(@1667)

```
(939) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004180201FF" />
      </Data>
(940) .value
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(941) .scaler_unit
      PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(942) .status
      PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(943) .capture_time
      PASSED
      <Data>
```

```
                IDIS Reg No 0004 Kema_Report.txt
                <OctetString Value="07D0010106000000FF800000" />
        </Data>
```

```
Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255
(@1675)
```

```
(944) .logical_name
        PASSED
        <Data>
                <OctetString Value="0004180202FF" />
        </Data>
(945) .value
        PASSED
        <Data>
                <DoubleLongUnsigned Value="00000000" />
        </Data>
(946) .scaler_unit
        PASSED
        <Data>
                <Structure Qty="0002" >
                        <Integer Value="00" />
                        <Enum Value="FF" />
                </Structure>
        </Data>
(947) .status
        PASSED
        <Data>
                <Unsigned Value="04" />
        </Data>
(948) .capture_time
        PASSED
        <Data>
                <OctetString Value="07D0010106000000FF800000" />
        </Data>
```

```
Mngmt Get M-Bus Value channel 4, instance 3 0-4:24.2.3.255
(@1683)
```

```
(949) .logical_name
        PASSED
        <Data>
                <OctetString Value="0004180203FF" />
        </Data>
(950) .value
        PASSED
        <Data>
                <DoubleLongUnsigned Value="00000000" />
        </Data>
(951) .scaler_unit
        PASSED
        <Data>
                <Structure Qty="0002" >
                        <Integer Value="00" />
                        <Enum Value="FF" />
                </Structure>
        </Data>
(952) .status
        PASSED
```



```

        IDIS Reg No 0004 Kema_Report.txt
    <Data>
        <OctetString Value="0002600101FF" />
    </Data>
(970) .value
        PASSED
    <Data>
        <OctetString Value="00000000000000000000000000000000"
/>
    </Data>

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)
(971) .logical_name
        PASSED
    <Data>
        <OctetString Value="0003600101FF" />
    </Data>
(972) .value
        PASSED
    <Data>
        <OctetString Value="00000000000000000000000000000000"
/>
    </Data>

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)
(973) .logical_name
        PASSED
    <Data>
        <OctetString Value="0004600101FF" />
    </Data>
(974) .value
        PASSED
    <Data>
        <OctetString Value="00000000000000000000000000000000"
/>
    </Data>

Mngmt Get Profile status for M-Bus Master Load profile 1
0-1:96.10.3.255 (@1731)
(975) .logical_name
        PASSED
    <Data>
        <OctetString Value="0001600A03FF" />
    </Data>
(976) .status
        PASSED
    <Data>
        <Unsigned Value="14" />
    </Data>

Mngmt Get Profile status for M-Bus Master Load profile 2
0-2:96.10.3.255 (@1735)
(977) .logical_name
        PASSED
    <Data>
        <OctetString Value="0002600A03FF" />
    </Data>

```

```
(978) .status
      PASSED
      <Data>
        <Unsigned Value="14" />
      </Data>
```

Mngmt Get Profile status for M-Bus Master Load profile 3
0-3:96.10.3.255 (@1739)

```
(979) .logical_name
      PASSED
      <Data>
        <OctetString Value="0003600A03FF" />
      </Data>
```

```
(980) .status
      PASSED
      <Data>
        <Unsigned Value="14" />
      </Data>
```

Mngmt Get Profile status for M-Bus Master Load profile 4
0-4:96.10.3.255 (@1743)

```
(981) .logical_name
      PASSED
      <Data>
        <OctetString Value="0004600A03FF" />
      </Data>
```

```
(982) .status
      PASSED
      <Data>
        <Unsigned Value="14" />
      </Data>
```

Mngmt Get M-Bus Master Load profile for channel 1
0-1:24.3.0.255 (@1747)

```
(983) .logical_name
      PASSED
      <Data>
        <OctetString Value="0001180300FF" />
      </Data>
```

```
(984) .capture_objects
      PASSED
      <Data>
        <Array Qty="0006" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0001600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
```

```

        IDIS Reg No 0004 Kema_Report.txt
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(985) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(986) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(987) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(988) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000001" />
    </Data>
(989) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="000000F2" />
    </Data>

```


IDIS Reg No 0004 Kema_Report.txt
Mngmt Get M-Bus Master Load profile for channel 2
0-2:24.3.0.255 (@1758)

(990) .logical_name
PASSED

```
<Data>  
  <OctetString Value="0002180300FF" />  
</Data>
```

(991) .capture_objects
PASSED

```
<Data>  
  <Array Qty="0006" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0002600A03FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0002180201FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0002180202FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0002180203FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0002180204FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(992) .capture_period
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000E10" />  
</Data>
```

(993) .sort_method
PASSED

```

<Data>
  <Enum Value="01" />
</Data>
(994) .sort_object
      PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0000" />
    <OctetString Value="000000000000" />
    <Integer Value="00" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
(995) .entries_in_use
      PASSED
<Data>
  <DoubleLongUnsigned Value="00000001" />
</Data>
(996) .profile_entries
      PASSED
<Data>
  <DoubleLongUnsigned Value="000000F2" />
</Data>

```

Mngmt Get M-Bus Master Load profile for channel 3
0-3:24.3.0.255 (@1769)

```

(997) .logical_name
      PASSED
<Data>
  <OctetString Value="0003180300FF" />
</Data>
(998) .capture_objects
      PASSED
<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0003600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0003180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0003180202FF" />
    </Structure>
  </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(999) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(1000) .sort_method
    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1001) .sort_object
    PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1002) .entries_in_use
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000001" />
    </Data>
(1003) .profile_entries
    PASSED
    <Data>
        <DoubleLongUnsigned Value="000000F2" />
    </Data>

```

Mngmt Get M-Bus Master Load profile for channel 4
0-4:24.3.0.255 (@1780)

```

(1004) .logical_name
    PASSED
    <Data>
        <OctetString Value="0004180300FF" />
    </Data>
(1005) .capture_objects

```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>  
  <Array Qty="0006" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0004600A03FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0004180201FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0004180202FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0004180203FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0004180204FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(1006) .capture_period
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000E10" />  
</Data>
```

(1007) .sort_method
PASSED

```
<Data>  
  <Enum Value="01" />  
</Data>
```

(1008) .sort_object
PASSED

```
<Data>  
  <Structure Qty="0004" >  
    <LongUnsigned Value="0000" />
```

```
        IDIS Reg No 0004 Kema_Report.txt
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
    </Structure>
```

```
</Data>
(1009) .entries_in_use
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000001" />
        </Data>
(1010) .profile_entries
        PASSED
        <Data>
            <DoubleLongUnsigned Value="000000F2" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 1
0-1:24.4.0.255 (@1791)

```
(1011) .logical_name
        PASSED
        <Data>
            <OctetString Value="0001180400FF" />
        </Data>
(1012) .output_state
        PASSED
        <Data>
            <Bool Value="01" />
        </Data>
(1013) .control_state
        PASSED
        <Data>
            <Enum Value="01" />
        </Data>
(1014) .control_mode
        PASSED
        <Data>
            <Enum Value="00" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 2
0-2:24.4.0.255 (@1799)

```
(1015) .logical_name
        PASSED
        <Data>
            <OctetString Value="0002180400FF" />
        </Data>
(1016) .output_state
        PASSED
        <Data>
            <Bool Value="01" />
        </Data>
(1017) .control_state
        PASSED
        <Data>
            <Enum Value="01" />
        </Data>
```

```
(1018) .control_mode
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 3
0-3:24.4.0.255 (@1807)

```
(1019) .logical_name
        PASSED
        <Data>
          <OctetString Value="0003180400FF" />
        </Data>
(1020) .output_state
        PASSED
        <Data>
          <Bool Value="01" />
        </Data>
(1021) .control_state
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1022) .control_mode
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
```

Mngmt Get M-Bus Master Disconnect control object 4
0-4:24.4.0.255 (@1815)

```
(1023) .logical_name
        PASSED
        <Data>
          <OctetString Value="0004180400FF" />
        </Data>
(1024) .output_state
        PASSED
        <Data>
          <Bool Value="01" />
        </Data>
(1025) .control_state
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
(1026) .control_mode
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>
```

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255
(@1823)

```
(1027) .logical_name
        PASSED
```

```

<Data>
  <OctetString Value="00010F0001FF" />
</Data>
(1028) .executed_script
      PASSED
<Data>
  <Structure Qty="0002" >
    <OctetString Value="00010A006AFF" />
    <LongUnsigned Value="0001" />
  </Structure>
</Data>
(1029) .type
      PASSED
<Data>
  <Enum Value="01" />
</Data>
(1030) .execution_time
      PASSED
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <OctetString Value="FFFFFFFF" />
      <OctetString Value="FFFFFFFFFFFF" />
    </Structure>
  </Array>
</Data>

```

Mngmt Get M-Bus Disconnecter script table 0-1:10.0.106.255
 (@1829)

```

(1031) .logical_name
      PASSED
<Data>
  <OctetString Value="00010A006AFF" />
</Data>
(1032) .scripts
      PASSED
<Data>
  <Array Qty="0008" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="0001180400FF" />
          <Integer Value="01" />
          <Unsigned Value="00" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0002" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
        </Structure>
      </Array>
    </Structure>
  </Array>

```

```

IDIS Reg No 0004 Kema_Report.txt
  <OctetString Value="0001180400FF" />
  <Integer Value="02" />
  <Unsigned Value="00" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="01" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0002180400FF" />
      <Integer Value="02" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0005" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0003180400FF" />
      <Integer Value="01" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0006" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="0003180400FF" />
      <Integer Value="02" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0007" />

```



```

        IDIS Reg No 0004 Kema_Report.txt
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0004180400FF" />
            <Integer Value="01" />
            <Unsigned Value="00" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0008" />
    <Array Qty="0001" >
        <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="0004180400FF" />
            <Integer Value="02" />
            <Unsigned Value="00" />
        </Structure>
    </Array>
</Structure>
</Array>
</Data>

```

```

Mngmt Get Event Objects - M-Bus Master Control logs 1
0-1:96.11.4.255 (@1834)
(1033) .logical_name
    PASSED
    <Data>
        <OctetString Value="0001600B04FF" />
    </Data>
(1034) .value
    PASSED
    <Data>
        <Enum Value="00" />
    </Data>

```

```

Mngmt Get Event Objects - M-Bus Master Control logs 2
0-2:96.11.4.255 (@1838)
(1035) .logical_name
    PASSED
    <Data>
        <OctetString Value="0002600B04FF" />
    </Data>
(1036) .value
    PASSED
    <Data>
        <Enum Value="00" />
    </Data>

```

```

Mngmt Get Event Objects - M-Bus Master Control logs 3
0-3:96.11.4.255 (@1842)
(1037) .logical_name
    PASSED
    <Data>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <OctetString Value="0003600B04FF" />
    </Data>
(1038) .value
        PASSED
    <Data>
        <Enum Value="00" />
    </Data>

Mngmt Get Event Objects - M-Bus Master Control logs 4
0-4:96.11.4.255 (@1846)
(1039) .logical_name
        PASSED
    <Data>
        <OctetString Value="0004600B04FF" />
    </Data>
(1040) .value
        PASSED
    <Data>
        <Enum Value="00" />
    </Data>

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255
(@1850)
(1041) .logical_name
        PASSED
    <Data>
        <OctetString Value="0001180500FF" />
    </Data>
(1042) .capture_objects
        PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0001600B04FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(1043) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1044) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>

```

IDIS Reg No 0004 Kema_Report.txt
(1045) .sort_object
PASSED

```
<Data>  
  <Structure Qty="0004" >  
    <LongUnsigned Value="0000" />  
    <OctetString Value="000000000000" />  
    <Integer Value="00" />  
    <LongUnsigned Value="0000" />  
  </Structure>  
</Data>
```

(1046) .entries_in_use
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000001" />  
</Data>
```

(1047) .profile_entries
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000024" />  
</Data>
```

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255
(@1861)

(1048) .logical_name
PASSED

```
<Data>  
  <OctetString Value="0002180500FF" />  
</Data>
```

(1049) .capture_objects
PASSED

```
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0002600B04FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(1050) .capture_period
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(1051) .sort_method
PASSED

```
<Data>  
  <Enum Value="01" />  
</Data>
```

```
(1052) .sort_object
        PASSED
        <Data>
            <Structure Qty="0004" >
                <LongUnsigned Value="0000" />
                <OctetString Value="000000000000" />
                <Integer Value="00" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Data>
(1053) .entries_in_use
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000001" />
        </Data>
(1054) .profile_entries
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000024" />
        </Data>
```

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

```
(1055) .logical_name
        PASSED
        <Data>
            <OctetString Value="0003180500FF" />
        </Data>
(1056) .capture_objects
        PASSED
        <Data>
            <Array Qty="0002" >
                <Structure Qty="0004" >
                    <LongUnsigned Value="0008" />
                    <OctetString Value="0000010000FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0001" />
                    <OctetString Value="0003600B04FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Array>
        </Data>
(1057) .capture_period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
(1058) .sort_method
        PASSED
        <Data>
            <Enum Value="01" />
        </Data>
```

```
(1059) .sort_object
        PASSED
        <Data>
          <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Data>
(1060) .entries_in_use
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000001" />
        </Data>
(1061) .profile_entries
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000024" />
        </Data>
```

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

```
(1062) .logical_name
        PASSED
        <Data>
          <OctetString Value="0004180500FF" />
        </Data>
(1063) .capture_objects
        PASSED
        <Data>
          <Array Qty="0002" >
            <Structure Qty="0004" >
              <LongUnsigned Value="0008" />
              <OctetString Value="0000010000FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
              <LongUnsigned Value="0001" />
              <OctetString Value="0004600B04FF" />
              <Integer Value="02" />
              <LongUnsigned Value="0000" />
            </Structure>
          </Array>
        </Data>
(1064) .capture_period
        PASSED
        <Data>
          <DoubleLongUnsigned Value="00000000" />
        </Data>
(1065) .sort_method
        PASSED
        <Data>
          <Enum Value="01" />
        </Data>
```

```

IDIS Reg No 0004 Kema_Report.txt
(1066) .sort_object
        PASSED
        <Data>
            <Structure Qty="0004" >
                <LongUnsigned Value="0000" />
                <OctetString Value="000000000000" />
                <Integer Value="00" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Data>
(1067) .entries_in_use
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000001" />
        </Data>
(1068) .profile_entries
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000024" />
        </Data>

```

Mngmt Get Event Object - M-Bus Event Log 0-0:96.11.3.255 (@1894)

```

(1069) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000600B03FF" />
        </Data>
(1070) .value
        PASSED
        <Data>
            <Enum Value="00" />
        </Data>

```

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)

```

(1071) .logical_name
        PASSED
        <Data>
            <OctetString Value="0000636203FF" />
        </Data>
(1072) .capture_objects
        PASSED
        <Data>
            <Array Qty="0002" >
                <Structure Qty="0004" >
                    <LongUnsigned Value="0008" />
                    <OctetString Value="0000010000FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
                <Structure Qty="0004" >
                    <LongUnsigned Value="0001" />
                    <OctetString Value="0000600B03FF" />
                    <Integer Value="02" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Array>
</Data>
(1073) .capture_period
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(1074) .sort_method
        PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(1075) .sort_object
        PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(1076) .entries_in_use
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000020" />
    </Data>
(1077) .profile_entries
        PASSED
    <Data>
        <DoubleLongUnsigned Value="00000048" />
    </Data>

```

Mngmt Get IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)

```

(1078) .logical_name
        INAPPLICABLE
        Optional object is not implemented
(1079) .default_mode
        INAPPLICABLE
        Optional object is not implemented
(1080) .default_baud
        INAPPLICABLE
        Optional object is not implemented
(1081) .prop_baud
        INAPPLICABLE
        Optional object is not implemented
(1082) .response_time
        INAPPLICABLE
        Optional object is not implemented
(1083) .device_addr
        INAPPLICABLE
        Optional object is not implemented

```

Mngmt Get IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)

```

IDIS Reg No 0004 Kema_Report.txt
(1084) .logical_name
        PASSED
        <Data>
          <OctetString Value="0000160000FF" />
        </Data>
(1085) .comm_speed
        PASSED
        <Data>
          <Enum Value="05" />
        </Data>
(1086) .window_size_transmit
        PASSED
        <Data>
          <Unsigned Value="01" />
        </Data>
(1087) .window_size_receive
        PASSED
        <Data>
          <Unsigned Value="01" />
        </Data>
(1088) .max_info_field_lenght_transmit
        PASSED
        <Data>
          <LongUnsigned Value="00F8" />
        </Data>
(1089) .max_info_field_lenght_receive
        PASSED
        <Data>
          <LongUnsigned Value="003E" />
        </Data>
(1090) .inter_octet_time_out
        PASSED
        <Data>
          <LongUnsigned Value="0096" />
        </Data>
(1091) .inactivity_time_out
        PASSED
        <Data>
          <LongUnsigned Value="0078" />
        </Data>
(1092) .device_address
        PASSED
        <Data>
          <LongUnsigned Value="0000" />
        </Data>

Mngmt Get S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(1093) .logical_name
        PASSED
        <Data>
          <OctetString Value="00001A0000FF" />
        </Data>
(1094) .initiator_electrical_phase
        PASSED
        <Data>
          <Enum Value="00" />

```



```

</Data>
(1095) .delta_electrical_phase
        PASSED
        <Data>
            <Enum Value="04" />
        </Data>
(1096) .max_receiving_gain
        PASSED
        <Data>
            <Unsigned Value="2A" />
        </Data>
(1097) .max_transmitting_gain
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
(1098) .search_initiator_gain
        PASSED
        <Data>
            <Unsigned Value="0C" />
        </Data>
(1099) .frequencies
        PASSED
        <Data>
            <Structure Qty="0002" >
                <DoubleLongUnsigned Value="0000F744" />
                <DoubleLongUnsigned Value="00012110" />
            </Structure>
        </Data>
(1100) .mac_address
        PASSED
        <Data>
            <LongUnsigned Value="0003" />
        </Data>
(1101) .mac_group_addresses
        PASSED
        <Data>
            <Array Qty="0005" >
                <LongUnsigned Value="0000" />
                <LongUnsigned Value="0000" />
                <LongUnsigned Value="0000" />
                <LongUnsigned Value="0000" />
                <LongUnsigned Value="0000" />
            </Array>
        </Data>
(1102) .repeater
        PASSED
        <Data>
            <Enum Value="02" />
        </Data>
(1103) .repeater_status
        PASSED
        <Data>
            <Bool Value="01" />
        </Data>
(1104) .min_delta_credit

```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
(1105) .initiator_mac_address
      PASSED
<Data>
  <LongUnsigned Value="0C00" />
</Data>
(1106) .synchronization_locked
      PASSED
<Data>
  <Bool Value="01" />
</Data>
(1107) .transmission_speed
      PASSED
<Data>
  <Enum Value="03" />
</Data>
```

Mngmt Get S-FSK Active Initiator 0-0:26.1.0.255 (@1950)

```
(1108) .logical_name
      PASSED
<Data>
  <OctetString Value="00001A0100FF" />
</Data>
(1109) .active_initiator
      PASSED
<Data>
  <Structure Qty="0003" >
    <OctetString Value="4C475A4954000002" />
    <LongUnsigned Value="0C00" />
    <Unsigned Value="01" />
  </Structure>
</Data>
```

Mngmt Get S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)

```
(1110) .logical_name
      PASSED
<Data>
  <OctetString Value="00001A0200FF" />
</Data>
(1111) .search_initiator_timeout
      PASSED
<Data>
  <LongUnsigned Value="0000" />
</Data>
(1112) .synchronization_confirmation_timeout
      PASSED
<Data>
  <LongUnsigned Value="0005" />
</Data>
(1113) .timeout_not_addressed
      PASSED
<Data>
```

```

                IDIS Reg No 0004 Kema_Report.txt
                <LongUnsigned Value="0168" />
            </Data>
(1114) .timeout_frame_not_OK
                PASSED
            <Data>
                <LongUnsigned Value="001E" />
            </Data>

Mngmt Get S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(1115) .logical_name
                PASSED
            <Data>
                <OctetString Value="00001A0300FF" />
            </Data>
(1116) .synchronization_register
                PASSED
            <Data>
                <Array Qty="0001" >
                    <Structure Qty="0002" >
                        <LongUnsigned Value="0C00" />
                        <DoubleLongUnsigned Value="00000076" />
                    </Structure>
                </Array>
            </Data>
(1117) .desynchronization_listing
                PASSED
            <Data>
                <Structure Qty="0005" >
                    <DoubleLongUnsigned Value="00000000" />
                    <DoubleLongUnsigned Value="00000000" />
                    <DoubleLongUnsigned Value="00000070" />
                    <DoubleLongUnsigned Value="00000000" />
                    <DoubleLongUnsigned Value="00000000" />
                </Structure>
            </Data>
(1118) .broadcast_frames_counter
                PASSED
            <Data>
                <Array Qty="0001" >
                    <Structure Qty="0002" >
                        <LongUnsigned Value="0C00" />
                        <DoubleLongUnsigned Value="00000014" />
                    </Structure>
                </Array>
            </Data>
(1119) .repetitions_counter
                PASSED
            <Data>
                <DoubleLongUnsigned Value="000000F9" />
            </Data>
(1120) .transmissions_counter
                PASSED
            <Data>
                <DoubleLongUnsigned Value="000005AE" />
            </Data>
(1121) .CRC_OK_frames_counter

```

```

                IDIS Reg No 0004 Kema_Report.txt
                PASSED
                <Data>
                <DoubleLongUnsigned Value="000008C6" />
                </Data>
(1122) .CRC_NOK_frames_counter
                PASSED
                <Data>
                <DoubleLongUnsigned Value="00000000" />
                </Data>

Mngmt Get S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(1123) .logical_name
                PASSED
                <Data>
                <OctetString Value="00001A0500FF" />
                </Data>
(1124) .max_frame_length
                PASSED
                <Data>
                <Unsigned Value="F2" />
                </Data>
(1125) .reply_status_list
                PASSED
                <Data>
                <Array Qty="0001" >
                <Structure Qty="0002" >
                <Unsigned Value="00" />
                <Unsigned Value="07" />
                </Structure>
                </Array>
                </Data>

```

```

Mngmt Get S-FSK Reporting system list 0-0:26.6.0.255 (@1978)
(1126) .logical_name
                INAPPLICABLE
                Optional object is not implemented
(1127) .reporting_system_list
                INAPPLICABLE
                Optional object is not implemented

```

```

*****
Test Case 7 : Set mngmt attributes, 189 item(s)
*****

```

```

Mngmt Set Current association 0-0:40.0.0.255 (@9)
(1) .authentication_mechanism_name
                INAPPLICABLE
                Optional access right not available
(2) .secret
                INAPPLICABLE
                Optional access right not available

```

```

Mngmt Set Security setup 0-0:43.0.0.255 (@24)
(3) .security_suite
                PASSED
                <Data>

```



```

                IDIS Reg No 0004 Kema_Report.txt
                PASSED
                <Data>
                <OctetString Value="FFFF0AFE07030000008000FF" />
                </Data>
(12) .daylights_savings_deviation
                PASSED
                <Data>
                <Integer Value="3C" />
                </Data>
(13) .daylights_savings_enabled
                PASSED
                <Data>
                <Bool Value="01" />
                </Data>

Mngmt Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(14) .value
                PASSED
                <Data>
                <Unsigned Value="3C" />
                </Data>

Mngmt Set Activity Calendar 0-0:13.0.0.255 (@100)
(15) .calendar_name_passive
                PASSED
                <Data>
                <OctetString Value="\CNP_421F" />
                </Data>
(16) .season_profile_passive
                PASSED
                <Data>
                <Array Qty="0000" >
                </Array>
                </Data>
(17) .week_profile_table_passive
                PASSED
                <Data>
                <Array Qty="0000" >
                </Array>
                </Data>
(18) .day_profile_table_passive
                PASSED
                <Data>
                <Array Qty="0000" >
                </Array>
                </Data>
(19) .activate_passive_calendar_time
                PASSED
                <Data>
                <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
                </Data>

Mngmt Set Special Days Table 0-0:11.0.0.255 (@113)
(20) .entries
                PASSED
                <Data>

```

```
        IDIS Reg No 0004 Kema_Report.txt
<Array Qty="0001" >
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0818FF" />
    <Unsigned Value="02" />
  </Structure>
</Array>
</Data>
```

Mngmt Set Register activation - Energy 0-0:14.0.1.255 (@117)
(21) .register_assignment

```
        PASSED
<_Data>
  <Array Qty="0020" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010802FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010803FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010804FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020801FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020802FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020803FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020804FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100030801FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100030802FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
    </Structure>
```

```
IDIS Reg No 0004 Kema_Report.txt
  <OctetString Value="0100030803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
```



```

        IDIS Reg No 0004 Kema_Report.txt
        <OctetString Value="0100070801FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070802FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080801FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080802FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080804FF" />
    </Structure>
</Array>
</_Data>
(22) .mask_list
        PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="5241544531000000" />
                <Array Qty="0003" >
                    <Unsigned Value="01" />
                    <Unsigned Value="05" />
                    <Unsigned Value="09" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="5241544532000000" />
                <Array Qty="0003" >
                    <Unsigned Value="02" />
                    <Unsigned Value="06" />
                    <Unsigned Value="0A" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="5241544533000000" />
                <Array Qty="0003" >
                    <Unsigned Value="03" />

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Unsigned Value="07" />
        <Unsigned Value="0B" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="5241544534000000" />
    <Array Qty="0003" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
    </Array>
</Structure>
</Array>
</Data>

```

Mngmt Set Register activation - Maximum Demand 0-0:14.0.2.255
(@123)

(23) .register_assignment
PASSED

```

<_Data>
  <Array Qty="0014" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100010600FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100010601FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100010602FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100010603FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100010604FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100020600FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100020601FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100020602FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100020603FF" />
    </Structure>
  </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100020604FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030600FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030601FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030602FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030603FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030604FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100040600FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100040601FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100040602FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100040603FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100040604FF" />
    </Structure>
    </Array>
</_Data>
(24) .mask_list
    PASSED
<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="5241544531000000" />
            <Array Qty="0003" >
                <Unsigned Value="01" />
                <Unsigned Value="06" />
            </Array>
        </Structure>
    </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Unsigned Value="0B" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="5241544532000000" />
    <Array Qty="0003" >
        <Unsigned Value="01" />
        <Unsigned Value="06" />
        <Unsigned Value="0B" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="5241544533000000" />
    <Array Qty="0003" >
        <Unsigned Value="01" />
        <Unsigned Value="06" />
        <Unsigned Value="0B" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="5241544534000000" />
    <Array Qty="0003" >
        <Unsigned Value="01" />
        <Unsigned Value="06" />
        <Unsigned Value="0B" />
    </Array>
</Structure>
</Array>
</Data>

```

Mngmt Set Tariffication script table 0-0:10.0.100.255 (@129)
(25) .scripts

```

    PASSED
    <_Data>
    <Array Qty="0004" >
    <Structure Qty="0002" >
    <LongUnsigned Value="0001" />
    <Array Qty="0003" >
    <Structure Qty="0005" >
    <Enum Value="01" />
    <LongUnsigned Value="0006" />
    <OctetString Value="00000E0001FF" />
    <Integer Value="04" />
    <OctetString Value="5241544531000000" />
    </Structure>
    <Structure Qty="0005" >
    <Enum Value="01" />
    <LongUnsigned Value="0006" />
    <OctetString Value="00000E0002FF" />
    <Integer Value="04" />
    <OctetString Value="5241544531000000" />
    </Structure>
    <Structure Qty="0005" >
    <Enum Value="02" />
    <LongUnsigned Value="0046" />
    <OctetString Value="000160030AFF" />

```

```

IDIS Reg No 0004 Kema_Report.txt
  <Integer Value="02" />
  <Unsigned Value="00" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0002" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="5241544532000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="5241544532000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="01" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="5241544533000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="5241544533000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="02" />
      <Unsigned Value="00" />
    </Structure>
  </Array>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <Array Qty="0003" >
            <Structure Qty="0005" >
                <Enum Value="01" />
                <LongUnsigned Value="0006" />
                <OctetString Value="00000E0001FF" />
                <Integer Value="04" />
                <OctetString Value="5241544534000000" />
            </Structure>
            <Structure Qty="0005" >
                <Enum Value="01" />
                <LongUnsigned Value="0006" />
                <OctetString Value="00000E0002FF" />
                <Integer Value="04" />
                <OctetString Value="5241544534000000" />
            </Structure>
            <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000160030AFF" />
                <Integer Value="01" />
                <Unsigned Value="00" />
            </Structure>
        </Array>
    </Structure>
</Array>
</_Data>

```

Mngmt Set End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(26) .type

INAPPLICABLE

Optional access right not available

(27) .execution_time

PASSED

```

<Data>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <OctetString Value="00000000" />
            <OctetString Value="FFFFFFFF" />
        </Structure>
    </Array>
</Data>

```

Mngmt Set Data of billing period 1 0-0:98.1.0.255 (@146)

(28) .capture_objects

PASSED

```

<Data>
    <Array Qty="0005" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>

```

Mngmt Set Disconnect control scheduler 0-0:15.0.1.255 (@158)

(29) .executed_script

PASSED

```

<Data>
    <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0002" />
    </Structure>
</Data>

```

(30) .type

INAPPLICABLE

Optional access right not available

(31) .execution_time

PASSED

```

<Data>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <OctetString Value="0C0A0000" />
            <OctetString Value="FFFFFFFF" />
        </Structure>
    </Array>
</Data>

```

Mngmt Set Disconnect control 0-0:96.3.10.255 (@169)

(32) .control_mode

PASSED

```

<Data>
    <Enum Value="06" />

```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Data>

Mngmt Set Disconnect Control Log 0-0:99.98.2.255 (@181)
(33) .capture_objects
    PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B02FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0047" />
                <OctetString Value="0000110000FF" />
                <Integer Value="03" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

Mngmt Set Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)
(34) .control_mode
    PASSED
    <Data>
        <Enum Value="06" />
    </Data>

Mngmt Set Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)
(35) .control_mode
    INAPPLICABLE
    Optional object is not implemented

Mngmt Set Limiter 0-0:17.0.0.255 (@213)
(36) .monitored_value
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0003" />
            <OctetString Value="01005A0700FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(37) .threshold_normal
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(38) .treshold_emergency

```


IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(39) .min_over_threshold_duration
  PASSED
  <Data>
    <DoubleLongUnsigned Value="000000B4" />
  </Data>
(40) .min_under_threshold_duration
  PASSED
  <Data>
    <DoubleLongUnsigned Value="000000B4" />
  </Data>
(41) .emergency_profile
  PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      <DoubleLongUnsigned Value="00000258" />
    </Structure>
  </Data>
(42) .emergency_profile_group_id_list
  PASSED
  <Data>
    <Array Qty="0004" >
      <LongUnsigned Value="0001" />
      <LongUnsigned Value="0002" />
      <LongUnsigned Value="0003" />
      <LongUnsigned Value="0004" />
    </Array>
  </Data>
(43) .actions
  PASSED
  <Data>
    <Structure Qty="0002" >
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0001" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Structure>
  </Data>
```

Mngmt Set Supervision monitor 1 - Fuse supervision L1
1-0:31.4.0.255 (@226)

```
(44) .thresholds
  PASSED
  <Data>
    <Array Qty="0001" >
      <DoubleLongUnsigned Value="00000578" />
    </Array>
```

```

</Data>
(45) .monitored_value
      PASSED
      <Data>
        <Structure Qty="0003" >
          <LongUnsigned Value="0005" />
          <OctetString Value="01001F0400FF" />
          <Integer Value="02" />
        </Structure>
      </Data>
(46) .actions
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
              <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
              <LongUnsigned Value="0000" />
            </Structure>
          </Structure>
        </Array>
      </Data>

```

Mngmt Set Supervision monitor 2 - Fuse supervision L2
 1-0:51.4.0.255 (@232)

```

(47) .thresholds
      PASSED
      <Data>
        <Array Qty="0001" >
          <DoubleLongUnsigned Value="00000578" />
        </Array>
      </Data>
(48) .monitored_value
      PASSED
      <Data>
        <Structure Qty="0003" >
          <LongUnsigned Value="0005" />
          <OctetString Value="0100330400FF" />
          <Integer Value="02" />
        </Structure>
      </Data>
(49) .actions
      PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
              <LongUnsigned Value="0001" />
            </Structure>
            <Structure Qty="0002" >
              <OctetString Value="00000A006AFF" />
            </Structure>
          </Structure>
        </Array>
      </Data>

```

```
        IDIS Reg No 0004 Kema_Report.txt
        <LongUnsigned Value="0000" />
    </Structure>
</Structure>
</Array>
</Data>
```

Mngmt Set Supervision monitor 3 - Fuse supervision L3
1-0:71.4.0.255 (@238)

```
(50) .thresholds
    PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000578" />
        </Array>
    </Data>
```

```
(51) .monitored_value
    PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0005" />
            <OctetString Value="0100470400FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
```

```
(52) .actions
    PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0001" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="00000A006AFF" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Structure>
        </Array>
    </Data>
```

Mngmt Set Error Register 0-0:97.97.0.255 (@245)

```
(53) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
```

Mngmt Set Alarm Register 0-0:97.98.0.255 (@249)

```
(54) .value
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
```

Mngmt Set Alarm Filter 0-0:97.98.10.255 (@253)

```

IDIS Reg No 0004 Kema_Report.txt
(55) .value
    PASSED
    <Data>
      <DoubleLongUnsigned Value="FFFFFFFF" />
    </Data>

Mngmt Set Standard Event Log 0-0:99.98.0.255 (@261)
(56) .capture_objects
    PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600B00FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>

Mngmt Set Fraud Detection Log 0-0:99.98.1.255 (@276)
(57) .capture_objects
    PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600B01FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>

Mngmt Set Consumer Message Text 0-0:96.13.0.255 (@288)
(58) .value
    PASSED
    <Data>
      <OctetString Value="\12345678" />
    </Data>

Mngmt Set Consumer Message Code 0-0:96.13.1.255 (@292)
(59) .value
    PASSED

```


Mngmt Set Demand Register 3 - Reactive energy import (+R)
 1-0:3.4.0.255 (@710)

(67) .period
 PASSED
 <Data>
 <DoubleLongUnsigned Value="00000384" />
 </Data>
 (68) .number_of_periods
 PASSED
 <Data>
 <LongUnsigned Value="0001" />
 </Data>

Mngmt Set Demand Register 4 - Reactive energy export (-R)
 1-0:4.4.0.255 (@723)

(69) .period
 PASSED
 <Data>
 <DoubleLongUnsigned Value="00000384" />
 </Data>
 (70) .number_of_periods
 PASSED
 <Data>
 <LongUnsigned Value="0001" />
 </Data>

Mngmt Set Demand Register 5 - Apparent energy import (+VA)
 1-0:9.4.0.255 (@736)

(71) .period
 INAPPLICABLE
 Optional object is not implemented
 (72) .number_of_periods
 INAPPLICABLE
 Optional object is not implemented

Mngmt Set Demand Register 6 - Apparent energy export (-VA)
 1-0:10.4.0.255 (@749)

(73) .period
 INAPPLICABLE
 Optional object is not implemented
 (74) .number_of_periods
 INAPPLICABLE
 Optional object is not implemented

Mngmt Set Load profile with period 1
 i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(75) .capture_objects
 PASSED
 <Data>
 <Array Qty="0006" >
 <Structure Qty="0004" >
 <LongUnsigned Value="0008" />
 <OctetString Value="0000010000FF" />
 <Integer Value="02" />
 <LongUnsigned Value="0000" />
 </Structure>

```

IDIS Reg No 0004 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <OctetString Value="0000600A01FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010800FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020800FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0800FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100100800FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>

```

```
</Array>
```

```
</Data>
```

```
(76) .capture_period
      PASSED
```

```
<Data>
```

```
<DoubleLongUnsigned Value="00000384" />
```

```
</Data>
```

Mngmt Set Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

```
(77) .capture_objects
      PASSED
```

```
<Data>
```

```
<Array Qty="0006" >
```

```
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0008" />
```

```
<OctetString Value="0000010000FF" />
```

```
<Integer Value="02" />
```

```
<LongUnsigned Value="0000" />
```

```
</Structure>
```

```
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0001" />
```

```
<OctetString Value="0000600A02FF" />
```

```
<Integer Value="02" />
```

```
<LongUnsigned Value="0000" />
```

```
</Structure>
```

```

IDIS Reg No 0004 Kema_Report.txt
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010801FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010802FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020801FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020802FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>

```

(78) .capture_period
PASSED

```

<Data>
  <DoubleLongUnsigned Value="00015180" />
</Data>

```

Mngmt Set Time threshold for long power failure 0-0:96.7.20.255 (@1090)

(79) .value

PASSED

```

<Data>
  <LongUnsigned Value="00B4" />
</Data>

```

Mngmt Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)

(80) .value

PASSED

```

<Data>
  <LongUnsigned Value="00CF" />
</Data>

```

Mngmt Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)

(81) .value

PASSED

```

<Data>
  <LongUnsigned Value="001E" />
</Data>

```

Mngmt Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)

IDIS Reg No 0004 Kema_Report.txt

(82) .value

PASSED

<Data>

<LongUnsigned Value="00FD" />

</Data>

Mngmt Set Time threshold for voltage swell 1-0:12.44.0.255 (@1168)

(83) .value

PASSED

<Data>

<LongUnsigned Value="001E" />

</Data>

Mngmt Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)

(84) .value

PASSED

<Data>

<LongUnsigned Value="0067" />

</Data>

Mngmt Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)

(85) .value

PASSED

<Data>

<LongUnsigned Value="001E" />

</Data>

Mngmt Set Power Failure Event Log 1-0:99.97.0.255 (@1234)

(86) .capture_objects

PASSED

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0000600713FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Mngmt Set Power Quality Log 0-0:99.98.4.255 (@1249)

(87) .capture_objects

PASSED

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

```

        IDIS Reg No 0004 Kema_Report.txt
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>

```

```

Mngmt Set Sliding Average current L1 (for fuse supervision)
1-0:31.4.0.255 (@1278)
(88) .number_of_periods
    PASSED
    <Data>
        <LongUnsigned Value="005A" />
    </Data>

```

```

Mngmt Set Sliding Average current L2 (for fuse supervision)
1-0:51.4.0.255 (@1309)
(89) .number_of_periods
    PASSED
    <Data>
        <LongUnsigned Value="005A" />
    </Data>

```

```

Mngmt Set Sliding Average current L3 (for fuse supervision)
1-0:71.4.0.255 (@1340)
(90) .number_of_periods
    PASSED
    <Data>
        <LongUnsigned Value="005A" />
    </Data>

```

```

Mngmt Set Average Import Power (+A) 1-0:1.24.0.255 (@1407)
(91) .number_of_periods
    PASSED
    <Data>
        <LongUnsigned Value="000F" />
    </Data>

```

```

Mngmt Set Average Net Power (|+A|-|-A|) 1-0:16.24.0.255
(@1420)
(92) .number_of_periods
    INAPPLICABLE
    Optional object is not implemented

```

```

Mngmt Set Average Total Power (|+A|+|-A|) 1-0:15.24.0.255
(@1433)
(93) .number_of_periods
    PASSED
    <Data>

```

```
                IDIS Reg No 0004 Kema_Report.txt
                <LongUnsigned Value="000F" />
            </Data>
```

Mngmt Set Measurement Period 3 for Instantaneous values
1-0:0.8.2.255 (@1468)

```
(94) .value
        INAPPLICABLE
        Optional object is not implemented
```

Mngmt Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)

```
(95) .mbus_port_reference
        PASSED
        <Data>
            <OctetString Value="0000180600FF" />
        </Data>
```

```
(96) .capture_definition
        PASSED
        <Data>
            <Array Qty="0004" >
                <Structure Qty="0002" >
                    <OctetString Value="\ " />
                    <OctetString Value="\ " />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="\ " />
                    <OctetString Value="\ " />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="\ " />
                    <OctetString Value="\ " />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="\ " />
                    <OctetString Value="\ " />
                </Structure>
            </Array>
        </Data>
```

```
(97) .capture_period
        PASSED
        <Data>
            <DoubleLongUnsigned Value="00000E10" />
        </Data>
```

```
(98) .primary_address
        PASSED
        <Data>
            <Unsigned Value="00" />
        </Data>
```

Mngmt Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)

```
(99) .mbus_port_reference
        PASSED
        <Data>
            <OctetString Value="0000180600FF" />
        </Data>
```

```
(100) .capture_definition
        PASSED
```

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\ " />
      <OctetString Value="\ " />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\ " />
      <OctetString Value="\ " />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\ " />
      <OctetString Value="\ " />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\ " />
      <OctetString Value="\ " />
    </Structure>
  </Array>
</Data>
(101) .capture_period
      PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>
(102) .primary_address
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

Mngmt Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(103) .mbus_port_reference
      PASSED
      <Data>
        <OctetString Value="0000180600FF" />
      </Data>
(104) .capture_definition
      PASSED
      <Data>
        <Array Qty="0004" >
          <Structure Qty="0002" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
          </Structure>
        </Array>
      </Data>
```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
</Array>
</Data>
(105) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(106) .primary_address
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(107) .mbus_port_reference
    PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(108) .capture_definition
    PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
        </Array>
    </Data>
(109) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(110) .primary_address
    PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

```

```

Mngmt Set M-Bus Value channel 1, instance 1 0-1:24.2.1.255
(@1571)
(111) .scaler_unit

```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="FF" />  
  </Structure>  
</Data>
```

Mngmt Set M-Bus Value channel 1, instance 2 0-1:24.2.2.255
(@1579)

(112) .scaler_unit
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="FF" />  
  </Structure>  
</Data>
```

Mngmt Set M-Bus Value channel 1, instance 3 0-1:24.2.3.255
(@1587)

(113) .scaler_unit
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="FF" />  
  </Structure>  
</Data>
```

Mngmt Set M-Bus Value channel 1, instance 4 0-1:24.2.4.255
(@1595)

(114) .scaler_unit
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="FF" />  
  </Structure>  
</Data>
```

Mngmt Set M-Bus Value channel 2, instance 1 0-2:24.2.1.255
(@1603)

(115) .scaler_unit
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="FF" />  
  </Structure>  
</Data>
```

Mngmt Set M-Bus Value channel 2, instance 2 0-2:24.2.2.255
(@1611)

(116) .scaler_unit
PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
```

Mngmt Set M-Bus Value channel 2, instance 3 0-2:24.2.3.255
 (@1619)

(117) .scaler_unit
 PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
```

Mngmt Set M-Bus Value channel 2, instance 4 0-2:24.2.4.255
 (@1627)

(118) .scaler_unit
 PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
```

Mngmt Set M-Bus Value channel 3, instance 1 0-3:24.2.1.255
 (@1635)

(119) .scaler_unit
 PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
```

Mngmt Set M-Bus Value channel 3, instance 2 0-3:24.2.2.255
 (@1643)

(120) .scaler_unit
 PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="FF" />
  </Structure>
</Data>
```

Mngmt Set M-Bus Value channel 3, instance 3 0-3:24.2.3.255
 (@1651)

(121) .scaler_unit
 PASSED

```
<Data>
```

```
        IDIS Reg No 0004 Kema_Report.txt
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
```

Mngmt Set M-Bus Value channel 3, instance 4 0-3:24.2.4.255
(@1659)

```
(122) .scaler_unit
        PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
```

Mngmt Set M-Bus Value channel 4, instance 1 0-4:24.2.1.255
(@1667)

```
(123) .scaler_unit
        PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
```

Mngmt Set M-Bus Value channel 4, instance 2 0-4:24.2.2.255
(@1675)

```
(124) .scaler_unit
        PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
```

Mngmt Set M-Bus Value channel 4, instance 3 0-4:24.2.3.255
(@1683)

```
(125) .scaler_unit
        PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
```

Mngmt Set M-Bus Value channel 4, instance 4 0-4:24.2.4.255
(@1691)

```
(126) .scaler_unit
        PASSED
      <Data>
        <Structure Qty="0002" >
```



```
Mngmt Set M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)
(133) .value
    PASSED
    <Data>
      <OctetString Value="00000000000000000000000000000000"
/>
    </Data>
```

```
Mngmt Set M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)
(134) .value
    PASSED
    <Data>
      <OctetString Value="00000000000000000000000000000000"
/>
    </Data>
```

```
Mngmt Set M-Bus Master Load profile for channel 1
0-1:24.3.0.255 (@1747)
(135) .capture_objects
    PASSED
    <Data>
      <Array Qty="0006" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0001600A03FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180201FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180202FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180203FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0001180204FF" />
```

```

        IDIS Reg No 0004 Kema_Report.txt
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(136) .capture_period
    PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>

```

Mngmt Set M-Bus Master Load profile for channel 2
0-2:24.3.0.255 (@1758)

```

(137) .capture_objects
    PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0002600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180202FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0002180204FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(138) .capture_period

```

IDIS Reg No 0004 Kema_Report.txt
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000E10" />  
</Data>
```

Mngmt Set M-Bus Master Load profile for channel 3
0-3:24.3.0.255 (@1769)

(139) .capture_objects
PASSED

```
<Data>  
  <Array Qty="0006" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="0003600A03FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0003180201FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0003180202FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0003180203FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0004" />  
      <OctetString Value="0003180204FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(140) .capture_period
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000E10" />  
</Data>
```

Mngmt Set M-Bus Master Load profile for channel 4

0-4:24.3.0.255 (@1780)

(141) .capture_objects

PASSED

<Data>

<Array Qty="0006" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0004600A03FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0004180201FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0004180202FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0004180203FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0004180204FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

(142) .capture_period

PASSED

<Data>

<DoubleLongUnsigned Value="00000E10" />

</Data>

Mngmt Set M-Bus Master Disconnect control object 1

0-1:24.4.0.255 (@1791)

(143) .control_mode

PASSED

<Data>

<Enum Value="00" />

</Data>

```
Mngmt Set M-Bus Master Disconnect control object 2
0-2:24.4.0.255 (@1799)
  (144) .control_mode
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>

Mngmt Set M-Bus Master Disconnect control object 3
0-3:24.4.0.255 (@1807)
  (145) .control_mode
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>

Mngmt Set M-Bus Master Disconnect control object 4
0-4:24.4.0.255 (@1815)
  (146) .control_mode
        PASSED
        <Data>
          <Enum Value="00" />
        </Data>

Mngmt Set M-Bus Disconnect control scheduler 0-1:15.0.1.255
(@1823)
  (147) .executed_script
        PASSED
        <Data>
          <Structure Qty="0002" >
            <OctetString Value="00010A006AFF" />
            <LongUnsigned Value="0001" />
          </Structure>
        </Data>
  (148) .type
        INAPPLICABLE
        Optional access right not available
  (149) .execution_time
        PASSED
        <Data>
          <Array Qty="0001" >
            <Structure Qty="0002" >
              <OctetString Value="FFFFFFFF" />
              <OctetString Value="FFFFFFFFFFFF" />
            </Structure>
          </Array>
        </Data>

Mngmt Set M-Bus Master Control log object 1 0-1:24.5.0.255
(@1850)
  (150) .capture_objects
        PASSED
        <Data>
          <Array Qty="0002" >
            <Structure Qty="0004" >
```

```

        IDIS Reg No 0004 Kema_Report.txt
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>

```

Mngmt Set M-Bus Master Control log object 2 0-2:24.5.0.255
(@1861)

(151) .capture_objects
PASSED

```

<Data>
    <Array Qty="0002" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0002600B04FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>

```

Mngmt Set M-Bus Master Control log object 3 0-3:24.5.0.255
(@1872)

(152) .capture_objects
PASSED

```

<Data>
    <Array Qty="0002" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0003600B04FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>

```

Mngmt Set M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

```
(153) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0004600B04FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
```

Mngmt Set M-Bus Event Log 0-0:99.98.3.255 (@1898)

```
(154) .capture_objects
      PASSED
      <Data>
        <Array Qty="0002" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600B03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
```

Mngmt Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)

```
(155) .default_mode
      INAPPLICABLE
      Optional object is not implemented
(156) .default_baud
      INAPPLICABLE
      Optional object is not implemented
(157) .prop_baud
      INAPPLICABLE
      Optional object is not implemented
(158) .response_time
      INAPPLICABLE
      Optional object is not implemented
(159) .device_addr
```


IDIS Reg No 0004 Kema_Report.txt
INAPPLICABLE

Optional object is not implemented
(160) .pass_p1

INAPPLICABLE

Optional object is not implemented
(161) .pass_p2

INAPPLICABLE

Optional object is not implemented
(162) .pass_p3

INAPPLICABLE

Optional object is not implemented

Mngmt Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255
(@1921)

(163) .comm_speed
PASSED

<Data>
<Enum Value="05" />
</Data>

(164) .window_size_transmit
PASSED

<Data>
<Unsigned Value="01" />
</Data>

(165) .window_size_receive
PASSED

<Data>
<Unsigned Value="01" />
</Data>

(166) .max_info_field_lenght_transmit
PASSED

<Data>
<LongUnsigned Value="00F8" />
</Data>

(167) .max_info_field_lenght_receive
PASSED

<Data>
<LongUnsigned Value="003E" />
</Data>

(168) .inter_octet_time_out
PASSED

<Data>
<LongUnsigned Value="0096" />
</Data>

(169) .inactivity_time_out
PASSED

<Data>
<LongUnsigned Value="0078" />
</Data>

(170) .device_address
PASSED

<Data>
<LongUnsigned Value="0000" />
</Data>

Mngmt Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)

```

IDIS Reg No 0004 Kema_Report.txt
(171) .initiator_electrical_phase
      PASSED
      <Data>
        <Enum Value="00" />
      </Data>
(172) .max_receiving_gain
      PASSED
      <Data>
        <Unsigned Value="2A" />
      </Data>
(173) .max_transmitting_gain
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(174) .search_initiator_gain
      PASSED
      <Data>
        <Unsigned Value="0C" />
      </Data>
(175) .frequencies
      PASSED
      <Data>
        <Structure Qty="0002" >
          <DoubleLongUnsigned Value="0000F744" />
          <DoubleLongUnsigned Value="00012110" />
        </Structure>
      </Data>
(176) .mac_group_addresses
      PASSED
      <Data>
        <Array Qty="0005" >
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
          <LongUnsigned Value="0000" />
        </Array>
      </Data>
(177) .repeater
      PASSED
      <Data>
        <Enum Value="02" />
      </Data>
(178) .min_delta_credit
      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(179) .transmission_speed
      PASSED
      <Data>
        <Enum Value="03" />
      </Data>

```

(@1955)

- (180) .search_initiator_timeout
PASSED
<Data>
<LongUnsigned Value="0000" />
</Data>
- (181) .synchronization_confirmation_timeout
PASSED
<Data>
<LongUnsigned Value="0005" />
</Data>
- (182) .timeout_not_addressed
PASSED
<Data>
<LongUnsigned Value="0168" />
</Data>
- (183) .timeout_frame_not_OK
PASSED
<Data>
<LongUnsigned Value="001E" />
</Data>

Mngmt Set S-FSK MAC counters 0-0:26.3.0.255 (@1962)

- (184) .broadcast_frames_counter
INAPPLICABLE
Optional access right not available
- (185) .repetitions_counter
PASSED
<Data>
<DoubleLongUnsigned Value="000000F9" />
</Data>
- (186) .transmissions_counter
PASSED
<Data>
<DoubleLongUnsigned Value="000005AE" />
</Data>
- (187) .CRC_OK_frames_counter
PASSED
<Data>
<DoubleLongUnsigned Value="000008C6" />
</Data>
- (188) .CRC_NOK_frames_counter
PASSED
<Data>
<DoubleLongUnsigned Value="00000000" />
</Data>

Mngmt Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)

- (189) .max_frame_length
PASSED
<Data>
<Unsigned Value="F2" />
</Data>

Test Case 8 : Set Pre attributes, 62 item(s)

Pre Set Clock 0-0:1.0.0.255 (@75)

- (1) .time
PASSED
<Data>
<OctetString Value="07DA081A040A1924FF800080" />
</Data>
- (2) .time_zone
PASSED
<Data>
<Long Value="FFC4" />
</Data>
- (3) .daylights_savings_begin
PASSED
<Data>
<OctetString Value="FFFF03FE07020000008000FF" />
</Data>
- (4) .daylights_savings_end
PASSED
<Data>
<OctetString Value="FFFF0AFE07030000008000FF" />
</Data>
- (5) .daylights_savings_deviation
PASSED
<Data>
<Integer Value="3C" />
</Data>
- (6) .daylights_savings_enabled
PASSED
<Data>
<Bool Value="01" />
</Data>

Pre Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)

- (7) .value
PASSED
<Data>
<Unsigned Value="3C" />
</Data>

Pre Set Activity Calendar 0-0:13.0.0.255 (@100)

- (8) .calendar_name_passive
PASSED
<Data>
<OctetString Value="\CNP_421F" />
</Data>
- (9) .season_profile_passive
PASSED
<Data>
<Array Qty="0000" >
</Array>
</Data>
- (10) .week_profile_table_passive
PASSED
<Data>

```

        IDIS Reg No 0004 Kema_Report.txt
        <Array Qty="0000" >
        </Array>
    </Data>
(11) .day_profile_table_passive
        PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>
(12) .activate_passive_calendar_time
        PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFFF8000FF" />
    </Data>

```

Pre Set Special Days Table 0-0:11.0.0.255 (@113)

```

(13) .entries
        PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <LongUnsigned Value="0001" />
                <OctetString Value="FFFF0818FF" />
                <Unsigned Value="02" />
            </Structure>
        </Array>
    </Data>

```

Pre Set Register activation - Energy 0-0:14.0.1.255 (@117)

```

(14) .register_assignment
        INCONCLUSIVE
    <_Data>
        <Array Qty="0020" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010801FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010802FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010803FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010804FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100020801FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100020802FF" />
            </Structure>
        </Array>
    </_Data>

```

```
IDIS Reg No 0004 Kema_Report.txt
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050804FF" />
</Structure>
```

```

        IDIS Reg No 0004 Kema_Report.txt
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100060801FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100060802FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100060803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100060804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070801FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070802FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100070804FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080801FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080802FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080803FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100080804FF" />
    </Structure>
    </Array>
</_Data>

```

Data too long (431, max = 239), pre-established client does not support block transfer.

```

(15) .mask_list
      PASSED

```

```

<Data>

```

```

IDIS Reg No 0004 Kema_Report.txt
<Array Qty="0004" >
  <Structure Qty="0002" >
    <OctetString Value="5241544531000000" />
    <Array Qty="0003" >
      <Unsigned Value="01" />
      <Unsigned Value="05" />
      <Unsigned Value="09" />
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="5241544532000000" />
    <Array Qty="0003" >
      <Unsigned Value="02" />
      <Unsigned Value="06" />
      <Unsigned Value="0A" />
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="5241544533000000" />
    <Array Qty="0003" >
      <Unsigned Value="03" />
      <Unsigned Value="07" />
      <Unsigned Value="0B" />
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="5241544534000000" />
    <Array Qty="0003" >
      <Unsigned Value="04" />
      <Unsigned Value="08" />
      <Unsigned Value="0C" />
    </Array>
  </Structure>
</Array>
</Data>

```

Pre Set Register activation - Maximum Demand 0-0:14.0.2.255
(@123)

(16) .register_assignment
INCONCLUSIVE

```

<_Data>
  <Array Qty="0014" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100010600FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100010601FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100010602FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />

```



```
IDIS Reg No 0004 Kema_Report.txt
  <OctetString Value="0100010603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100010604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020600FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100020604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030600FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100030604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040600FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0100040601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
```

```

        IDIS Reg No 0004 Kema_Report.txt
        <OctetString Value="0100040602FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100040603FF" />
    </Structure>
    <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100040604FF" />
    </Structure>
</Array>
</_Data>

```

Data too long (275, max = 239), pre-established client does not support block transfer.

(17) .mask_list

PASSED

```

<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="5241544531000000" />
            <Array Qty="0003" >
                <Unsigned Value="01" />
                <Unsigned Value="06" />
                <Unsigned Value="0B" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="5241544532000000" />
            <Array Qty="0003" >
                <Unsigned Value="01" />
                <Unsigned Value="06" />
                <Unsigned Value="0B" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="5241544533000000" />
            <Array Qty="0003" >
                <Unsigned Value="01" />
                <Unsigned Value="06" />
                <Unsigned Value="0B" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="5241544534000000" />
            <Array Qty="0003" >
                <Unsigned Value="01" />
                <Unsigned Value="06" />
                <Unsigned Value="0B" />
            </Array>
        </Structure>
    </Array>
</Data>

```

Pre Set Consumer Message Text 0-0:96.13.0.255 (@288)

(18) .value

PASSED


```
                IDIS Reg No 0004 Kema_Report.txt
                <LongUnsigned Value="0067" />
            </Data>
```

```
Pre Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)
(26) .value
```

```
                PASSED
            <Data>
                <LongUnsigned Value="001E" />
            </Data>
```

```
Pre Set Measurement Period 3 for Instantaneous values
1-0:0.8.2.255 (@1468)
```

```
(27) .value
                INAPPLICABLE
            Optional object is not implemented
```

```
Pre Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(28) .capture_period
```

```
                PASSED
            <Data>
                <DoubleLongUnsigned Value="00000E10" />
            </Data>
```

```
Pre Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(29) .capture_period
```

```
                PASSED
            <Data>
                <DoubleLongUnsigned Value="00000E10" />
            </Data>
```

```
Pre Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(30) .capture_period
```

```
                PASSED
            <Data>
                <DoubleLongUnsigned Value="00000E10" />
            </Data>
```

```
Pre Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(31) .capture_period
```

```
                PASSED
            <Data>
                <DoubleLongUnsigned Value="00000E10" />
            </Data>
```

```
Pre Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255
(@1791)
```

```
(32) .control_mode
                PASSED
            <Data>
                <Enum Value="00" />
            </Data>
```

```
Pre Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255
(@1799)
```

```
(33) .control_mode
                PASSED
```

```
<Data>  
  <Enum Value="00" />  
</Data>
```

Pre Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)

```
(34) .control_mode  
      PASSED  
      <Data>  
        <Enum Value="00" />  
      </Data>
```

Pre Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)

```
(35) .control_mode  
      PASSED  
      <Data>  
        <Enum Value="00" />  
      </Data>
```

Pre Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)

```
(36) .default_mode  
      INAPPLICABLE  
      Optional object is not implemented  
(37) .default_baud  
      INAPPLICABLE  
      Optional object is not implemented  
(38) .prop_baud  
      INAPPLICABLE  
      Optional object is not implemented  
(39) .response_time  
      INAPPLICABLE  
      Optional object is not implemented  
(40) .device_addr  
      INAPPLICABLE  
      Optional object is not implemented  
(41) .pass_p1  
      INAPPLICABLE  
      Optional object is not implemented  
(42) .pass_p2  
      INAPPLICABLE  
      Optional object is not implemented  
(43) .pass_p3  
      INAPPLICABLE  
      Optional object is not implemented
```

Pre Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)

```
(44) .comm_speed  
      PASSED  
      <Data>  
        <Enum Value="05" />  
      </Data>  
(45) .window_size_transmit  
      PASSED
```

```

    <Data>
      <Unsigned Value="01" />
    </Data>
(46) .window_size_receive
      PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(47) .max_info_field_lenght_transmit
      PASSED
    <Data>
      <LongUnsigned Value="00F8" />
    </Data>
(48) .max_info_field_lenght_receive
      PASSED
    <Data>
      <LongUnsigned Value="003E" />
    </Data>
(49) .inter_octet_time_out
      PASSED
    <Data>
      <LongUnsigned Value="0096" />
    </Data>
(50) .inactivity_time_out
      PASSED
    <Data>
      <LongUnsigned Value="0078" />
    </Data>

Pre Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(51) .max_receiving_gain
      PASSED
    <Data>
      <Unsigned Value="2A" />
    </Data>
(52) .max_transmitting_gain
      PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(53) .search_initiator_gain
      PASSED
    <Data>
      <Unsigned Value="0C" />
    </Data>
(54) .frequencies
      PASSED
    <Data>
      <Structure Qty="0002" >
        <DoubleLongUnsigned Value="0000F744" />
        <DoubleLongUnsigned Value="00012110" />
      </Structure>
    </Data>
(55) .min_delta_credit
      PASSED
    <Data>

```

```
                IDIS Reg No 0004 Kema_Report.txt
                <Unsigned Value="00" />
            </Data>
(56) .transmission_speed
        PASSED
        <Data>
            <Enum Value="03" />
        </Data>
```

Pre Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)

```
(57) .search_initiator_timeout
        PASSED
        <Data>
            <LongUnsigned Value="0000" />
        </Data>
(58) .synchronization_confirmation_timeout
        PASSED
        <Data>
            <LongUnsigned Value="0005" />
        </Data>
(59) .timeout_not_addressed
        PASSED
        <Data>
            <LongUnsigned Value="0168" />
        </Data>
(60) .timeout_frame_not_OK
        PASSED
        <Data>
            <LongUnsigned Value="001E" />
        </Data>
```

Pre Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)

```
(61) .max_frame_length
        PASSED
        <Data>
            <Unsigned Value="F2" />
        </Data>
(62) Pre Set passive calendar name and check
        PASSED
        calendar_name_passive set to "CNP_D2D2"
```

```
*****
Test Case 9 : Selective access of profiles, 17 item(s)
*****
```

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)

```
(1) .buffer
        INCONCLUSIVE
        entries_in_use: 0
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
        Too few buffer entries (0), required 5
```

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)

```
(2) .buffer
```

```
                IDIS Reg No 0004 Kema_Report.txt
                INCONCLUSIVE
entries_in_use: 3
  <Data>
    <DoubleLongUnsigned Value="00000003" />
  </Data>
Too few buffer entries (3), required 5
```

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)
(3) .buffer

```
                PASSED
entries_in_use: 6
  <Data>
    <DoubleLongUnsigned Value="00000006" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B00FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
```

Buffer has 6 elements:

```
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0002" >
        <OctetString Value="07DA081A040A1B15FF800080" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA081A040A1B3BFF800080" />
        <Enum Value="FE" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA081A040A1C04FF800080" />
        <Enum Value="FE" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA081A040A1F33FF800080" />
        <Enum Value="04" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA081A040A1924FF800080" />
        <Enum Value="05" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DA081A040A1924FF800080" />
      </Structure>
    </Array>
  </Data>
```



```

        IDIS Reg No 0004 Kema_Report.txt
        <Enum Value="FE" />
    </Structure>
</Array>
</Data>
    Earliest date: 26-AUG-2010 10:25:36, latest date:
26-AUG-2010 10:31:51
    Middle date: 26-AUG-2010 10:31:51

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)
(4) .buffer
        INCONCLUSIVE
    entries_in_use: 1
        <Data>
            <DoubleLongUnsigned Value="00000001" />
        </Data>
    Too few buffer entries (1), required 5

Mngmt Get Load profile with period 1
i.e. General Load Profile 1-0:99.1.0.255 (@1055)
(5) .buffer
        INCONCLUSIVE
    entries_in_use: 1
        <Data>
            <DoubleLongUnsigned Value="00000001" />
        </Data>
    Too few buffer entries (1), required 5

Mngmt Get Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)
(6) .buffer
        INCONCLUSIVE
    entries_in_use: 0
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
    Too few buffer entries (0), required 5

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)
(7) .buffer
        INCONCLUSIVE
    entries_in_use: 0
        <Data>
            <DoubleLongUnsigned Value="00000000" />
        </Data>
    Too few buffer entries (0), required 5

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)
(8) .buffer
        INCONCLUSIVE
    entries_in_use: 1
        <Data>
            <DoubleLongUnsigned Value="00000001" />
        </Data>
    Too few buffer entries (1), required 5

Mngmt Get M-Bus Master Load profile for channel 1

```

```

IDIS Reg No 0004 Kema_Report.txt
0-1:24.3.0.255 (@1747)
(9) .buffer
    INCONCLUSIVE
    entries_in_use: 0
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
    Too few buffer entries (0), required 5

Mngmt Get M-Bus Master Load profile for channel 2
0-2:24.3.0.255 (@1758)
(10) .buffer
    INCONCLUSIVE
    entries_in_use: 0
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
    Too few buffer entries (0), required 5

Mngmt Get M-Bus Master Load profile for channel 3
0-3:24.3.0.255 (@1769)
(11) .buffer
    INCONCLUSIVE
    entries_in_use: 0
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
    Too few buffer entries (0), required 5

Mngmt Get M-Bus Master Load profile for channel 4
0-4:24.3.0.255 (@1780)
(12) .buffer
    INCONCLUSIVE
    entries_in_use: 0
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
    Too few buffer entries (0), required 5

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255
(@1850)
(13) .buffer
    INCONCLUSIVE
    entries_in_use: 1
    <Data>
        <DoubleLongUnsigned Value="00000001" />
    </Data>
    Too few buffer entries (1), required 5

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255
(@1861)
(14) .buffer
    INCONCLUSIVE
    entries_in_use: 1
    <Data>
        <DoubleLongUnsigned Value="00000001" />

```

IDIS Reg No 0004 Kema_Report.txt
</Data>
Too few buffer entries (1), required 5

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

(15) .buffer
INCONCLUSIVE
entries_in_use: 1
<Data>
<DoubleLongUnsigned Value="00000001" />
</Data>
Too few buffer entries (1), required 5

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

(16) .buffer
INCONCLUSIVE
entries_in_use: 1
<Data>
<DoubleLongUnsigned Value="00000001" />
</Data>
Too few buffer entries (1), required 5

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)
(17) .buffer

INCONCLUSIVE
entries_in_use: 2
<Data>
<DoubleLongUnsigned Value="00000002" />
</Data>
Too few buffer entries (2), required 5

Test Case 10 : Multiple references, 4 item(s)

(1) Public, logical names
PASSED

Reading 5 attributes
<Result Qty="0005" >
<Data>
<OctetString Value="0000290000FF" />
</Data>
<Data>
<OctetString Value="0000280000FF" />
</Data>
<Data>
<OctetString Value="00002B0101FF" />
</Data>
<Data>
<OctetString Value="00002B0100FF" />
</Data>
<Data>
<OctetString Value="00002A0000FF" />
</Data>
</Result>

(2) Mngmt, logical names

IDIS Reg No 0004 Kema_Report.txt
PASSED

Reading 16 attributes

```
<Result Qty="0010" >  
  <Data>  
    <OctetString Value="00001A0500FF" />  
  </Data>  
  <Data>  
    <OctetString Value="00001A0300FF" />  
  </Data>  
  <Data>  
    <OctetString Value="00001A0200FF" />  
  </Data>  
  <Data>  
    <OctetString Value="00001A0100FF" />  
  </Data>  
  <Data>  
    <OctetString Value="00001A0000FF" />  
  </Data>  
  <Data>  
    <OctetString Value="0000160000FF" />  
  </Data>  
  <Data>  
    <OctetString Value="0100040700FF" />  
  </Data>  
  <Data>  
    <OctetString Value="0100030700FF" />  
  </Data>  
  <Data>  
    <OctetString Value="0100020700FF" />  
  </Data>  
  <Data>  
    <OctetString Value="0100010700FF" />  
  </Data>  
  <Data>  
    <OctetString Value="01000F0700FF" />  
  </Data>  
  <Data>  
    <OctetString Value="01005A0700FF" />  
  </Data>  
  <Data>  
    <OctetString Value="01001F0700FF" />  
  </Data>  
  <Data>  
    <OctetString Value="0100201800FF" />  
  </Data>  
  <Data>  
    <OctetString Value="0100200700FF" />  
  </Data>  
  <Data>  
    <OctetString Value="0000636204FF" />  
  </Data>  
</Result>
```

(3) Mngmt, mixed attributes

PASSED

Reading 15 attributes

```
<Result Qty="000F" >
```

```

        IDIS Reg No 0004 Kema_Report.txt
    <Data>
        <OctetString Value="0000290000FF" />
    </Data>
    <Data>
        <Enum Value="00" />
    </Data>
    <Data>
        <Long Value="FFC4" />
    </Data>
    <Data>
        <OctetString Value="5241544533000000" />
    </Data>
    <Data>
        <Enum Value="01" />
    </Data>
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0000" />
            <OctetString Value="000000000000" />
            <Integer Value="00" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
    <Data>
        <DoubleLongUnsigned Value="00000001" />
    </Data>
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
    <Data>
        <LongUnsigned Value="0001" />
    </Data>
    <Data>
        <Enum Value="02" />
    </Data>
    <Data>
        <Bool Value="01" />
    </Data>
    <Data>
        <Unsigned Value="00" />
    </Data>
    <Data>
        <LongUnsigned Value="0C00" />
    </Data>
    <Data>
        <Bool Value="01" />
    </Data>
    <Data>
        <Enum Value="03" />
    </Data>
</Result>
(4) Mngmt, long attributes (block transfer)
    PASSED
    Reading 5 attributes
    <Result Qty="0005" >
    <Data>

```

```

        IDIS Reg No 0004 Kema_Report.txt
        <OctetString Value="\CNP_D2D2" />
    </Data>
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
    </Data>
</Result>

```

```

*****
Test Case 11 : Disconnect controls, 3 item(s)
*****

```

- (1) Disconnect control
 - PASSED
 - Disconnect in control mode 0
 - Test control mode 1
 - Test control mode 2
 - Test control mode 3
 - Test control mode 4
 - Test control mode 5
 - Test control mode 6
- (2) Load Mgmt - Relay control 1
 - PASSED
- (3) Load Mgmt - Relay control 2
 - INAPPLICABLE
 - Optional object is not implemented

```

*****
Test Case 12 : Script tables, 3 item(s)
*****

```

- (1) Tariffication script table
 - PASSED
 - Tariffication script table (parameters 1): "RATE1 ,RATE2 ,RATE3 ,RATE4 "
 - Register activation - Energy (mask names): "RATE1 ,RATE2 ,RATE3 ,RATE4 "
 - Tariffication script table (parameters 2): "RATE1 ,RATE2 ,RATE3 ,RATE4 "
 - Register activation - Maximum Demand (mask names): "RATE1 ,RATE2 ,RATE3 ,RATE4 "
 - calendar_name_passive name: TOU_4B0A
 - activate_passive_calendar_time: 26-AUG-2010 10:50:01
 - activate_passive_calendar_time: 26-AUG-2010 12:00:59
- (2) MDI Reset / End of billing period script table
 - PASSED
- (3) Disconnect script table

Test Case 13 : Miscellaneous tests, 4 item(s)

- (1) Set/Get of long attribute
PASSED
- (2) S-FSK Initiator, execute reset_NEW_not_synchronized
PASSED
MAC address = 0x003
- (3) Reset S-FSK MAC counters
INAPPLICABLE
Optional access right not available
- (4) Set S-FSK transmissions counter
PASSED

Test Case 14 : Application association, 17 item(s)

- (1) Wrong logical device Id
PASSED
- (2) Wrong client Id
PASSED
- (3) Opening an already opened application association
PASSED
- (4) Error on the Protocol version
PASSED
- (5) Application context missing
PASSED
- (6) Wrong application context
PASSED
- (7) Missing calling AP title in a ciphering AARQ
PASSED
- (8) Wrong system title in the Calling AP title
PASSED
- (9) ACSE requirement missing
PASSED
- (10) Wrong ACSE requirement
PASSED
- (11) Authentication mechanism missing
PASSED
- (12) Wrong authentication mechanism
PASSED
- (13) Authentication value missing
PASSED
- (14) Wrong authentication value
PASSED
- (15) User information missing
PASSED
- (16) Wrong dedicated key
PASSED
- (17) Incorrect conformance bloc
PASSED

Test Case 15 : xDLMS Services, 20 item(s)

- (1) Get without AA opening
PASSED
- (2) Set without AA opening
PASSED
- (3) Action without AA opening
PASSED
- (4) Get with wrong inner tag
PASSED
- (5) Set with wrong inner tag
PASSED
- (6) Action with wrong inner tag
PASSED
- (7) Error during block transfer with get
PASSED
- (8) Error during block transfer with set
PASSED
- (9) Get with wrong attribute id
PASSED
- (10) Set with wrong attribute id
PASSED
- (11) Action with wrong attribute id
PASSED
- (12) Get with wrong access right
PASSED
- (13) Set with wrong access right
PASSED
- (14) Action with wrong access right
PASSED
- (15) Get with wrong access selector
PASSED
- (16) Get with wrong access parameters
PASSED
- (17) Set with wrong data type
PASSED
- (18) Action with wrong data type
PASSED
- (19) Set with wrong data content
PASSED
- (20) Action with wrong data content
PASSED

Test Case 16 : Security Activate, 3 item(s)

- (1) Activate 1
PASSED

Pre set calendar_name_passive to CNP_C22A using +A, -E

Pre set calendar_name_passive to CNP_6AD1 using +A, -E

tweaked A

Mngmt get calendar_name_passive using +A, -E, expect
"CNP_C22A"

Mngmt set calendar_name_passive to CNP_6AD1 using +A, -E
tweaked A

Mngmt get calendar_name_passive using +A, -E, expect
"CNP_C22A"

Mngmt set security_policy attribute to 0

(2) Activate 2

PASSED

Pre set calendar_name_passive to CNP_E2CE using -A, +E

Pre set calendar_name_passive to CNP_5356 using -A, +E

tweaked E

Mngmt get calendar_name_passive using -A, +E, expect

"CNP_E2CE"

Mngmt set calendar_name_passive to CNP_5356 using -A, +E

tweaked E

Mngmt get calendar_name_passive using -A, +E, expect

"CNP_E2CE"

Mngmt set security_policy attribute to 0

(3) Activate 3

PASSED

Pre set calendar_name_passive to CNP_808E using +A, +E

Pre set calendar_name_passive to CNP_499E using +A, +E

tweaked A

Mngmt get calendar_name_passive using +A, +E, expect

"CNP_808E"

Mngmt set calendar_name_passive to CNP_499E using +A, +E

tweaked A

Mngmt get calendar_name_passive using +A, +E, expect

"CNP_808E"

Pre set calendar_name_passive to CNP_BBD6 using +A, +E

tweaked E

Mngmt get calendar_name_passive using +A, +E, expect

"CNP_808E"

Mngmt set calendar_name_passive to CNP_BBD6 using +A, +E

tweaked E

Mngmt get calendar_name_passive using +A, +E, expect

"CNP_808E"

Mngmt set security_policy attribute to 0

Test Case 17 : Frame counter, 5 item(s)

(1) Unicast replay

PASSED

(2) Broadcast replay

PASSED

(3) Unicast Register

PASSED

(4) Broadcast Register

PASSED

(5) Received value

PASSED

Test Case 18 : Security global key transfer, 4 item(s)

(1) Global unicast encryption key transfer

PASSED

(2) Global broadcast encryption key transfer

PASSED

(3) Global authentication key transfer

PASSED

- (4) All key transfer
PASSED

Test Case 19 : Secured service user information, 9 item(s)

- (1) AARQ not encrypted
PASSED
- (2) AARQ not authenticated
PASSED
- (3) AARQ not encrypted not authenticated
PASSED
- (4) AARQ with A security header
PASSED
- (5) AARQ with E security header
PASSED
- (6) AARQ with empty security header
PASSED
- (7) AARQ with invalid frame counter
PASSED
- (8) AARQ with invalid authentication
PASSED
- (9) AARQ with invalid encryption
PASSED

Test Case 20 : Application association release service, 6 item(s)

- (1) RLRQ invalid release request
PASSED
- (2) RLRQ with missing user information
PASSED
- (3) RLRQ non secure user information
PASSED
- (4) RLRQ invalid security header
PASSED
- (5) RLRQ invalid authentication
PASSED
- (6) RLRQ invalid encryption
PASSED

Test Case 21 : Image transfer, 3 item(s)

- (1) Basic
PASSED
Block size: 192
- (2) Full
PASSED
Block size: 192
ImageSize: 509168, Blocks: 2652, Last block size: 176
image_to_activate_info:
 <Data>
 <Array Qty="0001" >
 <Structure Qty="0003" >

```

        IDIS Reg No 0004 Kema_Report.txt
        <DoubleLongUnsigned Value="0007C4C0" />
        <OctetString Value="\V46.00.00.C3" />
        <OctetString
Value="F269ED314FDC4B62D947D8EDBB932420C190C1B3B4E868058152208AED6
BCFDB" />
        </Structure>
    </Array>
</Data>
(3) Full delayed
    PASSED
    Block size: 192
    ImageSize: 509168, Blocks: 2652, Last block size: 176
    image_to_activate_info:
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <DoubleLongUnsigned Value="0007C4C0" />
                <OctetString Value="\V46.00.00.C3" />
                <OctetString
Value="F269ED314FDC4B62D947D8EDBB932420C190C1B3B4E868058152208AED6
BCFDB" />
            </Structure>
        </Array>
    </Data>

```

```

*****
* CTI *
*****

```

```

// CTI: E450 IDIS
// iCTT 0.26
// Last update: 2011-04-26, IDr

```

```

// The CTI has a specified syntax but it's format is free

```

```

// Mandatory 'Manufacturer' structure
// *****
Manufacturer = {
    // Keep the leading '\' to denote a visible-string.
    Name = '\Landis+Gyr'
    // Enter here the manufacturer's FLAG id
    ThreeLettersId = '\LGZ'
}

```

```

// Mandatory 'DeviceUnderTest' structure
// *****
DeviceUnderTest = {

    // IDISDeviceType is 100 or 101, it is part of the DUT system
    title
    IDISDeviceType = 101

    // IDISFunctionType indicates the extension(s) supported by the
    DUT,
    // it is also a part of the DUT system title: Extension_D,
    Extension_L and Extension_M

```

IDISFunctionType = [Extension_D, Extension_L, Extension_M]

// The serial number of the DUT is pa part of its system title.
SerialNr = 01152766

}

// Mandatory 'ObjectMode' structure

// *****

// It defines the variant of the object model that the iCTT uses for testing.

ObjectModel = {

 // Optional objects implemented

 OptionalObjects = '\'

 + '1-0:0.9.1.255|1,' // Local Time (@86)

 + '1-0:0.9.2.255|1,' // Local Date (@90)

 + '1-0:9.8.0.255|3,' // Apparent energy import (+VA) (QI+QIV) (@406)

 + '1-0:10.8.0.255|3,' // Apparent energy export (-VA) (QII+QIII) (@412)

 + '1-0:14.7.0.255|3,' // Instantaneous net frequency; any phase (@1359)

 + '1-0:13.7.0.255|3' // Instantaneous Power factor (+A/+VA) (@1446)

 InstanceExtraInfo = {

 // Register activation - Energy (@117)

 LogicalName = '0-0:14.0.1.255'

 ClassId = 6

 AttributeExtraInfo = {

 // register_assignment

 AttributeId = 2

 AccessRights = [GET,SET]

 }

 }

 InstanceExtraInfo = {

 // Register activation - Maximum Demand (@123)

 LogicalName = '0-0:14.0.2.255'

 ClassId = 6

 AttributeExtraInfo = {

 // register_assignment

 AttributeId = 2

 AccessRights = [GET,SET]

 }

 }

 InstanceExtraInfo = {

 // Tariffication script table (@129)

 LogicalName = '0-0:10.0.100.255'

 ClassId = 9

 MethodExtraInfo = {

 // execute

 MethodId = 1

 AccessRights = [ACTION]

 }

 }

```
}  
  
InstanceExtraInfo = {  
  // Disconnecter Control Log (@181)  
  LogicalName = '0-0:99.98.2.255'  
  ClassId = 7  
  AttributeExtraInfo = {  
    // capture_objects  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // Load Mgmt - Relay control 1 (@197)  
  LogicalName = '0-1:96.3.10.255'  
  ClassId = 70  
  AttributeExtraInfo = {  
    // control_mode  
    AttributeId = 4  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // Limiter (@213)  
  LogicalName = '0-0:17.0.0.255'  
  ClassId = 71  
  AttributeExtraInfo = {  
    // actions  
    AttributeId = 11  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // Standard Event Log (@261)  
  LogicalName = '0-0:99.98.0.255'  
  ClassId = 7  
  AttributeExtraInfo = {  
    // capture_objects  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}  
  
InstanceExtraInfo = {  
  // Fraud Detection Log (@276)  
  LogicalName = '0-0:99.98.1.255'  
  ClassId = 7  
  AttributeExtraInfo = {  
    // capture_objects  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
}
```

```

}

InstanceExtraInfo = {
  // Power Failure Event Log (@1234)
  LogicalName = '1-0:99.97.0.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}

InstanceExtraInfo = {
  // Power Quality Log (@1249)
  LogicalName = '0-0:99.98.4.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}

InstanceExtraInfo = {
  // M-Bus Value channel 1, instance 1 (@1571)
  LogicalName = '0-1:24.2.1.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  // M-Bus Value channel 1, instance 2 (@1579)
  LogicalName = '0-1:24.2.2.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}

```

```
InstanceExtraInfo = {
  // M-Bus Value channel 1, instance 3 (@1587)
  LogicalName = '0-1:24.2.3.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 1, instance 4 (@1595)
  LogicalName = '0-1:24.2.4.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 2, instance 1 (@1603)
  LogicalName = '0-2:24.2.1.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 2, instance 2 (@1611)
  LogicalName = '0-2:24.2.2.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}
```

```

    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 2, instance 3 (@1619)
    LogicalName = '0-2:24.2.3.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 2, instance 4 (@1627)
    LogicalName = '0-2:24.2.4.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 3, instance 1 (@1635)
    LogicalName = '0-3:24.2.1.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

```



```
InstanceExtraInfo = {
  // M-Bus Value channel 3, instance 2 (@1643)
  LogicalName = '0-3:24.2.2.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 3, instance 3 (@1651)
  LogicalName = '0-3:24.2.3.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 3, instance 4 (@1659)
  LogicalName = '0-3:24.2.4.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 4, instance 1 (@1667)
  LogicalName = '0-4:24.2.1.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}
```

```
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 4, instance 2 (@1675)
    LogicalName = '0-4:24.2.2.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 4, instance 3 (@1683)
    LogicalName = '0-4:24.2.3.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 4, instance 4 (@1691)
    LogicalName = '0-4:24.2.4.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}
```

```
InstanceExtraInfo = {
  // M-Bus Master Control log object 1 (@1850)
  LogicalName = '0-1:24.5.0.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Master Control log object 2 (@1861)
  LogicalName = '0-2:24.5.0.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Master Control log object 3 (@1872)
  LogicalName = '0-3:24.5.0.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Master Control log object 4 (@1883)
  LogicalName = '0-4:24.5.0.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Event Log (@1898)
  LogicalName = '0-0:99.98.3.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}
```

```
InstanceExtraInfo = {
```

```

                IDIS Reg No 0004 Kema_Report.txt
// S-FSK MAC counters (@1962)
LogicalName = '0-0:26.3.0.255'
ClassId = 53
  AttributeExtraInfo = {
    // broadcast_frames_counter
    AttributeId = 4
    AccessRights = [GET]//,SET]
  }
  AttributeExtraInfo = {
    // repetitions_counter
    AttributeId = 5
    AccessRights = [GET,SET]
  }
  AttributeExtraInfo = {
    // transmissions_counter
    AttributeId = 6
    AccessRights = [GET,SET]
  }
  AttributeExtraInfo = {
    // CRC_OK_frames_counter
    AttributeId = 7
    AccessRights = [GET,SET]
  }
  AttributeExtraInfo = {
    // CRC_NOK_frames_counter
    AttributeId = 8
    AccessRights = [GET,SET]
  }
}

InstanceExtraInfo = {
  // Set value for Consumer Message Text
  LogicalName = '0-0:96.13.0.255'
  ClassId = 1
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><OctetString Value="3132333435363738"'
/></Data>'
  }
}

InstanceExtraInfo = {
  // Set value for Error register value
  LogicalName = '0-0:97.97.0.255'
  ClassId = 1
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><DoubleLongUnsigned Value="00000000"'
/></Data>'
  }
}
}

```

```

                IDIS Reg No 0004 Kema_Report.txt
// Mandatory 'TestParameters' structure
// *****
// Defines miscellaneous values used during the test
TestParameters = {

    // 'DisableDiscoveryStart' when true, prevents the iCTT from
starting
    // a discovery procedure on the Data Concentrator.
    //DisableDiscoveryStart = FALSE

    // When starting a test session, iCTT optionally starts a
discovery and then polls
    // the meters network until it finds the meter specified by
'MeterId'.
    // This polling will last at least the specified time (in ms).
    MeterDiscoveryTimeout = 240000

    // The 'DefaultAccessTimeout' is the time (in ms) allowed to
complete an
    // access (read, write or action)
    DefaultAccessTimeout = 360000

    // The accesses have a priority between 1 (highest priority) and
10 (lowest priority)
    DefaultPriority = 1

    // Optional delay (in ms) after executing the Disconnect
Control (class 70)
    // connect and disconnect actions performed directly or via a
script table.
    ConnectDisconnectDelay = 30000

    // Mandatory DC system title
    DCSystemTitle = '4C475A4954000002'//KEMA DC
// DCSystemTitle = '4C475A4954000001'//ISKRA DC
// DCSystemTitle = '4C475A1169000000' //My DC

    // Mandatory structure for the ImageTransfer
    ImageTransfer = {
        // Image identifier as passed to the image_transfer_initiate
method
        ImageIdentifier = '5374727563745F303100'
        // Filename of the image to transfer. If no filepath is given,
then the file
        // is supposed to be in the same directory as the CTI file
        ImageFileName = '\image.bin' //the image file to be located in
the CTI is!
        // Time (in ms) that the iCTT loops reading the image_transfer
status waiting for changes
        Timeout = 450000//in miliseconds
    }
}

// Mandatory 'PLCConfig' structure

```

```

IDIS Reg No 0004 Kema_Report.txt
// *****
// The PLCConfig is set before each test session. The various
members are
// defined in the appropriate document. The values defined
hereafter are
// the default values
PLCConfig = {
  AddrMAC = 0xC00
  TimeoutNotAddr = 360
  MaxSubFrames = 7
  TimeUpdatePeriod = 0
  BkgTaskEnabled = 1
  BkgMinDelay = 60
  DiscoverTimeSlots = 20
  ResponseProbability = 100
  MaxCredit = 2
  DiscoverPeriod = 0 // was 60, disable periodic discovery
  TransmissionGain = 0
  ReceptionGain = 8
  BaudRate = 1
  InputFrequency = 0
  NbComOkDecrCredit = 3
  DecrCredit = 1
  IncrCredit = 2
  MaxRetry = 1//3
  RepeaterCallEnabled = 0
  RepeaterCallLevel = 1000
  NewBcplTSlotCount = 10
  AlarmMngtEnabled = 0 // was 1, Disable alarms
  AlarmMngtDelay = 0
  AutoDiscoveryPriority = 2
  FCTxValue = 100
}

//The InitiateRequest embedded in the AARQ is ciphered
(authentication and encryption)
//only if it carries a dedicated key and if the ContextName is
LONG_NAME_WITH_CIPHERING
//(according to the GB, ed. 7, p.141). By default, no dedicated
key are used, and therefore
//the InitiateRequest is not ciphered. However, for test purpose,
a dedicated key (equal to GUEK)
//can be requested in the InitiateRequest using the following CTI
declaration:

TestOptions = {

// Miscellaneous = [2, 3] // 2 controls the AARQ and 3 the RLRQ
// Miscellaneous = [4] //suppresses reading the FC; for version
>=0.25 not needed anymore

}

// Mandatory 'SecurityElements'
// *****

```

```

IDIS Reg No 0004 Kema_Report.txt
// There is one structure per client, each specifies an
'EncryptionKey'
// and a 'Policy'. An encryption key is a visible-string of 32
characters,
// with each pair encoding one byte of a 16 bytes binary key.
// Policy is one of NO_SECURITY, AUTHENTICATION, ENCRYPTION or
AUTHENTICATION_AND_ENCRYPTION

// StandardSecurityElements
// Mandatory, used for the standard access (DC and Java API).
// No context name is required. The DC selects the context
according
// to the 'Policy' member. If zero, then the DC generates an
AARQ with LONG_NAMES context.
// If positive then the DC generates an AARQ with
LONG_NAME_WITH_CIPHERING context.
StandardSecurityElements = {

    Public = {
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {
        //MechanismName = HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY
        //Policy =
NO_SECURITY//ENCRYPTION//NO_SECURITY//AUTHENTICATION_AND_ENCRYPTIO
N
        //Password = '\12345678'
        ContextName =
LONG_NAMES_WITH_CIPHERING//LONG_NAMES_WITH_CIPHERING//LONG_NAMES
        MechanismName =
HIGH_LEVEL_SECURITY_GMAC//HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECU
RITY
        Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY//AUTHENTICATION
//AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY
    }
}

// TunnelSecurityElements
// Mandatory, used when making tunneled accesses.
TunnelSecurityElements = {

    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management = {

```

```
ContextName =  
LONG_NAMES_WITH_CIPHERING//LONG_NAMES_WITH_CIPHERING//LONG_NAMES  
MechanismName =  
HIGH_LEVEL_SECURITY_GMAC//HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY  
Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY//AUTHENTICATION  
//AUTHENTICATION_AND_ENCRYPTION  
Password = '\12345678'  
}  
  
PreEstablished = {  
Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY//  
AUTHENTICATION//AUTHENTICATION_AND_ENCRYPTION  
}  
}
```

```
// LocalSecurityElements  
// Mandatory, used when making ''local'' accesses.  
LocalSecurityElements = {
```

```
Public = {  
ContextName = LONG_NAMES  
MechanismName = LOWEST_LEVEL_SECURITY  
Policy = NO_SECURITY  
}
```

```
Management = {  
ContextName = LONG_NAMES_WITH_CIPHERING////LONG_NAMES  
MechanismName =  
HIGH_LEVEL_SECURITY_GMAC//LOWEST_LEVEL_SECURITY  
Policy = NO_SECURITY  
Password = '\12345678'  
}
```

```
PreEstablished = {  
Policy = NO_SECURITY  
}  
}
```

```
// Parameters of the ''Local'' HDLC Profile  
HDLCProfile = {
```

```
PhysicalLayer = {  
OpeningMode = DIRECT_HDLC  
HdlcBaud = 9600  
}
```

```
DataLinkLayer = {  
InactivityTimeout = 120000  
InterFrameTimeout = 100  
ResponseTimeout = 2000  
DISCToNDMTimeout = 2000  
AddressingSchemes = [ONE_BYTE_ADDRESSING]  
}
```


IDIS Reg No 0004 Kema_Report.txt

}

// END CTI_Template

* Miscellaneous *

TestMode: Tunnel
Test Plan Signature: F075C74704643B4CEC05B5D6C72E8FB7
Object Model: IDIS - object model - V1.23
(20110420).xlsx
DUT system title: 4C475A65701196FE
DC MeterId: LGZ65701196FE
Run number: 18
--

54B446AA36F9744D6ABC6DC540ADA3A1