

# Final Interoperability Test Report

FIT #: **72**  
 Date: 28/12/2021  
 Location: DNV-GL, Arnhem, Netherlands  
 Page 1 of 27

## APPLICANT

Company: ELGAMA-ELEKTRONIKA Ltd.

Address: Visoriu str. 2, LT-08300 Vilnius, Lithuania

DEVICE		
Device type	<b>G35</b>	
Type indication on MID certificate		MID Certificate No.
GAMA 350		SK_19-003
IDIS Specification reference	DNV-gl IDIS Certification run No	Digital signature of the test report.
Package 2 ed. 2.0	1670	B8EBB6C935BBBE2FF98D516E2D57513F
First certification	IDIS Label	Modular device
<input checked="" type="checkbox"/>	0078	<input checked="" type="checkbox"/>
General information about the device		

FIRMWARE VERSIONS TESTED				Final Interoperability Test No. 72
Firmware No.	Firmware ID1	Firmware ID2	Firmware ID3	Verdict
1	5AZ5v20a	SM31_AMI_PL_H6X 3X_R3.1.0_PL21111 1		Passed

\_\_\_\_\_  
Honeywell

\_\_\_\_\_  
Iskraemeco d.d.

\_\_\_\_\_  
Itron

\_\_\_\_\_  
Landis+Gyr AG

Fit #72

Device:Elgama-Elektronika G35

DNV-GL,Arnhem, Netherlands, 18.01.2022

Page 2 of 27

FIRMWARE VERSIONS HISTORY				Final Integration Test	
Firmware No.	Firmware ID1	Firmware ID2	Firmware ID3	No.	Verdict
1	5AZ5v20a	SM31_AMI_PL_H6X 3X_R3.1.0_PL21111 1		72	Passed

TEST REPORT - Firmware No. 1		
Test	Verdict	Remark
Connect and release	Passed	
All Device IDs	Passed	
COSEM logical device name	Passed	
SAP assignment	Passed	
FW version and signature	Passed	
All Device ID's	Passed	
Broadcast Date and time	Passed	
Broadcast Special Days Table	Passed	
Event logs	Passed	
Billing data period 1	Passed	
M-Bus Channel Setup	Passed	
M-Bus Results	Passed	
M-Bus Devices IDs	Passed	
M-Bus profiles	Passed	
M-Bus Load profiles	Passed	
M-Bus control logs	Passed	
M-Bus Disconnect log	Passed	
FIT Push	Passed	
FIT Miscellaneous	Passed	
Optical Port Connectivity	Passed	
Consumer Information Interface	Passed	
<b>FIT Conformance Test Report</b>		
<pre> ***** IDIS Conformance test report 28-DEC-2021 11:00:15 iCTT2 Package 2, Edition 2.0, Revision 1 (136) Licensed to: KEMA-IDIS Cert. Tester: Tom Levels *****  ***** * Identification * *****  Manufacturer = {   Name = '\ELGAMA-ELEKTRONIKA Ltd.'   ThreeLettersId = '\EGM' } DeviceUnderTest = {   Type = '\G35'   IDISDeviceType = 103   IDISFunctionType = [EXTENSION_D, EXTENSION_L]   SerialNr = 12345678   IPVersion = IPV4   DataLinkLayer = GPRS   ConsumerInformationPush = FALSE   SMSSupported = FALSE   ClipCallSupported = FALSE }  Active firmware identifier (1-0:0.2.0.255) = \5AZ5v20a Active firmware identifier 1 (1-1:0.2.0.255) = \SM31_AMI_PL_H6X3X_R3.1.0_PL211111  ***** * Summary * *****  PASSED                66 FAILED                0 DISABLED              0 INAPPLICABLE         209 INCONCLUSIVE         0 </pre>		

FATAL	0	
TOTAL	275	
*****		
Test Case 1 : Connect and release, 4 item(s)		
*****		
(1) Connect Public		PASSED
(2) Release Public		PASSED
(3) Connect Management		PASSED
(4) Release Management		PASSED
*****		
Test Case 2 : Read Device IDs, 12 item(s)		
*****		
Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)		
(1) .logical_name		PASSED
<Data>		
<OctetString Value="0000600100FF" />		
</Data>		
(2) .value		PASSED
<Data>		
<OctetString Value="\12345678" />		
</Data>		
Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)		
(3) .logical_name		PASSED
<Data>		
<OctetString Value="0000600101FF" />		
</Data>		
(4) .value		PASSED
<Data>		
<OctetString Value="\G35" />		
</Data>		
Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)		
(5) .logical_name		PASSED
<Data>		
<OctetString Value="0000600102FF" />		
</Data>		
(6) .value		PASSED
<Data>		
<OctetString Value="\DEVID3" />		
</Data>		
Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)		
(7) .logical_name		PASSED
<Data>		
<OctetString Value="0000600103FF" />		
</Data>		
(8) .value		PASSED
<Data>		
<OctetString Value="\DEVID4" />		
</Data>		
Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)		
(9) .logical_name		PASSED
<Data>		
<OctetString Value="0000600104FF" />		
</Data>		
(10) .value		PASSED
<Data>		
<OctetString Value="\DEVID5" />		
</Data>		
Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)		
(11) .logical_name		PASSED
<Data>		
<OctetString Value="0000600105FF" />		
</Data>		
(12) .value		PASSED
<Data>		
<OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF" />		

```

</Data>

*****
Test Case 3 : Read COSEM Logical Device Name, 2 item(s)
*****

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)
(1) .logical_name PASSED
    <Data>
    <OctetString Value="00002A0000FF" />
    </Data>
(2) .value PASSED
    <Data>
    <OctetString Value="\EGM1030312345678" />
    </Data>

*****
Test Case 4 : Read SAP Assignment, 2 item(s)
*****

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)
(1) .logical_name PASSED
    <Data>
    <OctetString Value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list PASSED
    <Data>
    <Array Qty="0001" >
    <Structure Qty="0002" >
    <LongUnsigned Value="0001" />
    <OctetString Value="\EGM1030312345678" />
    </Structure>
    </Array>
    </Data>

*****
Test Case 5 : Read Active FW Version, 12 item(s)
*****

Mngmt Get Active firmware identifier 1-0:0.2.0.255 (@412)
(1) .logical_name PASSED
    <Data>
    <OctetString Value="0100000200FF" />
    </Data>
(2) .value PASSED
    <Data>
    <OctetString Value="\5AZ5v20a" />
    </Data>

Mngmt Get Active firmware signature 1-0:0.2.8.255 (@416)
(3) .logical_name PASSED
    <Data>
    <OctetString Value="0100000208FF" />
    </Data>
(4) .value PASSED
    <Data>
    <OctetString Value="1C15515A" />
    </Data>

Mngmt Get Active firmware identifier 1 1-1:0.2.0.255 (@420)
(5) .logical_name PASSED
    <Data>
    <OctetString Value="0101000200FF" />
    </Data>
(6) .value PASSED
    <Data>
    <OctetString Value="\SM31_AMI_PL_H6X3X_R3.1.0_PL211111" />
    </Data>

Mngmt Get Active firmware signature 1 1-1:0.2.8.255 (@424)
(7) .logical_name PASSED
    <Data>
    <OctetString Value="0101000208FF" />

```

```

    </Data>
(8) .value PASSED
    <Data>
    <OctetString Value="0F9A9D32" />
    </Data>

Mngmt Get Active firmware identifier 2 1-2:0.2.0.255 (@428)
(9) .logical_name
INAPPLICABLE
    Optional object is not implemented
(10) .value
INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active firmware signature 2 1-2:0.2.8.255 (@432)
(11) .logical_name
INAPPLICABLE
    Optional object is not implemented
(12) .value
INAPPLICABLE
    Optional object is not implemented

*****
Test Case 6 : Set Clock, 1 item(s)
*****

Pre Set Clock 0-0:1.0.0.255 (@75)
(1) .time PASSED
    <Data>
    <OctetString Value="07E50C1CFF0D0000FF8000FF" />
    </Data>

*****
Test Case 7 : Get Clock, 1 item(s)
*****

Mngmt Get Clock 0-0:1.0.0.255 (@75)
(1) .time PASSED
    <Data>
    <OctetString Value="07E50C1C020D000100FFC400" />
    </Data>

*****
Test Case 8 : Set Special Days, 1 item(s)
*****

Pre Set Special Days Table 0-0:11.0.0.255 (@125)
(1) .entries PASSED
    <Data>
    <Array Qty="001E" >
    <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0101FF" />
    <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
    <LongUnsigned Value="0002" />
    <OctetString Value="FFFF0102FF" />
    <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
    <LongUnsigned Value="0003" />
    <OctetString Value="FFFF0103FF" />
    <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
    <LongUnsigned Value="0004" />
    <OctetString Value="FFFF0104FF" />
    <Unsigned Value="02" />
    </Structure>
    <Structure Qty="0003" >
    <LongUnsigned Value="0005" />
    <OctetString Value="FFFF0105FF" />
    </Structure>
    </Array>
    </Data>

```

```

    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0006" />
    <OctetString Value="FFFF0106FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0007" />
    <OctetString Value="FFFF0107FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0008" />
    <OctetString Value="FFFF0108FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0009" />
    <OctetString Value="FFFF0109FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000A" />
    <OctetString Value="FFFF010AFF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000B" />
    <OctetString Value="FFFF0201FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000C" />
    <OctetString Value="FFFF0202FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000D" />
    <OctetString Value="FFFF0203FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000E" />
    <OctetString Value="FFFF0204FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000F" />
    <OctetString Value="FFFF0205FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0010" />
    <OctetString Value="FFFF0206FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0011" />
    <OctetString Value="FFFF0207FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0012" />
    <OctetString Value="FFFF0208FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0013" />
    <OctetString Value="FFFF0209FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >

```

```

    <LongUnsigned Value="0014" />
    <OctetString Value="FFFF020AFF" />
    <Unsigned Value="02" />
  </Structure>
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0015" />
  <OctetString Value="FFFF0301FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0016" />
  <OctetString Value="FFFF0302FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0017" />
  <OctetString Value="FFFF0303FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0018" />
  <OctetString Value="FFFF0304FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0019" />
  <OctetString Value="FFFF0305FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001A" />
  <OctetString Value="FFFF0306FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001B" />
  <OctetString Value="FFFF0307FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001C" />
  <OctetString Value="FFFF0308FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001D" />
  <OctetString Value="FFFF0309FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001E" />
  <OctetString Value="FFFF030AFF" />
  <Unsigned Value="02" />
</Structure>
</Array>
</Data>

```

```

*****
Test Case 9 : Get Special Days, 1 item(s)
*****

```

```

Mngmt Get Special Days Table 0-0:11.0.0.255 (@125)
(1) .entries

```

PASSED

```

  <Data>
    <Array Qty="001E" >
      <Structure Qty="0003" >
        <LongUnsigned Value="0001" />
        <OctetString Value="FFFF0101FF" />
        <Unsigned Value="02" />
      </Structure>
      <Structure Qty="0003" >
        <LongUnsigned Value="0002" />
        <OctetString Value="FFFF0102FF" />

```



```

    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0003" />
    <OctetString Value="FFFF0103FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0004" />
    <OctetString Value="FFFF0104FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0005" />
    <OctetString Value="FFFF0105FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0006" />
    <OctetString Value="FFFF0106FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0007" />
    <OctetString Value="FFFF0107FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0008" />
    <OctetString Value="FFFF0108FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0009" />
    <OctetString Value="FFFF0109FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000A" />
    <OctetString Value="FFFF010AFF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000B" />
    <OctetString Value="FFFF0201FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000C" />
    <OctetString Value="FFFF0202FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000D" />
    <OctetString Value="FFFF0203FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000E" />
    <OctetString Value="FFFF0204FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="000F" />
    <OctetString Value="FFFF0205FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0010" />
    <OctetString Value="FFFF0206FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >

```

```
<LongUnsigned Value="0011" />
<OctetString Value="FFFF0207FF" />
<Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0012" />
  <OctetString Value="FFFF0208FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0013" />
  <OctetString Value="FFFF0209FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0014" />
  <OctetString Value="FFFF020AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0015" />
  <OctetString Value="FFFF0301FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0016" />
  <OctetString Value="FFFF0302FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0017" />
  <OctetString Value="FFFF0303FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0018" />
  <OctetString Value="FFFF0304FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0019" />
  <OctetString Value="FFFF0305FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001A" />
  <OctetString Value="FFFF0306FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001B" />
  <OctetString Value="FFFF0307FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001C" />
  <OctetString Value="FFFF0308FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001D" />
  <OctetString Value="FFFF0309FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001E" />
  <OctetString Value="FFFF030AFF" />
  <Unsigned Value="02" />
</Structure>
</Array>
</Data>
```

\*\*\*\*\*

```

Test Case 10 : Read Event Log Buffers, 20 item(s)
*****

Mngmt Get Disconnecter Control Log 0-0:99.98.2.255 (@193)
(1) .logical_name PASSED
    <Data>
    <OctetString Value="0000636202FF" />
    </Data>
(2) .buffer PASSED
    Earliest date: 28-DEC-2020 12:09:07, latest date: 30-OCT-2022 01:44:52
    Middle date: 07-DEC-2021 10:53:32
(3) .entries_in_use PASSED
    <Data>
    <DoubleLongUnsigned Value="00000047" />
    </Data>
(4) .profile_entries PASSED
    <Data>
    <DoubleLongUnsigned Value="000003E8" />
    </Data>

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@301)
(5) .logical_name PASSED
    <Data>
    <OctetString Value="0000636200FF" />
    </Data>
(6) .buffer PASSED
    Earliest date: 28-DEC-2021 10:58:00, latest date: 28-DEC-2021 13:00:00
    Middle date: 28-DEC-2021 10:59:01
(7) .entries_in_use PASSED
    <Data>
    <DoubleLongUnsigned Value="0000000B" />
    </Data>
(8) .profile_entries PASSED
    <Data>
    <DoubleLongUnsigned Value="000003E8" />
    </Data>

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@316)
(9) .logical_name PASSED
    <Data>
    <OctetString Value="0000636201FF" />
    </Data>
(10) .buffer PASSED
    Earliest date: 28-DEC-2020 12:06:53, latest date: 28-DEC-2021 10:59:32
    Middle date: 07-DEC-2021 11:10:58
(11) .entries_in_use PASSED
    <Data>
    <DoubleLongUnsigned Value="0000009D" />
    </Data>
(12) .profile_entries PASSED
    <Data>
    <DoubleLongUnsigned Value="000003E8" />
    </Data>

Mngmt Get Communication Log 0-0:99.98.5.255 (@331)
(13) .logical_name PASSED
    <Data>
    <OctetString Value="0000636205FF" />
    </Data>
(14) .buffer PASSED
    Earliest date: 28-DEC-2020 12:06:55, latest date: 28-DEC-2021 10:59:37
    Middle date: 28-DEC-2021 09:13:08
(15) .entries_in_use PASSED
    <Data>
    <DoubleLongUnsigned Value="0000002A" />
    </Data>
(16) .profile_entries PASSED
    <Data>
    <DoubleLongUnsigned Value="000003E8" />
    </Data>

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1340)
(17) .logical_name PASSED

```

```

    <Data>
      <OctetString Value="0000636204FF" />
    </Data>
(18) .buffer PASSED
    Earliest date: 06-NOV-2021 00:19:56, latest date: 06-NOV-2021 00:31:59
    Middle date: 06-NOV-2021 00:31:04
(19) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000009" />
    </Data>
(20) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="000003E8" />
    </Data>

*****
Test Case 11 : Reading Data of Billing Period 1, 8 item(s)
*****

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@158)
(1) .logical_name PASSED
    <Data>
      <OctetString Value="0000620100FF" />
    </Data>
(2) .buffer PASSED
    Earliest date: 02-JAN-2021 00:00:00, latest date: 02-NOV-2022 00:00:00
    Middle date: 28-DEC-2021 00:52:52
(3) .capture_objects PASSED
    <Data>
      <Array Qty="0005" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010801FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010802FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020801FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020802FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(4) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(5) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(6) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >

```

```

        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(7) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000D" />
    </Data>
(8) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000D" />
    </Data>

*****
Test Case 12 : Ext. M - M-Bus Setup LGZ G350, 52 item(s)
*****

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1566)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .comm_speed
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1570)
(3) .logical_name
INAPPLICABLE
    Optional object is not implemented
(4) .comm_speed
INAPPLICABLE
    Optional object is not implemented

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1574)
(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(9) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1596)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(25) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(26) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1618)
(29) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(31) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(33) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(34) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(35) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(36) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(37) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(38) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(39) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

(40) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1640)
(41) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(42) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(43) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(44) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(45) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(46) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(47) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(48) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(49) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(50) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(51) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(52) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 13 : Ext. M - M-Bus Results uncorrected Vol. & valve, 40 item(s)
*****

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1662)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1670)
(6) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

(9) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1694)
(11) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1702)
(16) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(17) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1726)
(21) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(25) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1734)
(26) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(29) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .capture_time
INAPPLICABLE

```



```

    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1758)
(31) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(33) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(34) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(35) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1766)
(36) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(37) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(38) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(39) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(40) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 14 : Ext. M - M-Bus Device IDs, 16 item(s)
*****

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1790)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1794)
(3) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1798)
(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1802)
(7) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1806)

```

```

(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1810)
(11) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1814)
(13) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1818)
(15) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 15 : Ext. M - M-Bus Load Profiles, 32 item(s)
*****

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1838)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1849)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .capture_period
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(13) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1860)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1871)
(25) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(26) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(29) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(31) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 16 : Ext. M - M-Bus Control Logs, 40 item(s)
*****

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1941)
(1) .logical_name
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(2) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1952)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1963)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .profile_entries
INAPPLICABLE

```

```

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1974)
(25) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(26) .buffer
INAPPLICABLE
Object is not required according to OM and/or extensions
(27) .capture_objects
INAPPLICABLE
Object is not required according to OM and/or extensions
(28) .capture_period
INAPPLICABLE
Object is not required according to OM and/or extensions
(29) .sort_method
INAPPLICABLE
Object is not required according to OM and/or extensions
(30) .sort_object
INAPPLICABLE
Object is not required according to OM and/or extensions
(31) .entries_in_use
INAPPLICABLE
Object is not required according to OM and/or extensions
(32) .profile_entries
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1989)
(33) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(34) .buffer
INAPPLICABLE
Object is not required according to OM and/or extensions
(35) .capture_objects
INAPPLICABLE
Object is not required according to OM and/or extensions
(36) .capture_period
INAPPLICABLE
Object is not required according to OM and/or extensions
(37) .sort_method
INAPPLICABLE
Object is not required according to OM and/or extensions
(38) .sort_object
INAPPLICABLE
Object is not required according to OM and/or extensions
(39) .entries_in_use
INAPPLICABLE
Object is not required according to OM and/or extensions
(40) .profile_entries
INAPPLICABLE
Object is not required according to OM and/or extensions

*****
Test Case 17 : Ext. M - M-Bus Disconnect, 22 item(s)
*****

Mngmt Get M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1882)
(1) .logical_name
INAPPLICABLE
Object is not required according to OM and/or extensions
(2) .output_state
INAPPLICABLE
Object is not required according to OM and/or extensions
(3) .control_state
INAPPLICABLE
Object is not required according to OM and/or extensions
(4) .control_mode
INAPPLICABLE
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1890)

```

```

(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1898)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1906)
(13) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1914)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .executed_script
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .execution_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Disconnect script table 0-1:10.0.106.255 (@1920)
(21) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .scripts
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 18 : FIT Wake up, 2 item(s)
*****
(1) Wake up with clip call from unknown number
INAPPLICABLE
    Clip call not supported
(2) Wake up with SMS from unknown number
INAPPLICABLE
    SMS not supported

```

```

*****
Test Case 19 : FIT Push, 3 item(s)
*****
    (1) Push on installation                                     PASSED
    (2) Push on alarm                                           PASSED
    (3) Push on power down
INAPPLICABLE
    Push setup on power down not available

*****
Test Case 20 : FIT Miscellaneous, 4 item(s)
*****
    (1) Disconnecter Script Table                               PASSED
    (2) Load profile with period 1 DST ambiguity               PASSED
    (3) Load profile power down withing one period             PASSED
    (4) Load profile power down over two periods               PASSED

*****
* CTI *
*****

// Conformance Test Information (CTI) Template
// 2.3

Manufacturer =
{
    Name = '\ELGAMA-ELEKTRONIKA Ltd.'
    ThreeLettersId = '\EGM'
}

DeviceUnderTest = {
    Type = 'G35'
    IDISDeviceType = 103
    IDISFunctionType = [Extension_D, Extension_L]
    SerialNr = 12345678
    IPVersion = IPv4
    DataLinkLayer = GPRS
    ConsumerInformationPush = FALSE
    SMSSupported = FALSE
    ClipCallSupported = FALSE
}

TestOptions =
{

// Mandatory 'ObjectModel' structure
// *****
// It defines the current values of the optional elements of the object model.
// These are the optional objects, the optional access rights of attributes and/or
// methods. Also, default values for writing attributes can also be defined here.

ObjectModel =
{
    OptionalObjects = '\
        + '1-1:0.2.0.255|1,' // Active firmware identifier 1 (@420)
        + '1-1:0.2.8.255|1' // Active firmware signature 1 (@424)

    InstanceExtraInfo = {
        // Load Mgmt - Relay control 2 (@217)
        LogicalName = '0-2:96.3.10.255'
        ClassId = 70
        AttributeExtraInfo = {
            // control_mode
            AttributeId = 4
            AccessRights = [GET]
        }
    }

    InstanceExtraInfo = {
        // Set value for Consumer Message Text
        LogicalName = '0-0:96.13.0.255'
        ClassId = 1
    }
}

```

```

AttributeExtraInfo = {
  AttributeId = 2
  SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
}
}

InstanceExtraInfo = {
  LogicalName = '0-0:1.0.0.255'
  ClassId = 8
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><OctetString Value="07E50C1CFF0D0000FF8000FF" /></Data>' // yyyy mm
dd dow hh mm ss
  }
}

InstanceExtraInfo = {
  // Set special days to 30 entries
  LogicalName = '0-0:11.0.0.255'
  ClassId = 11
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data>'
+'   <Array Qty="1E" >'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0001" />'
+'       <OctetString Value="FFFF0101FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0002" />'
+'       <OctetString Value="FFFF0102FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0003" />'
+'       <OctetString Value="FFFF0103FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0004" />'
+'       <OctetString Value="FFFF0104FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0005" />'
+'       <OctetString Value="FFFF0105FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0006" />'
+'       <OctetString Value="FFFF0106FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0007" />'
+'       <OctetString Value="FFFF0107FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0008" />'
+'       <OctetString Value="FFFF0108FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="0009" />'
+'       <OctetString Value="FFFF0109FF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'
+'     <Structure Qty="03" >'
+'       <LongUnsigned Value="000A" />'
+'       <OctetString Value="FFFF010AFF" />'
+'       <Unsigned Value="02" />'
+'     </Structure>'

```



```

+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="000B" />'
+'        <OctetString Value="FFFF0201FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="000C" />'
+'        <OctetString Value="FFFF0202FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="000D" />'
+'        <OctetString Value="FFFF0203FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="000E" />'
+'        <OctetString Value="FFFF0204FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="000F" />'
+'        <OctetString Value="FFFF0205FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0010" />'
+'        <OctetString Value="FFFF0206FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0011" />'
+'        <OctetString Value="FFFF0207FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0012" />'
+'        <OctetString Value="FFFF0208FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0013" />'
+'        <OctetString Value="FFFF0209FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0014" />'
+'        <OctetString Value="FFFF020AFF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0015" />'
+'        <OctetString Value="FFFF0301FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0016" />'
+'        <OctetString Value="FFFF0302FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0017" />'
+'        <OctetString Value="FFFF0303FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0018" />'
+'        <OctetString Value="FFFF0304FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0019" />'

```

```

+'          <OctetString Value="FFFF0305FF" />'
+'          <Unsigned Value="02" />'
+'        </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="001A" />'
+'        <OctetString Value="FFFF0306FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'    <Structure Qty="03" >'
+'      <LongUnsigned Value="001B" />'
+'      <OctetString Value="FFFF0307FF" />'
+'      <Unsigned Value="02" />'
+'    </Structure>'
+'  <Structure Qty="03" >'
+'    <LongUnsigned Value="001C" />'
+'    <OctetString Value="FFFF0308FF" />'
+'    <Unsigned Value="02" />'
+'  </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="001D" />'
+'   <OctetString Value="FFFF0309FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="001E" />'
+'   <OctetString Value="FFFF030AFF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' </Array>'
+' </Data>'
+'
+' }
+'
+' }
+'
TestParameters =
{
  ConnectDisconnectDelay = 6000
  ClientSystemTitle = '58585A0102030405'

  ImageTransfer = {
    ImageIdentifier =
'534D33315F414D495F504C5F48365833585F52332E312E305F504C3231313131312E62696E'
    ImageFileName = '\SM31_AMI_PL_H6X3X_R3.1.0_PL211111.bin'
    Timeout = 80000
  }

  PushTimeout = 180000
  MinInterWPDUFramesDelay = 1500
  ProfilePeriodsQty = 6
  CaptureDelay = 15000
  ClipCallDuration = 15000
  WakeUpDelay = 30000
  DisconnectToSendSMSDelay = 10000
  DataNotificationToDisconnectDelay = 4000
}

LocalSecurityElements = {
  Public = {
    ContextName = LONG_NAMES
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }
  Management = {
    ContextName = LONG_NAMES_WITH_CIPHERING
    MechanismName = HIGH_LEVEL_SECURITY_GMAC
    Policy = AUTHENTICATION_AND_ENCRYPTION
    Password = '\12345678'
  }
  PreEstablished = {
    Policy = AUTHENTICATION_AND_ENCRYPTION
    ServerMaxReceivePduSize = 1224
    CipherringStyle = GENERAL
  }
}

```

```

}
}

RemoteSecurityElements = {
  Public = {
    ContextName = LONG_NAMES
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }
  Management = {
    ContextName = LONG_NAMES_WITH_CIPHERING
    MechanismName = HIGH_LEVEL_SECURITY_GMAC
    Policy = AUTHENTICATION_AND_ENCRYPTION
    Password = '\12345678'
  }
  PreEstablished = {
    Policy = AUTHENTICATION_AND_ENCRYPTION
    ServerMaxReceivePduSize = 1224
    CipherringStyle = GENERAL
  }
}

SMSSecurityElements = {
  PreEstablished = {
    Policy = AUTHENTICATION_AND_ENCRYPTION
    ServerMaxReceivePDUSize = 138
    CipherringStyle = GENERAL
  }
}

HDLCPProfile = {
  PhysicalLayer = {
    OpeningMode = DIRECT_HDLC
    HdlcBaud = 9600
  }
  DataLinkLayer = {
    InactivityTimeout      = 180000
    InterFrameTimeout      = 25
    ResponseTimeout        = 10000
    DISCToNDMTimeout       = 10000
    AddressingSchemes      = [ONE_BYTE_ADDRESSING]
  }

  UIFrameDelay = 200
  UIFrameLength = 126
}

TCPPProfile = {
  ServerTCPPort = 4059
  ResponseTimeout = 120000
  ConnectTimeout = 120000
  DisconnectToConnectDelay = 10000
}
// END CTI_Template

*****
* Miscellaneous *
*****

TestMode:          TCP
Test Plan Signature:  DACF66B3C5D3456427BD1C6419F470BD
Object Model:      IDIS-S02-002 - object model Pack2 Ed2.0 - V2.29 (20200831)-FIT MBUS
Tests G350 (CorrectedAndValve status).xlsx
DUT system title:  45474D6730BC614E
Run number:        1670

```