

# Final Interoperability Test Report

FIT #: **47**  
 Date: 9/20/2020  
 Location: DNV-GL, Arnhem, Netherlands  
 Page 1 of 26

## APPLICANT

Company: Inhemeter Co., Ltd.

Address: 8/F & 9/F, 1A Software Park, Southern Hi-Tech Zone, Nanshan District, Shenzhen, China

DEVICE		
Device type	<b>i310</b>	
<i>Type indication on MID certificate</i>		<i>MID Certificate No.</i>
i310		1260-20
<i>IDIS Specification reference</i>	<i>DNV-gl IDIS Certification run No</i>	<i>Digital signature of the test report.</i>
Package 2 ed. 2.0	1151	376DEF238A2EB4FB4F9FAAE026B88EAE
<i>First certification</i>	<i>IDIS Label</i>	<i>Modular device</i>
<input checked="" type="checkbox"/>	0058	<input type="checkbox"/>
<i>General information about the device</i>		

FIRMWARE VERSIONS TESTED				<i>Final Interoperability Test No. 47</i>
Firmware No.	Firmware ID1	Firmware ID2	Firmware ID3	Verdict
1	TKI1-6F-20112001	36462D454D552D3 139313232353031 00	BLGC3-V30.09	Passed

\_\_\_\_\_  
Honeywell

\_\_\_\_\_  
Iskraemeco d.d.

\_\_\_\_\_  
Itron

\_\_\_\_\_  
Landis+Gyr AG

Fit #47

Device:Inhemeter i310

DNV-GL, Arnhem, Netherlands, 20.09.2020

Page 2 of 26

FIRMWARE VERSIONS HISTORY				Final Integration Test	
Firmware No.	Firmware ID1	Firmware ID2	Firmware ID3	No.	Verdict
1	TKI1-6F- 20112001	36462D454D552D3 139313232353031 00	BLGC3- V30.09	47	Passed

TEST REPORT - Firmware No. 1		
Test	Verdict	Remark
Connect and release	Passed	
All Device IDs	Passed	
COSEM logical device name	Passed	
SAP assignment	Passed	
FW version and signature	Passed	
All Device ID's	Passed	
Broadcast Date and time	Passed	
Broadcast Special Days Table	Passed	
Event logs	Passed	
Billing data period 1	Passed	
M-Bus Channel Setup	Passed	
M-Bus Results	Passed	
M-Bus Devices IDs	Passed	
M-Bus profiles	Passed	
M-Bus Load profiles	Passed	
M-Bus control logs	Passed	
M-Bus Disconnect log	Passed	
FIT Push	Passed	
FIT Miscellaneous	Passed	
Optical Port Connectivity	Passed	
Consumer Information Interface	Passed	
<b>FIT Conformance Test Report</b>		
<pre> ***** IDIS Conformance test report 20-NOV-2020 14:06:15 iCTT2 Package 2, Edition 2.0, Revision 1 (136) Licensed to: KEMA-IDIS Cert. Tester: Tom Levels *****  ***** * Identification * *****  Manufacturer = {   Name = '\Inhemeter co., Ltd.'   ThreeLettersId = '\IHM' } DeviceUnderTest = {   Type = '\i310'   IDISDeviceType = 103   IDISFunctionType = [EXTENSION_D]   SerialNr = 90047799   IPVersion = IPV4   DataLinkLayer = GPRS   ConsumerInformationPush = FALSE   SMSSupported = FALSE   ClipCallSupported = FALSE }  Active firmware identifier (1-0:0.2.0.255) = \TKI1-6F-20112001 Active firmware identifier 1 (1-1:0.2.0.255) = 36462D454D552D313931323235303100 Active firmware identifier 2 (1-2:0.2.0.255) = \BLGC3-V30.09  ***** * Summary * *****  PASSED                70 FAILED                 0 DISABLED               0 INAPPLICABLE          205 </pre>		

INCONCLUSIVE	0	
FATAL	0	
TOTAL	275	
*****		
Test Case 1 : Connect and release, 4 item(s)		
*****		
(1) Connect Public		PASSED
(2) Release Public		PASSED
(3) Connect Management		PASSED
(4) Release Management		PASSED
*****		
Test Case 2 : Read Device IDs, 12 item(s)		
*****		
Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)		
(1) .logical_name		PASSED
<Data>		
<OctetString Value="0000600100FF" />		
</Data>		
(2) .value		PASSED
<Data>		
<OctetString Value="\037990047799" />		
</Data>		
Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)		
(3) .logical_name		PASSED
<Data>		
<OctetString Value="0000600101FF" />		
</Data>		
(4) .value		PASSED
<Data>		
<OctetString Value="\INHE-TKI1-6F" />		
</Data>		
Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)		
(5) .logical_name		PASSED
<Data>		
<OctetString Value="0000600102FF" />		
</Data>		
(6) .value		PASSED
<Data>		
<OctetString Value="00" />		
</Data>		
Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)		
(7) .logical_name		PASSED
<Data>		
<OctetString Value="0000600103FF" />		
</Data>		
(8) .value		PASSED
<Data>		
<OctetString Value="00" />		
</Data>		
Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)		
(9) .logical_name		PASSED
<Data>		
<OctetString Value="0000600104FF" />		
</Data>		
(10) .value		PASSED
<Data>		
<OctetString Value="00" />		
</Data>		
Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)		
(11) .logical_name		PASSED
<Data>		
<OctetString Value="0000600105FF" />		
</Data>		
(12) .value		PASSED
<Data>		



```

        <OctetString Value="0101000208FF" />
    </Data>
(8) .value PASSED
    <Data>
        <OctetString Value="\2E52E6AE" />
    </Data>

Mngmt Get Active firmware identifier 2 1-2:0.2.0.255 (@428)
(9) .logical_name PASSED
    <Data>
        <OctetString Value="0102000200FF" />
    </Data>
(10) .value PASSED
    <Data>
        <OctetString Value="\BLGC3-V30.09" />
    </Data>

Mngmt Get Active firmware signature 2 1-2:0.2.8.255 (@432)
(11) .logical_name PASSED
    <Data>
        <OctetString Value="0102000208FF" />
    </Data>
(12) .value PASSED
    <Data>
        <OctetString Value="00000000000000000000000000000000" />
    </Data>

*****
Test Case 6 : Set Clock, 1 item(s)
*****

Mngmt Set Clock 0-0:1.0.0.255 (@75)
(1) .time PASSED
    <Data>
        <OctetString Value="07E40B14050F0000FF8000FF" />
    </Data>

*****
Test Case 7 : Get Clock, 1 item(s)
*****

Mngmt Get Clock 0-0:1.0.0.255 (@75)
(1) .time PASSED
    <Data>
        <OctetString Value="07E40B14050F000000800000" />
    </Data>

*****
Test Case 8 : Set Special Days, 1 item(s)
*****

Mngmt Set Special Days Table 0-0:11.0.0.255 (@125)
(1) .entries PASSED
    <Data>
        <Array Qty="001E" >
            <Structure Qty="0003" >
                <LongUnsigned Value="0001" />
                <OctetString Value="FFFF0101FF" />
                <Unsigned Value="02" />
            </Structure>
            <Structure Qty="0003" >
                <LongUnsigned Value="0001" />
                <OctetString Value="FFFF0102FF" />
                <Unsigned Value="02" />
            </Structure>
            <Structure Qty="0003" >
                <LongUnsigned Value="0001" />
                <OctetString Value="FFFF0103FF" />
                <Unsigned Value="02" />
            </Structure>
            <Structure Qty="0003" >
                <LongUnsigned Value="0001" />
                <OctetString Value="FFFF0104FF" />
                <Unsigned Value="02" />
            </Structure>
        </Array>
    </Data>

```

```

    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0105FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0106FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0107FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0108FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0109FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF010AFF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0201FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0202FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0203FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0204FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0205FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0206FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0207FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0208FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >

```

```

    <LongUnsigned Value="0001" />
    <OctetString Value="FFFF0209FF" />
    <Unsigned Value="02" />
  </Structure>
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF020AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0301FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0302FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0303FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0304FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0305FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0306FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0307FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0308FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF0309FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0001" />
  <OctetString Value="FFFF030AFF" />
  <Unsigned Value="02" />
</Structure>
</Array>
</Data>

```

```

*****
Test Case 9 : Get Special Days, 1 item(s)
*****

```

```

Mngmt Get Special Days Table 0-0:11.0.0.255 (@125)
(1) .entries

```

PASSED

```

  <Data>
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <LongUnsigned Value="0001" />
        <OctetString Value="FFFF030AFF" />

```



```

        <Unsigned Value="02" />
    </Structure>
</Array>
</Data>

*****
Test Case 10 : Read Event Log Buffers, 20 item(s)
*****

Mngmt Get Disconnecter Control Log 0-0:99.98.2.255 (@193)
(1) .logical_name PASSED
    <Data>
        <OctetString Value="0000636202FF" />
    </Data>
(2) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:08, latest date: 20-NOV-2020 12:25:12
    Middle date: 20-NOV-2020 12:05:00
(3) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000010" />
    </Data>
(4) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="00000064" />
    </Data>

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@301)
(5) .logical_name PASSED
    <Data>
        <OctetString Value="0000636200FF" />
    </Data>
(6) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:08, latest date: 31-OCT-2021 03:15:14
    Middle date: 20-NOV-2020 11:11:31
(7) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="000000AD" />
    </Data>
(8) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="000003E8" />
    </Data>

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@316)
(9) .logical_name PASSED
    <Data>
        <OctetString Value="0000636201FF" />
    </Data>
(10) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:09, latest date: 31-OCT-2021 02:30:05
    Middle date: 20-NOV-2020 09:51:58
(11) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>
(12) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="00000064" />
    </Data>

Mngmt Get Communication Log 0-0:99.98.5.255 (@331)
(13) .logical_name PASSED
    <Data>
        <OctetString Value="0000636205FF" />
    </Data>
(14) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:09, latest date: 20-NOV-2020 14:59:35
    Middle date: 20-NOV-2020 11:15:07
(15) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="0000002A" />
    </Data>
(16) .profile_entries PASSED

```

```

    <Data>
      <DoubleLongUnsigned Value="00000064" />
    </Data>

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1340)
(17) .logical_name PASSED
    <Data>
      <OctetString Value="0000636204FF" />
    </Data>
(18) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:10, latest date: 20-NOV-2020 09:48:30
    Middle date: 20-NOV-2020 09:48:12
(19) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
(20) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="000000C8" />
    </Data>

*****
Test Case 11 : Reading Data of Billing Period 1, 8 item(s)
*****

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@158)
(1) .logical_name PASSED
    <Data>
      <OctetString Value="0000620100FF" />
    </Data>
(2) .buffer PASSED
    Earliest date: 02-JUL-2020 00:00:00, latest date: 02-NOV-2021 00:00:00
    Middle date: 02-NOV-2020 00:00:00
(3) .capture_objects PASSED
    <Data>
      <Array Qty="0005" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010801FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010802FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020801FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020802FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(4) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(5) .sort_method PASSED

```

```

    <Data>
      <Enum Value="01" />
    </Data>
(6) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(7) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000009" />
    </Data>
(8) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="000000F0" />
    </Data>

```

```

*****
Test Case 12 : Ext. M - M-Bus Setup LGZ G350, 52 item(s)
*****

```

```

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1566)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .comm_speed
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1570)
(3) .logical_name
INAPPLICABLE
    Optional object is not implemented
(4) .comm_speed
INAPPLICABLE
    Optional object is not implemented

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1574)
(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(9) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

(15) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1596)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(25) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(26) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1618)
(29) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(31) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(33) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(34) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(35) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(36) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(37) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

(38) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(39) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(40) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1640)
(41) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(42) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(43) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(44) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(45) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(46) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(47) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(48) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(49) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(50) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(51) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(52) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

*****
Test Case 13 : Ext. M - M-Bus Results uncorrected Vol. & valve, 40 item(s)
*****

```

```

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1662)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1670)
(6) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

(7) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(9) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1694)
(11) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1702)
(16) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(17) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1726)
(21) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(25) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1734)
(26) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .scaler_unit
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(29) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1758)
(31) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(33) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(34) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(35) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1766)
(36) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(37) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(38) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(39) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(40) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 14 : Ext. M - M-Bus Device IDs, 16 item(s)
*****

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1790)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1794)
(3) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1798)
(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1802)
(7) .logical_name
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(8) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1806)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1810)
(11) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1814)
(13) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1818)
(15) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 15 : Ext. M - M-Bus Load Profiles, 32 item(s)
*****

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1838)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1849)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .buffer
INAPPLICABLE

```



```

    Object is not required according to OM and/or extensions
(11) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1860)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1871)
(25) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(26) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(29) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(31) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****

```

```

Test Case 16 : Ext. M - M-Bus Control Logs, 40 item(s)
*****

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1941)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1952)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1963)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .sort_object
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(23) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1974)
(25) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(26) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(29) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(31) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1989)
(33) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(34) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(35) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(36) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(37) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(38) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(39) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(40) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 17 : Ext. M - M-Bus Disconnect, 22 item(s)
*****

Mngmt Get M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1882)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .control_state
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(4) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1890)
(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1898)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1906)
(13) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1914)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .executed_script
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .execution_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Disconnect script table 0-1:10.0.106.255 (@1920)
(21) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .scripts
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

*****
Test Case 18 : FIT Wake up, 2 item(s)
*****

```

```

(1) Wake up with clip call from unknown number
INAPPLICABLE
    Clip call not supported
(2) Wake up with SMS from unknown number
INAPPLICABLE
    SMS not supported

*****
Test Case 19 : FIT Push, 3 item(s)
*****
(1) Push on installation                                     PASSED
(2) Push on alarm                                           PASSED
(3) Push on power down
INAPPLICABLE
    Push setup on power down not available

*****
Test Case 20 : FIT Miscellaneous, 4 item(s)
*****
(1) Disconnecter Script Table                               PASSED
(2) Load profile with period 1 DST ambiguity               PASSED
(3) Load profile power down withing one period            PASSED
(4) Load profile power down over two periods               PASSED

*****
* CTI *
*****

//*****
// * CTI Inhemeter GPRS *
//*****

// Conformance Test Information (CTI) Template
// 2.3

Manufacturer = {
    Name = '\Inhemeter co., Ltd'
    ThreeLettersId = '\IHM'
}

DeviceUnderTest = {
    Type = '\i310'
    IDISDeviceType = 103
    IDISFunctionType = [Extension_D]
    SerialNr = 90047799
    IPVersion = IPv4
    DataLinkLayer = GPRS
    ConsumerInformationPush = FALSE
    SMSSupported = FALSE
    ClipCallSupported = FALSE
}

TestOptions = {
    DUTTelNr = '\+31658021896'
}

ObjectModel = {
// Optional objects implemented
OptionalObjects = '\
+ '1-1:0.2.0.255|1,' // Active firmware identifier 1 (@420)
+ '1-1:0.2.8.255|1,' // Active firmware signature 1 (@424)
+ '1-2:0.2.0.255|1,' // Active firmware identifier 2 (@428)
+ '1-2:0.2.8.255|1,' // Active firmware signature 2 (@432)
+ '1-0:9.8.0.255|3,' // Apparent energy import (+VA) (QI+QIV) (@497)
+ '1-0:10.8.0.255|3,' // Apparent energy export (-VA) (QII+QIII) (@503)
+ '1-0:5.8.1.255|3,' // Reactive energy (QI) rate 1 (@606)
+ '1-0:5.8.2.255|3,' // Reactive energy (QI) rate 2 (@612)
+ '1-0:5.8.3.255|3,' // Reactive energy (QI) rate 3 (@618)
+ '1-0:5.8.4.255|3,' // Reactive energy (QI) rate 4 (@624)
+ '1-0:6.8.1.255|3,' // Reactive energy (QII) rate 1 (@630)
+ '1-0:6.8.2.255|3,' // Reactive energy (QII) rate 2 (@636)
+ '1-0:6.8.3.255|3,' // Reactive energy (QII) rate 3 (@642)

```

```

+ '1-0:6.8.4.255|3,' // Reactive energy (QII) rate 4 (@648)
+ '1-0:7.8.1.255|3,' // Reactive energy (QIII) rate 1 (@654)
+ '1-0:7.8.2.255|3,' // Reactive energy (QIII) rate 2 (@660)
+ '1-0:7.8.3.255|3,' // Reactive energy (QIII) rate 3 (@666)
+ '1-0:7.8.4.255|3,' // Reactive energy (QIII) rate 4 (@672)
+ '1-0:8.8.1.255|3,' // Reactive energy (QIV) rate 1 (@678)
+ '1-0:8.8.2.255|3,' // Reactive energy (QIV) rate 2 (@684)
+ '1-0:8.8.3.255|3,' // Reactive energy (QIV) rate 3 (@690)
+ '1-0:8.8.4.255|3,' // Reactive energy (QIV) rate 4 (@696)
+ '1-0:9.8.1.255|3,' // Apparent energy import (+VA) rate 1 (@702)
+ '1-0:9.8.2.255|3,' // Apparent energy import (+VA) rate 2 (@708)
+ '1-0:9.8.3.255|3,' // Apparent energy import (+VA) rate 3 (@714)
+ '1-0:9.8.4.255|3,' // Apparent energy import (+VA) rate 4 (@720)
+ '1-0:10.8.1.255|3,' // Apparent energy export (-VA) rate 1 (@726)
+ '1-0:10.8.2.255|3,' // Apparent energy export (-VA) rate 2 (@732)
+ '1-0:10.8.3.255|3,' // Apparent energy export (-VA) rate 3 (@738)
+ '1-0:10.8.4.255|3,' // Apparent energy export (-VA) rate 4 (@744)
+ '1-0:15.8.1.255|3,' // Active energy Combined total (|+A|+|-A|) rate 1 (@750)
+ '1-0:15.8.2.255|3,' // Active energy Combined total (|+A|+|-A|) rate 2 (@756)
+ '1-0:15.8.3.255|3,' // Active energy Combined total (|+A|+|-A|) rate 3 (@762)
+ '1-0:15.8.4.255|3,' // Active energy Combined total (|+A|+|-A|) rate 4 (@768)
+ '1-0:14.7.0.255|3,' // Instantaneous net frequency; any phase (@1450)
+ '1-0:9.7.0.255|3,' // Instantaneous apparent import power (+VA) (@1486)
+ '1-0:10.7.0.255|3,' // Instantaneous apparent export power (-VA) (@1492)
+ '1-0:16.24.0.255|5,' // Average Net Power (|+A|-|-A|) (@1511)
+ '1-0:13.7.0.255|3' // Instantaneous Power factor (+A/+VA) (@1537)

InstanceExtraInfo = {
  // Set value for Consumer Message Text
  LogicalName = '0-0:96.13.0.255'
  ClassId = 1
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
  }
}

InstanceExtraInfo = {
  LogicalName = '0-0:1.0.0.255'
  ClassId = 8
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><OctetString Value="07E40B14050F0000FF8000FF" /></Data>' // yyyy mm
dd dow hh mm ss
  }
}

InstanceExtraInfo = {
  // Set special days to 30 entries
  LogicalName = '0-0:11.0.0.255'
  ClassId = 11
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data>'
+ '    <Array Qty="1E" >'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0101FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0102FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0103FF" />'
+ '        <Unsigned Value="02" />'
+ '      </Structure>'
+ '      <Structure Qty="03" >'
+ '        <LongUnsigned Value="0001" />'
+ '        <OctetString Value="FFFF0104FF" />'
+ '      </Structure>'
+ '    </Array>'
+ '  </Data>'
}

```

```

+'          <Unsigned Value="02" />'
+'        </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF0105FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'    <Structure Qty="03" >'
+'      <LongUnsigned Value="0001" />'
+'      <OctetString Value="FFFF0106FF" />'
+'      <Unsigned Value="02" />'
+'    </Structure>'
+'  <Structure Qty="03" >'
+'    <LongUnsigned Value="0001" />'
+'    <OctetString Value="FFFF0107FF" />'
+'    <Unsigned Value="02" />'
+'  </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0108FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0109FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF010AFF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0201FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0202FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0203FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0204FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0205FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0206FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0207FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0208FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'

```

```

+'          <LongUnsigned Value="0001" />'
+'          <OctetString Value="FFFF0209FF" />'
+'          <Unsigned Value="02" />'
+'        </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="0001" />'
+'        <OctetString Value="FFFF020AFF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'    <Structure Qty="03" >'
+'      <LongUnsigned Value="0001" />'
+'      <OctetString Value="FFFF0301FF" />'
+'      <Unsigned Value="02" />'
+'    </Structure>'
+'  <Structure Qty="03" >'
+'    <LongUnsigned Value="0001" />'
+'    <OctetString Value="FFFF0302FF" />'
+'    <Unsigned Value="02" />'
+'  </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0303FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0304FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0305FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0306FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0307FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0308FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF0309FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0001" />'
+'   <OctetString Value="FFFF030AFF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' </Array>'
+' </Data>'
+'
+' }
+'
+' }

```

```

TestParameters = {

  ConnectDisconnectDelay = 3000
  ClientSystemTitle = '58585A0102030405'

  ImageTransfer = {
    ImageIdentifier = '\TKI1-6F-20123101'
  }
}

```



```

    ImageFileName = '\TKI1-6F-20123101.bin'
    Timeout       = 120000
}

PushTimeout = 65000
MinInterWPDUFramesDelay = 750
ProfilePeriodsQty = 10
CaptureDelay = 10000
ClipCallDuration = 12000

AutoConnect = {
    Repetitions = 0
    RepetitionDelay = 0
}

PushSetup = {
    NumberOfRetries = 3
    RepetitionDelay = 30
}

WakeUpDelay = 30000
DisconnectToSendSMSDelay = 10000
DataNotificationToDisconnectDelay = 10000
}

LocalSecurityElements = {
    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }
    Management = {
        ContextName = LONG_NAMES
        MechanismName = LOW_LEVEL_SECURITY
        Policy = NO_SECURITY
        Password = '\12345678'
    }
    PreEstablished = {
        Policy = NO_SECURITY
        ServerMaxReceivePduSize = 1224
        CipheringStyle = GENERAL
    }
}

RemoteSecurityElements = {
    Public = {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }
    Management = {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        Password = '\12345678'
    }
    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
        ServerMaxReceivePduSize = 1224
        CipheringStyle = GENERAL
    }
}

SMSSecurityElements = {
    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
        ServerMaxReceivePDUSize = 138
        CipheringStyle = GENERAL
    }
}
}

```

```

HDLCPprofile = {

  PhysicalLayer = {
    OpeningMode = DIRECT_HDLC
    HdlcBaud = 9600
  }
  DataLinkLayer = {
    InactivityTimeout      = 10000
    InterFrameTimeout      = 200
    ResponseTimeout        = 4000
    DISCToNDMTimeout       = 120000
    AddressingSchemes      = [TWO_BYTES_ADDRESSING]
    ServerLowerMACAddress  = 0x11
    LastRecToNextSendDelay = 0
  }

  UIFrameDelay = 2000

  UIFrameLength = 126

}

TCPProfile = {
  ServerTCPport = 4059
  ResponseTimeout = 10000
  ConnectTimeout = 30000
  DisconnectToConnectDelay = 15000
}

// END CTI_Template

*****
* Miscellaneous *
*****

TestMode:          TCP
Test Plan Signature: DACF66B3C5D3456427BD1C6419F470BD
Object Model:      IDIS-S02-002 - object model Pack2 Ed2.0 - V2.29 (20200831)-FIT MBUS
Tests G350 (CorrectedAndValve status).xlsx
DUT system title:  49484D67155E0537
Run number:        1151

```