

# Final Interoperability Test Report

FIT #: **65**  
 Date: 12/11/2021  
 Location: DNV-GL, Arnhem, Netherlands  
 Page 1 of 28

## APPLICANT

Company: Zhejiang Yongtailong Electronic Co., LTD

Address: No.320 Tongsheng Road, Tongxiang, China.

DEVICE		
Device type	<b>D123064</b>	
<i>Type indication on MID certificate</i>		<i>MID Certificate No.</i>
DDS-EY / 80A / V4D FM		G31810~1
<i>IDIS Specification reference</i>	<i>DNV-gl IDIS Certification run No</i>	<i>Digital signature of the test report.</i>
Package 2 ed. 2.0	1560	5D1B73537719EAE85A6D7CF2A6DB2999
<i>First certification</i>	<i>IDIS Label</i>	<i>Modular device</i>
<input checked="" type="checkbox"/>	0073	<input type="checkbox"/>
<i>General information about the device</i>		

FIRMWARE VERSIONS TESTED				<i>Final Interoperability Test No. 65</i>
Firmware No.	Firmware ID1	Firmware ID2	Firmware ID3	Verdict
1	\1P2W,5(100)A,230 V,G3PLC-210727.02			Passed

\_\_\_\_\_  
Honeywell

\_\_\_\_\_  
Iskraemeco d.d.

\_\_\_\_\_  
Itron

\_\_\_\_\_  
Landis+Gyr AG

Fit #65

Device:Yongtailong D123064

DNV-GL,Arnhem, Netherlands, 11.12.2021

Page 2 of 28

FIRMWARE VERSIONS HISTORY				Final Integration Test	
Firmware No.	Firmware ID1	Firmware ID2	Firmware ID3	No.	Verdict
1	\1P2W,5(100)A,230 V,G3PLC-210727.02			65	Passed

TEST REPORT - Firmware No. 1		
Test	Verdict	Remark
Connect and release	Passed	
All Device IDs	Passed	
COSEM logical device name	Passed	
SAP assignment	Passed	
FW version and signature	Passed	
All Device ID's	Passed	
Broadcast Date and time	Passed	
Broadcast Special Days Table	Passed	
Event logs	Passed	
Billing data period 1	Passed	
M-Bus Channel Setup	Passed	
M-Bus Results	Passed	
M-Bus Devices IDs	Passed	
M-Bus profiles	Passed	
M-Bus Load profiles	Passed	
M-Bus control logs	Passed	
M-Bus Disconnect log	Passed	
FIT Push	Passed	
FIT Miscellaneous	Passed	
Optical Port Connectivity	Passed	
Consumer Information Interface	Passed	
<b>FIT Conformance Test Report</b>		
<pre> ***** IDIS Conformance test report 14-OCT-2021 09:52:08 iCTT2 Package 2, Edition 2.0, Revision 1 (136) Licensed to: KEMA-IDIS Cert. Tester: Tom Levels *****  ***** * Identification * *****  Manufacturer = {   Name = '\Zhejiang Yongtailong Electronic Co.,LTD'   ThreeLettersId = '\YTL' } DeviceUnderTest = {   Type = '\YTL'   IDISDeviceType = 102   IDISFunctionType = [EXTENSION_D, EXTENSION_L]   SerialNr = 10001   IPVersion = IPV6   DataLinkLayer = G3   ConsumerInformationPush = FALSE   EUI64Address = '000000FFFE010001' }  Active firmware identifier (1-0:0.2.0.255) = \1P2W,5(100)A,230V,G3PLC-210727.02  ***** * Summary * *****  PASSED                62 FAILED                0 DISABLED              0 INAPPLICABLE         211 INCONCLUSIVE         0 FATAL                 0 TOTAL                 273 </pre>		

```

*****
Test Case 1 : Connect and release, 4 item(s)
*****
(1) Connect Public PASSED
(2) Release Public PASSED
(3) Connect Management PASSED
(4) Release Management PASSED

*****
Test Case 2 : Read Device IDs, 12 item(s)
*****

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)
(1) .logical_name PASSED
    <Data>
      <OctetString Value="0000600100FF" />
    </Data>
(2) .value PASSED
    <Data>
      <OctetString Value="\000000010001" />
    </Data>

Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)
(3) .logical_name PASSED
    <Data>
      <OctetString Value="0000600101FF" />
    </Data>
(4) .value PASSED
    <Data>
      <OctetString Value="\000000010001" />
    </Data>

Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)
(5) .logical_name PASSED
    <Data>
      <OctetString Value="0000600102FF" />
    </Data>
(6) .value PASSED
    <Data>
      <OctetString Value="\00000000" />
    </Data>

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)
(7) .logical_name PASSED
    <Data>
      <OctetString Value="0000600103FF" />
    </Data>
(8) .value PASSED
    <Data>
      <OctetString Value="\00000000" />
    </Data>

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)
(9) .logical_name PASSED
    <Data>
      <OctetString Value="0000600104FF" />
    </Data>
(10) .value PASSED
    <Data>
      <OctetString Value="\00000000" />
    </Data>

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)
(11) .logical_name PASSED
    <Data>
      <OctetString Value="0000600105FF" />
    </Data>
(12) .value PASSED
    <Data>
      <OctetString Value="\00000000" />
    </Data>

```

```

*****
Test Case 3 : Read COSEM Logical Device Name, 2 item(s)
*****

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)
(1) .logical_name PASSED
    <Data>
    <OctetString Value="00002A0000FF" />
    </Data>
(2) .value PASSED
    <Data>
    <OctetString Value="\YTL1020300010001" />
    </Data>

*****
Test Case 4 : Read SAP Assignment, 2 item(s)
*****

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)
(1) .logical_name PASSED
    <Data>
    <OctetString Value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list PASSED
    <Data>
    <Array Qty="0001" >
    <Structure Qty="0002" >
    <LongUnsigned Value="0001" />
    <OctetString Value="\YTL1020300010001" />
    </Structure>
    </Array>
    </Data>

*****
Test Case 5 : Read Active FW Version, 12 item(s)
*****

Mngmt Get Active firmware identifier 1-0:0.2.0.255 (@412)
(1) .logical_name PASSED
    <Data>
    <OctetString Value="0100000200FF" />
    </Data>
(2) .value PASSED
    <Data>
    <OctetString Value="\1P2W,5(100)A,230V,G3PLC-210727.02" />
    </Data>

Mngmt Get Active firmware signature 1-0:0.2.8.255 (@416)
(3) .logical_name PASSED
    <Data>
    <OctetString Value="0100000208FF" />
    </Data>
(4) .value PASSED
    <Data>
    <OctetString Value="E968" />
    </Data>

Mngmt Get Active firmware identifier 1 1-1:0.2.0.255 (@420)
(5) .logical_name
INAPPLICABLE
    Optional object is not implemented
(6) .value
INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active firmware signature 1 1-1:0.2.8.255 (@424)
(7) .logical_name
INAPPLICABLE
    Optional object is not implemented
(8) .value
INAPPLICABLE
    Optional object is not implemented

```

```

Mngmt Get Active firmware identifier 2 1-2:0.2.0.255 (@428)
(9) .logical_name
INAPPLICABLE
    Optional object is not implemented
(10) .value
INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active firmware signature 2 1-2:0.2.8.255 (@432)
(11) .logical_name
INAPPLICABLE
    Optional object is not implemented
(12) .value
INAPPLICABLE
    Optional object is not implemented

*****
Test Case 6 : Set Clock, 1 item(s)
*****

Pre Set Clock 0-0:1.0.0.255 (@75)
(1) .time                                     PASSED
    <Data>
        <OctetString Value="07E50A0EFF0B0000FF8000FF" />
    </Data>

*****
Test Case 7 : Get Clock, 1 item(s)
*****

Mngmt Get Clock 0-0:1.0.0.255 (@75)
(1) .time                                     PASSED
    <Data>
        <OctetString Value="07E50A0E040B000100FF8880" />
    </Data>

*****
Test Case 8 : Set Special Days, 1 item(s)
*****

Pre Set Special Days Table 0-0:11.0.0.255 (@125)
(1) .entries                                 PASSED
    <Data>
        <Array Qty="001E" >
            <Structure Qty="0003" >
                <LongUnsigned Value="0001" />
                <OctetString Value="FFFF0101FF" />
                <Unsigned Value="02" />
            </Structure>
            <Structure Qty="0003" >
                <LongUnsigned Value="0002" />
                <OctetString Value="FFFF0102FF" />
                <Unsigned Value="02" />
            </Structure>
            <Structure Qty="0003" >
                <LongUnsigned Value="0003" />
                <OctetString Value="FFFF0103FF" />
                <Unsigned Value="02" />
            </Structure>
            <Structure Qty="0003" >
                <LongUnsigned Value="0004" />
                <OctetString Value="FFFF0104FF" />
                <Unsigned Value="02" />
            </Structure>
            <Structure Qty="0003" >
                <LongUnsigned Value="0005" />
                <OctetString Value="FFFF0105FF" />
                <Unsigned Value="02" />
            </Structure>
            <Structure Qty="0003" >
                <LongUnsigned Value="0006" />
                <OctetString Value="FFFF0106FF" />
                <Unsigned Value="02" />
            </Structure>
        </Array>
    </Data>

```

```

</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0007" />
  <OctetString Value="FFFF0107FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0008" />
  <OctetString Value="FFFF0108FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0009" />
  <OctetString Value="FFFF0109FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000A" />
  <OctetString Value="FFFF010AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000B" />
  <OctetString Value="FFFF0201FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000C" />
  <OctetString Value="FFFF0202FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000D" />
  <OctetString Value="FFFF0203FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000E" />
  <OctetString Value="FFFF0204FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000F" />
  <OctetString Value="FFFF0205FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0010" />
  <OctetString Value="FFFF0206FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0011" />
  <OctetString Value="FFFF0207FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0012" />
  <OctetString Value="FFFF0208FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0013" />
  <OctetString Value="FFFF0209FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0014" />
  <OctetString Value="FFFF020AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0015" />

```

```

    <OctetString Value="FFFF0301FF" />
    <Unsigned Value="02" />
  </Structure>
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0016" />
  <OctetString Value="FFFF0302FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0017" />
  <OctetString Value="FFFF0303FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0018" />
  <OctetString Value="FFFF0304FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0019" />
  <OctetString Value="FFFF0305FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001A" />
  <OctetString Value="FFFF0306FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001B" />
  <OctetString Value="FFFF0307FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001C" />
  <OctetString Value="FFFF0308FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001D" />
  <OctetString Value="FFFF0309FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="001E" />
  <OctetString Value="FFFF030AFF" />
  <Unsigned Value="02" />
</Structure>
</Array>
</Data>

```

```

*****
Test Case 9 : Get Special Days, 1 item(s)
*****

```

Mngmt Get Special Days Table 0-0:11.0.0.255 (@125)

(1) .entries

PASSED

```

  <_Data>
    <Array Qty="001E" >
      <Structure Qty="0003" >
        <LongUnsigned Value="0001" />
        <OctetString Value="FFFF0101FF" />
        <Unsigned Value="02" />
      </Structure>
      <Structure Qty="0003" >
        <LongUnsigned Value="0002" />
        <OctetString Value="FFFF0102FF" />
        <Unsigned Value="02" />
      </Structure>
      <Structure Qty="0003" >
        <LongUnsigned Value="0003" />
        <OctetString Value="FFFF0103FF" />
        <Unsigned Value="02" />
      </Structure>

```



```

</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0004" />
  <OctetString Value="FFFF0104FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0005" />
  <OctetString Value="FFFF0105FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0006" />
  <OctetString Value="FFFF0106FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0007" />
  <OctetString Value="FFFF0107FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0008" />
  <OctetString Value="FFFF0108FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0009" />
  <OctetString Value="FFFF0109FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000A" />
  <OctetString Value="FFFF010AFF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000B" />
  <OctetString Value="FFFF0201FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000C" />
  <OctetString Value="FFFF0202FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000D" />
  <OctetString Value="FFFF0203FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000E" />
  <OctetString Value="FFFF0204FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="000F" />
  <OctetString Value="FFFF0205FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0010" />
  <OctetString Value="FFFF0206FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0011" />
  <OctetString Value="FFFF0207FF" />
  <Unsigned Value="02" />
</Structure>
<Structure Qty="0003" >
  <LongUnsigned Value="0012" />

```

```

    <OctetString Value="FFFF0208FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0013" />
    <OctetString Value="FFFF0209FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0014" />
    <OctetString Value="FFFF020AFF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0015" />
    <OctetString Value="FFFF0301FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0016" />
    <OctetString Value="FFFF0302FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0017" />
    <OctetString Value="FFFF0303FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0018" />
    <OctetString Value="FFFF0304FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="0019" />
    <OctetString Value="FFFF0305FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="001A" />
    <OctetString Value="FFFF0306FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="001B" />
    <OctetString Value="FFFF0307FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="001C" />
    <OctetString Value="FFFF0308FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="001D" />
    <OctetString Value="FFFF0309FF" />
    <Unsigned Value="02" />
  </Structure>
  <Structure Qty="0003" >
    <LongUnsigned Value="001E" />
    <OctetString Value="FFFF030AFF" />
    <Unsigned Value="02" />
  </Structure>
</Array>
</_Data>

```

```

*****
Test Case 10 : Read Event Log Buffers, 20 item(s)
*****

```

```

Mngmt Get Disconnecter Control Log 0-0:99.98.2.255 (@193)
(1) .logical_name
<Data>

```

PASSED

	<OctetString Value="0000636202FF" /> </Data>	
(2)	.buffer Earliest date: 14-OCT-2021 11:19:03, latest date: 14-OCT-2021 11:24:03 Middle date: 14-OCT-2021 11:21:03	PASSED
(3)	.entries_in_use <Data> <DoubleLongUnsigned Value="00000007" /> </Data>	PASSED
(4)	.profile_entries <Data> <DoubleLongUnsigned Value="00000064" /> </Data>	PASSED
	Mngmt Get Standard Event Log 0-0:99.98.0.255 (@301)	
(5)	.logical_name <Data> <OctetString Value="0000636200FF" /> </Data>	PASSED
(6)	.buffer Earliest date: 14-OCT-2021 11:00:00, latest date: 14-OCT-2021 11:37:51 Middle date: 14-OCT-2021 11:00:02	PASSED
(7)	.entries_in_use <Data> <DoubleLongUnsigned Value="00000034" /> </Data>	PASSED
(8)	.profile_entries <Data> <DoubleLongUnsigned Value="00000064" /> </Data>	PASSED
	Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@316)	
(9)	.logical_name <Data> <OctetString Value="0000636201FF" /> </Data>	PASSED
(10)	.buffer Earliest date: 14-OCT-2021 11:02:52, latest date: 14-OCT-2021 11:24:03 Middle date: 14-OCT-2021 11:22:03	PASSED
(11)	.entries_in_use <Data> <DoubleLongUnsigned Value="00000008" /> </Data>	PASSED
(12)	.profile_entries <Data> <DoubleLongUnsigned Value="00000064" /> </Data>	PASSED
	Mngmt Get Communication Log 0-0:99.98.5.255 (@331)	
(13)	.logical_name <Data> <OctetString Value="0000636205FF" /> </Data>	PASSED
(14)	.buffer Earliest date: 14-OCT-2021 11:19:03, latest date: 14-OCT-2021 11:24:03 Middle date: 14-OCT-2021 11:21:03	PASSED
(15)	.entries_in_use <Data> <DoubleLongUnsigned Value="00000007" /> </Data>	PASSED
(16)	.profile_entries <Data> <DoubleLongUnsigned Value="00000064" /> </Data>	PASSED
	Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1340)	
(17)	.logical_name <Data> <OctetString Value="0000636204FF" /> </Data>	PASSED
(18)	.buffer Earliest date: 14-OCT-2021 11:19:03, latest date: 14-OCT-2021 11:24:03 Middle date: 14-OCT-2021 11:21:03	PASSED

(19) .entries_in_use	PASSED
<pre> &lt;Data&gt;   &lt;DoubleLongUnsigned Value="00000007" /&gt; &lt;/Data&gt; </pre>	
(20) .profile_entries	PASSED
<pre> &lt;Data&gt;   &lt;DoubleLongUnsigned Value="00000064" /&gt; &lt;/Data&gt; </pre>	
<pre> ***** Test Case 11 : Reading Data of Billing Period 1, 8 item(s) ***** </pre>	
<pre> Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@158) </pre>	
(1) .logical_name	PASSED
<pre> &lt;Data&gt;   &lt;OctetString Value="0000620100FF" /&gt; &lt;/Data&gt; </pre>	
(2) .buffer	PASSED
<pre> Earliest date: 01-FEB-2021 00:00:00, latest date: 01-JUL-2021 00:00:00 Middle date: 01-MAY-2021 00:00:00 </pre>	
(3) .capture_objects	PASSED
<pre> &lt;Data&gt;   &lt;Array Qty="0005" &gt;     &lt;Structure Qty="0004" &gt;       &lt;LongUnsigned Value="0008" /&gt;       &lt;OctetString Value="0000010000FF" /&gt;       &lt;Integer Value="02" /&gt;       &lt;LongUnsigned Value="0000" /&gt;     &lt;/Structure&gt;     &lt;Structure Qty="0004" &gt;       &lt;LongUnsigned Value="0003" /&gt;       &lt;OctetString Value="0100010801FF" /&gt;       &lt;Integer Value="02" /&gt;       &lt;LongUnsigned Value="0000" /&gt;     &lt;/Structure&gt;     &lt;Structure Qty="0004" &gt;       &lt;LongUnsigned Value="0003" /&gt;       &lt;OctetString Value="0100010802FF" /&gt;       &lt;Integer Value="02" /&gt;       &lt;LongUnsigned Value="0000" /&gt;     &lt;/Structure&gt;     &lt;Structure Qty="0004" &gt;       &lt;LongUnsigned Value="0003" /&gt;       &lt;OctetString Value="0100020801FF" /&gt;       &lt;Integer Value="02" /&gt;       &lt;LongUnsigned Value="0000" /&gt;     &lt;/Structure&gt;     &lt;Structure Qty="0004" &gt;       &lt;LongUnsigned Value="0003" /&gt;       &lt;OctetString Value="0100020802FF" /&gt;       &lt;Integer Value="02" /&gt;       &lt;LongUnsigned Value="0000" /&gt;     &lt;/Structure&gt;   &lt;/Array&gt; &lt;/Data&gt; </pre>	
(4) .capture_period	PASSED
<pre> &lt;Data&gt;   &lt;DoubleLongUnsigned Value="00000000" /&gt; &lt;/Data&gt; </pre>	
(5) .sort_method	PASSED
<pre> &lt;Data&gt;   &lt;Enum Value="01" /&gt; &lt;/Data&gt; </pre>	
(6) .sort_object	PASSED
<pre> &lt;Data&gt;   &lt;Structure Qty="0004" &gt;     &lt;LongUnsigned Value="0008" /&gt;     &lt;OctetString Value="0000010000FF" /&gt;     &lt;Integer Value="02" /&gt;     &lt;LongUnsigned Value="0000" /&gt;   &lt;/Structure&gt; &lt;/Data&gt; </pre>	

```

(7) .entries_in_use                                     PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
(8) .profile_entries                                   PASSED
    <Data>
      <DoubleLongUnsigned Value="0000000D" />
    </Data>

*****
Test Case 12 : Ext. M - M-Bus Setup LGZ G350, 52 item(s)
*****

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1566)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .comm_speed
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1570)
(3) .logical_name
INAPPLICABLE
    Optional object is not implemented
(4) .comm_speed
INAPPLICABLE
    Optional object is not implemented

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1574)
(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(9) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1596)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .mbus_port_reference
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(19) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(25) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(26) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1618)
(29) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(31) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(33) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(34) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(35) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(36) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(37) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(38) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(39) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(40) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1640)
(41) .logical_name
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(42) .mbus_port_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(43) .capture_definition
INAPPLICABLE
    Object is not required according to OM and/or extensions
(44) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(45) .primary_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(46) .identification_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(47) .manufacturer_id
INAPPLICABLE
    Object is not required according to OM and/or extensions
(48) .version
INAPPLICABLE
    Object is not required according to OM and/or extensions
(49) .device_type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(50) .access_number
INAPPLICABLE
    Object is not required according to OM and/or extensions
(51) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(52) .alarm
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

*****
Test Case 13 : Ext. M - M-Bus Results uncorrected Vol. & valve, 40 item(s)
*****

```

```

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1662)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1670)
(6) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(9) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1694)
(11) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1702)
(16) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(17) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1726)
(21) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(25) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1734)
(26) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(29) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1758)
(31) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions

```



```

(32) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(33) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(34) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(35) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1766)
(36) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(37) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions
(38) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
(39) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
(40) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 14 : Ext. M - M-Bus Device IDs, 16 item(s)
*****

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1790)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1794)
(3) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1798)
(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1802)
(7) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1806)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1810)
(11) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1814)
(13) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1818)
(15) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .value
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 15 : Ext. M - M-Bus Load Profiles, 32 item(s)
*****

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1838)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1849)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .sort_object
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(15) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1860)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1871)
(25) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(26) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(29) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(31) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 16 : Ext. M - M-Bus Control Logs, 40 item(s)
*****

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1941)
(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .capture_objects
INAPPLICABLE

```

```

    Object is not required according to OM and/or extensions
(4) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(5) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(7) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1952)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(13) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1963)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(21) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(23) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(24) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1974)
(25) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

(26) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(27) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(28) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(29) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(30) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(31) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(32) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1989)

```

(33) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(34) .buffer
INAPPLICABLE
    Object is not required according to OM and/or extensions
(35) .capture_objects
INAPPLICABLE
    Object is not required according to OM and/or extensions
(36) .capture_period
INAPPLICABLE
    Object is not required according to OM and/or extensions
(37) .sort_method
INAPPLICABLE
    Object is not required according to OM and/or extensions
(38) .sort_object
INAPPLICABLE
    Object is not required according to OM and/or extensions
(39) .entries_in_use
INAPPLICABLE
    Object is not required according to OM and/or extensions
(40) .profile_entries
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

*****
Test Case 17 : Ext. M - M-Bus Disconnect, 22 item(s)
*****

```

Mngmt Get M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1882)

```

(1) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(2) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(3) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(4) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

Mngmt Get M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1890)

```

(5) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(6) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions

```

```

(7) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(8) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1898)
(9) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(10) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(11) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(12) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1906)
(13) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(14) .output_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(15) .control_state
INAPPLICABLE
    Object is not required according to OM and/or extensions
(16) .control_mode
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1914)
(17) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(18) .executed_script
INAPPLICABLE
    Object is not required according to OM and/or extensions
(19) .type
INAPPLICABLE
    Object is not required according to OM and/or extensions
(20) .execution_time
INAPPLICABLE
    Object is not required according to OM and/or extensions

Mngmt Get M-Bus Disconnect script table 0-1:10.0.106.255 (@1920)
(21) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(22) .scripts
INAPPLICABLE
    Object is not required according to OM and/or extensions

*****
Test Case 18 : FIT Push, 3 item(s)
*****
(1) Push on installation                                     PASSED
(2) Push on alarm                                           PASSED
(3) Push on power down
INAPPLICABLE
    Push setup on power down not available

*****
Test Case 19 : FIT Miscellaneous, 4 item(s)
*****
(1) Disconnecter Script Table                               PASSED
(2) Load profile with period 1 DST ambiguity               PASSED
(3) Load profile power down withing one period             PASSED
(4) Load profile power down over two periods                PASSED

```

```

*****
* CTI *
*****

// Mandatory 'Manufacturer' structure
// *****
Manufacturer =
{
    Name = '\Zhejiang Yongtailong Electronic Co.,LTD'
    ThreeLettersId = '\YTL'
}

// Mandatory 'DeviceUnderTest' structure
// *****
DeviceUnderTest =
{
    Type = '\YTL'
    IDISDeviceType = 102
    IDISFunctionType = [Extension_D, Extension_L]
    SerialNr = 00010001
    IPVersion = IPv6 // one of IPv4, IPv6
    DataLinkLayer = G3 // one of GPRS, ETHERNET
    ConsumerInformationPush = FALSE // or false
    EUI64Address = "000000FFFE010001"
}

TestOptions =
{
    PushDestination = '\[fe80:0:0:0:781d:ff:fe00:0]:61616'
}

// Mandatory 'ObjectModel' structure
// *****
ObjectModel =
{
    // needed for conformance test.
    InstanceExtraInfo =
    {
        LogicalName = '0-0:29.1.0.255'
        ClassId = 91
        Version = 1

        AttributeExtraInfo =
        {
            AttributeId = 5
            SetData = '\ ' +
                '<Data>' +
                ' <Array Qty = "01">' +
                '   <Structure Qty = "02">' +
                '     <Unsigned Value = "00" />' +
                '     <OctetString Value = "0000000000000000059544C474D4B0000"/>' +
                '   </Structure>' +
                ' </Array>' +
                '</Data>'
            AccessRights = [SET]
        }
    }

    // needed for conformance test.
    InstanceExtraInfo = {
        // Set value for Consumer Message Text
        LogicalName = '0-0:96.13.0.255'
        ClassId = 1
        AttributeExtraInfo = {
            AttributeId = 2
            SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
        }
    }

    InstanceExtraInfo = {
        LogicalName = '0-0:1.0.0.255'
        ClassId = 8
    }
}

```

```

AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><OctetString Value="07E50A0EFF0B0000FF8000FF" /></Data>' // yyyy mm
dd dow hh mm ss
}
}

InstanceExtraInfo = {
// Set special days to 30 entries
LogicalName = '0-0:11.0.0.255'
ClassId = 11
AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data>'
+'    <Array Qty="1E" >'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0001" />'
+'            <OctetString Value="FFFF0101FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0002" />'
+'            <OctetString Value="FFFF0102FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0003" />'
+'            <OctetString Value="FFFF0103FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0004" />'
+'            <OctetString Value="FFFF0104FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0005" />'
+'            <OctetString Value="FFFF0105FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0006" />'
+'            <OctetString Value="FFFF0106FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0007" />'
+'            <OctetString Value="FFFF0107FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0008" />'
+'            <OctetString Value="FFFF0108FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="0009" />'
+'            <OctetString Value="FFFF0109FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="000A" />'
+'            <OctetString Value="FFFF010AFF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="000B" />'
+'            <OctetString Value="FFFF0201FF" />'
+'            <Unsigned Value="02" />'
+'        </Structure>'
+'        <Structure Qty="03" >'
+'            <LongUnsigned Value="000C" />'
+'            <OctetString Value="FFFF0202FF" />'

```



```

+'          <Unsigned Value="02" />'
+'        </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="000D" />'
+'        <OctetString Value="FFFF0203FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'    <Structure Qty="03" >'
+'      <LongUnsigned Value="000E" />'
+'      <OctetString Value="FFFF0204FF" />'
+'      <Unsigned Value="02" />'
+'    </Structure>'
+'  <Structure Qty="03" >'
+'    <LongUnsigned Value="000F" />'
+'    <OctetString Value="FFFF0205FF" />'
+'    <Unsigned Value="02" />'
+'  </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0010" />'
+'   <OctetString Value="FFFF0206FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0011" />'
+'   <OctetString Value="FFFF0207FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0012" />'
+'   <OctetString Value="FFFF0208FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0013" />'
+'   <OctetString Value="FFFF0209FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0014" />'
+'   <OctetString Value="FFFF020AFF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0015" />'
+'   <OctetString Value="FFFF0301FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0016" />'
+'   <OctetString Value="FFFF0302FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0017" />'
+'   <OctetString Value="FFFF0303FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0018" />'
+'   <OctetString Value="FFFF0304FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="0019" />'
+'   <OctetString Value="FFFF0305FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'
+'   <LongUnsigned Value="001A" />'
+'   <OctetString Value="FFFF0306FF" />'
+'   <Unsigned Value="02" />'
+' </Structure>'
+' <Structure Qty="03" >'

```

```

+'          <LongUnsigned Value="001B" />'
+'          <OctetString Value="FFFF0307FF" />'
+'          <Unsigned Value="02" />'
+'        </Structure>'
+'      <Structure Qty="03" >'
+'        <LongUnsigned Value="001C" />'
+'        <OctetString Value="FFFF0308FF" />'
+'        <Unsigned Value="02" />'
+'      </Structure>'
+'    <Structure Qty="03" >'
+'      <LongUnsigned Value="001D" />'
+'      <OctetString Value="FFFF0309FF" />'
+'      <Unsigned Value="02" />'
+'    </Structure>'
+'  <Structure Qty="03" >'
+'    <LongUnsigned Value="001E" />'
+'    <OctetString Value="FFFF030AFF" />'
+'    <Unsigned Value="02" />'
+'  </Structure>'
+' </Array>'
+' </Data>'
  }
}

// Mandatory ''TestParameters'' structure
// *****
TestParameters =
{
  ConnectDisconnectDelay = 70
  ClientSystemTitle = '58585A0102030405'
  ImageTransfer =
  {
    ImageIdentifier = '\D123064-210727.02C'
    ImageFileName = '\D123064-210727.02C.bin'
    Timeout = 60000
  }

  PushTimeout = 90000
  MinInterWPDUFramesDelay = 1200
  ProfilePeriodsQty = 6
  CaptureDelay = 10000
  WakeUpDelay = 30000
}

// Mandatory ''SecurityElements''
// *****
// Mandatory, used for the ''local'' mode.
LocalSecurityElements =
{
  Public =
  {
    ContextName = LONG_NAMES
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }

  Management =
  {
    ContextName = LONG_NAMES_WITH_CIPHERING
    MechanismName = HIGH_LEVEL_SECURITY_GMAC
    Policy = AUTHENTICATION_AND_ENCRYPTION
    CipheringStyle = GENERAL
  }

  PreEstablished =
  {
    Policy = NO_SECURITY
    ServerMaxReceivePDUSize = 1070
    CipheringStyle = GENERAL
  }
}

```

```

    }
}

// RemoteSecurityElements
// Mandatory
RemoteSecurityElements =
{
    Public =
    {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management =
    {
        ContextName = LONG_NAMES_WITH_CIPHERING//LONG_NAMES//
        MechanismName = HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY//
        Policy = AUTHENTICATION_AND_ENCRYPTION//NO_SECURITY//
        CipheringStyle = GENERAL
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
        ServerMaxReceivePduSize = 1224
        CipheringStyle = GENERAL
    }
}

// SMS security elements
// Mandatory
SMSSecurityElements = {
    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
        ServerMaxReceivePDUSize = 138
        CipheringStyle = GENERAL
    }
}

// Mandatory parameters of the ''Local'' HDLC Profile
HDLCPProfile =
{
    PhysicalLayer =
    {
        OpeningMode = DIRECT_HDLC // or MODE_E
        HdlcBaud = 9600
    }

    DataLinkLayer =
    {
        InactivityTimeout = 120000
        InterFrameTimeout = 100
        ResponseTimeout = 10000
        DISCToNDMTIMEOUT = 4000
        AddressingSchemes = [FOUR_BYTES_ADDRESSING] // TWO_BYTES_ADDRESSING,
FOUR_BYTES_ADDRESSING
        // For TWO and FOUR bytes addressing schemes, we have to specify also a
ServerLowerMACAddress
        ServerLowerMACAddress = 0x11
    }
}

// Mandatory parameters of the ''Remote'' TCP Profile
TCPProfile =
{
    ServerTCPPort = 4059
    ResponseTimeout = 15000
    ConnectTimeout = 5000
    DisconnectToConnectDelay = 5000
}

```

```
// Mandatory parameters of the ''Remote'' G3-PLC profile
G3PLCProfile = {
  FrequencyBand = FCC
  ResponseTimeout = 15000
  UDPPort = 61616
  ConnectTimeout =10000
  PSK = "0000000000000000059544C50534B0000"
}

*****
* Miscellaneous *
*****

TestMode:                G3-PLC
Test Plan Signature:      BFC18D5882976F2087BC007B67CDC246
Object Model:             IDIS-S02-002 - object model Pack2 Ed2.0 - V2.29 (20200831)-FIT MBUS
Tests G350 (CorrectedAndValve status).xlsx
DUT system title:        59544C6630002711
Run number:               1560
```