

```
*****
IDIS Conformance test report
12-OCT-2021 12:11:21
iCTT2 Package 2, Edition 2.0, Revision 1 (136)
Licensed to: DNV-GL IDIS Conf
Tester: Tom Levels
*****
```

```
*****
* Identification *
*****
```

```
Manufacturer = {
  Name = '\Zhejiang Yongtailong Electronic Co.,LTD'
  ThreeLettersId = '\YTL'
}
DeviceUnderTest = {
  Type = '\YTL'
  IDISDeviceType = 103
  IDISFunctionType = []
  SerialNr = 10001
  IPVersion = IPV6
  DataLinkLayer = G3
  ConsumerInformationPush = FALSE
  EUI64Address = '000000FFFE010001'
}
```

Active firmware identifier (1-0:0.2.0.255) = \3P4W,1.5(6)A,G3PLC-210922.01

```
*****
* Summary *
*****
```

PASSED	962
FAILED	0
DISABLED	0
INAPPLICABLE	879
INCONCLUSIVE	0
FATAL	0
TOTAL	1841

```
*****
Test Case 1 : Connect and release, 4 item(s)
*****
```

```
(1) Connect Public
PASSED
(2) Release Public
PASSED
(3) Connect Management
PASSED
(4) Release Management
PASSED
```

```
*****
```

Test Case 2 : Get public object-list, 1 item(s)  
\*\*\*\*\*

Public Get Current association 0-0:40.0.0.255 (@9)  
(1) .object\_list

PASSED

@9	0-0:40.0.0.255 15	Current association
@4	0-0:41.0.0.255 17	SAP Assignment
@42	0-0:42.0.0.255 1	COSEM logical device name
@37	0-0:43.1.0.255 1	Security - Receive frame counter - unicast key
@33	0-0:43.1.1.255 1	Security - Receive frame counter - broadcast key

\*\*\*\*\*  
Test Case 3 : Get mngmt object-list, 1 item(s)  
\*\*\*\*\*

Mngmt Get Current association 0-0:40.0.0.255 (@9)  
(1) .object\_list

PASSED

@75	0-0:1.0.0.255 8	Clock
@9	0-0:40.0.0.255 15	Current association
@4	0-0:41.0.0.255 17	SAP Assignment
@42	0-0:42.0.0.255 1	COSEM logical device name
@2012	0-0:22.0.0.255 23	IEC HDLC setup - HDLC Optical port
@2024	0-0:25.0.0.255 41	TCP-UDP setup
@2047	0-0:25.7.0.255 48	IPv6 setup
@412	1-0:0.2.0.255 1	Active firmware identifier
@46	0-0:96.1.0.255 1	Device ID 1, manufacturing number
@50	0-0:96.1.1.255 1	Device ID 2
@54	0-0:96.1.2.255 1	Device ID 3
@58	0-0:96.1.3.255 1	Device ID 4
@62	0-0:96.1.4.255 1	Device ID 5
@66	0-0:96.1.5.255 1	Device ID 6, IDIS certification number
@86	1-0:0.9.1.255 1	Local Time
@90	1-0:0.9.2.255 1	Local Date
@	1-0:0.9.5.255 1	
@94	1-0:0.9.11.255 3	Clock Time Shift Limit
@129	0-0:14.0.1.255 6	Register activation - Energy
@135	0-0:14.0.2.255 6	Register activation - Maximum Demand
@1363	1-0:31.7.0.255 3	Instantaneous current L1
@1394	1-0:51.7.0.255 3	Instantaneous current L2
@1425	1-0:71.7.0.255 3	Instantaneous current L3
@1351	1-0:32.7.0.255 3	Instantaneous voltage L1
@1382	1-0:52.7.0.255 3	Instantaneous voltage L2
@1413	1-0:72.7.0.255 3	Instantaneous voltage L3
@1357	1-0:32.24.0.255 3	Average voltage L1
@1388	1-0:52.24.0.255 3	Average voltage L2
@1419	1-0:72.24.0.255 3	Average voltage L3
@	1-0:81.7.4.255 3	
@	1-0:81.7.5.255 3	
@	1-0:81.7.6.255 3	
@	1-0:81.7.15.255 3	

	@	1-0:81.7.26.255 3	
	@	1-0:81.7.1.255 3	
	@	1-0:81.7.2.255 3	
	@	1-0:33.7.0.255 3	
	@	1-0:53.7.0.255 3	
	@	1-0:73.7.0.255 3	
	@	1-0:91.7.0.255 3	
phases)	@1444	1-0:90.7.0.255 3	Instantaneous current (sum over all
	@1537	1-0:13.7.0.255 3	Instantaneous Power factor (+A/+VA)
	@1450	1-0:14.7.0.255 3	Instantaneous net frequency; any phase
	@1456	1-0:15.7.0.255 3	Instantaneous active power ( +A + -A )
	@	1-0:128.7.0.255 3	
	@	1-0:16.7.0.255 3	
	@	1-0:129.7.0.255 3	
	@1462	1-0:1.7.0.255 3	Instantaneous active import power (+A)
	@1468	1-0:2.7.0.255 3	Instantaneous active export power (-A)
	@	1-0:35.7.0.255 3	
	@	1-0:21.7.0.255 3	
	@	1-0:22.7.0.255 3	
	@	1-0:55.7.0.255 3	
	@	1-0:41.7.0.255 3	
	@	1-0:42.7.0.255 3	
	@	1-0:75.7.0.255 3	
	@	1-0:61.7.0.255 3	
	@	1-0:62.7.0.255 3	
	@1474	1-0:3.7.0.255 3	Instantaneous reactive import power (+R)
	@1480	1-0:4.7.0.255 3	Instantaneous reactive export power (-R)
	@	1-0:130.7.0.255 3	
	@	1-0:23.7.0.255 3	
	@	1-0:24.7.0.255 3	
	@	1-0:132.7.0.255 3	
	@	1-0:43.7.0.255 3	
	@	1-0:44.7.0.255 3	
	@	1-0:134.7.0.255 3	
	@	1-0:63.7.0.255 3	
	@	1-0:64.7.0.255 3	
(+A)	@775	1-0:1.4.0.255 5	Demand Register 1 - Active energy import
(-A)	@788	1-0:2.4.0.255 5	Demand Register 2 - Active energy export
(+R)	@801	1-0:3.4.0.255 5	Demand Register 3 - Reactive energy import
(-R)	@814	1-0:4.4.0.255 5	Demand Register 4 - Reactive energy export
	@	1-0:1.29.0.255 3	
	@	1-0:2.29.0.255 3	
	@	1-0:3.29.0.255 3	
	@	1-0:4.29.0.255 3	
	@	1-0:15.6.0.255 4	
	@	1-0:15.6.1.255 4	
	@	1-0:15.6.2.255 4	
	@	1-0:15.6.3.255 4	
	@	1-0:15.6.4.255 4	

import (+A) @901 1-0:1.6.0.255 4	Maximum Demand Register 1 - Active energy
import (+A) - rate 1 @909 1-0:1.6.1.255 4	Maximum Demand Register 2 - Active energy
import (+A) - rate 2 @917 1-0:1.6.2.255 4	Maximum Demand Register 3 - Active energy
import (+A) - rate 3 @925 1-0:1.6.3.255 4	Maximum Demand Register 4 - Active energy
import (+A) - rate 4 @933 1-0:1.6.4.255 4	Maximum Demand Register 5 - Active energy
export (-A) @941 1-0:2.6.0.255 4	Maximum Demand Register 6 - Active energy
export (-A) - rate 1 @949 1-0:2.6.1.255 4	Maximum Demand Register 7 - Active energy
export (-A) - rate 2 @957 1-0:2.6.2.255 4	Maximum Demand Register 8 - Active energy
export (-A) - rate 3 @965 1-0:2.6.3.255 4	Maximum Demand Register 9 - Active energy
export (-A) - rate 4 @973 1-0:2.6.4.255 4	Maximum Demand Register 10 - Active energy
energy import (+R) @981 1-0:3.6.0.255 4	Maximum Demand Register 11 - Reactive
energy import (+R) - rate 1 @989 1-0:3.6.1.255 4	Maximum Demand Register 12 - Reactive
energy import (+R) - rate 2 @997 1-0:3.6.2.255 4	Maximum Demand Register 13 - Reactive
energy import (+R) - rate 3 @1005 1-0:3.6.3.255 4	Maximum Demand Register 14 - Reactive
energy import (+R) - rate 4 @1013 1-0:3.6.4.255 4	Maximum Demand Register 15 - Reactive
energy export (-R) @1021 1-0:4.6.0.255 4	Maximum Demand Register 16 - Reactive
energy export (-R) - rate 1 @1029 1-0:4.6.1.255 4	Maximum Demand Register 17 - Reactive
energy export (-R) - rate 2 @1037 1-0:4.6.2.255 4	Maximum Demand Register 18 - Reactive
energy export (-R) - rate 3 @1045 1-0:4.6.3.255 4	Maximum Demand Register 19 - Reactive
energy export (-R) - rate 4 @1053 1-0:4.6.4.255 4	Maximum Demand Register 20 - Reactive
@ 1-0:15.2.0.255 3	
@ 1-0:15.2.1.255 3	
@ 1-0:15.2.2.255 3	
@ 1-0:15.2.3.255 3	
@ 1-0:15.2.4.255 3	
@ 1-0:1.2.0.255 3	
@ 1-0:1.2.1.255 3	
@ 1-0:1.2.2.255 3	
@ 1-0:1.2.3.255 3	
@ 1-0:1.2.4.255 3	
@ 1-0:2.2.0.255 3	
@ 1-0:2.2.1.255 3	
@ 1-0:2.2.2.255 3	
@ 1-0:2.2.3.255 3	

	@	1-0:2.2.4.255 3	
	@	1-0:3.2.0.255 3	
	@	1-0:3.2.1.255 3	
	@	1-0:3.2.2.255 3	
	@	1-0:3.2.3.255 3	
	@	1-0:3.2.4.255 3	
	@	1-0:4.2.0.255 3	
	@	1-0:4.2.1.255 3	
	@	1-0:4.2.2.255 3	
	@	1-0:4.2.3.255 3	
	@	1-0:4.2.4.255 3	
	@449	1-0:15.8.0.255 3	Active energy ( +A + -A ) Combined total
	@750	1-0:15.8.1.255 3	Active energy Combined total ( +A + -A )
rate 1			
	@756	1-0:15.8.2.255 3	Active energy Combined total ( +A + -A )
rate 2			
	@762	1-0:15.8.3.255 3	Active energy Combined total ( +A + -A )
rate 3			
	@768	1-0:15.8.4.255 3	Active energy Combined total ( +A + -A )
rate 4			
	@455	1-0:16.8.0.255 3	Active energy ( +A - -A ) Combined total
	@	1-0:16.8.1.255 3	
	@	1-0:16.8.2.255 3	
	@	1-0:16.8.3.255 3	
	@	1-0:16.8.4.255 3	
	@437	1-0:1.8.0.255 3	Active energy import (+A)
	@510	1-0:1.8.1.255 3	Active energy import (+A) rate 1
	@516	1-0:1.8.2.255 3	Active energy import (+A) rate 2
	@522	1-0:1.8.3.255 3	Active energy import (+A) rate 3
	@528	1-0:1.8.4.255 3	Active energy import (+A) rate 4
	@443	1-0:2.8.0.255 3	Active energy export (-A)
	@534	1-0:2.8.1.255 3	Active energy export (-A) rate 1
	@540	1-0:2.8.2.255 3	Active energy export (-A) rate 2
	@546	1-0:2.8.3.255 3	Active energy export (-A) rate 3
	@552	1-0:2.8.4.255 3	Active energy export (-A) rate 4
	@	1-0:128.8.0.255 3	
	@	1-0:128.8.1.255 3	
	@	1-0:128.8.2.255 3	
	@	1-0:128.8.3.255 3	
	@	1-0:128.8.4.255 3	
	@	1-0:131.8.0.255 3	
	@	1-0:131.8.1.255 3	
	@	1-0:131.8.2.255 3	
	@	1-0:131.8.3.255 3	
	@	1-0:131.8.4.255 3	
	@485	1-0:3.8.0.255 3	Reactive energy import (+R) (QI+QII)
	@558	1-0:3.8.1.255 3	Reactive energy (+R) rate 1
	@564	1-0:3.8.2.255 3	Reactive energy (+R) rate 2
	@570	1-0:3.8.3.255 3	Reactive energy (+R) rate 3
	@576	1-0:3.8.4.255 3	Reactive energy (+R) rate 4
	@491	1-0:4.8.0.255 3	Reactive energy export (-R) (QIII+QIV)
	@582	1-0:4.8.1.255 3	Reactive energy (-R) rate 1
	@588	1-0:4.8.2.255 3	Reactive energy (-R) rate 2
	@594	1-0:4.8.3.255 3	Reactive energy (-R) rate 3

@600	1-0:4.8.4.255 3	Reactive energy (-R) rate 4
@461	1-0:5.8.0.255 3	Reactive energy QI (+Ri)
@606	1-0:5.8.1.255 3	Reactive energy (QI) rate 1
@612	1-0:5.8.2.255 3	Reactive energy (QI) rate 2
@618	1-0:5.8.3.255 3	Reactive energy (QI) rate 3
@624	1-0:5.8.4.255 3	Reactive energy (QI) rate 4
@467	1-0:6.8.0.255 3	Reactive energy QII (+Rc)
@630	1-0:6.8.1.255 3	Reactive energy (QII) rate 1
@636	1-0:6.8.2.255 3	Reactive energy (QII) rate 2
@642	1-0:6.8.3.255 3	Reactive energy (QII) rate 3
@648	1-0:6.8.4.255 3	Reactive energy (QII) rate 4
@473	1-0:7.8.0.255 3	Reactive energy QIII (-Ri)
@654	1-0:7.8.1.255 3	Reactive energy (QIII) rate 1
@660	1-0:7.8.2.255 3	Reactive energy (QIII) rate 2
@666	1-0:7.8.3.255 3	Reactive energy (QIII) rate 3
@672	1-0:7.8.4.255 3	Reactive energy (QIII) rate 4
@479	1-0:8.8.0.255 3	Reactive energy QIV (-Rc)
@678	1-0:8.8.1.255 3	Reactive energy (QIV) rate 1
@684	1-0:8.8.2.255 3	Reactive energy (QIV) rate 2
@690	1-0:8.8.3.255 3	Reactive energy (QIV) rate 3
@696	1-0:8.8.4.255 3	Reactive energy (QIV) rate 4
@273	0-0:16.1.0.255 21	Alarm Monitor 1
@291	0-0:16.1.1.255 21	Alarm Monitor 2
@347	0-0:96.13.0.255 1	Consumer Message Text - Consumer

Information

@343	0-0:96.13.1.255 1	Consumer Message Code - Meter Display
------	-------------------	---------------------------------------

@	1-0:11.35.0.0 3
@	1-0:11.35.0.1 3
@	1-0:11.35.0.2 3
@	1-0:11.44.0.0 3
@	1-0:11.44.0.1 3
@	1-0:11.44.0.2 3

@1193	1-0:12.31.0.255 3	Threshold for voltage sag
@1199	1-0:12.43.0.255 3	Time threshold for voltage sag
@1253	1-0:12.35.0.255 3	Threshold for voltage swell
@1259	1-0:12.44.0.255 3	Time threshold for voltage swell
@1313	1-0:12.39.0.255 3	Threshold for missing voltage (voltage

cut)

@1319	1-0:12.45.0.255 3	Time threshold for voltage cut
@1205	1-0:32.32.0.255 1	Number of voltage sags in phase L1
@1209	1-0:52.32.0.255 1	Number of voltage sags in phase L2
@1213	1-0:72.32.0.255 1	Number of voltage sags in phase L3
@1217	1-0:32.33.0.255 3	Duration of last voltage sag in phase L1
@1223	1-0:52.33.0.255 3	Duration of last voltage sag in phase L2
@1229	1-0:72.33.0.255 3	Duration of last voltage sag in phase L3
@1235	1-0:32.34.0.255 3	Magnitude of last voltage sag in phase L1
@1241	1-0:52.34.0.255 3	Magnitude of last voltage sag in phase L2
@1247	1-0:72.34.0.255 3	Magnitude of last voltage sag in phase L3
@1265	1-0:32.36.0.255 1	Number of voltage swells in phase L1
@1269	1-0:52.36.0.255 1	Number of voltage swells in phase L2
@1273	1-0:72.36.0.255 1	Number of voltage swells in phase L3
@1277	1-0:32.37.0.255 3	Duration of last voltage swell in phase L1
@1283	1-0:52.37.0.255 3	Duration of last voltage swell in phase L2
@1289	1-0:72.37.0.255 3	Duration of last voltage swell in phase L3

L1	@1295	1-0:32.38.0.255 3	Magnitude of last voltage swell in phase
L2	@1301	1-0:52.38.0.255 3	Magnitude of last voltage swell in phase
L3	@1307	1-0:72.38.0.255 3	Magnitude of last voltage swell in phase
	@257	0-0:97.97.0.255 1	Error Register
	@261	0-0:97.98.0.255 1	Alarm Register 1
	@279	0-0:97.98.1.255 1	Alarm Register 2
	@265	0-0:97.98.10.255 1	Alarm Filter 1
	@283	0-0:97.98.11.255 1	Alarm Filter 2
	@269	0-0:97.98.20.255 1	Alarm Descriptor 1
	@287	0-0:97.98.21.255 1	Alarm Descriptor 2
	@	1-0:11.44.0.255 3	
	@	1-0:145.44.0.255 3	
	@	0-0:96.7.0.255 1	
	@	0-0:96.7.10.255 1	
	@1173	0-0:96.7.21.255 1	Number of power failures in any phase
	@1177	0-0:96.7.9.255 1	Number of long power failures in any phase
	@1181	0-0:96.7.20.255 3	Time threshold for long power failure
	@1187	0-0:96.7.19.255 3	Duration of last long power failure in any
phase	@	0-0:96.60.0.255 3	
	@	0-0:96.1.129.255 1	
	@	0-0:96.60.36.255 3	
	@	0-0:94.57.0.255 1	
	@	1-0:96.71.8.255 1	
	@	1-0:96.71.18.255 1	
	@	1-0:96.72.1.255 1	
	@70	0-0:96.14.0.255 1	Currently active energy tariff
	@	1-0:0.8.4.255 3	
	@	1-0:0.3.3.255 3	
	@	1-0:0.1.2.255 1	
	@	1-0:0.1.0.255 1	
	@	1-0:0.1.1.255 1	
	@112	0-0:13.0.0.255 20	Activity Calendar
	@125	0-0:11.0.0.255 11	Special Days Table
	@152	0-0:15.0.0.255 22	End of billing period 1 scheduler
	@401	0-0:15.0.2.255 22	Image transfer activation scheduler
	@2144	0-1:15.0.4.255 22	Push action scheduler - Interval_1
	@2150	0-2:15.0.4.255 22	Push action scheduler - Interval_2
	@2156	0-3:15.0.4.255 22	Push action scheduler - Interval_3
	@	0-0:10.0.0.255 9	
billing period	@147	0-0:10.0.1.255 9	Predefined Scripts - MDI reset / end of
	@141	0-0:10.0.100.255 9	Tariffication script table
	@407	0-0:10.0.107.255 9	Predefined Scripts - Image activation
	@2139	0-0:10.0.108.255 9	Push script table
	@2109	0-0:25.9.0.255 40	Push setup - On Connectivity
	@2099	0-4:25.9.0.255 40	Push setup - On Alarm
	@2119	0-7:25.9.0.255 40	Push setup - On Installation
	@2069	0-1:25.9.0.255 40	Push setup - Interval_1
	@2079	0-2:25.9.0.255 40	Push setup - Interval_2
	@2089	0-3:25.9.0.255 40	Push setup - Interval_3

@	1-65:0.134.0.255 1	
@	1-65:0.135.0.255 1	
@	1-0:96.71.9.255 1	
@	1-0:96.71.10.255 1	
@297	0-0:96.11.0.255 1	Event Object - Standard Event Log
@312	0-0:96.11.1.255 1	Event Object - Fraud Detection Log
@1336	0-0:96.11.4.255 1	Event Object - Power Quality Log
@327	0-0:96.11.5.255 1	Event Object - Communication Log
@1325	1-0:99.97.0.255 7	Power Failure Event Log
@301	0-0:99.98.0.255 7	Standard Event Log
@316	0-0:99.98.1.255 7	Fraud Detection Log
@1340	0-0:99.98.4.255 7	Power Quality Log
@331	0-0:99.98.5.255 7	Communication Log
@1146	1-0:99.1.0.255 7	Load profile with period 1 i.e. General
Load Profile		
@1161	1-0:99.2.0.255 7	Load profile with period 2 i.e. Daily
Values Profile		
@1142	0-0:96.10.1.255 1	Profile status - Load profile with period
1		
@1157	0-0:96.10.2.255 1	Profile status - Load profile with period
2		
@158	0-0:98.1.0.255 7	Data of billing period 1
@24	0-0:43.0.0.255 64	Security setup
@37	0-0:43.1.0.255 1	Security - Receive frame counter -
unicast key		
@33	0-0:43.1.1.255 1	Security - Receive frame counter -
broadcast key		
@388	0-0:44.0.0.255 18	Image transfer
@416	1-0:0.2.8.255 1	Active firmware signature
@	1-65:0.132.0.255 3	
@2199	0-0:29.0.0.255 90	G3-PLC MAC layer counters
@2212	0-0:29.1.0.255 91	G3-PLC MAC setup
@2237	0-0:29.2.0.255 92	G3-PLC MAC 6LoWPAN adaptation layer setup
@2172	0-0:25.2.0.255 43	MAC address setup
@2163	0-0:2.1.0.255 29	Auto connect

\*\*\*\*\*  
Test Case 4 : Get public attributes, 15 item(s)  
\*\*\*\*\*

Public Get SAP Assignment 0-0:41.0.0.255 (@4)  
(1) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0000290000FF" />
</Data>
```

(2) .SAP\_assignment\_list  
PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <OctetString Value="\YTL1030000010001" />
    </Structure>
```



```
    </Array>
  </Data>
```

Public Get Current association 0-0:40.0.0.255 (@9)

(3) .logical\_name

PASSED

```
  <Data>
    <OctetString Value="0000280000FF" />
  </Data>
```

(4) .associated\_partners\_id

PASSED

```
  <Data>
    <Structure Qty="0002" >
      <Integer Value="10" />
      <LongUnsigned Value="0001" />
    </Structure>
  </Data>
```

(5) .application\_context\_name

PASSED

```
  <Data>
    <OctetString Value="60857405080101" />
  </Data>
```

(6) .xDLMS\_context\_info

PASSED

```
  <Data>
    <Structure Qty="0006" >
      <BitString Value="0000000000010000000010000" />
      <LongUnsigned Value="00FA" />
      <LongUnsigned Value="00DC" />
      <Unsigned Value="06" />
      <Integer Value="00" />
      <OctetString Value="" />
    </Structure>
  </Data>
```

(7) .authentication\_mechanism\_name

PASSED

```
  <Data>
    <OctetString Value="60857405080200" />
  </Data>
```

(8) .association\_status

PASSED

```
  <Data>
    <Enum Value="02" />
  </Data>
```

(9) .security\_setup\_reference

PASSED

```
  <Data>
    <OctetString Value="00002B0000FF" />
  </Data>
```

Public Get Security - Receive frame counter - broadcast key 0-0:43.1.1.255 (@33)

(10) .logical\_name

PASSED

```
    <Data>
      <OctetString Value="00002B0101FF" />
    </Data>
(11) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
```

Public Get Security - Receive frame counter - unicast key 0-0:43.1.0.255 (@37)

```
(12) .logical_name
PASSED
    <Data>
      <OctetString Value="00002B0100FF" />
    </Data>
(13) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="62EA7222" />
    </Data>
```

Public Get COSEM logical device name 0-0:42.0.0.255 (@42)

```
(14) .logical_name
PASSED
    <Data>
      <OctetString Value="00002A0000FF" />
    </Data>
(15) .value
PASSED
    <Data>
      <OctetString Value="\YTL1030000010001" />
    </Data>
```

\*\*\*\*\*  
Test Case 5 : Get mngmt attributes, 1314 item(s)  
\*\*\*\*\*

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)

```
(1) .logical_name
PASSED
    <Data>
      <OctetString Value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list
PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0001" />
          <OctetString Value="\YTL1030000010001" />
        </Structure>
      </Array>
    </Data>
```

Mngmt Get Current association 0-0:40.0.0.255 (@9)

(3) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000280000FF" />
</Data>
```

(4) .associated\_partners\_id

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <LongUnsigned Value="0001" />
  </Structure>
</Data>
```

(5) .application\_context\_name

PASSED

```
<Data>
  <OctetString Value="60857405080103" />
</Data>
```

(6) .xDLMS\_context\_info

PASSED

```
<Data>
  <Structure Qty="0006" >
    <BitString Value="011000000001111010011111" />
    <LongUnsigned Value="00FA" />
    <LongUnsigned Value="00DC" />
    <Unsigned Value="06" />
    <Integer Value="00" />
    <OctetString Value="" />
  </Structure>
</Data>
```

(7) .authentication\_mechanism\_name

PASSED

```
<Data>
  <OctetString Value="60857405080205" />
</Data>
```

(8) .association\_status

PASSED

```
<Data>
  <Enum Value="02" />
</Data>
```

(9) .security\_setup\_reference

PASSED

```
<Data>
  <OctetString Value="00002B0000FF" />
</Data>
```

Mngmt Get Security setup 0-0:43.0.0.255 (@24)

(10) .logical\_name

PASSED

```
<Data>
  <OctetString Value="00002B0000FF" />
</Data>
```

(11) .security\_policy

PASSED

```
<Data>
  <Enum Value="00" />
</Data>
```

(12) .security\_suite

PASSED

```
<Data>
  <Enum Value="00" />
</Data>
```

(13) .client\_system\_title

PASSED

```
<Data>
  <OctetString Value="58585A0102030405" />
</Data>
```

(14) .server\_system\_title

PASSED

```
<Data>
  <OctetString Value="59544C6700002711" />
</Data>
```

Mngmt Get Security - Receive frame counter - broadcast key 0-0:43.1.1.255

(@33)

(15) .logical\_name

PASSED

```
<Data>
  <OctetString Value="00002B0101FF" />
</Data>
```

(16) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

Mngmt Get Security - Receive frame counter - unicast key 0-0:43.1.0.255

(@37)

(17) .logical\_name

PASSED

```
<Data>
  <OctetString Value="00002B0100FF" />
</Data>
```

(18) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="62EA7286" />
</Data>
```

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)

(19) .logical\_name

PASSED

```
<Data>
  <OctetString Value="00002A0000FF" />
</Data>
```

(20) .value

PASSED

```
<Data>  
  <OctetString Value="\YTL1030000010001" />  
</Data>
```

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)

(21) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="0000600100FF" />  
</Data>
```

(22) .value

PASSED

```
<Data>  
  <OctetString Value="\000000010001" />  
</Data>
```

Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)

(23) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="0000600101FF" />  
</Data>
```

(24) .value

PASSED

```
<Data>  
  <OctetString Value="\000000010001" />  
</Data>
```

Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)

(25) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="0000600102FF" />  
</Data>
```

(26) .value

PASSED

```
<Data>  
  <OctetString Value="\00000000" />  
</Data>
```

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)

(27) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="0000600103FF" />  
</Data>
```

(28) .value

PASSED

```
<Data>  
  <OctetString Value="\00000000" />  
</Data>
```

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)

(29) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000600104FF" />
</Data>
```

(30) .value

PASSED

```
<Data>
  <OctetString Value="\00000000" />
</Data>
```

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)

(31) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000600105FF" />
</Data>
```

(32) .value

PASSED

```
<Data>
  <OctetString Value="\00000000" />
</Data>
```

Mngmt Get Currently active energy tariff 0-0:96.14.0.255 (@70)

(33) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000600E00FF" />
</Data>
```

(34) .value

PASSED

```
<Data>
  <OctetString Value="\R1" />
</Data>
```

Mngmt Get Clock 0-0:1.0.0.255 (@75)

(35) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000010000FF" />
</Data>
```

(36) .time

PASSED

```
<Data>
  <OctetString Value="07E50A0C0212072A00FF8880" />
</Data>
```

(37) .time\_zone

PASSED

```
<Data>
  <Long Value="FFC4" />
</Data>
```

(38) .status

PASSED

```
<Data>
```

```
        <Unsigned Value="80" />
    </Data>
(39) .daylights_savings_begin
PASSED
    <Data>
        <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(40) .daylights_savings_end
PASSED
    <Data>
        <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(41) .daylights_savings_deviation
PASSED
    <Data>
        <Integer Value="3C" />
    </Data>
(42) .daylights_savings_enabled
PASSED
    <Data>
        <Boolean Value="01" />
    </Data>
(43) .clock_base
PASSED
    <Data>
        <Enum Value="01" />
    </Data>
```

```
Mngmt Get Local Time 1-0:0.9.1.255 (@86)
(44) .logical_name
INAPPLICABLE
    Optional object is not implemented
(45) .value
INAPPLICABLE
    Optional object is not implemented
```

```
Mngmt Get Local Date 1-0:0.9.2.255 (@90)
(46) .logical_name
INAPPLICABLE
    Optional object is not implemented
(47) .value
INAPPLICABLE
    Optional object is not implemented
```

```
Mngmt Get Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(48) .logical_name
PASSED
    <Data>
        <OctetString Value="010000090BFF" />
    </Data>
(49) .value
PASSED
    <Data>
        <Unsigned Value="3C" />
```

```

    </Data>
(50) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get NTP setup 0-0:25.10.0.255 (@100)
(51) .logical_name
INAPPLICABLE
    Optional object is not implemented
(52) .activated
INAPPLICABLE
    Optional object is not implemented
(53) .server_address
INAPPLICABLE
    Optional object is not implemented
(54) .server_port
INAPPLICABLE
    Optional object is not implemented
(55) .authentication_method
INAPPLICABLE
    Optional object is not implemented

Mngmt Get Activity Calendar 0-0:13.0.0.255 (@112)
(56) .logical_name
PASSED
    <Data>
        <OctetString Value="00000D0000FF" />
    </Data>
(57) .calendar_name_active
PASSED
    <Data>
        <OctetString Value="\000000" />
    </Data>
(58) .season_profile_active
PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFF0314FFFFFFFFFFFF800000" />
                <OctetString Value="01" />
            </Structure>
        </Array>
    </Data>
(59) .week_profile_table_active
PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0008" >

```



```

    <OctetString Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="02" />
  </Structure>
</Array>
</Data>
(60) .day_profile_table_active
PASSED
<Data>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Unsigned Value="01" />
      <Array Qty="0003" >
        <Structure Qty="0003" >
          <OctetString Value="00000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0002" />
        </Structure>
        <Structure Qty="0003" >
          <OctetString Value="09000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0001" />
        </Structure>
        <Structure Qty="0003" >
          <OctetString Value="16000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0002" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <Unsigned Value="02" />
      <Array Qty="0003" >
        <Structure Qty="0003" >
          <OctetString Value="00000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0003" />
        </Structure>
        <Structure Qty="0003" >
          <OctetString Value="09000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0003" />
        </Structure>
        <Structure Qty="0003" >
          <OctetString Value="16000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0003" />
        </Structure>
      </Array>
    </Structure>
  </Array>

```

```

        </Structure>
    </Array>
</Data>
(61) .calendar_name_passive
PASSED
    <Data>
        <OctetString Value="\000000" />
    </Data>
(62) .season_profile_passive
PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFF0314FFFFFFFFFFFF800000" />
                <OctetString Value="01" />
            </Structure>
        </Array>
    </Data>
(63) .week_profile_table_passive
PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0008" >
                <OctetString Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="01" />
                <Unsigned Value="02" />
                <Unsigned Value="02" />
            </Structure>
        </Array>
    </Data>
(64) .day_profile_table_passive
PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0002" >
                <Unsigned Value="01" />
            </Structure>
            <Array Qty="0003" >
                <Structure Qty="0003" >
                    <OctetString Value="00000000" />
                    <OctetString Value="00000A0064FF" />
                    <LongUnsigned Value="0002" />
                </Structure>
                <Structure Qty="0003" >
                    <OctetString Value="09000000" />
                    <OctetString Value="00000A0064FF" />
                    <LongUnsigned Value="0001" />
                </Structure>
                <Structure Qty="0003" >
                    <OctetString Value="16000000" />
                </Structure>
            </Array>
        </Array>
    </Data>

```

```

        <OctetString Value="00000A0064FF" />
        <LongUnsigned Value="0002" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
    <Unsigned Value="02" />
    <Array Qty="0003" >
        <Structure Qty="0003" >
            <OctetString Value="00000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0003" />
        </Structure>
        <Structure Qty="0003" >
            <OctetString Value="09000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0003" />
        </Structure>
        <Structure Qty="0003" >
            <OctetString Value="16000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0003" />
        </Structure>
    </Array>
</Structure>
</Array>
</Data>
(65) .activate_passive_calendar_time
PASSED
    <Data>
        <OctetString Value="07DF01010000000000000000" />
    </Data>

Mngmt Get Special Days Table 0-0:11.0.0.255 (@125)
(66) .logical_name
PASSED
    <Data>
        <OctetString Value="00000B0000FF" />
    </Data>
(67) .entries
PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>

Mngmt Get Register activation - Energy 0-0:14.0.1.255 (@129)
(68) .logical_name
PASSED
    <Data>
        <OctetString Value="00000E0001FF" />
    </Data>
(69) .register_assignment
PASSED

```

```
<_Data>
  <Array Qty="0020" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010802FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010803FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010804FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020801FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020802FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020803FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020804FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100030801FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100030802FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100030803FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100030804FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100040801FF" />
    </Structure>
  </Array>

```

```
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100100801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100100802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100100803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100100804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010800FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020800FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
```

```

    <OctetString Value="0100030800FF" />
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="0100040800FF" />
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="0100050800FF" />
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="0100060800FF" />
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="0100070800FF" />
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <OctetString Value="0100080800FF" />
  </Structure>
</Array>
</_Data>
(70) .mask_list
PASSED
<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\R1" />
      <Array Qty="0006" >
        <Unsigned Value="01" />
        <Unsigned Value="05" />
        <Unsigned Value="09" />
        <Unsigned Value="0D" />
        <Unsigned Value="11" />
        <Unsigned Value="15" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\R2" />
      <Array Qty="0006" >
        <Unsigned Value="02" />
        <Unsigned Value="06" />
        <Unsigned Value="0A" />
        <Unsigned Value="0E" />
        <Unsigned Value="12" />
        <Unsigned Value="16" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\R3" />
      <Array Qty="0006" >
        <Unsigned Value="03" />

```

```

        <Unsigned Value="07" />
        <Unsigned Value="0B" />
        <Unsigned Value="0F" />
        <Unsigned Value="13" />
        <Unsigned Value="17" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R4" />
    <Array Qty="0006" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
        <Unsigned Value="10" />
        <Unsigned Value="14" />
        <Unsigned Value="18" />
    </Array>
</Structure>
</Array>
</Data>
(71) .active_mask
PASSED
    <Data>
        <OctetString Value="\R1" />
    </Data>

Mngmt Get Register activation - Maximum Demand 0-0:14.0.2.255 (@135)
(72) .logical_name
PASSED
    <Data>
        <OctetString Value="00000E0002FF" />
    </Data>
(73) .register_assignment
PASSED
    <_Data>
        <Array Qty="0014" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010601FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010602FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010603FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010604FF" />
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0003" />
            </Structure>
        </Array>
    </_Data>

```

```
<OctetString Value="0100020601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040602FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040604FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0601FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0602FF" />
</Structure>
```



```
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0603FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="01000F0604FF" />
</Structure>
</Array>
</_Data>
(74) .mask_list
PASSED
```

```
<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\R1" />
      <Array Qty="0005" >
        <Unsigned Value="01" />
        <Unsigned Value="05" />
        <Unsigned Value="09" />
        <Unsigned Value="0D" />
        <Unsigned Value="11" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\R2" />
      <Array Qty="0005" >
        <Unsigned Value="02" />
        <Unsigned Value="06" />
        <Unsigned Value="0A" />
        <Unsigned Value="0E" />
        <Unsigned Value="12" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\R3" />
      <Array Qty="0005" >
        <Unsigned Value="03" />
        <Unsigned Value="07" />
        <Unsigned Value="0B" />
        <Unsigned Value="0F" />
        <Unsigned Value="13" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="\R4" />
      <Array Qty="0005" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
        <Unsigned Value="10" />
        <Unsigned Value="14" />
      </Array>
    </Structure>
  </Array>
```

```

        </Array>
    </Data>
(75) .active_mask
PASSED
    <Data>
        <OctetString Value="\R1" />
    </Data>

Mngmt Get Tariffication script table 0-0:10.0.100.255 (@141)
(76) .logical_name
PASSED
    <Data>
        <OctetString Value="00000A0064FF" />
    </Data>
(77) .scripts
PASSED
    <_Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0002" >
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0001FF" />
                        <Integer Value="04" />
                        <OctetString Value="\R1" />
                    </Structure>
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0002FF" />
                        <Integer Value="04" />
                        <OctetString Value="\R1" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0002" />
                <Array Qty="0002" >
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0001FF" />
                        <Integer Value="04" />
                        <OctetString Value="\R2" />
                    </Structure>
                    <Structure Qty="0005" >
                        <Enum Value="01" />
                        <LongUnsigned Value="0006" />
                        <OctetString Value="00000E0002FF" />
                        <Integer Value="04" />
                        <OctetString Value="\R2" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </_Data>

```

```

    </Array>
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <Array Qty="0002" >
      <Structure Qty="0005" >
        <Enum Value="01" />
        <LongUnsigned Value="0006" />
        <OctetString Value="00000E0001FF" />
        <Integer Value="04" />
        <OctetString Value="\R3" />
      </Structure>
      <Structure Qty="0005" >
        <Enum Value="01" />
        <LongUnsigned Value="0006" />
        <OctetString Value="00000E0002FF" />
        <Integer Value="04" />
        <OctetString Value="\R3" />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <Array Qty="0002" >
      <Structure Qty="0005" >
        <Enum Value="01" />
        <LongUnsigned Value="0006" />
        <OctetString Value="00000E0001FF" />
        <Integer Value="04" />
        <OctetString Value="\R4" />
      </Structure>
      <Structure Qty="0005" >
        <Enum Value="01" />
        <LongUnsigned Value="0006" />
        <OctetString Value="00000E0002FF" />
        <Integer Value="04" />
        <OctetString Value="\R4" />
      </Structure>
    </Array>
  </Structure>
</Array>
</_Data>

```

Mngmt Get Predefined Scripts - MDI reset / end of billing period

0-0:10.0.1.255 (@147)

(78) .logical\_name

PASSED

```

  <Data>
    <OctetString Value="00000A0001FF" />
  </Data>

```

(79) .scripts

INAPPLICABLE

Optional access right not available

Mngmt Get End of billing period 1 scheduler 0-0:15.0.0.255 (@152)

(80) .logical\_name

PASSED

```
<Data>
  <OctetString Value="00000F0000FF" />
</Data>
```

(81) .executed\_script

PASSED

```
<Data>
  <Structure Qty="0002" >
    <OctetString Value="00000A0001FF" />
    <LongUnsigned Value="0001" />
  </Structure>
</Data>
```

(82) .type

PASSED

```
<Data>
  <Enum Value="01" />
</Data>
```

(83) .execution\_time

PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <OctetString Value="00000000" />
      <OctetString Value="FFFFFF01FF" />
    </Structure>
  </Array>
</Data>
```

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@158)

(84) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000620100FF" />
</Data>
```

(85) .capture\_objects

PASSED

```
<Data>
  <Array Qty="0005" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
    </Structure>
  </Array>
```

```

        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(86) .capture_period
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(87) .sort_method
PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(88) .sort_object
PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(89) .entries_in_use
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000006" />
    </Data>
(90) .profile_entries
PASSED
    <Data>
        <DoubleLongUnsigned Value="0000000D" />
    </Data>

Mngmt Get Disconnect control scheduler 0-0:15.0.1.255 (@170)
(91) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
(92) .executed_script

```

INAPPLICABLE

Object is not required according to OM and/or extensions

(93) .type

INAPPLICABLE

Object is not required according to OM and/or extensions

(94) .execution\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Disconnect script table 0-0:10.0.106.255 (@176)

(95) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(96) .scripts

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Disconnect control 0-0:96.3.10.255 (@181)

(97) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(98) .output\_state

INAPPLICABLE

Object is not required according to OM and/or extensions

(99) .control\_state

INAPPLICABLE

Object is not required according to OM and/or extensions

(100) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Event Object - Disconnect Control log 0-0:96.11.2.255 (@189)

(101) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(102) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@193)

(103) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(104) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions

(105) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions

(106) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions

(107) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(108) .entries\_in\_use  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(109) .profile\_entries  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Load Mgmt script table 0-0:10.0.103.255 (@204)  
(110) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(111) .scripts  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Load Mgmt - Relay control 1 0-1:96.3.10.255 (@209)  
(112) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(113) .output\_state  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(114) .control\_state  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(115) .control\_mode  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Load Mgmt - Relay control 2 0-2:96.3.10.255 (@217)  
(116) .logical\_name  
INAPPLICABLE

Optional object is not implemented  
(117) .output\_state  
INAPPLICABLE

Optional object is not implemented  
(118) .control\_state  
INAPPLICABLE

Optional object is not implemented  
(119) .control\_mode  
INAPPLICABLE

Optional object is not implemented

Mngmt Get Limiter 0-0:17.0.0.255 (@225)  
(120) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(121) .monitored\_value  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(122) .threshold\_active  
INAPPLICABLE

Object is not required according to OM and/or extensions

(123) .threshold\_normal  
INAPPLICABLE

Object is not required according to OM and/or extensions

(124) .treshold\_emergency  
INAPPLICABLE

Object is not required according to OM and/or extensions

(125) .min\_over\_threshold\_duration  
INAPPLICABLE

Object is not required according to OM and/or extensions

(126) .min\_under\_threshold\_duration  
INAPPLICABLE

Object is not required according to OM and/or extensions

(127) .emergency\_profile  
INAPPLICABLE

Object is not required according to OM and/or extensions

(128) .emergency\_profile\_group\_id\_list  
INAPPLICABLE

Object is not required according to OM and/or extensions

(129) .emergency\_profile\_active  
INAPPLICABLE

Object is not required according to OM and/or extensions

(130) .actions  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Supervision monitor 1 - Fuse supervision L1 1-0:31.4.0.255 (@238)

(131) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions

(132) .thresholds  
INAPPLICABLE

Object is not required according to OM and/or extensions

(133) .monitored\_value  
INAPPLICABLE

Object is not required according to OM and/or extensions

(134) .actions  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Supervision monitor 2 - Fuse supervision L2 1-0:51.4.0.255 (@244)

(135) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions

(136) .thresholds  
INAPPLICABLE

Object is not required according to OM and/or extensions

(137) .monitored\_value  
INAPPLICABLE

Object is not required according to OM and/or extensions

(138) .actions  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Supervision monitor 3 - Fuse supervision L3 1-0:71.4.0.255 (@250)



(139) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(140) .thresholds  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(141) .monitored\_value  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(142) .actions  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get Error Register 0-0:97.97.0.255 (@257)  
(143) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000616100FF" />  
</Data>  
(144) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

Mngmt Get Alarm Register 1 0-0:97.98.0.255 (@261)  
(145) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000616200FF" />  
</Data>  
(146) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

Mngmt Get Alarm Filter 1 0-0:97.98.10.255 (@265)  
(147) .logical\_name  
PASSED  
<Data>  
<OctetString Value="000061620AFF" />  
</Data>  
(148) .value  
PASSED  
<Data>  
<DoubleLongUnsigned Value="00000000" />  
</Data>

Mngmt Get Alarm Descriptor 1 0-0:97.98.20.255 (@269)  
(149) .logical\_name  
PASSED  
<Data>  
<OctetString Value="0000616214FF" />

```

    </Data>
(150) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Alarm Monitor 1 0-0:16.1.0.255 (@273)
(151) .logical_name
PASSED
    <Data>
        <OctetString Value="0000100100FF" />
    </Data>
(152) .thresholds
PASSED
    <Data>
        <Array Qty="0001" >
            <DoubleLongUnsigned Value="00000000" />
        </Array>
    </Data>
(153) .monitored_value
PASSED
    <Data>
        <Structure Qty="0003" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000616214FF" />
            <Integer Value="02" />
        </Structure>
    </Data>
(154) .actions
PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Structure Qty="0002" >
                    <OctetString Value="00000A006CFF" />
                    <LongUnsigned Value="0004" />
                </Structure>
                <Structure Qty="0002" >
                    <OctetString Value="00000A006CFF" />
                    <LongUnsigned Value="0000" />
                </Structure>
            </Structure>
        </Array>
    </Data>

Mngmt Get Alarm Register 2 0-0:97.98.1.255 (@279)
(155) .logical_name
PASSED
    <Data>
        <OctetString Value="0000616201FF" />
    </Data>
(156) .value
PASSED

```

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Alarm Filter 2 0-0:97.98.11.255 (@283)
(157) .logical_name
PASSED
    <Data>
      <OctetString Value="000061620BFF" />
    </Data>
(158) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Alarm Descriptor 2 0-0:97.98.21.255 (@287)
(159) .logical_name
PASSED
    <Data>
      <OctetString Value="0000616215FF" />
    </Data>
(160) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Get Alarm Monitor 2 0-0:16.1.1.255 (@291)
(161) .logical_name
PASSED
    <Data>
      <OctetString Value="0000100101FF" />
    </Data>
(162) .thresholds
PASSED
    <Data>
      <Array Qty="0001" >
        <DoubleLongUnsigned Value="00000000" />
      </Array>
    </Data>
(163) .monitored_value
PASSED
    <Data>
      <Structure Qty="0003" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000616215FF" />
        <Integer Value="02" />
      </Structure>
    </Data>
(164) .actions
PASSED
    <Data>
      <Array Qty="0001" >

```

```
<Structure Qty="0002" >
  <Structure Qty="0002" >
    <OctetString Value="00000A006CFF" />
    <LongUnsigned Value="0004" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="00000A006CFF" />
    <LongUnsigned Value="0000" />
  </Structure>
</Structure>
</Array>
</Data>
```

Mngmt Get Event Object - Standard Event Log 0-0:96.11.0.255 (@297)  
(165) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0000600B00FF" />
</Data>
```

(166) .value  
PASSED

```
<Data>
  <Enum Value="2F" />
</Data>
```

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@301)  
(167) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0000636200FF" />
</Data>
```

(168) .capture\_objects  
PASSED

```
<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600B00FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

(169) .capture\_period  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(170) .sort\_method  
PASSED

```
<Data>  
  <Enum Value="01" />  
</Data>
```

(171) .sort\_object  
PASSED

```
<Data>  
  <Structure Qty="0004" >  
    <LongUnsigned Value="0008" />  
    <OctetString Value="0000010000FF" />  
    <Integer Value="02" />  
    <LongUnsigned Value="0000" />  
  </Structure>  
</Data>
```

(172) .entries\_in\_use  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000007" />  
</Data>
```

(173) .profile\_entries  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000064" />  
</Data>
```

Mngmt Get Event Object - Fraud Detection Log 0-0:96.11.1.255 (@312)

(174) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0000600B01FF" />  
</Data>
```

(175) .value  
PASSED

```
<Data>  
  <Enum Value="29" />  
</Data>
```

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@316)

(176) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0000636201FF" />  
</Data>
```

(177) .capture\_objects  
PASSED

```
<Data>  
  <Array Qty="0002" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0008" />  
      <OctetString Value="0000010000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>
```

```

        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600B01FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>
(178) .capture_period
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(179) .sort_method
PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(180) .sort_object
PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(181) .entries_in_use
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>
(182) .profile_entries
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000064" />
    </Data>

Mngmt Get Event Object - Communication Log 0-0:96.11.5.255 (@327)
(183) .logical_name
PASSED
    <Data>
        <OctetString Value="0000600B05FF" />
    </Data>
(184) .value
PASSED
    <Data>
        <Enum Value="9E" />
    </Data>

Mngmt Get Communication Log 0-0:99.98.5.255 (@331)
(185) .logical_name
PASSED

```

```

    <Data>
      <OctetString Value="0000636205FF" />
    </Data>
(186) .capture_objects
PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600B05FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(187) .capture_period
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(188) .sort_method
PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(189) .sort_object
PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(190) .entries_in_use
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000007" />
    </Data>
(191) .profile_entries
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000064" />
    </Data>

Mngmt Get Consumer Message Code - Meter Display 0-0:96.13.1.255 (@343)
(192) .logical_name

```

PASSED

```
<Data>
  <OctetString Value="0000600D01FF" />
</Data>
```

(193) .value

PASSED

```
<Data>
  <OctetString Value="313233343536373800" />
</Data>
```

Mngmt Get Consumer Message Text - Consumer Information 0-0:96.13.0.255 (@347)

(194) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000600D00FF" />
</Data>
```

(195) .value

PASSED

```
<Data>
  <OctetString Value="436F6E73756D65724D657373616765436F646500" />
</Data>
```

Mngmt Get Push action scheduler - Consumer Information 0-4:15.0.4.255 (@351)

(196) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(197) .executed\_script

INAPPLICABLE

Object is not required according to OM and/or extensions

(198) .type

INAPPLICABLE

Object is not required according to OM and/or extensions

(199) .execution\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Push setup - Consumer Information 0-6:25.9.0.255 (@357)

(200) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(201) .push\_object\_list

INAPPLICABLE

Object is not required according to OM and/or extensions

(202) .send\_destination\_and\_method

INAPPLICABLE

Object is not required according to OM and/or extensions

(203) .communication\_window

INAPPLICABLE

Object is not required according to OM and/or extensions

(204) .randomisation\_start\_interval

INAPPLICABLE

Object is not required according to OM and/or extensions

(205) .number\_of\_retries

INAPPLICABLE



Object is not required according to OM and/or extensions  
(206) .repetition\_delay

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Security setup - Consumer Information 0-0:43.0.1.255 (@367)  
(207) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(208) .security\_policy

INAPPLICABLE

Object is not required according to OM and/or extensions  
(209) .security\_suite

INAPPLICABLE

Object is not required according to OM and/or extensions  
(210) .client\_system\_title

INAPPLICABLE

Object is not required according to OM and/or extensions  
(211) .server\_system\_title

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get IEC HDLC setup - Consumer Information Interface 0-1:22.0.0.255  
(@376)

(212) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(213) .comm\_speed

INAPPLICABLE

Object is not required according to OM and/or extensions  
(214) .window\_size\_transmit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(215) .window\_size\_receive

INAPPLICABLE

Object is not required according to OM and/or extensions  
(216) .max\_info\_field\_lenght\_transmit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(217) .max\_info\_field\_lenght\_receive

INAPPLICABLE

Object is not required according to OM and/or extensions  
(218) .inter\_octet\_time\_out

INAPPLICABLE

Object is not required according to OM and/or extensions  
(219) .inactivity\_time\_out

INAPPLICABLE

Object is not required according to OM and/or extensions  
(220) .device\_address

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Image transfer 0-0:44.0.0.255 (@388)  
(221) .logical\_name



Mngmt Get Image transfer activation scheduler 0-0:15.0.2.255 (@401)

(228) .logical\_name

PASSED

```
<Data>
  <OctetString Value="00000F002FF" />
</Data>
```

(229) .executed\_script

PASSED

```
<Data>
  <Structure Qty="0002" >
    <OctetString Value="00000A006BFF" />
    <LongUnsigned Value="0001" />
  </Structure>
</Data>
```

(230) .type

PASSED

```
<Data>
  <Enum Value="01" />
</Data>
```

(231) .execution\_time

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

Mngmt Get Predefined Scripts - Image activation 0-0:10.0.107.255 (@407)

(232) .logical\_name

PASSED

```
<Data>
  <OctetString Value="00000A006BFF" />
</Data>
```

(233) .scripts

INAPPLICABLE

Optional access right not available

Mngmt Get Active firmware identifier 1-0:0.2.0.255 (@412)

(234) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100000200FF" />
</Data>
```

(235) .value

PASSED

```
<Data>
  <OctetString Value="\3P4W,1.5(6)A,G3PLC-210922.01" />
</Data>
```

Mngmt Get Active firmware signature 1-0:0.2.8.255 (@416)

(236) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100000208FF" />
</Data>
```

(237) .value  
PASSED  
    <Data>  
        <OctetString Value="\aj" />  
    </Data>

Mngmt Get Active firmware identifier 1 1-1:0.2.0.255 (@420)  
(238) .logical\_name  
INAPPLICABLE  
    Optional object is not implemented  
(239) .value  
INAPPLICABLE  
    Optional object is not implemented

Mngmt Get Active firmware signature 1 1-1:0.2.8.255 (@424)  
(240) .logical\_name  
INAPPLICABLE  
    Optional object is not implemented  
(241) .value  
INAPPLICABLE  
    Optional object is not implemented

Mngmt Get Active firmware identifier 2 1-2:0.2.0.255 (@428)  
(242) .logical\_name  
INAPPLICABLE  
    Optional object is not implemented  
(243) .value  
INAPPLICABLE  
    Optional object is not implemented

Mngmt Get Active firmware signature 2 1-2:0.2.8.255 (@432)  
(244) .logical\_name  
INAPPLICABLE  
    Optional object is not implemented  
(245) .value  
INAPPLICABLE  
    Optional object is not implemented

Mngmt Get Active energy import (+A) 1-0:1.8.0.255 (@437)  
(246) .logical\_name  
PASSED  
    <Data>  
        <OctetString Value="0100010800FF" />  
    </Data>  
(247) .value  
PASSED  
    <Data>  
        <DoubleLongUnsigned Value="00000000" />  
    </Data>  
(248) .scaler\_unit  
PASSED  
    <Data>  
        <Structure Qty="0002" >  
            <Integer Value="00" />

```
        <Enum Value="1E" />
    </Structure>
</Data>
```

Mngmt Get Active energy export (-A) 1-0:2.8.0.255 (@443)  
(249) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="0100020800FF" />
    </Data>
```

(250) .value

PASSED

```
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
```

(251) .scaler\_unit

PASSED

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>
```

Mngmt Get Active energy (|+A|+|-A|) Combined total 1-0:15.8.0.255 (@449)  
(252) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="01000F0800FF" />
    </Data>
```

(253) .value

PASSED

```
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
```

(254) .scaler\_unit

PASSED

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>
```

Mngmt Get Active energy (|+A|-|-A|) Combined total 1-0:16.8.0.255 (@455)  
(255) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="0100100800FF" />
    </Data>
```

(256) .value

PASSED

```
    <Data>
        <DoubleLong Value="00000000" />
```

```
    </Data>
(257) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1E" />
      </Structure>
    </Data>

Mngmt Get Reactive energy QI (+Ri) 1-0:5.8.0.255 (@461)
(258) .logical_name
PASSED
    <Data>
      <OctetString Value="0100050800FF" />
    </Data>
(259) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(260) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy QII (+Rc) 1-0:6.8.0.255 (@467)
(261) .logical_name
PASSED
    <Data>
      <OctetString Value="0100060800FF" />
    </Data>
(262) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(263) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy QIII (-Ri) 1-0:7.8.0.255 (@473)
(264) .logical_name
PASSED
    <Data>
```

```
        <OctetString Value="0100070800FF" />
    </Data>
(265) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(266) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>
```

```
Mngmt Get Reactive energy QIV (-Rc) 1-0:8.8.0.255 (@479)
(267) .logical_name
PASSED
```

```
    <Data>
        <OctetString Value="0100080800FF" />
    </Data>
(268) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(269) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>
```

```
Mngmt Get Reactive energy import (+R) (QI+QII) 1-0:3.8.0.255 (@485)
(270) .logical_name
PASSED
```

```
    <Data>
        <OctetString Value="0100030800FF" />
    </Data>
(271) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(272) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
```

```

    </Data>

Mngmt Get Reactive energy export (-R) (QIII+QIV) 1-0:4.8.0.255 (@491)
(273) .logical_name
PASSED
    <Data>
        <OctetString Value="0100040800FF" />
    </Data>
(274) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(275) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA) (QI+QIV) 1-0:9.8.0.255 (@497)
(276) .logical_name
INAPPLICABLE
    Optional object is not implemented
(277) .value
INAPPLICABLE
    Optional object is not implemented
(278) .scaler_unit
INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy export (-VA) (QII+QIII) 1-0:10.8.0.255 (@503)
(279) .logical_name
INAPPLICABLE
    Optional object is not implemented
(280) .value
INAPPLICABLE
    Optional object is not implemented
(281) .scaler_unit
INAPPLICABLE
    Optional object is not implemented

Mngmt Get Active energy import (+A) rate 1 1-0:1.8.1.255 (@510)
(282) .logical_name
PASSED
    <Data>
        <OctetString Value="0100010801FF" />
    </Data>
(283) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />

```



```
</Data>
(284) .scaler_unit
PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy import (+A) rate 2 1-0:1.8.2.255 (@516)
(285) .logical_name
PASSED
  <Data>
    <OctetString Value="0100010802FF" />
  </Data>
(286) .value
PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(287) .scaler_unit
PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy import (+A) rate 3 1-0:1.8.3.255 (@522)
(288) .logical_name
PASSED
  <Data>
    <OctetString Value="0100010803FF" />
  </Data>
(289) .value
PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(290) .scaler_unit
PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy import (+A) rate 4 1-0:1.8.4.255 (@528)
(291) .logical_name
PASSED
  <Data>
```

```

        <OctetString Value="0100010804FF" />
    </Data>
(292) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(293) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 1 1-0:2.8.1.255 (@534)
(294) .logical_name
PASSED
    <Data>
        <OctetString Value="0100020801FF" />
    </Data>
(295) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(296) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 2 1-0:2.8.2.255 (@540)
(297) .logical_name
PASSED
    <Data>
        <OctetString Value="0100020802FF" />
    </Data>
(298) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(299) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>

```

```
    </Data>

Mngmt Get Active energy export (-A) rate 3 1-0:2.8.3.255 (@546)
(300) .logical_name
PASSED
    <Data>
        <OctetString Value="0100020803FF" />
    </Data>
(301) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(302) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Active energy export (-A) rate 4 1-0:2.8.4.255 (@552)
(303) .logical_name
PASSED
    <Data>
        <OctetString Value="0100020804FF" />
    </Data>
(304) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(305) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1E" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (+R) rate 1 1-0:3.8.1.255 (@558)
(306) .logical_name
PASSED
    <Data>
        <OctetString Value="0100030801FF" />
    </Data>
(307) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(308) .scaler_unit
```

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>
```

Mngmt Get Reactive energy (+R) rate 2 1-0:3.8.2.255 (@564)  
(309) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100030802FF" />
</Data>
```

(310) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(311) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>
```

Mngmt Get Reactive energy (+R) rate 3 1-0:3.8.3.255 (@570)  
(312) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100030803FF" />
</Data>
```

(313) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(314) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>
```

Mngmt Get Reactive energy (+R) rate 4 1-0:3.8.4.255 (@576)  
(315) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100030804FF" />
</Data>
```

(316) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(317) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy (-R) rate 1 1-0:4.8.1.255 (@582)

(318) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100040801FF" />  
</Data>
```

(319) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(320) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy (-R) rate 2 1-0:4.8.2.255 (@588)

(321) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100040802FF" />  
</Data>
```

(322) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(323) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy (-R) rate 3 1-0:4.8.3.255 (@594)  
(324) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="0100040803FF" />  
</Data>
```

(325) .value

PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(326) .scaler\_unit

PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy (-R) rate 4 1-0:4.8.4.255 (@600)

(327) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="0100040804FF" />  
</Data>
```

(328) .value

PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(329) .scaler\_unit

PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="20" />  
  </Structure>  
</Data>
```

Mngmt Get Reactive energy (QI) rate 1 1-0:5.8.1.255 (@606)

(330) .logical\_name

INAPPLICABLE

Optional object is not implemented

(331) .value

INAPPLICABLE

Optional object is not implemented

(332) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QI) rate 2 1-0:5.8.2.255 (@612)

(333) .logical\_name

INAPPLICABLE

Optional object is not implemented  
(334) .value  
INAPPLICABLE  
Optional object is not implemented  
(335) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QI) rate 3 1-0:5.8.3.255 (@618)  
(336) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(337) .value  
INAPPLICABLE  
Optional object is not implemented  
(338) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QI) rate 4 1-0:5.8.4.255 (@624)  
(339) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(340) .value  
INAPPLICABLE  
Optional object is not implemented  
(341) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QII) rate 1 1-0:6.8.1.255 (@630)  
(342) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(343) .value  
INAPPLICABLE  
Optional object is not implemented  
(344) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QII) rate 2 1-0:6.8.2.255 (@636)  
(345) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(346) .value  
INAPPLICABLE  
Optional object is not implemented  
(347) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QII) rate 3 1-0:6.8.3.255 (@642)  
(348) .logical\_name

INAPPLICABLE

Optional object is not implemented

(349) .value

INAPPLICABLE

Optional object is not implemented

(350) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QII) rate 4 1-0:6.8.4.255 (@648)

(351) .logical\_name

INAPPLICABLE

Optional object is not implemented

(352) .value

INAPPLICABLE

Optional object is not implemented

(353) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QIII) rate 1 1-0:7.8.1.255 (@654)

(354) .logical\_name

INAPPLICABLE

Optional object is not implemented

(355) .value

INAPPLICABLE

Optional object is not implemented

(356) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QIII) rate 2 1-0:7.8.2.255 (@660)

(357) .logical\_name

INAPPLICABLE

Optional object is not implemented

(358) .value

INAPPLICABLE

Optional object is not implemented

(359) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QIII) rate 3 1-0:7.8.3.255 (@666)

(360) .logical\_name

INAPPLICABLE

Optional object is not implemented

(361) .value

INAPPLICABLE

Optional object is not implemented

(362) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Reactive energy (QIII) rate 4 1-0:7.8.4.255 (@672)



(363) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(364) .value  
INAPPLICABLE  
Optional object is not implemented  
(365) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QIV) rate 1 1-0:8.8.1.255 (@678)  
(366) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(367) .value  
INAPPLICABLE  
Optional object is not implemented  
(368) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QIV) rate 2 1-0:8.8.2.255 (@684)  
(369) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(370) .value  
INAPPLICABLE  
Optional object is not implemented  
(371) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QIV) rate 3 1-0:8.8.3.255 (@690)  
(372) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(373) .value  
INAPPLICABLE  
Optional object is not implemented  
(374) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Reactive energy (QIV) rate 4 1-0:8.8.4.255 (@696)  
(375) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(376) .value  
INAPPLICABLE  
Optional object is not implemented  
(377) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 1 1-0:9.8.1.255 (@702)  
(378) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(379) .value  
INAPPLICABLE  
Optional object is not implemented  
(380) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 2 1-0:9.8.2.255 (@708)  
(381) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(382) .value  
INAPPLICABLE  
Optional object is not implemented  
(383) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 3 1-0:9.8.3.255 (@714)  
(384) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(385) .value  
INAPPLICABLE  
Optional object is not implemented  
(386) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 4 1-0:9.8.4.255 (@720)  
(387) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(388) .value  
INAPPLICABLE  
Optional object is not implemented  
(389) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 1 1-0:10.8.1.255 (@726)  
(390) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(391) .value  
INAPPLICABLE  
Optional object is not implemented  
(392) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 2 1-0:10.8.2.255 (@732)  
(393) .logical\_name

INAPPLICABLE

Optional object is not implemented

(394) .value

INAPPLICABLE

Optional object is not implemented

(395) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 3 1-0:10.8.3.255 (@738)  
(396) .logical\_name

INAPPLICABLE

Optional object is not implemented

(397) .value

INAPPLICABLE

Optional object is not implemented

(398) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 4 1-0:10.8.4.255 (@744)  
(399) .logical\_name

INAPPLICABLE

Optional object is not implemented

(400) .value

INAPPLICABLE

Optional object is not implemented

(401) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 1 1-0:15.8.1.255  
(@750)

(402) .logical\_name

INAPPLICABLE

Optional object is not implemented

(403) .value

INAPPLICABLE

Optional object is not implemented

(404) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 2 1-0:15.8.2.255  
(@756)

(405) .logical\_name

INAPPLICABLE

Optional object is not implemented

(406) .value

INAPPLICABLE

Optional object is not implemented

(407) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 3 1-0:15.8.3.255 (@762)

(408) .logical\_name  
INAPPLICABLE  
Optional object is not implemented

(409) .value  
INAPPLICABLE  
Optional object is not implemented

(410) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Active energy Combined total (|+A|+|-A|) rate 4 1-0:15.8.4.255 (@768)

(411) .logical\_name  
INAPPLICABLE  
Optional object is not implemented

(412) .value  
INAPPLICABLE  
Optional object is not implemented

(413) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Demand Register 1 - Active energy import (+A) 1-0:1.4.0.255 (@775)

(414) .logical\_name  
PASSED  
<Data>  
    <OctetString Value="0100010400FF" />  
</Data>

(415) .current\_average\_value  
PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(416) .last\_average\_value  
PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(417) .scaler\_unit  
PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="1B" />  
    </Structure>  
</Data>

(418) .status  
PASSED

```

    <Data>
      <Unsigned Value="00" />
    </Data>
(419) .capture_time
PASSED
    <Data>
      <OctetString Value="07E50A0C02120000008000FF" />
    </Data>
(420) .start_time_current
PASSED
    <Data>
      <OctetString Value="07E5070104000000008000FF" />
    </Data>
(421) .period
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(422) .number_of_periods
PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Demand Register 2 - Active energy export (-A) 1-0:2.4.0.255 (@788)
(423) .logical_name
PASSED
    <Data>
      <OctetString Value="0100020400FF" />
    </Data>
(424) .current_average_value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(425) .last_average_value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(426) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>
(427) .status
PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(428) .capture_time

```

PASSED

```
<Data>
  <OctetString Value="07E50A0C02120000008000FF" />
</Data>
```

(429) .start\_time\_current

PASSED

```
<Data>
  <OctetString Value="07E5070104000000008000FF" />
</Data>
```

(430) .period

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000384" />
</Data>
```

(431) .number\_of\_periods

PASSED

```
<Data>
  <LongUnsigned Value="0001" />
</Data>
```

Mngmt Get Demand Register 3 - Reactive energy import (+R) 1-0:3.4.0.255 (@801)

(432) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100030400FF" />
</Data>
```

(433) .current\_average\_value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(434) .last\_average\_value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(435) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1D" />
  </Structure>
</Data>
```

(436) .status

PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

(437) .capture\_time

PASSED

```
<Data>
  <OctetString Value="07E50A0C02120000008000FF" />
```

```
    </Data>
(438) .start_time_current
PASSED
    <Data>
      <OctetString Value="07E507010400000008000FF" />
    </Data>
(439) .period
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(440) .number_of_periods
PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>
```

Mngmt Get Demand Register 4 - Reactive energy export (-R) 1-0:4.4.0.255  
(@814)

```
(441) .logical_name
PASSED
    <Data>
      <OctetString Value="0100040400FF" />
    </Data>
(442) .current_average_value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(443) .last_average_value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(444) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(445) .status
PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(446) .capture_time
PASSED
    <Data>
      <OctetString Value="07E50A0C021200000008000FF" />
    </Data>
(447) .start_time_current
PASSED
```

```
    <Data>
      <OctetString Value="07E5070104000000008000FF" />
    </Data>
(448) .period
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(449) .number_of_periods
PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>
```

Mngmt Get Demand Register 5 - Apparent energy import (+VA) 1-0:9.4.0.255  
(@827)

```
(450) .logical_name
INAPPLICABLE
  Optional object is not implemented
(451) .current_average_value
INAPPLICABLE
  Optional object is not implemented
(452) .last_average_value
INAPPLICABLE
  Optional object is not implemented
(453) .scaler_unit
INAPPLICABLE
  Optional object is not implemented
(454) .status
INAPPLICABLE
  Optional object is not implemented
(455) .capture_time
INAPPLICABLE
  Optional object is not implemented
(456) .start_time_current
INAPPLICABLE
  Optional object is not implemented
(457) .period
INAPPLICABLE
  Optional object is not implemented
(458) .number_of_periods
INAPPLICABLE
  Optional object is not implemented
```

Mngmt Get Demand Register 6 - Apparent energy export (-VA) 1-0:10.4.0.255  
(@840)

```
(459) .logical_name
INAPPLICABLE
  Optional object is not implemented
(460) .current_average_value
INAPPLICABLE
  Optional object is not implemented
(461) .last_average_value
INAPPLICABLE
```



Optional object is not implemented  
(462) .scaler\_unit

INAPPLICABLE

Optional object is not implemented  
(463) .status

INAPPLICABLE

Optional object is not implemented  
(464) .capture\_time

INAPPLICABLE

Optional object is not implemented  
(465) .start\_time\_current

INAPPLICABLE

Optional object is not implemented  
(466) .period

INAPPLICABLE

Optional object is not implemented  
(467) .number\_of\_periods

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 1 - Active energy import (+A)  
1-0:1.5.0.255 (@853)

(468) .logical\_name

INAPPLICABLE

Optional object is not implemented  
(469) .value

INAPPLICABLE

Optional object is not implemented  
(470) .scaler\_unit

INAPPLICABLE

Optional object is not implemented  
(471) .status

INAPPLICABLE

Optional object is not implemented  
(472) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 2 - Active energy export (-A)  
1-0:2.5.0.255 (@861)

(473) .logical\_name

INAPPLICABLE

Optional object is not implemented  
(474) .value

INAPPLICABLE

Optional object is not implemented  
(475) .scaler\_unit

INAPPLICABLE

Optional object is not implemented  
(476) .status

INAPPLICABLE

Optional object is not implemented  
(477) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 3 - Reactive energy import (+R)

1-0:3.5.0.255 (@869)

(478) .logical\_name

INAPPLICABLE

Optional object is not implemented

(479) .value

INAPPLICABLE

Optional object is not implemented

(480) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(481) .status

INAPPLICABLE

Optional object is not implemented

(482) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 4 - Reactive energy export (-R)

1-0:4.5.0.255 (@877)

(483) .logical\_name

INAPPLICABLE

Optional object is not implemented

(484) .value

INAPPLICABLE

Optional object is not implemented

(485) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(486) .status

INAPPLICABLE

Optional object is not implemented

(487) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 5 - Apparent energy import (+VA)

1-0:9.5.0.255 (@885)

(488) .logical\_name

INAPPLICABLE

Optional object is not implemented

(489) .value

INAPPLICABLE

Optional object is not implemented

(490) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(491) .status

INAPPLICABLE

Optional object is not implemented

(492) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Demand Register 6 - Apparent energy export (-VA)  
1-0:10.5.0.255 (@893)

(493) .logical\_name

INAPPLICABLE

Optional object is not implemented

(494) .value

INAPPLICABLE

Optional object is not implemented

(495) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(496) .status

INAPPLICABLE

Optional object is not implemented

(497) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Maximum Demand Register 1 - Active energy import (+A) 1-0:1.6.0.255  
(@901)

(498) .logical\_name

PASSED

<Data>

<OctetString Value="0100010600FF" />

</Data>

(499) .value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

(500) .scaler\_unit

PASSED

<Data>

<Structure Qty="0002" >

<Integer Value="00" />

<Enum Value="1B" />

</Structure>

</Data>

(501) .status

PASSED

<Data>

<Unsigned Value="07" />

</Data>

(502) .capture\_time

PASSED

<Data>

<OctetString Value="FFFFFFFFFFFFFFFF008000FF" />

</Data>

Mngmt Get Maximum Demand Register 2 - Active energy import (+A) - rate 1  
1-0:1.6.1.255 (@909)

(503) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100010601FF" />
</Data>
```

(504) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(505) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

(506) .status

PASSED

```
<Data>
  <Unsigned Value="05" />
</Data>
```

(507) .capture\_time

PASSED

```
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
</Data>
```

Mngmt Get Maximum Demand Register 3 - Active energy import (+A) - rate 2  
1-0:1.6.2.255 (@917)

(508) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100010602FF" />
</Data>
```

(509) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(510) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

(511) .status

PASSED

```
<Data>
  <Unsigned Value="12" />
</Data>
```

(512) .capture\_time

PASSED

```
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
</Data>
```

Mngmt Get Maximum Demand Register 4 - Active energy import (+A) - rate 3  
1-0:1.6.3.255 (@925)

(513) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100010603FF" />
</Data>
```

(514) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(515) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

(516) .status

PASSED

```
<Data>
  <Unsigned Value="05" />
</Data>
```

(517) .capture\_time

PASSED

```
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
</Data>
```

Mngmt Get Maximum Demand Register 5 - Active energy import (+A) - rate 4  
1-0:1.6.4.255 (@933)

(518) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100010604FF" />
</Data>
```

(519) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(520) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

```

        </Structure>
    </Data>
(521) .status
PASSED
    <Data>
        <Unsigned Value="12" />
    </Data>
(522) .capture_time
PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 6 - Active energy export (-A) 1-0:2.6.0.255
(@941)
(523) .logical_name
PASSED
    <Data>
        <OctetString Value="0100020600FF" />
    </Data>
(524) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(525) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(526) .status
PASSED
    <Data>
        <Unsigned Value="05" />
    </Data>
(527) .capture_time
PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>

Mngmt Get Maximum Demand Register 7 - Active energy export (-A) - rate 1
1-0:2.6.1.255 (@949)
(528) .logical_name
PASSED
    <Data>
        <OctetString Value="0100020601FF" />
    </Data>
(529) .value
PASSED
    <Data>

```

```
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(530) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(531) .status
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(532) .capture_time
PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 8 - Active energy export (-A) - rate 2  
1-0:2.6.2.255 (@957)

```
(533) .logical_name
PASSED
    <Data>
        <OctetString Value="0100020602FF" />
    </Data>
(534) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(535) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>
(536) .status
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(537) .capture_time
PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 9 - Active energy export (-A) - rate 3  
1-0:2.6.3.255 (@965)

(538) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100020603FF" />  
</Data>
```

(539) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(540) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="1B" />  
  </Structure>  
</Data>
```

(541) .status  
PASSED

```
<Data>  
  <Unsigned Value="05" />  
</Data>
```

(542) .capture\_time  
PASSED

```
<Data>  
  <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />  
</Data>
```

Mngmt Get Maximum Demand Register 10 - Active energy export (-A) - rate 4  
1-0:2.6.4.255 (@973)

(543) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100020604FF" />  
</Data>
```

(544) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(545) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="1B" />  
  </Structure>  
</Data>
```

(546) .status  
PASSED

```
<Data>  
  <Unsigned Value="00" />  
</Data>
```



(547) .capture\_time  
PASSED

```
<Data>  
  <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />  
</Data>
```

Mngmt Get Maximum Demand Register 11 - Reactive energy import (+R)  
1-0:3.6.0.255 (@981)

(548) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100030600FF" />  
</Data>
```

(549) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(550) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
    <Enum Value="1D" />  
  </Structure>  
</Data>
```

(551) .status  
PASSED

```
<Data>  
  <Unsigned Value="05" />  
</Data>
```

(552) .capture\_time  
PASSED

```
<Data>  
  <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />  
</Data>
```

Mngmt Get Maximum Demand Register 12 - Reactive energy import (+R) - rate 1  
1-0:3.6.1.255 (@989)

(553) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0100030601FF" />  
</Data>
```

(554) .value  
PASSED

```
<Data>  
  <DoubleLongUnsigned Value="00000000" />  
</Data>
```

(555) .scaler\_unit  
PASSED

```
<Data>  
  <Structure Qty="0002" >  
    <Integer Value="00" />  
  </Structure>
```

```
        <Enum Value="1D" />
    </Structure>
</Data>
(556) .status
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(557) .capture_time
PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 13 - Reactive energy import (+R) - rate 2  
1-0:3.6.2.255 (@997)

```
(558) .logical_name
PASSED
    <Data>
        <OctetString Value="0100030602FF" />
    </Data>
(559) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(560) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(561) .status
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(562) .capture_time
PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 14 - Reactive energy import (+R) - rate 3  
1-0:3.6.3.255 (@1005)

```
(563) .logical_name
PASSED
    <Data>
        <OctetString Value="0100030603FF" />
    </Data>
(564) .value
PASSED
```

```
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(565) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(566) .status
PASSED
    <Data>
      <Unsigned Value="05" />
    </Data>
(567) .capture_time
PASSED
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 15 - Reactive energy import (+R) - rate 4  
1-0:3.6.4.255 (@1013)

```
(568) .logical_name
PASSED
    <Data>
      <OctetString Value="0100030604FF" />
    </Data>
(569) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(570) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(571) .status
PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(572) .capture_time
PASSED
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 16 - Reactive energy export (-R)

1-0:4.6.0.255 (@1021)

(573) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100040600FF" />
</Data>
```

(574) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(575) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1D" />
  </Structure>
</Data>
```

(576) .status

PASSED

```
<Data>
  <Unsigned Value="05" />
</Data>
```

(577) .capture\_time

PASSED

```
<Data>
  <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
</Data>
```

Mngmt Get Maximum Demand Register 17 - Reactive energy export (-R) - rate 1

1-0:4.6.1.255 (@1029)

(578) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100040601FF" />
</Data>
```

(579) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(580) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1D" />
  </Structure>
</Data>
```

(581) .status

PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

```
    </Data>
(582) .capture_time
PASSED
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 18 - Reactive energy export (-R) - rate 2  
1-0:4.6.2.255 (@1037)

```
(583) .logical_name
PASSED
    <Data>
      <OctetString Value="0100040602FF" />
    </Data>
(584) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(585) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(586) .status
PASSED
    <Data>
      <Unsigned Value="05" />
    </Data>
(587) .capture_time
PASSED
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 19 - Reactive energy export (-R) - rate 3  
1-0:4.6.3.255 (@1045)

```
(588) .logical_name
PASSED
    <Data>
      <OctetString Value="0100040603FF" />
    </Data>
(589) .value
PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(590) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
```

```
        <Integer Value="00" />
        <Enum Value="1D" />
    </Structure>
</Data>
(591) .status
PASSED
    <Data>
        <Unsigned Value="05" />
    </Data>
(592) .capture_time
PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 20 - Reactive energy export (-R) - rate 4  
1-0:4.6.4.255 (@1053)

```
(593) .logical_name
PASSED
    <Data>
        <OctetString Value="0100040604FF" />
    </Data>
(594) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(595) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(596) .status
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(597) .capture_time
PASSED
    <Data>
        <OctetString Value="FFFFFFFFFFFFFFFF008000FF" />
    </Data>
```

Mngmt Get Maximum Demand Register 21 - Apparent energy import (+VA)  
1-0:9.6.0.255 (@1061)

```
(598) .logical_name
INAPPLICABLE
    Optional object is not implemented
(599) .value
INAPPLICABLE
    Optional object is not implemented
```

(600) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(601) .status  
INAPPLICABLE  
Optional object is not implemented  
(602) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 22 - Apparent energy import (+VA) - rate 1  
1-0:9.6.1.255 (@1069)

(603) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(604) .value  
INAPPLICABLE  
Optional object is not implemented  
(605) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(606) .status  
INAPPLICABLE  
Optional object is not implemented  
(607) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 23 - Apparent energy import (+VA) - rate 2  
1-0:9.6.2.255 (@1077)

(608) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(609) .value  
INAPPLICABLE  
Optional object is not implemented  
(610) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(611) .status  
INAPPLICABLE  
Optional object is not implemented  
(612) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 24 - Apparent energy import (+VA) - rate 3  
1-0:9.6.3.255 (@1085)

(613) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(614) .value  
INAPPLICABLE  
Optional object is not implemented

(615) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(616) .status  
INAPPLICABLE  
Optional object is not implemented  
(617) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 25 - Apparent energy import (+VA) - rate 4  
1-0:9.6.4.255 (@1093)

(618) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(619) .value  
INAPPLICABLE  
Optional object is not implemented  
(620) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(621) .status  
INAPPLICABLE  
Optional object is not implemented  
(622) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 26 - Apparent energy export (-VA)  
1-0:10.6.0.255 (@1101)

(623) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(624) .value  
INAPPLICABLE  
Optional object is not implemented  
(625) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(626) .status  
INAPPLICABLE  
Optional object is not implemented  
(627) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 27 - Apparent energy export (-VA) - rate 1  
1-0:10.6.1.255 (@1109)

(628) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(629) .value  
INAPPLICABLE  
Optional object is not implemented



(630) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(631) .status  
INAPPLICABLE  
Optional object is not implemented  
(632) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 28 - Apparent energy export (-VA) - rate 2  
1-0:10.6.2.255 (@1117)

(633) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(634) .value  
INAPPLICABLE  
Optional object is not implemented  
(635) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(636) .status  
INAPPLICABLE  
Optional object is not implemented  
(637) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 29 - Apparent energy export (-VA) - rate 3  
1-0:10.6.3.255 (@1125)

(638) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(639) .value  
INAPPLICABLE  
Optional object is not implemented  
(640) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(641) .status  
INAPPLICABLE  
Optional object is not implemented  
(642) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Maximum Demand Register 30 - Apparent energy export (-VA) - rate 4  
1-0:10.6.4.255 (@1133)

(643) .logical\_name  
INAPPLICABLE  
Optional object is not implemented  
(644) .value  
INAPPLICABLE  
Optional object is not implemented

(645) .scaler\_unit  
INAPPLICABLE  
Optional object is not implemented  
(646) .status  
INAPPLICABLE  
Optional object is not implemented  
(647) .capture\_time  
INAPPLICABLE  
Optional object is not implemented

Mngmt Get Profile status - Load profile with period 1 0-0:96.10.1.255 (@1142)

(648) .logical\_name  
PASSED  
<Data>  
    <OctetString Value="0000600A01FF" />  
</Data>  
(649) .status  
PASSED  
<Data>  
    <Unsigned Value="00" />  
</Data>

Mngmt Get Load profile with period 1 i.e. General Load Profile 1-0:99.1.0.255 (@1146)

(650) .logical\_name  
PASSED  
<Data>  
    <OctetString Value="0100630100FF" />  
</Data>  
(651) .capture\_objects  
PASSED  
<Data>  
    <Array Qty="0004" >  
        <Structure Qty="0004" >  
            <LongUnsigned Value="0008" />  
            <OctetString Value="0000010000FF" />  
            <Integer Value="02" />  
            <LongUnsigned Value="0000" />  
        </Structure>  
        <Structure Qty="0004" >  
            <LongUnsigned Value="0001" />  
            <OctetString Value="0000600A01FF" />  
            <Integer Value="02" />  
            <LongUnsigned Value="0000" />  
        </Structure>  
        <Structure Qty="0004" >  
            <LongUnsigned Value="0003" />  
            <OctetString Value="0100010800FF" />  
            <Integer Value="02" />  
            <LongUnsigned Value="0000" />  
        </Structure>  
        <Structure Qty="0004" >  
            <LongUnsigned Value="0003" />  
            <OctetString Value="0100020800FF" />

```
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
```

(652) .capture\_period  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000384" />
</Data>
```

(653) .sort\_method  
PASSED

```
<Data>
  <Enum Value="01" />
</Data>
```

(654) .sort\_object  
PASSED

```
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
```

(655) .entries\_in\_use  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000006" />
</Data>
```

(656) .profile\_entries  
PASSED

```
<Data>
  <DoubleLongUnsigned Value="00002580" />
</Data>
```

Mngmt Get Profile status - Load profile with period 2 0-0:96.10.2.255 (@1157)

(657) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0000600A02FF" />
</Data>
```

(658) .status  
PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

Mngmt Get Load profile with period 2 i.e. Daily Values Profile 1-0:99.2.0.255 (@1161)

(659) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="0100630200FF" />
```

```
</Data>
(660) .capture_objects
PASSED
<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600A02FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010803FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010804FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
(661) .capture_period
PASSED
<Data>
  <DoubleLongUnsigned Value="00015180" />
</Data>
(662) .sort_method
PASSED
<Data>
  <Enum Value="01" />
</Data>
(663) .sort_object
```

PASSED

```
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0008" />
    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
```

(664) .entries\_in\_use

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000006" />
</Data>
```

(665) .profile\_entries

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00002580" />
</Data>
```

Mngmt Get Number of power failures in any phase 0-0:96.7.21.255 (@1173)

(666) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000600715FF" />
</Data>
```

(667) .value

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

Mngmt Get Number of long power failures in any phase 0-0:96.7.9.255 (@1177)

(668) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000600709FF" />
</Data>
```

(669) .value

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

Mngmt Get Time threshold for long power failure 0-0:96.7.20.255 (@1181)

(670) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000600714FF" />
</Data>
```

(671) .value

PASSED

```
<Data>
  <LongUnsigned Value="00B4" />
```

```
</Data>
(672) .scaler_unit
PASSED
```

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="07" />
  </Structure>
</Data>
```

```
Mngmt Get Duration of last long power failure in any phase 0-0:96.7.19.255
(@1187)
```

```
(673) .logical_name
PASSED
```

```
<Data>
  <OctetString Value="0000600713FF" />
</Data>
```

```
(674) .value
PASSED
```

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

```
(675) .scaler_unit
PASSED
```

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="07" />
  </Structure>
</Data>
```

```
Mngmt Get Threshold for voltage sag 1-0:12.31.0.255 (@1193)
```

```
(676) .logical_name
PASSED
```

```
<Data>
  <OctetString Value="01000C1F00FF" />
</Data>
```

```
(677) .value
PASSED
```

```
<Data>
  <LongUnsigned Value="00CF" />
</Data>
```

```
(678) .scaler_unit
PASSED
```

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="23" />
  </Structure>
</Data>
```

```
Mngmt Get Time threshold for voltage sag 1-0:12.43.0.255 (@1199)
```

```
(679) .logical_name
PASSED
```

```

    <Data>
      <OctetString Value="01000C2B00FF" />
    </Data>
(680) .value
PASSED
    <Data>
      <LongUnsigned Value="001E" />
    </Data>
(681) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="07" />
      </Structure>
    </Data>

Mngmt Get Number of voltage sags in phase L1 1-0:32.32.0.255 (@1205)
(682) .logical_name
PASSED
    <Data>
      <OctetString Value="0100202000FF" />
    </Data>
(683) .value
PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Number of voltage sags in phase L2 1-0:52.32.0.255 (@1209)
(684) .logical_name
PASSED
    <Data>
      <OctetString Value="0100342000FF" />
    </Data>
(685) .value
PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Number of voltage sags in phase L3 1-0:72.32.0.255 (@1213)
(686) .logical_name
PASSED
    <Data>
      <OctetString Value="0100482000FF" />
    </Data>
(687) .value
PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Duration of last voltage sag in phase L1 1-0:32.33.0.255 (@1217)

```

(688) .logical\_name  
PASSED  
    <Data>  
        <OctetString Value="0100202100FF" />  
    </Data>

(689) .value  
PASSED  
    <Data>  
        <LongUnsigned Value="0000" />  
    </Data>

(690) .scaler\_unit  
PASSED  
    <Data>  
        <Structure Qty="0002" >  
            <Integer Value="00" />  
            <Enum Value="07" />  
        </Structure>  
    </Data>

Mngmt Get Duration of last voltage sag in phase L2 1-0:52.33.0.255 (@1223)  
(691) .logical\_name  
PASSED  
    <Data>  
        <OctetString Value="0100342100FF" />  
    </Data>

(692) .value  
PASSED  
    <Data>  
        <LongUnsigned Value="0000" />  
    </Data>

(693) .scaler\_unit  
PASSED  
    <Data>  
        <Structure Qty="0002" >  
            <Integer Value="00" />  
            <Enum Value="07" />  
        </Structure>  
    </Data>

Mngmt Get Duration of last voltage sag in phase L3 1-0:72.33.0.255 (@1229)  
(694) .logical\_name  
PASSED  
    <Data>  
        <OctetString Value="0100482100FF" />  
    </Data>

(695) .value  
PASSED  
    <Data>  
        <LongUnsigned Value="0000" />  
    </Data>

(696) .scaler\_unit  
PASSED  
    <Data>  
        <Structure Qty="0002" >



```
        <Integer Value="00" />
        <Enum Value="07" />
    </Structure>
</Data>
```

Mngmt Get Magnitude of last voltage sag in phase L1 1-0:32.34.0.255 (@1235)  
(697) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="0100202200FF" />
    </Data>
```

(698) .value

PASSED

```
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
```

(699) .scaler\_unit

PASSED

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>
```

Mngmt Get Magnitude of last voltage sag in phase L2 1-0:52.34.0.255 (@1241)  
(700) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="0100342200FF" />
    </Data>
```

(701) .value

PASSED

```
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
```

(702) .scaler\_unit

PASSED

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>
```

Mngmt Get Magnitude of last voltage sag in phase L3 1-0:72.34.0.255 (@1247)  
(703) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="0100482200FF" />
    </Data>
```

(704) .value

PASSED

```
    <Data>
```

```
        <LongUnsigned Value="0000" />
    </Data>
(705) .scaler_unit
PASSED
```

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>
```

```
Mngmt Get Threshold for voltage swell 1-0:12.35.0.255 (@1253)
(706) .logical_name
PASSED
```

```
    <Data>
        <OctetString Value="01000C2300FF" />
    </Data>
```

```
(707) .value
PASSED
```

```
    <Data>
        <LongUnsigned Value="00FD" />
    </Data>
```

```
(708) .scaler_unit
PASSED
```

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>
```

```
Mngmt Get Time threshold for voltage swell 1-0:12.44.0.255 (@1259)
(709) .logical_name
PASSED
```

```
    <Data>
        <OctetString Value="01000C2C00FF" />
    </Data>
```

```
(710) .value
PASSED
```

```
    <Data>
        <LongUnsigned Value="001E" />
    </Data>
```

```
(711) .scaler_unit
PASSED
```

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>
```

```
Mngmt Get Number of voltage swells in phase L1 1-0:32.36.0.255 (@1265)
(712) .logical_name
PASSED
```

```

    <Data>
      <OctetString Value="0100202400FF" />
    </Data>
(713) .value
PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Number of voltage swells in phase L2 1-0:52.36.0.255 (@1269)
(714) .logical_name
PASSED
    <Data>
      <OctetString Value="0100342400FF" />
    </Data>
(715) .value
PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Number of voltage swells in phase L3 1-0:72.36.0.255 (@1273)
(716) .logical_name
PASSED
    <Data>
      <OctetString Value="0100482400FF" />
    </Data>
(717) .value
PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Duration of last voltage swell in phase L1 1-0:32.37.0.255 (@1277)
(718) .logical_name
PASSED
    <Data>
      <OctetString Value="0100202500FF" />
    </Data>
(719) .value
PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>
(720) .scaler_unit
PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="07" />
      </Structure>
    </Data>

Mngmt Get Duration of last voltage swell in phase L2 1-0:52.37.0.255 (@1283)

```

(721) .logical\_name  
PASSED  
    <Data>  
        <OctetString Value="0100342500FF" />  
    </Data>

(722) .value  
PASSED  
    <Data>  
        <LongUnsigned Value="0000" />  
    </Data>

(723) .scaler\_unit  
PASSED  
    <Data>  
        <Structure Qty="0002" >  
            <Integer Value="00" />  
            <Enum Value="07" />  
        </Structure>  
    </Data>

Mngmt Get Duration of last voltage swell in phase L3 1-0:72.37.0.255 (@1289)  
(724) .logical\_name  
PASSED  
    <Data>  
        <OctetString Value="0100482500FF" />  
    </Data>

(725) .value  
PASSED  
    <Data>  
        <LongUnsigned Value="0000" />  
    </Data>

(726) .scaler\_unit  
PASSED  
    <Data>  
        <Structure Qty="0002" >  
            <Integer Value="00" />  
            <Enum Value="07" />  
        </Structure>  
    </Data>

Mngmt Get Magnitude of last voltage swell in phase L1 1-0:32.38.0.255 (@1295)  
(727) .logical\_name  
PASSED  
    <Data>  
        <OctetString Value="0100202600FF" />  
    </Data>

(728) .value  
PASSED  
    <Data>  
        <LongUnsigned Value="0000" />  
    </Data>

(729) .scaler\_unit  
PASSED  
    <Data>  
        <Structure Qty="0002" >

```
        <Integer Value="00" />
        <Enum Value="23" />
    </Structure>
</Data>
```

Mngmt Get Magnitude of last voltage swell in phase L2 1-0:52.38.0.255 (@1301)  
(730) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="0100342600FF" />
    </Data>
```

(731) .value

PASSED

```
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
```

(732) .scaler\_unit

PASSED

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>
```

Mngmt Get Magnitude of last voltage swell in phase L3 1-0:72.38.0.255 (@1307)  
(733) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="0100482600FF" />
    </Data>
```

(734) .value

PASSED

```
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
```

(735) .scaler\_unit

PASSED

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>
```

Mngmt Get Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1313)  
(736) .logical\_name

PASSED

```
    <Data>
        <OctetString Value="01000C2700FF" />
    </Data>
```

(737) .value

PASSED

```
    <Data>
```

```

        <LongUnsigned Value="0067" />
    </Data>
(738) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Time threshold for voltage cut 1-0:12.45.0.255 (@1319)
(739) .logical_name
PASSED
    <Data>
        <OctetString Value="01000C2D00FF" />
    </Data>
(740) .value
PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>
(741) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1325)
(742) .logical_name
PASSED
    <Data>
        <OctetString Value="0100636100FF" />
    </Data>
(743) .capture_objects
PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0000600713FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>

```

```
    </Data>
(744) .capture_period
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(745) .sort_method
PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(746) .sort_object
PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(747) .entries_in_use
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000006" />
    </Data>
(748) .profile_entries
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000064" />
    </Data>

Mngmt Get Event Object - Power Quality Log 0-0:96.11.4.255 (@1336)
(749) .logical_name
PASSED
    <Data>
        <OctetString Value="0000600B04FF" />
    </Data>
(750) .value
PASSED
    <Data>
        <Enum Value="4C" />
    </Data>

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1340)
(751) .logical_name
PASSED
    <Data>
        <OctetString Value="0000636204FF" />
    </Data>
(752) .capture_objects
PASSED
    <Data>
        <Array Qty="0002" >
```

```

        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600B04FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>
(753) .capture_period
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(754) .sort_method
PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(755) .sort_object
PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(756) .entries_in_use
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000007" />
    </Data>
(757) .profile_entries
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000064" />
    </Data>

Mngmt Get Instantaneous voltage L1 1-0:32.7.0.255 (@1351)
(758) .logical_name
PASSED
    <Data>
        <OctetString Value="0100200700FF" />
    </Data>
(759) .value
PASSED
    <Data>

```



```
        <LongUnsigned Value="0874" />
    </Data>
```

```
(760) .scaler_unit
PASSED
```

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FF" />
            <Enum Value="23" />
        </Structure>
    </Data>
```

```
Mngmt Get Average voltage L1 1-0:32.24.0.255 (@1357)
```

```
(761) .logical_name
PASSED
```

```
    <Data>
        <OctetString Value="0100201800FF" />
    </Data>
```

```
(762) .value
PASSED
```

```
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
```

```
(763) .scaler_unit
PASSED
```

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FF" />
            <Enum Value="23" />
        </Structure>
    </Data>
```

```
Mngmt Get Instantaneous current L1 1-0:31.7.0.255 (@1363)
```

```
(764) .logical_name
PASSED
```

```
    <Data>
        <OctetString Value="01001F0700FF" />
    </Data>
```

```
(765) .value
PASSED
```

```
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
```

```
(766) .scaler_unit
PASSED
```

```
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FE" />
            <Enum Value="21" />
        </Structure>
    </Data>
```

```
Mngmt Get Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255
(@1369)
```

```
(767) .logical_name
```

INAPPLICABLE

Object is not required according to OM and/or extensions  
(768) .current\_average\_value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(769) .last\_average\_value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(770) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(771) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(772) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions  
(773) .start\_time\_current

INAPPLICABLE

Object is not required according to OM and/or extensions  
(774) .period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(775) .number\_of\_periods

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Instantaneous voltage L2 1-0:52.7.0.255 (@1382)

(776) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100340700FF" />
</Data>
```

(777) .value

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(778) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="FF" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Average voltage L2 1-0:52.24.0.255 (@1388)

(779) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100341800FF" />
</Data>
```

(780) .value

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(781) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="FF" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Instantaneous current L2 1-0:51.7.0.255 (@1394)

(782) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100330700FF" />
</Data>
```

(783) .value

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(784) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="FE" />
    <Enum Value="21" />
  </Structure>
</Data>
```

Mngmt Get Sliding Average current L2 (for fuse supervision) 1-0:51.4.0.255 (@1400)

(785) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(786) .current\_average\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(787) .last\_average\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(788) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

(789) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

(790) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

(791) .start\_time\_current

INAPPLICABLE

Object is not required according to OM and/or extensions

(792) .period

INAPPLICABLE

Object is not required according to OM and/or extensions

(793) .number\_of\_periods

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Instantaneous voltage L3 1-0:72.7.0.255 (@1413)

(794) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100480700FF" />
</Data>
```

(795) .value

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(796) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="FF" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Average voltage L3 1-0:72.24.0.255 (@1419)

(797) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100481800FF" />
</Data>
```

(798) .value

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(799) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="FF" />
    <Enum Value="23" />
  </Structure>
</Data>
```

Mngmt Get Instantaneous current L3 1-0:71.7.0.255 (@1425)

(800) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100470700FF" />
```

```
    </Data>
(801) .value
PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
```

```
(802) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FE" />
            <Enum Value="21" />
        </Structure>
    </Data>
```

Mngmt Get Sliding Average current L3 (for fuse supervision) 1-0:71.4.0.255 (@1431)

```
(803) .logical_name
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

```
(804) .current_average_value
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

```
(805) .last_average_value
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

```
(806) .scaler_unit
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

```
(807) .status
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

```
(808) .capture_time
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

```
(809) .start_time_current
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

```
(810) .period
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

```
(811) .number_of_periods
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

Mngmt Get Instantaneous current (sum over all phases) 1-0:90.7.0.255 (@1444)

```
(812) .logical_name
PASSED
    <Data>
        <OctetString Value="01005A0700FF" />
    </Data>
```

```
(813) .value
PASSED
    <Data>
```

```

        <LongUnsigned Value="0000" />
    </Data>
(814) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FE" />
            <Enum Value="21" />
        </Structure>
    </Data>

Mngmt Get Instantaneous net frequency; any phase 1-0:14.7.0.255 (@1450)
(815) .logical_name
INAPPLICABLE
    Optional object is not implemented
(816) .value
INAPPLICABLE
    Optional object is not implemented
(817) .scaler_unit
INAPPLICABLE
    Optional object is not implemented

Mngmt Get Instantaneous active power (|+A|+|-A|) 1-0:15.7.0.255 (@1456)
(818) .logical_name
PASSED
    <Data>
        <OctetString Value="01000F0700FF" />
    </Data>
(819) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(820) .scaler_unit
PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1B" />
        </Structure>
    </Data>

Mngmt Get Instantaneous active import power (+A) 1-0:1.7.0.255 (@1462)
(821) .logical_name
PASSED
    <Data>
        <OctetString Value="0100010700FF" />
    </Data>
(822) .value
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(823) .scaler_unit

```

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

Mngmt Get Instantaneous active export power (-A) 1-0:2.7.0.255 (@1468)  
(824) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100020700FF" />
</Data>
```

(825) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(826) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1B" />
  </Structure>
</Data>
```

Mngmt Get Instantaneous reactive import power (+R) 1-0:3.7.0.255 (@1474)  
(827) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100030700FF" />
</Data>
```

(828) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

(829) .scaler\_unit

PASSED

```
<Data>
  <Structure Qty="0002" >
    <Integer Value="00" />
    <Enum Value="1D" />
  </Structure>
</Data>
```

Mngmt Get Instantaneous reactive export power (-R) 1-0:4.7.0.255 (@1480)  
(830) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0100040700FF" />
</Data>
```

(831) .value  
PASSED  
    <Data>  
        <DoubleLongUnsigned Value="00000000" />  
    </Data>

(832) .scaler\_unit  
PASSED  
    <Data>  
        <Structure Qty="0002" >  
            <Integer Value="00" />  
            <Enum Value="1D" />  
        </Structure>  
    </Data>

Mngmt Get Instantaneous apparent import power (+VA) 1-0:9.7.0.255 (@1486)

(833) .logical\_name  
INAPPLICABLE  
    Optional object is not implemented

(834) .value  
INAPPLICABLE  
    Optional object is not implemented

(835) .scaler\_unit  
INAPPLICABLE  
    Optional object is not implemented

Mngmt Get Instantaneous apparent export power (-VA) 1-0:10.7.0.255 (@1492)

(836) .logical\_name  
INAPPLICABLE  
    Optional object is not implemented

(837) .value  
INAPPLICABLE  
    Optional object is not implemented

(838) .scaler\_unit  
INAPPLICABLE  
    Optional object is not implemented

Mngmt Get Average Import Power (+A) 1-0:1.24.0.255 (@1498)

(839) .logical\_name  
INAPPLICABLE  
    Object is not required according to OM and/or extensions

(840) .current\_average\_value  
INAPPLICABLE  
    Object is not required according to OM and/or extensions

(841) .last\_average\_value  
INAPPLICABLE  
    Object is not required according to OM and/or extensions

(842) .scaler\_unit  
INAPPLICABLE  
    Object is not required according to OM and/or extensions

(843) .status  
INAPPLICABLE  
    Object is not required according to OM and/or extensions

(844) .capture\_time  
INAPPLICABLE



Object is not required according to OM and/or extensions  
(845) .start\_time\_current

INAPPLICABLE

Object is not required according to OM and/or extensions  
(846) .period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(847) .number\_of\_periods

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Average Net Power (|+A|-|-A|) 1-0:16.24.0.255 (@1511)

(848) .logical\_name

INAPPLICABLE

Optional object is not implemented

(849) .current\_average\_value

INAPPLICABLE

Optional object is not implemented

(850) .last\_average\_value

INAPPLICABLE

Optional object is not implemented

(851) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

(852) .status

INAPPLICABLE

Optional object is not implemented

(853) .capture\_time

INAPPLICABLE

Optional object is not implemented

(854) .start\_time\_current

INAPPLICABLE

Optional object is not implemented

(855) .period

INAPPLICABLE

Optional object is not implemented

(856) .number\_of\_periods

INAPPLICABLE

Optional object is not implemented

Mngmt Get Average Total Power (|+A|+|-A|) 1-0:15.24.0.255 (@1524)

(857) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(858) .current\_average\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(859) .last\_average\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(860) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

(861) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(862) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions  
(863) .start\_time\_current

INAPPLICABLE

Object is not required according to OM and/or extensions  
(864) .period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(865) .number\_of\_periods

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Instantaneous Power factor (+A/+VA) 1-0:13.7.0.255 (@1537)

(866) .logical\_name

INAPPLICABLE

Optional object is not implemented  
(867) .value

INAPPLICABLE

Optional object is not implemented  
(868) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get Last Average Power factor (+A/+VA) 1-0:13.5.0.255 (@1543)

(869) .logical\_name

INAPPLICABLE

Optional object is not implemented  
(870) .value

INAPPLICABLE

Optional object is not implemented  
(871) .scaler\_unit

INAPPLICABLE

Optional object is not implemented  
(872) .status

INAPPLICABLE

Optional object is not implemented  
(873) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Minimum Power factor (+A/+VA) 1-0:13.3.0.255 (@1551)

(874) .logical\_name

INAPPLICABLE

Optional object is not implemented  
(875) .value

INAPPLICABLE

Optional object is not implemented  
(876) .scaler\_unit

INAPPLICABLE

Optional object is not implemented  
(877) .status

INAPPLICABLE

Optional object is not implemented

(878) .capture\_time

INAPPLICABLE

Optional object is not implemented

Mngmt Get Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1559)

(879) .logical\_name

INAPPLICABLE

Optional object is not implemented

(880) .value

INAPPLICABLE

Optional object is not implemented

(881) .scaler\_unit

INAPPLICABLE

Optional object is not implemented

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1566)

(882) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(883) .comm\_speed

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1570)

(884) .logical\_name

INAPPLICABLE

Optional object is not implemented

(885) .comm\_speed

INAPPLICABLE

Optional object is not implemented

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1574)

(886) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(887) .mbus\_port\_reference

INAPPLICABLE

Object is not required according to OM and/or extensions

(888) .capture\_definition

INAPPLICABLE

Object is not required according to OM and/or extensions

(889) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions

(890) .primary\_address

INAPPLICABLE

Object is not required according to OM and/or extensions

(891) .identification\_number

INAPPLICABLE

Object is not required according to OM and/or extensions

(892) .manufacturer\_id

INAPPLICABLE

Object is not required according to OM and/or extensions  
(893) .version  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(894) .device\_type  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(895) .access\_number  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(896) .status  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(897) .alarm  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1596)

(898) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(899) .mbus\_port\_reference  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(900) .capture\_definition  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(901) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(902) .primary\_address  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(903) .identification\_number  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(904) .manufacturer\_id  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(905) .version  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(906) .device\_type  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(907) .access\_number  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(908) .status  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(909) .alarm  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1618)  
(910) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(911) .mbus\_port\_reference  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(912) .capture\_definition  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(913) .capture\_period  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(914) .primary\_address  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(915) .identification\_number  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(916) .manufacturer\_id  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(917) .version  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(918) .device\_type  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(919) .access\_number  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(920) .status  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(921) .alarm  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1640)  
(922) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(923) .mbus\_port\_reference  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(924) .capture\_definition  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(925) .capture\_period  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(926) .primary\_address  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(927) .identification\_number

INAPPLICABLE

Object is not required according to OM and/or extensions  
(928) .manufacturer\_id

INAPPLICABLE

Object is not required according to OM and/or extensions  
(929) .version

INAPPLICABLE

Object is not required according to OM and/or extensions  
(930) .device\_type

INAPPLICABLE

Object is not required according to OM and/or extensions  
(931) .access\_number

INAPPLICABLE

Object is not required according to OM and/or extensions  
(932) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(933) .alarm

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1662)

(934) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(935) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(936) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(937) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(938) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1670)

(939) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(940) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(941) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(942) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(943) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 1, instance 3 0-1:24.2.3.255 (@1678)

(944) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(945) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

(946) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

(947) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

(948) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 1, instance 4 0-1:24.2.4.255 (@1686)

(949) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(950) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

(951) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

(952) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

(953) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1694)

(954) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(955) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

(956) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

(957) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

(958) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1702)  
(959) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(960) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(961) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(962) .status  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(963) .capture\_time  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 3 0-2:24.2.3.255 (@1710)  
(964) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(965) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(966) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(967) .status  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(968) .capture\_time  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 2, instance 4 0-2:24.2.4.255 (@1718)  
(969) .logical\_name  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(970) .value  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(971) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(972) .status  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(973) .capture\_time  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1726)  
(974) .logical\_name  
INAPPLICABLE



Object is not required according to OM and/or extensions  
(975) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(976) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(977) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(978) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1734)

(979) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(980) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(981) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(982) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(983) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 3 0-3:24.2.3.255 (@1742)

(984) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(985) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(986) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(987) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(988) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 3, instance 4 0-3:24.2.4.255 (@1750)

(989) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(990) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(991) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(992) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(993) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1758)

(994) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(995) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(996) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(997) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(998) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1766)

(999) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1000) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1001) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1002) .status

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1003) .capture\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 3 0-4:24.2.3.255 (@1774)

(1004) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1005) .value

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1006) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1007) .status  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1008) .capture\_time  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1782)  
(1009) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1010) .value  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1011) .scaler\_unit  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1012) .status  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1013) .capture\_time  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1790)  
(1014) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1015) .value  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1794)  
(1016) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1017) .value  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1798)  
(1018) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1019) .value  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1802)  
(1020) .logical\_name  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(1021) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1806)  
(1022) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1023) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1810)  
(1024) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1025) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1814)  
(1026) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1027) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1818)  
(1028) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1029) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Profile status for M-Bus Master Load profile 1 0-1:96.10.3.255  
(@1822)

(1030) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1031) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Profile status for M-Bus Master Load profile 2 0-2:96.10.3.255  
(@1826)

(1032) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1033) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Profile status for M-Bus Master Load profile 3 0-3:96.10.3.255

(@1830)

(1034) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1035) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Profile status for M-Bus Master Load profile 4 0-4:96.10.3.255

(@1834)

(1036) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1037) .status

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1838)

(1038) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1039) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions

(1040) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions

(1041) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions

(1042) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions

(1043) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions

(1044) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1849)

(1045) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1046) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions

(1047) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions

(1048) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions

(1049) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1050) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1051) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1860)  
(1052) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1053) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1054) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1055) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1056) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1057) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1058) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1871)  
(1059) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1060) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1061) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1062) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1063) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1064) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1065) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1882)  
(1066) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1067) .output\_state

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1068) .control\_state

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1069) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1890)  
(1070) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1071) .output\_state

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1072) .control\_state

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1073) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1898)  
(1074) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1075) .output\_state

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1076) .control\_state

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1077) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1906)  
(1078) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1079) .output\_state

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1080) .control\_state

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1081) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1914)  
(1082) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1083) .executed\_script

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1084) .type

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1085) .execution\_time

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Disconnect script table 0-1:10.0.106.255 (@1920)  
(1086) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1087) .scripts

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Event Objects - M-Bus Master Control logs 1 0-1:96.11.4.255 (@1925)  
(1088) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1089) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Event Objects - M-Bus Master Control logs 2 0-2:96.11.4.255 (@1929)  
(1090) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1091) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Event Objects - M-Bus Master Control logs 3 0-3:96.11.4.255 (@1933)  
(1092) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1093) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Event Objects - M-Bus Master Control logs 4 0-4:96.11.4.255 (@1937)  
(1094) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1095) .value



INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1941)  
(1096) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1097) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1098) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1099) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1100) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1101) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1102) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1952)  
(1103) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1104) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1105) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1106) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1107) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1108) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1109) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1963)  
(1110) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1111) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1112) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1113) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1114) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1115) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1116) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1974)

(1117) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1118) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1119) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1120) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1121) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1122) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1123) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Event Object - M-Bus Event Log 0-0:96.11.3.255 (@1985)

(1124) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1125) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1989)

(1126) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1127) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1128) .capture\_period

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1129) .sort\_method

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1130) .sort\_object

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1131) .entries\_in\_use

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1132) .profile\_entries

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@2001)

(1133) .logical\_name

INAPPLICABLE

Optional object is not implemented  
(1134) .default\_mode

INAPPLICABLE

Optional object is not implemented  
(1135) .default\_baud

INAPPLICABLE

Optional object is not implemented  
(1136) .prop\_baud

INAPPLICABLE

Optional object is not implemented  
(1137) .response\_time

INAPPLICABLE

Optional object is not implemented  
(1138) .device\_addr

INAPPLICABLE

Optional object is not implemented

Mngmt Get IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@2012)

(1139) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000160000FF" />
</Data>
```

(1140) .comm\_speed

PASSED

```
<Data>
  <Enum Value="05" />
</Data>
```

(1141) .window\_size\_transmit

PASSED

```
<Data>
  <Unsigned Value="01" />
</Data>
```

```
(1142) .window_size_receive
PASSED
  <Data>
    <Unsigned Value="01" />
  </Data>
(1143) .max_info_field_lenght_transmit
PASSED
  <Data>
    <LongUnsigned Value="00DC" />
  </Data>
(1144) .max_info_field_lenght_receive
PASSED
  <Data>
    <LongUnsigned Value="00FA" />
  </Data>
(1145) .inter_octet_time_out
PASSED
  <Data>
    <LongUnsigned Value="0014" />
  </Data>
(1146) .inactivity_time_out
PASSED
  <Data>
    <LongUnsigned Value="00B4" />
  </Data>
(1147) .device_address
PASSED
  <Data>
    <LongUnsigned Value="0010" />
  </Data>

Mngmt Get TCP-UDP setup 0-0:25.0.0.255 (@2024)
(1148) .logical_name
PASSED
  <Data>
    <OctetString Value="0000190000FF" />
  </Data>
(1149) .TCP-UDP_port
PASSED
  <Data>
    <LongUnsigned Value="F0B0" />
  </Data>
(1150) .IP_reference
PASSED
  <Data>
    <OctetString Value="0000190700FF" />
  </Data>
(1151) .MSS
PASSED
  <Data>
    <LongUnsigned Value="0500" />
  </Data>
(1152) .nb_of_sim_conn
PASSED
```

```
        <Data>
          <Unsigned Value="01" />
        </Data>
(1153) .inactivity_time_out
PASSED
        <Data>
          <LongUnsigned Value="00B4" />
        </Data>

Mngmt Get IPv4 setup 0-0:25.1.0.255 (@2032)
(1154) .logical_name
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1155) .DL_reference
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1156) .IP_address
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1157) .multicast_IP_address
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1158) .IP_options
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1159) .subnet_mask
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1160) .gateway_IP_address
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1161) .use_DHCP_flag
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1162) .primary_DNS_address
INAPPLICABLE
  Object is not required according to OM and/or extensions
(1163) .secondary_DNS_address
INAPPLICABLE
  Object is not required according to OM and/or extensions

Mngmt Get IPv6 setup 0-0:25.7.0.255 (@2047)
(1164) .logical_name
PASSED
        <Data>
          <OctetString Value="0000190700FF" />
        </Data>
(1165) .DL_reference
PASSED
        <Data>
          <OctetString Value="0000190200FF" />
        </Data>
(1166) .address_config_mode
PASSED
```

```

    <Data>
      <Enum Value="00" />
    </Data>
(1167) .unicast_IPv6_addresses
PASSED
    <Data>
      <Array Qty="0001" >
        <OctetString Value="FE8000000000000000000000FFFE010001" />
      </Array>
    </Data>
(1168) .multicast_IPv6_addresses
PASSED
    <Data>
      <Array Qty="0001" >
        <OctetString Value="FE8000000000000000000000FFFE010001" />
      </Array>
    </Data>
(1169) .gateway_IPv6_address
PASSED
    <Data>
      <Array Qty="0001" >
        <OctetString Value="FE8000000000000000000000FFFE010001" />
      </Array>
    </Data>
(1170) .primary_DNS_address
PASSED
    <Data>
      <OctetString Value="FE8000000000000000000000FFFE010001" />
    </Data>
(1171) .secondary_DNS_address
PASSED
    <Data>
      <OctetString Value="FE8000000000000000000000FFFE010001" />
    </Data>
(1172) .traffic_class
PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(1173) .neighbor_discovery_setup
PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0003" >
          <Unsigned Value="03" />
          <LongUnsigned Value="0000" />
          <DoubleLongUnsigned Value="00000000" />
        </Structure>
      </Array>
    </Data>

Mngmt Get PPP setup 0-0:25.3.0.255 (@2061)
(1174) .logical_name
INAPPLICABLE

```

Object is not required according to OM and/or extensions  
(1175) .PHY\_refernce

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1176) .LCP\_options

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1177) .IPCP\_options

INAPPLICABLE

Object is not required according to OM and/or extensions  
(1178) .PPP\_authentication

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Push setup - Interval\_1 0-1:25.9.0.255 (@2069)

(1179) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0001190900FF" />
</Data>
```

(1180) .push\_object\_list

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

(1181) .send\_destination\_and\_method

PASSED

```
<Data>
  <Structure Qty="0003" >
    <Enum Value="00" />
    <OctetString Value="\0.0.0.0:0" />
    <Enum Value="00" />
  </Structure>
</Data>
```

(1182) .communication\_window

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

(1183) .randomisation\_start\_interval

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(1184) .number\_of\_retries

PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

(1185) .repetition\_delay

PASSED

```
<Data>
```

```
    <LongUnsigned Value="001E" />
  </Data>
```

Mngmt Get Push setup - Interval\_2 0-2:25.9.0.255 (@2079)

(1186) .logical\_name  
PASSED

```
  <Data>
    <OctetString Value="0002190900FF" />
  </Data>
```

(1187) .push\_object\_list  
PASSED

```
  <Data>
    <Array Qty="0000" >
    </Array>
  </Data>
```

(1188) .send\_destination\_and\_method  
PASSED

```
  <Data>
    <Structure Qty="0003" >
      <Enum Value="00" />
      <OctetString Value="\0.0.0.0:0" />
      <Enum Value="00" />
    </Structure>
  </Data>
```

(1189) .communication\_window  
PASSED

```
  <Data>
    <Array Qty="0000" >
    </Array>
  </Data>
```

(1190) .randomisation\_start\_interval  
PASSED

```
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
```

(1191) .number\_of\_retries  
PASSED

```
  <Data>
    <Unsigned Value="00" />
  </Data>
```

(1192) .repetition\_delay  
PASSED

```
  <Data>
    <LongUnsigned Value="001E" />
  </Data>
```

Mngmt Get Push setup - Interval\_3 0-3:25.9.0.255 (@2089)

(1193) .logical\_name  
PASSED

```
  <Data>
    <OctetString Value="0003190900FF" />
  </Data>
```

(1194) .push\_object\_list  
PASSED



```

    <Data>
      <Array Qty="0000" >
      </Array>
    </Data>
(1195) .send_destination_and_method
PASSED
    <Data>
      <Structure Qty="0003" >
        <Enum Value="00" />
        <OctetString Value="\0.0.0.0:0" />
        <Enum Value="00" />
      </Structure>
    </Data>
(1196) .communication_window
PASSED
    <Data>
      <Array Qty="0000" >
      </Array>
    </Data>
(1197) .randomisation_start_interval
PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>
(1198) .number_of_retries
PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(1199) .repetition_delay
PASSED
    <Data>
      <LongUnsigned Value="001E" />
    </Data>

Mngmt Get Push setup - On Alarm 0-4:25.9.0.255 (@2099)
(1200) .logical_name
PASSED
    <Data>
      <OctetString Value="0004190900FF" />
    </Data>
(1201) .push_object_list
PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="00002A0000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0028" />
          <OctetString Value="0004190900FF" />
        </Structure>
      </Array>
    </Data>

```

```

        <Integer Value="01" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000616214FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000616215FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1202) .send_destination_and_method
PASSED
<Data>
    <Structure Qty="0003" >
        <Enum Value="00" />
        <OctetString Value="\0.0.0.0:0" />
        <Enum Value="00" />
    </Structure>
</Data>
(1203) .communication_window
PASSED
<Data>
    <Array Qty="0000" >
    </Array>
</Data>
(1204) .randomisation_start_interval
PASSED
<Data>
    <LongUnsigned Value="0000" />
</Data>
(1205) .number_of_retries
PASSED
<Data>
    <Unsigned Value="00" />
</Data>
(1206) .repetition_delay
PASSED
<Data>
    <LongUnsigned Value="001E" />
</Data>

Mngmt Get Push setup - On Connectivity 0-0:25.9.0.255 (@2109)
(1207) .logical_name
PASSED
<Data>
    <OctetString Value="0000190900FF" />
</Data>

```

(1208) .push\_object\_list  
PASSED

```
<Data>
  <Array Qty="0003" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600100FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0014" />
      <OctetString Value="00000D0000FF" />
      <Integer Value="06" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

(1209) .send\_destination\_and\_method  
PASSED

```
<Data>
  <Structure Qty="0003" >
    <Enum Value="00" />
    <OctetString Value="0001160000FF" />
    <Enum Value="00" />
  </Structure>
</Data>
```

(1210) .communication\_window  
PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

(1211) .randomisation\_start\_interval  
PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(1212) .number\_of\_retries  
PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

(1213) .repetition\_delay  
PASSED

```
<Data>
  <LongUnsigned Value="001E" />
</Data>
```

Mngmt Get Push setup - On Installation 0-7:25.9.0.255 (@2119)  
(1214) .logical\_name  
PASSED

```
<Data>  
  <OctetString Value="0007190900FF" />  
</Data>
```

(1215) .push\_object\_list  
PASSED

```
<Data>  
  <Array Qty="0003" >  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0001" />  
      <OctetString Value="00002A0000FF" />  
      <Integer Value="02" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0028" />  
      <OctetString Value="0007190900FF" />  
      <Integer Value="01" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
    <Structure Qty="0004" >  
      <LongUnsigned Value="0040" />  
      <OctetString Value="00002B0000FF" />  
      <Integer Value="05" />  
      <LongUnsigned Value="0000" />  
    </Structure>  
  </Array>  
</Data>
```

(1216) .send\_destination\_and\_method  
PASSED

```
<Data>  
  <Structure Qty="0003" >  
    <Enum Value="00" />  
    <OctetString Value="\0.0.0.0:0" />  
    <Enum Value="00" />  
  </Structure>  
</Data>
```

(1217) .communication\_window  
PASSED

```
<Data>  
  <Array Qty="0000" >  
  </Array>  
</Data>
```

(1218) .randomisation\_start\_interval  
PASSED

```
<Data>  
  <LongUnsigned Value="0000" />  
</Data>
```

(1219) .number\_of\_retries  
PASSED

```
<Data>
```

```

        <Unsigned Value="00" />
    </Data>
(1220) .repetition_delay
PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Get Push setup - On Power down 0-5:25.9.0.255 (@2129)
(1221) .logical_name
INAPPLICABLE
    Optional object is not implemented
(1222) .push_object_list
INAPPLICABLE
    Optional object is not implemented
(1223) .send_destination_and_method
INAPPLICABLE
    Optional object is not implemented
(1224) .communication_window
INAPPLICABLE
    Optional object is not implemented
(1225) .randomisation_start_interval
INAPPLICABLE
    Optional object is not implemented
(1226) .number_of_retries
INAPPLICABLE
    Optional object is not implemented
(1227) .repetition_delay
INAPPLICABLE
    Optional object is not implemented

Mngmt Get Push script table 0-0:10.0.108.255 (@2139)
(1228) .logical_name
PASSED
    <Data>
        <OctetString Value="00000A006CFF" />
    </Data>
(1229) .scripts
PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                        <LongUnsigned Value="0028" />
                        <OctetString Value="0001190900FF" />
                        <Integer Value="01" />
                        <Integer Value="00" />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </Data>

```

```
<LongUnsigned Value="0002" />
<Array Qty="0001" >
  <Structure Qty="0005" >
    <Enum Value="02" />
    <LongUnsigned Value="0028" />
    <OctetString Value="0002190900FF" />
    <Integer Value="01" />
    <Integer Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0028" />
      <OctetString Value="0003190900FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0028" />
      <OctetString Value="0004190900FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0005" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0028" />
      <OctetString Value="0000190900FF" />
      <Integer Value="01" />
      <Integer Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0006" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0028" />
      <OctetString Value="0007190900FF" />
    </Structure>
  </Array>
</Structure>
```

```
        <Integer Value="01" />
        <Integer Value="00" />
    </Structure>
</Array>
</Structure>
</Array>
</Data>
```

Mngmt Get Push action scheduler - Interval\_1 0-1:15.0.4.255 (@2144)  
(1230) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="00010F0004FF" />
</Data>
```

(1231) .executed\_script  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <OctetString Value="00000A006CFF" />
    <LongUnsigned Value="0001" />
  </Structure>
</Data>
```

(1232) .type  
PASSED

```
<Data>
  <Enum Value="05" />
</Data>
```

(1233) .execution\_time  
PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

Mngmt Get Push action scheduler - Interval\_2 0-2:15.0.4.255 (@2150)  
(1234) .logical\_name  
PASSED

```
<Data>
  <OctetString Value="00020F0004FF" />
</Data>
```

(1235) .executed\_script  
PASSED

```
<Data>
  <Structure Qty="0002" >
    <OctetString Value="00000A006CFF" />
    <LongUnsigned Value="0002" />
  </Structure>
</Data>
```

(1236) .type  
PASSED

```
<Data>
  <Enum Value="05" />
</Data>
```

(1237) .execution\_time

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

Mngmt Get Push action scheduler - Interval\_3 0-3:15.0.4.255 (@2156)

(1238) .logical\_name

PASSED

```
<Data>
  <OctetString Value="00030F0004FF" />
</Data>
```

(1239) .executed\_script

PASSED

```
<Data>
  <Structure Qty="0002" >
    <OctetString Value="00000A006CFF" />
    <LongUnsigned Value="0003" />
  </Structure>
</Data>
```

(1240) .type

PASSED

```
<Data>
  <Enum Value="05" />
</Data>
```

(1241) .execution\_time

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

Mngmt Get Auto connect 0-0:2.1.0.255 (@2163)

(1242) .logical\_name

PASSED

```
<Data>
  <OctetString Value="0000020100FF" />
</Data>
```

(1243) .mode

PASSED

```
<Data>
  <Enum Value="65" />
</Data>
```

(1244) .repetitions

PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

(1245) .repetition\_delay

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(1246) .calling\_window



PASSED

```
<Data>  
  <Array Qty="0000" >  
    </Array>  
</Data>
```

(1247) .destination\_list

PASSED

```
<Data>  
  <Array Qty="0000" >  
    </Array>  
</Data>
```

Mngmt Get MAC address setup 0-0:25.2.0.255 (@2172)

(1248) .logical\_name

PASSED

```
<Data>  
  <OctetString Value="0000190200FF" />  
</Data>
```

(1249) .MAC\_address

PASSED

```
<Data>  
  <OctetString Value="000000FFFE010001" />  
</Data>
```

Mngmt Get GPRS modem setup 0-0:25.4.0.255 (@2177)

(1250) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1251) .APN

INAPPLICABLE

Object is not required according to OM and/or extensions

(1252) .PIN\_code

INAPPLICABLE

Object is not required according to OM and/or extensions

(1253) .quality\_of\_service

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Modem configuration 0-0:2.0.0.255 (@2183)

(1254) .logical\_name

INAPPLICABLE

Object is not required according to OM and/or extensions

(1255) .comm\_speed

INAPPLICABLE

Object is not required according to OM and/or extensions

(1256) .initialization\_string

INAPPLICABLE

Object is not required according to OM and/or extensions

(1257) .modem\_profile

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get Auto answer 0-0:2.2.0.255 (@2189)

(1258) .logical\_name

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(1259) .mode

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(1260) .listening\_window

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(1261) .status

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(1262) .number\_of\_calls

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(1263) .number\_of\_rings

INAPPLICABLE  
Object is not required according to OM and/or extensions  
(1264) .list\_of\_allowed\_callers

INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get G3-PLC MAC layer counters 0-0:29.0.0.255 (@2199)  
(1265) .logical\_name

PASSED  
<Data>  
    <OctetString Value="00001D0000FF" />  
</Data>

(1266) .mac\_Tx\_data\_packet\_count

PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000003" />  
</Data>

(1267) .mac\_Rx\_data\_packet\_count

PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000003" />  
</Data>

(1268) .mac\_Tx\_cmd\_packet\_count

PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000001" />  
</Data>

(1269) .mac\_Rx\_cmd\_packet\_count

PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(1270) .mac\_CSMA\_fail\_count

PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(1271) .mac\_CSMA\_no\_ACK\_count

PASSED





```
    </Data>
(1289) .mac_K
PASSED
    <Data>
      <Unsigned Value="05" />
    </Data>
(1290) .mac_min_CW_attempts
PASSED
    <Data>
      <Unsigned Value="0A" />
    </Data>
(1291) .mac_cenelec_legacy_mode
PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(1292) .mac_FCC_legacy_mode
PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(1293) .mac_max_BE
PASSED
    <Data>
      <Unsigned Value="08" />
    </Data>
(1294) .mac_max_CSMA_backoffs
PASSED
    <Data>
      <Unsigned Value="32" />
    </Data>
(1295) .mac_min_BE
PASSED
    <Data>
      <Unsigned Value="03" />
    </Data>
```

Mngmt Get G3-PLC MAC 6LoWPAN adaptation layer setup 0-0:29.2.0.255 (@2237)

```
(1296) .logical_name
PASSED
    <Data>
      <OctetString Value="00001D0200FF" />
    </Data>
(1297) .adp_max_hops
PASSED
    <Data>
      <Unsigned Value="0E" />
    </Data>
(1298) .adp_weak_LQI_value
PASSED
    <Data>
      <Unsigned Value="34" />
    </Data>
(1299) .adp_security_level
```





```

(1308) .adp_max_join_wait_time
PASSED
  <Data>
    <LongUnsigned Value="0014" />
  </Data>
(1309) .adp_path_discovery_time
PASSED
  <Data>
    <Unsigned Value="28" />
  </Data>
(1310) .adp_active_key_index
PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(1311) .adp_metric_type
PASSED
  <Data>
    <Unsigned Value="0F" />
  </Data>
(1312) .adp_coord_short_address
PASSED
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
(1313) .adp_disable_default_routing
PASSED
  <Data>
    <Boolean Value="00" />
  </Data>
(1314) .adp_device_type
PASSED
  <Data>
    <Enum Value="00" />
  </Data>

```

```

*****
Test Case 6 : Set mngmt attributes, 325 item(s)
*****

```

```

Mngmt Set Current association 0-0:40.0.0.255 (@9)
(1) .authentication_mechanism_name
INAPPLICABLE
  Optional access right not available
(2) .secret
INAPPLICABLE
  Optional access right not available

Mngmt Set Security setup 0-0:43.0.0.255 (@24)
(3) .security_suite
PASSED
  <Data>
    <Enum Value="00" />
  </Data>

```



Mngmt Set Device ID 2 0-0:96.1.1.255 (@50)

(4) .value

PASSED

```
<Data>
  <OctetString Value="\000000010001" />
</Data>
```

Mngmt Set Device ID 3 0-0:96.1.2.255 (@54)

(5) .value

PASSED

```
<Data>
  <OctetString Value="\00000000" />
</Data>
```

Mngmt Set Device ID 4 0-0:96.1.3.255 (@58)

(6) .value

PASSED

```
<Data>
  <OctetString Value="\00000000" />
</Data>
```

Mngmt Set Device ID 5 0-0:96.1.4.255 (@62)

(7) .value

PASSED

```
<Data>
  <OctetString Value="\00000000" />
</Data>
```

Mngmt Set Clock 0-0:1.0.0.255 (@75)

(8) .time

PASSED

```
<Data>
  <OctetString Value="07E50A0C0212072A00FF8880" />
</Data>
```

(9) .time\_zone

PASSED

```
<Data>
  <Long Value="FFC4" />
</Data>
```

(10) .daylights\_savings\_begin

PASSED

```
<Data>
  <OctetString Value="FFFF03FE07020000008000FF" />
</Data>
```

(11) .daylights\_savings\_end

PASSED

```
<Data>
  <OctetString Value="FFFF0AFE07030000008000FF" />
</Data>
```

(12) .daylights\_savings\_deviation

PASSED

```
<Data>
  <Integer Value="3C" />
```

```

    </Data>
(13) .daylights_savings_enabled
PASSED
    <Data>
        <Boolean Value="01" />
    </Data>

Mngmt Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(14) .value
PASSED
    <Data>
        <Unsigned Value="3C" />
    </Data>

Mngmt Set NTP setup 0-0:25.10.0.255 (@100)
(15) .activated
INAPPLICABLE
    Optional object is not implemented
(16) .server_address
INAPPLICABLE
    Optional object is not implemented
(17) .server_port
INAPPLICABLE
    Optional object is not implemented
(18) .authentication_method
INAPPLICABLE
    Optional object is not implemented
(19) .authentication_keys
INAPPLICABLE
    Optional object is not implemented
(20) .client_key
INAPPLICABLE
    Optional object is not implemented

Mngmt Set Activity Calendar 0-0:13.0.0.255 (@112)
(21) .calendar_name_passive
PASSED
    <Data>
        <OctetString Value="\000000" />
    </Data>
(22) .season_profile_passive
PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0003" >
                <OctetString Value="01" />
                <OctetString Value="FFFF0314FFFFFFFF800000" />
                <OctetString Value="01" />
            </Structure>
        </Array>
    </Data>
(23) .week_profile_table_passive
PASSED
    <Data>

```

```

<Array Qty="0001" >
  <Structure Qty="0008" >
    <OctetString Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="01" />
    <Unsigned Value="02" />
    <Unsigned Value="02" />
  </Structure>
</Array>
</Data>
(24) .day_profile_table_passive
PASSED
<Data>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Unsigned Value="01" />
      <Array Qty="0003" >
        <Structure Qty="0003" >
          <OctetString Value="00000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0002" />
        </Structure>
        <Structure Qty="0003" >
          <OctetString Value="09000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0001" />
        </Structure>
        <Structure Qty="0003" >
          <OctetString Value="16000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0002" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <Unsigned Value="02" />
      <Array Qty="0003" >
        <Structure Qty="0003" >
          <OctetString Value="00000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0003" />
        </Structure>
        <Structure Qty="0003" >
          <OctetString Value="09000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0003" />
        </Structure>
        <Structure Qty="0003" >
          <OctetString Value="16000000" />
          <OctetString Value="00000A0064FF" />
          <LongUnsigned Value="0003" />
        </Structure>
      </Array>
    </Structure>
  </Array>
</Data>

```

```

        </Structure>
    </Array>
</Structure>
</Array>
</Data>
(25) .activate_passive_calendar_time
PASSED
    <Data>
        <OctetString Value="07DF01010000000000000000" />
    </Data>

Mngmt Set Special Days Table 0-0:11.0.0.255 (@125)
(26) .entries
PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>

Mngmt Set Register activation - Energy 0-0:14.0.1.255 (@129)
(27) .register_assignment
INAPPLICABLE
    Optional access right not available
(28) .mask_list
PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\R1" />
                <Array Qty="0006" >
                    <Unsigned Value="01" />
                    <Unsigned Value="05" />
                    <Unsigned Value="09" />
                    <Unsigned Value="0D" />
                    <Unsigned Value="11" />
                    <Unsigned Value="15" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\R2" />
                <Array Qty="0006" >
                    <Unsigned Value="02" />
                    <Unsigned Value="06" />
                    <Unsigned Value="0A" />
                    <Unsigned Value="0E" />
                    <Unsigned Value="12" />
                    <Unsigned Value="16" />
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\R3" />
                <Array Qty="0006" >
                    <Unsigned Value="03" />
                    <Unsigned Value="07" />
                </Array>
            </Structure>
        </Array>
    </Data>

```

```

        <Unsigned Value="0B" />
        <Unsigned Value="0F" />
        <Unsigned Value="13" />
        <Unsigned Value="17" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R4" />
    <Array Qty="0006" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
        <Unsigned Value="10" />
        <Unsigned Value="14" />
        <Unsigned Value="18" />
    </Array>
</Structure>
</Array>
</Data>

```

Mngmt Set Register activation - Maximum Demand 0-0:14.0.2.255 (@135)

(29) .register\_assignment

INAPPLICABLE

Optional access right not available

(30) .mask\_list

PASSED

```

<Data>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <OctetString Value="\R1" />
            <Array Qty="0005" >
                <Unsigned Value="01" />
                <Unsigned Value="05" />
                <Unsigned Value="09" />
                <Unsigned Value="0D" />
                <Unsigned Value="11" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\R2" />
            <Array Qty="0005" >
                <Unsigned Value="02" />
                <Unsigned Value="06" />
                <Unsigned Value="0A" />
                <Unsigned Value="0E" />
                <Unsigned Value="12" />
            </Array>
        </Structure>
        <Structure Qty="0002" >
            <OctetString Value="\R3" />
            <Array Qty="0005" >
                <Unsigned Value="03" />
                <Unsigned Value="07" />
                <Unsigned Value="0B" />
            </Array>
        </Structure>
    </Array>

```

```

        <Unsigned Value="0F" />
        <Unsigned Value="13" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R4" />
    <Array Qty="0005" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
        <Unsigned Value="10" />
        <Unsigned Value="14" />
    </Array>
</Structure>
</Array>
</Data>

```

Mngmt Set Tariffication script table 0-0:10.0.100.255 (@141)  
(31) .scripts  
PASSED

```

<_Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <Array Qty="0002" >
        <Structure Qty="0005" >
          <Enum Value="01" />
          <LongUnsigned Value="0006" />
          <OctetString Value="00000E0001FF" />
          <Integer Value="04" />
          <OctetString Value="\R1" />
        </Structure>
        <Structure Qty="0005" >
          <Enum Value="01" />
          <LongUnsigned Value="0006" />
          <OctetString Value="00000E0002FF" />
          <Integer Value="04" />
          <OctetString Value="\R1" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0002" />
      <Array Qty="0002" >
        <Structure Qty="0005" >
          <Enum Value="01" />
          <LongUnsigned Value="0006" />
          <OctetString Value="00000E0001FF" />
          <Integer Value="04" />
          <OctetString Value="\R2" />
        </Structure>
        <Structure Qty="0005" >
          <Enum Value="01" />
          <LongUnsigned Value="0006" />

```

```

        <OctetString Value="00000E0002FF" />
        <Integer Value="04" />
        <OctetString Value="\R2" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0003" />
    <Array Qty="0002" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="\R3" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="\R3" />
        </Structure>
    </Array>
</Structure>
<Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <Array Qty="0002" >
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="\R4" />
        </Structure>
        <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="\R4" />
        </Structure>
    </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Set End of billing period 1 scheduler 0-0:15.0.0.255 (@152)

(32) .type

INAPPLICABLE

Optional access right not available

(33) .execution\_time

PASSED

<Data>

```
<Array Qty="0001" >
  <Structure Qty="0002" >
    <OctetString Value="00000000" />
    <OctetString Value="FFFFFF01FF" />
  </Structure>
</Array>
</Data>
```

Mngmt Set Data of billing period 1 0-0:98.1.0.255 (@158)  
(34) .capture\_objects  
PASSED

```
<Data>
  <Array Qty="0005" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100010802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
```

Mngmt Set Disconnect control scheduler 0-0:15.0.1.255 (@170)  
(35) .executed\_script  
INAPPLICABLE

Object is not required according to OM and/or extensions

(36) .type

INAPPLICABLE

Object is not required according to OM and/or extensions

(37) .execution\_time



INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Disconnect control 0-0:96.3.10.255 (@181)

(38) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Disconnect Control Log 0-0:99.98.2.255 (@193)

(39) .capture\_objects

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Load Mgmt - Relay control 1 0-1:96.3.10.255 (@209)

(40) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Load Mgmt - Relay control 2 0-2:96.3.10.255 (@217)

(41) .control\_mode

INAPPLICABLE

Optional object is not implemented

Mngmt Set Limiter 0-0:17.0.0.255 (@225)

(42) .monitored\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(43) .threshold\_normal

INAPPLICABLE

Object is not required according to OM and/or extensions

(44) .treshold\_emergency

INAPPLICABLE

Object is not required according to OM and/or extensions

(45) .min\_over\_threshold\_duration

INAPPLICABLE

Object is not required according to OM and/or extensions

(46) .min\_under\_threshold\_duration

INAPPLICABLE

Object is not required according to OM and/or extensions

(47) .emergency\_profile

INAPPLICABLE

Object is not required according to OM and/or extensions

(48) .emergency\_profile\_group\_id\_list

INAPPLICABLE

Object is not required according to OM and/or extensions

(49) .actions

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Supervision monitor 1 - Fuse supervision L1 1-0:31.4.0.255 (@238)

(50) .thresholds

INAPPLICABLE

Object is not required according to OM and/or extensions

(51) .monitored\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(52) .actions

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Supervision monitor 2 - Fuse supervision L2 1-0:51.4.0.255 (@244)

(53) .thresholds

INAPPLICABLE

Object is not required according to OM and/or extensions

(54) .monitored\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(55) .actions

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Supervision monitor 3 - Fuse supervision L3 1-0:71.4.0.255 (@250)

(56) .thresholds

INAPPLICABLE

Object is not required according to OM and/or extensions

(57) .monitored\_value

INAPPLICABLE

Object is not required according to OM and/or extensions

(58) .actions

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Error Register 0-0:97.97.0.255 (@257)

(59) .value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

Mngmt Set Alarm Register 1 0-0:97.98.0.255 (@261)

(60) .value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

Mngmt Set Alarm Filter 1 0-0:97.98.10.255 (@265)

(61) .value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

Mngmt Set Alarm Descriptor 1 0-0:97.98.20.255 (@269)

(62) .value

PASSED

<Data>

<DoubleLongUnsigned Value="00000000" />

</Data>

Mngmt Set Alarm Monitor 1 0-0:16.1.0.255 (@273)  
(63) .actions

PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Structure Qty="0002" >
        <OctetString Value="00000A006CFF" />
        <LongUnsigned Value="0004" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="00000A006CFF" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Structure>
  </Array>
</Data>
```

Mngmt Set Alarm Register 2 0-0:97.98.1.255 (@279)  
(64) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

Mngmt Set Alarm Filter 2 0-0:97.98.11.255 (@283)  
(65) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

Mngmt Set Alarm Descriptor 2 0-0:97.98.21.255 (@287)  
(66) .value

PASSED

```
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
```

Mngmt Set Alarm Monitor 2 0-0:16.1.1.255 (@291)  
(67) .actions

PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Structure Qty="0002" >
        <OctetString Value="00000A006CFF" />
        <LongUnsigned Value="0004" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="00000A006CFF" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
```

```
        </Structure>
    </Structure>
</Array>
</Data>
```

Mngmt Set Standard Event Log 0-0:99.98.0.255 (@301)  
(68) .capture\_objects  
INAPPLICABLE  
Optional access right not available

Mngmt Set Fraud Detection Log 0-0:99.98.1.255 (@316)  
(69) .capture\_objects  
INAPPLICABLE  
Optional access right not available

Mngmt Set Communication Log 0-0:99.98.5.255 (@331)  
(70) .capture\_objects  
INAPPLICABLE  
Optional access right not available

Mngmt Set Consumer Message Code - Meter Display 0-0:96.13.1.255 (@343)  
(71) .value  
PASSED  
<Data>  
 <OctetString Value="313233343536373800" />  
</Data>

Mngmt Set Consumer Message Text - Consumer Information 0-0:96.13.0.255 (@347)  
(72) .value  
PASSED  
<Data>  
 <OctetString Value="\12345678" />  
</Data>

Mngmt Set Push action scheduler - Consumer Information 0-4:15.0.4.255 (@351)  
(73) .executed\_script  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(74) .type  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(75) .execution\_time  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set Push setup - Consumer Information 0-6:25.9.0.255 (@357)  
(76) .push\_object\_list  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(77) .send\_destination\_and\_method  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(78) .communication\_window  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(79) .randomisation\_start\_interval  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(80) .number\_of\_retries  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(81) .repetition\_delay  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Security setup - Consumer Information 0-0:43.0.1.255 (@367)  
(82) .security\_suite  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set IEC HDLC setup - Consumer Information Interface 0-1:22.0.0.255  
(@376)

(83) .comm\_speed  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(84) .window\_size\_transmit  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(85) .window\_size\_receive  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(86) .max\_info\_field\_lenght\_transmit  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(87) .max\_info\_field\_lenght\_receive  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(88) .inter\_octet\_time\_out  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(89) .inactivity\_time\_out  
INAPPLICABLE

Object is not required according to OM and/or extensions  
(90) .device\_address  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Image transfer 0-0:44.0.0.255 (@388)  
(91) .image\_block\_size  
INAPPLICABLE

Optional access right not available  
(92) .image\_transfer\_enabled  
PASSED

```
<Data>  
  <Boolean Value="01" />  
</Data>
```

Mngmt Set Image transfer activation scheduler 0-0:15.0.2.255 (@401)

(93) .executed\_script  
INAPPLICABLE  
Optional access right not available

(94) .type  
INAPPLICABLE  
Optional access right not available

(95) .execution\_time  
PASSED  
<Data>  
  <Array Qty="0000" >  
  </Array>  
</Data>

Mngmt Set Demand Register 1 - Active energy import (+A) 1-0:1.4.0.255 (@775)

(96) .period  
PASSED  
<Data>  
  <DoubleLongUnsigned Value="00000384" />  
</Data>

(97) .number\_of\_periods  
PASSED  
<Data>  
  <LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 2 - Active energy export (-A) 1-0:2.4.0.255 (@788)

(98) .period  
PASSED  
<Data>  
  <DoubleLongUnsigned Value="00000384" />  
</Data>

(99) .number\_of\_periods  
PASSED  
<Data>  
  <LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 3 - Reactive energy import (+R) 1-0:3.4.0.255 (@801)

(100) .period  
PASSED  
<Data>  
  <DoubleLongUnsigned Value="00000384" />  
</Data>

(101) .number\_of\_periods  
PASSED  
<Data>  
  <LongUnsigned Value="0001" />  
</Data>

Mngmt Set Demand Register 4 - Reactive energy export (-R) 1-0:4.4.0.255 (@814)

(102) .period  
PASSED

```
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(103) .number_of_periods
PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>
```

Mngmt Set Demand Register 5 - Apparent energy import (+VA) 1-0:9.4.0.255  
(@827)

```
(104) .period
INAPPLICABLE
  Optional object is not implemented
(105) .number_of_periods
INAPPLICABLE
  Optional object is not implemented
```

Mngmt Set Demand Register 6 - Apparent energy export (-VA) 1-0:10.4.0.255  
(@840)

```
(106) .period
INAPPLICABLE
  Optional object is not implemented
(107) .number_of_periods
INAPPLICABLE
  Optional object is not implemented
```

Mngmt Set Load profile with period 1 i.e. General Load Profile 1-0:99.1.0.255  
(@1146)

```
(108) .capture_objects
PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600A01FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010800FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020800FF" />
        </Structure>
```

```
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(109) .capture_period
PASSED
    <Data>
        <DoubleLongUnsigned Value="00000384" />
    </Data>
(110) .profile_entries
INAPPLICABLE
    Optional access right not available
```

Mngmt Set Load profile with period 2 i.e. Daily Values Profile 1-0:99.2.0.255  
(@1161)

```
(111) .capture_objects
PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600A02FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010801FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010802FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010803FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0100010804FF" />
                <Integer Value="02" />
            </Structure>
```



```
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(112) .capture_period
PASSED
  <Data>
    <DoubleLongUnsigned Value="00015180" />
  </Data>
(113) .profile_entries
INAPPLICABLE
  Optional access right not available

Mngmt Set Time threshold for long power failure 0-0:96.7.20.255 (@1181)
(114) .value
PASSED
  <Data>
    <LongUnsigned Value="00B4" />
  </Data>

Mngmt Set Threshold for voltage sag 1-0:12.31.0.255 (@1193)
(115) .value
PASSED
  <Data>
    <LongUnsigned Value="00CF" />
  </Data>

Mngmt Set Time threshold for voltage sag 1-0:12.43.0.255 (@1199)
(116) .value
PASSED
  <Data>
    <LongUnsigned Value="001E" />
  </Data>

Mngmt Set Threshold for voltage swell 1-0:12.35.0.255 (@1253)
(117) .value
PASSED
  <Data>
    <LongUnsigned Value="00FD" />
  </Data>

Mngmt Set Time threshold for voltage swell 1-0:12.44.0.255 (@1259)
(118) .value
PASSED
  <Data>
    <LongUnsigned Value="001E" />
  </Data>

Mngmt Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1313)
(119) .value
PASSED
  <Data>
    <LongUnsigned Value="0067" />
  </Data>
```

Mngmt Set Time threshold for voltage cut 1-0:12.45.0.255 (@1319)  
(120) .value  
PASSED

```
<Data>  
  <LongUnsigned Value="001E" />  
</Data>
```

Mngmt Set Power Failure Event Log 1-0:99.97.0.255 (@1325)  
(121) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set Power Quality Log 0-0:99.98.4.255 (@1340)  
(122) .capture\_objects  
INAPPLICABLE

Optional access right not available

Mngmt Set Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255  
(@1369)  
(123) .number\_of\_periods  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Sliding Average current L2 (for fuse supervision) 1-0:51.4.0.255  
(@1400)  
(124) .number\_of\_periods  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Sliding Average current L3 (for fuse supervision) 1-0:71.4.0.255  
(@1431)  
(125) .number\_of\_periods  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Average Import Power (+A) 1-0:1.24.0.255 (@1498)  
(126) .number\_of\_periods  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Average Net Power (|+A|-|-A|) 1-0:16.24.0.255 (@1511)  
(127) .number\_of\_periods  
INAPPLICABLE

Optional object is not implemented

Mngmt Set Average Total Power (|+A|+|-A|) 1-0:15.24.0.255 (@1524)  
(128) .number\_of\_periods  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1559)  
(129) .value  
INAPPLICABLE

Optional object is not implemented

Mngmt Set M-Bus client channel 1 0-1:24.1.0.255 (@1574)  
(130) .mbus\_port\_reference  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(131) .capture\_definition  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(132) .capture\_period  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(133) .primary\_address  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus client channel 2 0-2:24.1.0.255 (@1596)  
(134) .mbus\_port\_reference  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(135) .capture\_definition  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(136) .capture\_period  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(137) .primary\_address  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus client channel 3 0-3:24.1.0.255 (@1618)  
(138) .mbus\_port\_reference  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(139) .capture\_definition  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(140) .capture\_period  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(141) .primary\_address  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus client channel 4 0-4:24.1.0.255 (@1640)  
(142) .mbus\_port\_reference  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(143) .capture\_definition  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(144) .capture\_period  
INAPPLICABLE  
Object is not required according to OM and/or extensions

(145) .primary\_address  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1662)  
(146) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1670)  
(147) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 1, instance 3 0-1:24.2.3.255 (@1678)  
(148) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 1, instance 4 0-1:24.2.4.255 (@1686)  
(149) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1694)  
(150) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1702)  
(151) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 2, instance 3 0-2:24.2.3.255 (@1710)  
(152) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 2, instance 4 0-2:24.2.4.255 (@1718)  
(153) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1726)  
(154) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1734)  
(155) .scaler\_unit  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 3, instance 3 0-3:24.2.3.255 (@1742)  
(156) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 3, instance 4 0-3:24.2.4.255 (@1750)  
(157) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1758)  
(158) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1766)  
(159) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 4, instance 3 0-4:24.2.3.255 (@1774)  
(160) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1782)  
(161) .scaler\_unit

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1790)  
(162) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1794)  
(163) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1798)  
(164) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1802)  
(165) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1806)  
(166) .value

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1810)  
(167) .value  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1814)  
(168) .value  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1818)  
(169) .value  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1838)  
(170) .capture\_objects  
INAPPLICABLE

Object is not required according to OM and/or extensions

(171) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1849)  
(172) .capture\_objects  
INAPPLICABLE

Object is not required according to OM and/or extensions

(173) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1860)  
(174) .capture\_objects  
INAPPLICABLE

Object is not required according to OM and/or extensions

(175) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1871)  
(176) .capture\_objects  
INAPPLICABLE

Object is not required according to OM and/or extensions

(177) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1882)  
(178) .control\_mode  
INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1890)

(179) .control\_mode  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1898)  
(180) .control\_mode  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1906)  
(181) .control\_mode  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1914)  
(182) .executed\_script  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(183) .type  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(184) .execution\_time  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Control log object 1 0-1:24.5.0.255 (@1941)  
(185) .capture\_objects  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Control log object 2 0-2:24.5.0.255 (@1952)  
(186) .capture\_objects  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Control log object 3 0-3:24.5.0.255 (@1963)  
(187) .capture\_objects  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Master Control log object 4 0-4:24.5.0.255 (@1974)  
(188) .capture\_objects  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set M-Bus Event Log 0-0:99.98.3.255 (@1989)  
(189) .capture\_objects  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@2001)  
(190) .default\_mode  
INAPPLICABLE  
Optional object is not implemented

(191) .default\_baud  
INAPPLICABLE  
Optional object is not implemented  
(192) .prop\_baud  
INAPPLICABLE  
Optional object is not implemented  
(193) .response\_time  
INAPPLICABLE  
Optional object is not implemented  
(194) .device\_addr  
INAPPLICABLE  
Optional object is not implemented  
(195) .pass\_p1  
INAPPLICABLE  
Optional object is not implemented  
(196) .pass\_p2  
INAPPLICABLE  
Optional object is not implemented  
(197) .pass\_p3  
INAPPLICABLE  
Optional object is not implemented

Mngmt Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@2012)

(198) .comm\_speed  
PASSED  
<Data>  
    <Enum Value="05" />  
</Data>  
(199) .window\_size\_transmit  
PASSED  
<Data>  
    <Unsigned Value="01" />  
</Data>  
(200) .window\_size\_receive  
PASSED  
<Data>  
    <Unsigned Value="01" />  
</Data>  
(201) .max\_info\_field\_lenght\_transmit  
PASSED  
<Data>  
    <LongUnsigned Value="00DC" />  
</Data>  
(202) .max\_info\_field\_lenght\_receive  
PASSED  
<Data>  
    <LongUnsigned Value="00FA" />  
</Data>  
(203) .inter\_octet\_time\_out  
PASSED  
<Data>  
    <LongUnsigned Value="0014" />  
</Data>  
(204) .inactivity\_time\_out



```
PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>
(205) .device_address
PASSED
    <Data>
        <LongUnsigned Value="0010" />
    </Data>

Mngmt Set TCP-UDP setup 0-0:25.0.0.255 (@2024)
(206) .TCP-UDP_port
PASSED
    <Data>
        <LongUnsigned Value="F0B0" />
    </Data>
(207) .MSS
PASSED
    <Data>
        <LongUnsigned Value="0500" />
    </Data>
(208) .nb_of_sim_conn
PASSED
    <Data>
        <Unsigned Value="01" />
    </Data>
(209) .inactivity_time_out
PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

Mngmt Set IPv4 setup 0-0:25.1.0.255 (@2032)
(210) .DL_reference
INAPPLICABLE
    Object is not required according to OM and/or extensions
(211) .IP_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(212) .multicast_IP_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(213) .IP_options
INAPPLICABLE
    Object is not required according to OM and/or extensions
(214) .subnet_mask
INAPPLICABLE
    Object is not required according to OM and/or extensions
(215) .gateway_IP_address
INAPPLICABLE
    Object is not required according to OM and/or extensions
(216) .use_DHCP_flag
INAPPLICABLE
    Object is not required according to OM and/or extensions
```

(217) .primary\_DNS\_address  
INAPPLICABLE  
Object is not required according to OM and/or extensions

(218) .secondary\_DNS\_address  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Set IPv6 setup 0-0:25.7.0.255 (@2047)

(219) .DL\_reference  
PASSED  
<Data>  
    <OctetString Value="0000190200FF" />  
</Data>

(220) .address\_config\_mode  
PASSED  
<Data>  
    <Enum Value="00" />  
</Data>

(221) .unicast\_IPv6\_addresses  
PASSED  
<Data>  
    <Array Qty="0001" >  
        <OctetString Value="FE8000000000000000000000FFFE010001" />  
    </Array>  
</Data>

(222) .multicast\_IPv6\_addresses  
PASSED  
<Data>  
    <Array Qty="0001" >  
        <OctetString Value="FE8000000000000000000000FFFE010001" />  
    </Array>  
</Data>

(223) .gateway\_IPv6\_address  
PASSED  
<Data>  
    <Array Qty="0001" >  
        <OctetString Value="FE8000000000000000000000FFFE010001" />  
    </Array>  
</Data>

(224) .primary\_DNS\_address  
PASSED  
<Data>  
    <OctetString Value="FE8000000000000000000000FFFE010001" />  
</Data>

(225) .secondary\_DNS\_address  
PASSED  
<Data>  
    <OctetString Value="FE8000000000000000000000FFFE010001" />  
</Data>

(226) .traffic\_class  
PASSED  
<Data>  
    <Unsigned Value="00" />  
</Data>

(227) .neighbor\_discovery\_setup  
PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0003" >
      <Unsigned Value="03" />
      <LongUnsigned Value="0000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>
</Data>
```

Mngmt Set PPP setup 0-0:25.3.0.255 (@2061)

(228) .PHY\_refernce

INAPPLICABLE

Object is not required according to OM and/or extensions

(229) .LCP\_options

INAPPLICABLE

Object is not required according to OM and/or extensions

(230) .IPCP\_options

INAPPLICABLE

Object is not required according to OM and/or extensions

(231) .PPP\_authentication

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Push setup - Interval\_1 0-1:25.9.0.255 (@2069)

(232) .push\_object\_list

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

(233) .send\_destination\_and\_method

PASSED

```
<Data>
  <Structure Qty="0003" >
    <Enum Value="00" />
    <OctetString Value="\0.0.0.0:0" />
    <Enum Value="00" />
  </Structure>
</Data>
```

(234) .communication\_window

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

(235) .randomisation\_start\_interval

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(236) .number\_of\_retries

PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

(237) .repetition\_delay

PASSED

```
<Data>
  <LongUnsigned Value="001E" />
</Data>
```

Mngmt Set Push setup - Interval\_2 0-2:25.9.0.255 (@2079)

(238) .push\_object\_list

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

(239) .send\_destination\_and\_method

PASSED

```
<Data>
  <Structure Qty="0003" >
    <Enum Value="00" />
    <OctetString Value="\0.0.0.0:0" />
    <Enum Value="00" />
  </Structure>
</Data>
```

(240) .communication\_window

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

(241) .randomisation\_start\_interval

PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(242) .number\_of\_retries

PASSED

```
<Data>
  <Unsigned Value="00" />
</Data>
```

(243) .repetition\_delay

PASSED

```
<Data>
  <LongUnsigned Value="001E" />
</Data>
```

Mngmt Set Push setup - Interval\_3 0-3:25.9.0.255 (@2089)

(244) .push\_object\_list

PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
```

```

    </Data>
(245) .send_destination_and_method
PASSED
    <Data>
        <Structure Qty="0003" >
            <Enum Value="00" />
            <OctetString Value="\0.0.0.0:0" />
            <Enum Value="00" />
        </Structure>
    </Data>
(246) .communication_window
PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>
(247) .randomisation_start_interval
PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(248) .number_of_retries
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(249) .repetition_delay
PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Push setup - On Alarm 0-4:25.9.0.255 (@2099)
(250) .push_object_list
PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="00002A0000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0028" />
                <OctetString Value="0004190900FF" />
                <Integer Value="01" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000616214FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000616215FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>
(251) .send_destination_and_method
PASSED
    <Data>
        <Structure Qty="0003" >
            <Enum Value="00" />
            <OctetString Value="\0.0.0.0:0" />
            <Enum Value="00" />
        </Structure>
    </Data>
(252) .communication_window
PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>
(253) .randomisation_start_interval
PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(254) .number_of_retries
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(255) .repetition_delay
PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Push setup - On Connectivity 0-0:25.9.0.255 (@2109)
(256) .push_object_list
PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600100FF" />
            </Structure>
        </Array>
    </Data>

```

```

        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0014" />
        <OctetString Value="00000D0000FF" />
        <Integer Value="06" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(257) .send_destination_and_method
PASSED
    <Data>
        <Structure Qty="0003" >
            <Enum Value="00" />
            <OctetString Value="0001160000FF" />
            <Enum Value="00" />
        </Structure>
    </Data>
(258) .communication_window
PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>
(259) .randomisation_start_interval
PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(260) .number_of_retries
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(261) .repetition_delay
PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Push setup - On Installation 0-7:25.9.0.255 (@2119)
(262) .push_object_list
PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="00002A0000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        <Structure Qty="0004" >

```

```

        <LongUnsigned Value="0028" />
        <OctetString Value="0007190900FF" />
        <Integer Value="01" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0040" />
        <OctetString Value="00002B0000FF" />
        <Integer Value="05" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(263) .send_destination_and_method
PASSED
    <Data>
        <Structure Qty="0003" >
            <Enum Value="00" />
            <OctetString Value="\0.0.0.0:0" />
            <Enum Value="00" />
        </Structure>
    </Data>
(264) .communication_window
PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>
(265) .randomisation_start_interval
PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(266) .number_of_retries
PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(267) .repetition_delay
PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Push setup - On Power down 0-5:25.9.0.255 (@2129)
(268) .push_object_list
INAPPLICABLE
    Optional object is not implemented
(269) .send_destination_and_method
INAPPLICABLE
    Optional object is not implemented
(270) .communication_window
INAPPLICABLE
    Optional object is not implemented

```



(271) .randomisation\_start\_interval  
INAPPLICABLE

Optional object is not implemented

(272) .number\_of\_retries  
INAPPLICABLE

Optional object is not implemented

(273) .repetition\_delay  
INAPPLICABLE

Optional object is not implemented

Mngmt Set Push script table 0-0:10.0.108.255 (@2139)

(274) .scripts  
INAPPLICABLE

Optional access right not available

Mngmt Set Push action scheduler - Interval\_1 0-1:15.0.4.255 (@2144)

(275) .executed\_script  
INAPPLICABLE

Optional access right not available

(276) .type  
INAPPLICABLE

Optional access right not available

(277) .execution\_time  
PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

Mngmt Set Push action scheduler - Interval\_2 0-2:15.0.4.255 (@2150)

(278) .executed\_script  
INAPPLICABLE

Optional access right not available

(279) .type  
INAPPLICABLE

Optional access right not available

(280) .execution\_time  
PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

Mngmt Set Push action scheduler - Interval\_3 0-3:15.0.4.255 (@2156)

(281) .executed\_script  
INAPPLICABLE

Optional access right not available

(282) .type  
INAPPLICABLE

Optional access right not available

(283) .execution\_time  
PASSED

```
<Data>
  <Array Qty="0000" >
  </Array>
</Data>
```

```
    </Array>
  </Data>
```

Mngmt Set Auto connect 0-0:2.1.0.255 (@2163)

(284) .mode

PASSED

```
  <Data>
    <Enum Value="65" />
  </Data>
```

(285) .repetitions

PASSED

```
  <Data>
    <Unsigned Value="00" />
  </Data>
```

(286) .repetition\_delay

PASSED

```
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
```

(287) .calling\_window

PASSED

```
  <Data>
    <Array Qty="0000" >
    </Array>
  </Data>
```

(288) .destination\_list

INAPPLICABLE

Optional access right not available

Mngmt Set GPRS modem setup 0-0:25.4.0.255 (@2177)

(289) .APN

INAPPLICABLE

Object is not required according to OM and/or extensions

(290) .PIN\_code

INAPPLICABLE

Object is not required according to OM and/or extensions

(291) .quality\_of\_service

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Modem configuration 0-0:2.0.0.255 (@2183)

(292) .comm\_speed

INAPPLICABLE

Object is not required according to OM and/or extensions

(293) .initialization\_string

INAPPLICABLE

Object is not required according to OM and/or extensions

(294) .modem\_profile

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Set Auto answer 0-0:2.2.0.255 (@2189)

(295) .mode

INAPPLICABLE



```
</Data>
(307) .mac_CSMA_fairness_limit
PASSED
  <Data>
    <Unsigned Value="19" />
  </Data>
(308) .mac_beacon_randomization_window_length
PASSED
  <Data>
    <Unsigned Value="0C" />
  </Data>
(309) .mac_A
PASSED
  <Data>
    <Unsigned Value="08" />
  </Data>
(310) .mac_K
PASSED
  <Data>
    <Unsigned Value="05" />
  </Data>
(311) .mac_min_CW_attempts
PASSED
  <Data>
    <Unsigned Value="0A" />
  </Data>
(312) .mac_max_BE
PASSED
  <Data>
    <Unsigned Value="08" />
  </Data>
(313) .mac_max_CSMA_backoffs
PASSED
  <Data>
    <Unsigned Value="32" />
  </Data>
(314) .mac_min_BE
PASSED
  <Data>
    <Unsigned Value="03" />
  </Data>
```

Mngmt Set G3-PLC MAC 6LoWPAN adaptation layer setup 0-0:29.2.0.255 (@2237)

```
(315) .adp_max_hops
PASSED
  <Data>
    <Unsigned Value="0E" />
  </Data>
(316) .adp_weak_LQI_value
PASSED
  <Data>
    <Unsigned Value="34" />
  </Data>
(317) .adp_security_level
```

PASSED

```
<Data>
  <Unsigned Value="05" />
</Data>
```

(318) .adp\_routing\_configuration  
PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="000E" >
      <Unsigned Value="00" />
      <LongUnsigned Value="0000" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <Unsigned Value="00" />
      <LongUnsigned Value="0000" />
      <Boolean Value="00" />
      <Boolean Value="00" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Data>
```

(319) .adp\_broadcast\_log\_table\_entry\_TTL  
PASSED

```
<Data>
  <LongUnsigned Value="0002" />
</Data>
```

(320) .adp\_max\_join\_wait\_time  
PASSED

```
<Data>
  <LongUnsigned Value="0014" />
</Data>
```

(321) .adp\_path\_discovery\_time  
PASSED

```
<Data>
  <Unsigned Value="28" />
</Data>
```

(322) .adp\_metric\_type  
PASSED

```
<Data>
  <Unsigned Value="0F" />
</Data>
```

(323) .adp\_coord\_short\_address  
PASSED

```
<Data>
  <LongUnsigned Value="0000" />
</Data>
```

(324) .adp\_disable\_default\_routing  
PASSED

```
<Data>
```

```
        <Boolean Value="00" />
    </Data>
(325) .adp_device_type
PASSED
    <Data>
        <Enum Value="00" />
    </Data>
```

```
*****
Test Case 7 : Set Pre attributes, 71 item(s)
*****
```

```
Pre Set Clock 0-0:1.0.0.255 (@75)
(1) .time
PASSED
    <Data>
        <OctetString Value="07E50A0C0212072A00FF8880" />
    </Data>
(2) .time_zone
PASSED
    <Data>
        <Long Value="FFC4" />
    </Data>
(3) .daylights_savings_begin
PASSED
    <Data>
        <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(4) .daylights_savings_end
PASSED
    <Data>
        <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(5) .daylights_savings_deviation
PASSED
    <Data>
        <Integer Value="3C" />
    </Data>
(6) .daylights_savings_enabled
PASSED
    <Data>
        <Boolean Value="01" />
    </Data>
```

```
Pre Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(7) .value
PASSED
    <Data>
        <Unsigned Value="3C" />
    </Data>
```

```
Pre Set NTP setup 0-0:25.10.0.255 (@100)
(8) .activated
INAPPLICABLE
```

Optional object is not implemented

Pre Set Activity Calendar 0-0:13.0.0.255 (@112)

(9) .calendar\_name\_passive

PASSED

```
<Data>
  <OctetString Value="\000000" />
</Data>
```

(10) .season\_profile\_passive

PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0003" >
      <OctetString Value="01" />
      <OctetString Value="FFFF0314FFFFFFFFFFFF800000" />
      <OctetString Value="01" />
    </Structure>
  </Array>
</Data>
```

(11) .week\_profile\_table\_passive

PASSED

```
<Data>
  <Array Qty="0001" >
    <Structure Qty="0008" >
      <OctetString Value="01" />
      <Unsigned Value="01" />
      <Unsigned Value="01" />
      <Unsigned Value="01" />
      <Unsigned Value="01" />
      <Unsigned Value="01" />
      <Unsigned Value="02" />
      <Unsigned Value="02" />
    </Structure>
  </Array>
</Data>
```

(12) .day\_profile\_table\_passive

PASSED

```
<Data>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Unsigned Value="01" />
    </Structure>
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <OctetString Value="00000000" />
        <OctetString Value="00000A0064FF" />
        <LongUnsigned Value="0002" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="09000000" />
        <OctetString Value="00000A0064FF" />
        <LongUnsigned Value="0001" />
      </Structure>
      <Structure Qty="0003" >
        <OctetString Value="16000000" />
      </Structure>
    </Array>
  </Array>
</Data>
```

```

        <OctetString Value="00000A0064FF" />
        <LongUnsigned Value="0002" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
    <Unsigned Value="02" />
    <Array Qty="0003" >
        <Structure Qty="0003" >
            <OctetString Value="00000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0003" />
        </Structure>
        <Structure Qty="0003" >
            <OctetString Value="09000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0003" />
        </Structure>
        <Structure Qty="0003" >
            <OctetString Value="16000000" />
            <OctetString Value="00000A0064FF" />
            <LongUnsigned Value="0003" />
        </Structure>
    </Array>
</Structure>
</Array>
</Data>
(13) .activate_passive_calendar_time
PASSED
    <Data>
        <OctetString Value="07DF01010000000000000000" />
    </Data>

Pre Set Special Days Table 0-0:11.0.0.255 (@125)
(14) .entries
PASSED
    <Data>
        <Array Qty="0000" >
        </Array>
    </Data>

Pre Set Register activation - Energy 0-0:14.0.1.255 (@129)
(15) .register_assignment
INAPPLICABLE
    Optional access right not available
(16) .mask_list
PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\R1" />
                <Array Qty="0006" >
                    <Unsigned Value="01" />
                    <Unsigned Value="05" />
                </Array>
            </Structure>
        </Array>
    </Data>

```



```

        <Unsigned Value="09" />
        <Unsigned Value="0D" />
        <Unsigned Value="11" />
        <Unsigned Value="15" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R2" />
    <Array Qty="0006" >
        <Unsigned Value="02" />
        <Unsigned Value="06" />
        <Unsigned Value="0A" />
        <Unsigned Value="0E" />
        <Unsigned Value="12" />
        <Unsigned Value="16" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R3" />
    <Array Qty="0006" >
        <Unsigned Value="03" />
        <Unsigned Value="07" />
        <Unsigned Value="0B" />
        <Unsigned Value="0F" />
        <Unsigned Value="13" />
        <Unsigned Value="17" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R4" />
    <Array Qty="0006" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
        <Unsigned Value="10" />
        <Unsigned Value="14" />
        <Unsigned Value="18" />
    </Array>
</Structure>
</Array>
</Data>

```

Pre Set Register activation - Maximum Demand 0-0:14.0.2.255 (@135)

(17) .register\_assignment

INAPPLICABLE

Optional access right not available

(18) .mask\_list

PASSED

```

<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="\R1" />
      <Array Qty="0005" >
        <Unsigned Value="01" />

```

```
        <Unsigned Value="05" />
        <Unsigned Value="09" />
        <Unsigned Value="0D" />
        <Unsigned Value="11" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R2" />
    <Array Qty="0005" >
        <Unsigned Value="02" />
        <Unsigned Value="06" />
        <Unsigned Value="0A" />
        <Unsigned Value="0E" />
        <Unsigned Value="12" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R3" />
    <Array Qty="0005" >
        <Unsigned Value="03" />
        <Unsigned Value="07" />
        <Unsigned Value="0B" />
        <Unsigned Value="0F" />
        <Unsigned Value="13" />
    </Array>
</Structure>
<Structure Qty="0002" >
    <OctetString Value="\R4" />
    <Array Qty="0005" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
        <Unsigned Value="10" />
        <Unsigned Value="14" />
    </Array>
</Structure>
</Array>
</Data>
```

Pre Set Consumer Message Code - Meter Display 0-0:96.13.1.255 (@343)  
(19) .value  
PASSED

```
<Data>
    <OctetString Value="313233343536373800" />
</Data>
```

Pre Set Consumer Message Text - Consumer Information 0-0:96.13.0.255 (@347)  
(20) .value  
PASSED

```
<Data>
    <OctetString Value="\12345678" />
</Data>
```

Pre Set IEC HDLC setup - Consumer Information Interface 0-1:22.0.0.255 (@376)

(21) .comm\_speed  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(22) .window\_size\_transmit  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(23) .window\_size\_receive  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(24) .max\_info\_field\_lenght\_transmit  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(25) .max\_info\_field\_lenght\_receive  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(26) .inter\_octet\_time\_out  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(27) .inactivity\_time\_out  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Pre Set Time threshold for long power failure 0-0:96.7.20.255 (@1181)  
(28) .value  
PASSED  
<Data>  
    <LongUnsigned Value="00B4" />  
</Data>

Pre Set Threshold for voltage sag 1-0:12.31.0.255 (@1193)  
(29) .value  
PASSED  
<Data>  
    <LongUnsigned Value="00CF" />  
</Data>

Pre Set Time threshold for voltage sag 1-0:12.43.0.255 (@1199)  
(30) .value  
PASSED  
<Data>  
    <LongUnsigned Value="001E" />  
</Data>

Pre Set Threshold for voltage swell 1-0:12.35.0.255 (@1253)  
(31) .value  
PASSED  
<Data>  
    <LongUnsigned Value="00FD" />  
</Data>

Pre Set Time threshold for voltage swell 1-0:12.44.0.255 (@1259)  
(32) .value  
PASSED  
<Data>

```
    <LongUnsigned Value="001E" />
  </Data>
```

Pre Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1313)  
(33) .value  
PASSED

```
  <Data>
    <LongUnsigned Value="0067" />
  </Data>
```

Pre Set Time threshold for voltage cut 1-0:12.45.0.255 (@1319)  
(34) .value  
PASSED

```
  <Data>
    <LongUnsigned Value="001E" />
  </Data>
```

Pre Set Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1559)  
(35) .value  
INAPPLICABLE

Optional object is not implemented

Pre Set M-Bus client channel 1 0-1:24.1.0.255 (@1574)  
(36) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions

Pre Set M-Bus client channel 2 0-2:24.1.0.255 (@1596)  
(37) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions

Pre Set M-Bus client channel 3 0-3:24.1.0.255 (@1618)  
(38) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions

Pre Set M-Bus client channel 4 0-4:24.1.0.255 (@1640)  
(39) .capture\_period  
INAPPLICABLE

Object is not required according to OM and/or extensions

Pre Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1882)  
(40) .control\_mode  
INAPPLICABLE

Object is not required according to OM and/or extensions

Pre Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1890)  
(41) .control\_mode  
INAPPLICABLE

Object is not required according to OM and/or extensions

Pre Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1898)  
(42) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Pre Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1906)

(43) .control\_mode

INAPPLICABLE

Object is not required according to OM and/or extensions

Pre Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@2001)

(44) .default\_mode

INAPPLICABLE

Optional object is not implemented

(45) .default\_baud

INAPPLICABLE

Optional object is not implemented

(46) .prop\_baud

INAPPLICABLE

Optional object is not implemented

(47) .response\_time

INAPPLICABLE

Optional object is not implemented

(48) .device\_addr

INAPPLICABLE

Optional object is not implemented

(49) .pass\_p1

INAPPLICABLE

Optional object is not implemented

(50) .pass\_p2

INAPPLICABLE

Optional object is not implemented

(51) .pass\_p3

INAPPLICABLE

Optional object is not implemented

Pre Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@2012)

(52) .comm\_speed

PASSED

<Data>

<Enum Value="05" />

</Data>

(53) .window\_size\_transmit

PASSED

<Data>

<Unsigned Value="01" />

</Data>

(54) .window\_size\_receive

PASSED

<Data>

<Unsigned Value="01" />

</Data>

(55) .max\_info\_field\_lenght\_transmit

PASSED

<Data>

<LongUnsigned Value="00DC" />

```
    </Data>
(56) .max_info_field_lenght_receive
PASSED
    <Data>
        <LongUnsigned Value="00FA" />
    </Data>
(57) .inter_octet_time_out
PASSED
    <Data>
        <LongUnsigned Value="0014" />
    </Data>
(58) .inactivity_time_out
PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

Pre Set G3-PLC MAC setup 0-0:29.1.0.255 (@2212)
(59) .mac_TMR_TTL
PASSED
    <Data>
        <Unsigned Value="02" />
    </Data>
(60) .mac_max_frame_retries
PASSED
    <Data>
        <Unsigned Value="05" />
    </Data>
(61) .mac_neighbour_table_entry_TTL
PASSED
    <Data>
        <Unsigned Value="FF" />
    </Data>
(62) .mac_high_priority_window_size
PASSED
    <Data>
        <Unsigned Value="07" />
    </Data>
(63) .mac_CSMA_fairness_limit
PASSED
    <Data>
        <Unsigned Value="19" />
    </Data>
(64) .mac_beacon_randomization_window_length
PASSED
    <Data>
        <Unsigned Value="0C" />
    </Data>
(65) .mac_A
PASSED
    <Data>
        <Unsigned Value="08" />
    </Data>
(66) .mac_K
```

PASSED  
    <Data>  
        <Unsigned Value="05" />  
    </Data>  
(67) .mac\_min\_CW\_attempts  
PASSED  
    <Data>  
        <Unsigned Value="0A" />  
    </Data>  
(68) .mac\_max\_BE  
PASSED  
    <Data>  
        <Unsigned Value="08" />  
    </Data>  
(69) .mac\_max\_CSMA\_backoffs  
PASSED  
    <Data>  
        <Unsigned Value="32" />  
    </Data>  
(70) .mac\_min\_BE  
PASSED  
    <Data>  
        <Unsigned Value="03" />  
    </Data>  
(71) Pre Set passive calendar name and check  
PASSED  
    calendar\_name\_passive set to "CNP\_1B40"

\*\*\*\*\*  
Test Case 8 : Selective access of profiles, 18 item(s)  
\*\*\*\*\*

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@158)  
(1) .buffer  
PASSED  
    Earliest date: 01-FEB-2021 00:00:00, latest date: 01-JUL-2021 00:00:00  
    Middle date: 01-MAY-2021 00:00:00

Mngmt Get Disconnecter Control Log 0-0:99.98.2.255 (@193)  
(2) .buffer  
INAPPLICABLE  
    Object is not required according to OM and/or extensions

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@301)  
(3) .buffer  
PASSED  
    Earliest date: 12-OCT-2021 18:07:42, latest date: 12-OCT-2021 18:09:05  
    Middle date: 12-OCT-2021 18:09:02

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@316)  
(4) .buffer  
PASSED  
    Earliest date: 12-OCT-2021 18:03:08, latest date: 12-OCT-2021 18:08:08  
    Middle date: 12-OCT-2021 18:05:08

Mngmt Get Communication Log 0-0:99.98.5.255 (@331)

(5) .buffer

PASSED

Earliest date: 12-OCT-2021 18:03:08, latest date: 12-OCT-2021 18:08:08

Middle date: 12-OCT-2021 18:05:08

Mngmt Get Load profile with period 1 i.e. General Load Profile 1-0:99.1.0.255 (@1146)

(6) .buffer

PASSED

Earliest date: 01-APR-2021 20:00:00, latest date: 12-OCT-2021 18:15:00

Middle date: 01-APR-2021 21:00:00

Mngmt Get Load profile with period 2 i.e. Daily Values Profile 1-0:99.2.0.255 (@1161)

(7) .buffer

PASSED

Earliest date: 01-APR-2021 21:30:00, latest date: 13-OCT-2021 00:00:00

Middle date: 05-APR-2021 21:30:00

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1325)

(8) .buffer

PASSED

Earliest date: 12-OCT-2021 18:02:08, latest date: 12-OCT-2021 18:07:08

Middle date: 12-OCT-2021 18:05:08

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1340)

(9) .buffer

PASSED

Earliest date: 12-OCT-2021 18:03:08, latest date: 12-OCT-2021 18:08:08

Middle date: 12-OCT-2021 18:05:08

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1838)

(10) .buffer

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1849)

(11) .buffer

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1860)

(12) .buffer

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1871)

(13) .buffer

INAPPLICABLE

Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1941)



(14) .buffer  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1952)  
(15) .buffer  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1963)  
(16) .buffer  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1974)  
(17) .buffer  
INAPPLICABLE  
Object is not required according to OM and/or extensions

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1989)  
(18) .buffer  
INAPPLICABLE  
Object is not required according to OM and/or extensions

\*\*\*\*\*  
Test Case 9 : Multiple references, 4 item(s)  
\*\*\*\*\*

(1) Public, logical names  
INAPPLICABLE  
Public client does not support MULTIPLE\_REFERENCES  
(2) Mngmt, logical names  
PASSED

Reading 16 attributes  
<Result Qty="0010" >  
 <Data>  
 <OctetString Value="0000020100FF" />  
 </Data>  
 <Data>  
 <OctetString Value="00030F0004FF" />  
 </Data>  
 <Data>  
 <OctetString Value="00020F0004FF" />  
 </Data>  
 <Data>  
 <OctetString Value="00010F0004FF" />  
 </Data>  
 <Data>  
 <OctetString Value="00000A006CFF" />  
 </Data>  
 <Data>  
 <OctetString Value="0007190900FF" />  
 </Data>  
 <Data>  
 <OctetString Value="0000190900FF" />

```
</Data>
<Data>
  <OctetString Value="0004190900FF" />
</Data>
<Data>
  <OctetString Value="0003190900FF" />
</Data>
<Data>
  <OctetString Value="0002190900FF" />
</Data>
<Data>
  <OctetString Value="0001190900FF" />
</Data>
<Data>
  <OctetString Value="0000190000FF" />
</Data>
<Data>
  <OctetString Value="0000160000FF" />
</Data>
<Data>
  <OctetString Value="0100040700FF" />
</Data>
<Data>
  <OctetString Value="0100030700FF" />
</Data>
<Data>
  <OctetString Value="0100020700FF" />
</Data>
</Result>
```

(3) Mngmt, mixed attributes

PASSED

Reading 9 attributes

```
<Result Qty="0009" >
  <Data>
    <OctetString Value="0000290000FF" />
  </Data>
  <Data>
    <Enum Value="00" />
  </Data>
  <Data>
    <Long Value="FFC4" />
  </Data>
  <Data>
    <OctetString Value="\R1" />
  </Data>
  <Data>
    <Enum Value="01" />
  </Data>
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
</Result>
```

```
    </Structure>
  </Data>
  <Data>
    <DoubleLongUnsigned Value="00000007" />
  </Data>
  <Data>
    <DoubleLongUnsigned Value="00000064" />
  </Data>
  <Data>
    <LongUnsigned Value="0001" />
  </Data>
</Result>
```

(4) Mngmt, long attributes (block transfer)

PASSED

Reading 3 attributes

<\_Data Qty="0003" >

<Data>

<OctetString

Value="\JRAOJAGSFDQXYXZKLWRLFCCPDBTTJQNEMEPZEXQULHDGXXRZDNTXZNUBNV KOBEJXWCECLAMI  
NRJDESEGRPZIUDHFUYPNVGQCBVTPVPKFEZUNGKDITMJTXGSEVBPOVCNMXXSIMDDOBCBXPWNYTHBIBDZE  
HWEQGXJCYLLLLITUASYSNYGJOYJHBFVWGCBLJUYTSHBHHZNSGDUQXQKTLRAVRSNGMPIAPIROXKGD  
EAOUOQSWAIKGYOIPPETCRLTNRRYHBRSKKHUAPIUOJDNRWJKKZPSUSDYCXAPRMARVIBXSBRETBIFGHX  
EZODAJTHBHVGMGEZVRCQRCTRQPSWUBOUERJHSIMRKOJWSSLPJQCRTILWNFKJQDUUMUMUGQNIQJEYKFO  
ZCZEWHPHLBYCV ALNPD PDGTOTZMN XARZRHSTRMZEZTQUVZHDOWVZTALXYWXXVSJSEJXPBIOMVJCDSRPKL  
TVAJVF IHKCAJRMLGAEKNSMYMCPBA" />

</Data>

<Data>

<OctetString

Value="\JRAOJAGSFDQXYXZKLWRLFCCPDBTTJQNEMEPZEXQULHDGXXRZDNTXZNUBNV KOBEJXWCECLAMI  
NRJDESEGRPZIUDHFUYPNVGQCBVTPVPKFEZUNGKDITMJTXGSEVBPOVCNMXXSIMDDOBCBXPWNYTHBIBDZE  
HWEQGXJCYLLLLITUASYSNYGJOYJHBFVWGCBLJUYTSHBHHZNSGDUQXQKTLRAVRSNGMPIAPIROXKGD  
EAOUOQSWAIKGYOIPPETCRLTNRRYHBRSKKHUAPIUOJDNRWJKKZPSUSDYCXAPRMARVIBXSBRETBIFGHX  
EZODAJTHBHVGMGEZVRCQRCTRQPSWUBOUERJHSIMRKOJWSSLPJQCRTILWNFKJQDUUMUMUGQNIQJEYKFO  
ZCZEWHPHLBYCV ALNPD PDGTOTZMN XARZRHSTRMZEZTQUVZHDOWVZTALXYWXXVSJSEJXPBIOMVJCDSRPKL  
TVAJVF IHKCAJRMLGAEKNSMYMCPBA" />

</Data>

<Data>

<OctetString

Value="\JRAOJAGSFDQXYXZKLWRLFCCPDBTTJQNEMEPZEXQULHDGXXRZDNTXZNUBNV KOBEJXWCECLAMI  
NRJDESEGRPZIUDHFUYPNVGQCBVTPVPKFEZUNGKDITMJTXGSEVBPOVCNMXXSIMDDOBCBXPWNYTHBIBDZE  
HWEQGXJCYLLLLITUASYSNYGJOYJHBFVWGCBLJUYTSHBHHZNSGDUQXQKTLRAVRSNGMPIAPIROXKGD  
EAOUOQSWAIKGYOIPPETCRLTNRRYHBRSKKHUAPIUOJDNRWJKKZPSUSDYCXAPRMARVIBXSBRETBIFGHX  
EZODAJTHBHVGMGEZVRCQRCTRQPSWUBOUERJHSIMRKOJWSSLPJQCRTILWNFKJQDUUMUMUGQNIQJEYKFO  
ZCZEWHPHLBYCV ALNPD PDGTOTZMN XARZRHSTRMZEZTQUVZHDOWVZTALXYWXXVSJSEJXPBIOMVJCDSRPKL  
TVAJVF IHKCAJRMLGAEKNSMYMCPBA" />

</Data>

</\_Data>

\*\*\*\*\*  
Test Case 10 : Disconnect controls, 3 item(s)  
\*\*\*\*\*

(1) Disconnect control

INAPPLICABLE

Object is not required according to OM and/or extensions

(2) Load Mgmt - Relay control 1  
INAPPLICABLE  
Object is not required according to OM and/or extensions  
(3) Load Mgmt - Relay control 2  
INAPPLICABLE  
Optional object is not implemented

\*\*\*\*\*  
Test Case 11 : Script tables, 2 item(s)  
\*\*\*\*\*

(1) Tariffication script table  
PASSED  
Tariffication script table (parameters 1): "R1,R2,R3,R4"  
Register activation - Energy (mask names): "R1,R2,R3,R4"  
Tariffication script table (parameters 2): "R1,R2,R3,R4"  
Register activation - Maximum Demand (mask names): "R1,R2,R3,R4"  
calendar\_name\_passive name: TOU\_CB35  
activate\_passive\_calendar\_time: 12-OCT-2021 18:10:01  
activate\_passive\_calendar\_time: 12-OCT-2021 12:00:38  
(2) MDI Reset / End of billing period script table  
PASSED

\*\*\*\*\*  
Test Case 12 : Miscellaneous tests, 2 item(s)  
\*\*\*\*\*

(1) Set/Get of long attribute  
PASSED  
(5) COSEM logical device name  
PASSED  
Value: "YTL1030000010001"

\*\*\*\*\*  
Test Case 13 : Application association, 18 item(s)  
\*\*\*\*\*

(1) Wrong logical device Id  
PASSED  
(2) Wrong client Id  
PASSED  
(3) Opening an already opened application association  
PASSED  
(4) Error on the Protocol version  
PASSED  
(5) Application context missing  
PASSED  
(6) Wrong application context  
PASSED  
(7) Missing calling AP title in a ciphering AARQ  
PASSED  
(8) Wrong system title in the Calling AP title  
PASSED  
(9) ACSE requirement missing  
PASSED  
(10) Wrong ACSE requirement  
PASSED

(11) Authentication mechanism missing  
PASSED  
(12) Wrong authentication mechanism  
PASSED  
(13) Authentication value missing  
PASSED  
(14) Wrong authentication value  
PASSED  
(15) User information missing  
PASSED  
(16) Wrong dedicated key  
PASSED  
(17) Incorrect proposed conformance bloc  
PASSED  
(18) Incorrect negotiated conformance bloc  
PASSED

\*\*\*\*\*  
Test Case 14 : xDLMS Services, 20 item(s)  
\*\*\*\*\*

(1) Get without AA opening  
PASSED  
(2) Set without AA opening  
PASSED  
(3) Action without AA opening  
PASSED  
(4) Get with wrong inner tag  
PASSED  
(5) Set with wrong inner tag  
PASSED  
(6) Action with wrong inner tag  
PASSED  
(7) Error during block transfer with get  
PASSED  
(8) Error during block transfer with set  
PASSED  
(9) Get with wrong attribute id  
PASSED  
(10) Set with wrong attribute id  
PASSED  
(11) Action with wrong attribute id  
PASSED  
(12) Get with wrong access right  
PASSED  
(13) Set with wrong access right  
PASSED  
(14) Action with wrong access right  
PASSED  
(15) Get with wrong access selector  
PASSED  
(16) Get with wrong access parameters  
PASSED  
(17) Set with wrong data type  
PASSED

(18) Action with wrong data type  
PASSED  
(19) Set with wrong data content  
PASSED  
(20) Action with wrong data content  
PASSED

\*\*\*\*\*  
Test Case 15 : Security Activate, 3 item(s)  
\*\*\*\*\*

(1) Activate 1  
PASSED  
Pre set calendar\_name\_passive to CNP\_5E7C using +A, -E  
Pre set calendar\_name\_passive to CNP\_BD95 using +A, -E tweaked A  
Mngmt get calendar\_name\_passive using +A, -E, expect "CNP\_5E7C"  
Mngmt set calendar\_name\_passive to CNP\_BD95 using +A, -E tweaked A  
Mngmt get calendar\_name\_passive using +A, -E, expect "CNP\_5E7C"  
Mngmt set security\_policy attribute to 0  
(2) Activate 2  
PASSED  
Pre set calendar\_name\_passive to CNP\_5975 using -A, +E  
Pre set calendar\_name\_passive to CNP\_C7BF using -A, +E tweaked E  
Mngmt get calendar\_name\_passive using -A, +E, expect "CNP\_5975"  
Mngmt set calendar\_name\_passive to CNP\_C7BF using -A, +E tweaked E  
Mngmt get calendar\_name\_passive using -A, +E, expect "CNP\_5975"  
Mngmt set security\_policy attribute to 0  
(3) Activate 3  
PASSED  
Pre set calendar\_name\_passive to CNP\_5BAB using +A, +E  
Pre set calendar\_name\_passive to CNP\_3022 using +A, +E tweaked A  
Mngmt get calendar\_name\_passive using +A, +E, expect "CNP\_5BAB"  
Mngmt set calendar\_name\_passive to CNP\_3022 using +A, +E tweaked A  
Mngmt get calendar\_name\_passive using +A, +E, expect "CNP\_5BAB"  
Pre set calendar\_name\_passive to CNP\_6344 using +A, +E tweaked E  
Mngmt get calendar\_name\_passive using +A, +E, expect "CNP\_5BAB"  
Mngmt set calendar\_name\_passive to CNP\_6344 using +A, +E tweaked E  
Mngmt get calendar\_name\_passive using +A, +E, expect "CNP\_5BAB"  
Mngmt set security\_policy attribute to 0

\*\*\*\*\*  
Test Case 16 : Frame counter, 5 item(s)  
\*\*\*\*\*

(1) Unicast replay  
PASSED  
(2) Broadcast replay  
PASSED  
(3) Unicast Register  
PASSED  
(4) Broadcast Register  
PASSED  
(5) Received value  
PASSED

\*\*\*\*\*

Test Case 17 : Security global key transfer, 4 item(s)

\*\*\*\*\*

- (1) Global unicast encryption key transfer  
PASSED
- (2) Global broadcast encryption key transfer  
PASSED
- (3) Global authentication key transfer  
PASSED
- (4) All key transfer  
PASSED

\*\*\*\*\*

Test Case 18 : Secured service user information, 9 item(s)

\*\*\*\*\*

- (1) AARQ not encrypted  
PASSED
- (2) AARQ not authenticated  
PASSED
- (3) AARQ not encrypted not authenticated  
PASSED
- (4) AARQ with A security header  
PASSED
- (5) AARQ with E security header  
PASSED
- (6) AARQ with empty security header  
PASSED
- (7) AARQ with invalid frame counter  
PASSED
- (8) AARQ with invalid authentication  
PASSED
- (9) AARQ with invalid encryption  
PASSED

\*\*\*\*\*

Test Case 19 : Application association release service, 6 item(s)

\*\*\*\*\*

- (1) RLRQ invalid release request  
PASSED
- (2) RLRQ with missing user information  
PASSED
- (3) RLRQ non secure user information  
PASSED
- (4) RLRQ invalid security header  
PASSED
- (5) RLRQ invalid authentication  
PASSED
- (6) RLRQ invalid encryption  
PASSED

\*\*\*\*\*

Test Case 20 : Image transfer, 3 item(s)

\*\*\*\*\*

- (1) Basic  
PASSED

Block size: 204  
(2) Full  
PASSED  
Block size: 204  
ImageSize: 199634, Blocks: 979, Last block size: 122  
image\_to\_activate\_info:  
<Data>  
  <Array Qty="0001" >  
    <Structure Qty="0003" >  
      <DoubleLongUnsigned Value="00030BD2" />  
      <OctetString Value="\D523091 210922.01C" />  
      <OctetString Value="\aj" />  
    </Structure>  
  </Array>  
</Data>

(3) Full delayed  
PASSED  
Block size: 204  
ImageSize: 199634, Blocks: 979, Last block size: 122  
image\_to\_activate\_info:  
<Data>  
  <Array Qty="0001" >  
    <Structure Qty="0003" >  
      <DoubleLongUnsigned Value="00030BD2" />  
      <OctetString Value="\D523091 210922.01C" />  
      <OctetString Value="\aj" />  
    </Structure>  
  </Array>  
</Data>

\*\*\*\*\*

Test Case 21 : Push, 6 item(s)

\*\*\*\*\*

(1) Push data immediately  
PASSED  
(2) Push data on interval  
PASSED  
(3) Scheduled push of profile data  
PASSED  
(4) Push with data block  
PASSED  
(5) Security activate for push  
PASSED  
(6) Frame counter for push  
PASSED

\*\*\*\*\*

Test Case 22 : Profiles, 7 item(s)

\*\*\*\*\*

(1) Data of billing period 1  
PASSED  
  Selective access by entry not supported  
(2) Load profile with period 1  
PASSED



(3) Load Profile with period 2  
PASSED  
(4) Load profile with period 1 time shift forward  
PASSED  
(5) Load profile with period 2 time shift forward  
PASSED  
(6) Load profile with period 1 time shift backward  
PASSED  
(7) Load profile with period 2 time shift backward  
PASSED

\*\*\*\*\*  
\* CTI \*  
\*\*\*\*\*

```
// Mandatory 'Manufacturer' structure
// *****
Manufacturer =
{
    Name = '\Zhejiang Yongtailong Electronic Co.,LTD'
    ThreeLettersId = '\YTL'
}

// Mandatory 'DeviceUnderTest' structure
// *****
DeviceUnderTest =
{
    Type = '\YTL'
    IDISDeviceType = 103
    IDISFunctionType = []
    SerialNr = 00010001
    IPVersion = IPv6 // one of IPv4, IPv6
    DataLinkLayer = G3 // one of GPRS, ETHERNET
    ConsumerInformationPush = FALSE // or false
    EUI64Address = "000000FFFE010001"
}

TestOptions =
{
    PushDestination = '\[fe80:0:0:0:781d:ff:fe00:0]:61616'
}

// Mandatory 'ObjectModel' structure
// *****
ObjectModel =
{
    // needed for conformance test.
    InstanceExtraInfo =
        {
            LogicalName = '0-0:29.1.0.255'
            ClassId = 91
            Version = 1

            AttributeExtraInfo =
```

```

        {
            AttributeId = 5
            SetData = '\' +
                '<Data>' +
                ' <Array Qty = "01">' +
                '   <Structure Qty = "02">' +
                '     <Unsigned Value = "00" />' +
                '     <OctetString Value =
"0000000000000000059544C474D4B0000"/>' +
                '   </Structure>' +
                ' </Array>' +
                '</Data>'
            AccessRights = [SET]
        }
    }

// needed for conformance test.
InstanceExtraInfo = {
    // Set value for Consumer Message Text
    LogicalName = '0-0:96.13.0.255'
    ClassId = 1
    AttributeExtraInfo = {
        AttributeId = 2
        SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
    }
}

// Mandatory ''TestParameters'' structure
// *****
TestParameters =
{
    ConnectDisconnectDelay = 70
    ClientSystemTitle = '58585A0102030405'
    ImageTransfer =
    {
        ImageIdentifier = '\D523091 210922.01C'
        ImageFileName = '\D523091 210922.01C.bin'
        Timeout = 60000
    }

    PushTimeout = 90000
    MinInterWPDUFramesDelay = 500
    ProfilePeriodsQty = 6
    CaptureDelay = 10000
    WakeUpDelay = 30000
}

// Mandatory ''SecurityElements''
// *****
// Mandatory, used for the ''local'' mode.
LocalSecurityElements =

```

```

{
    Public =
    {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management =
    {
        ContextName = LONG_NAMES_WITH_CIPHERING
        MechanismName = HIGH_LEVEL_SECURITY_GMAC
        Policy = AUTHENTICATION_AND_ENCRYPTION
        CipheringStyle = GENERAL
    }

    PreEstablished =
    {
        Policy = NO_SECURITY
        ServerMaxReceivePDUSize = 1070
        CipheringStyle = GENERAL
    }
}

// RemoteSecurityElements
// Mandatory
RemoteSecurityElements =
{
    Public =
    {
        ContextName = LONG_NAMES
        MechanismName = LOWEST_LEVEL_SECURITY
        Policy = NO_SECURITY
    }

    Management =
    {
        ContextName = LONG_NAMES_WITH_CIPHERING//LONG_NAMES//
        MechanismName = HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY//
        Policy = AUTHENTICATION_AND_ENCRYPTION//NO_SECURITY//
        CipheringStyle = GENERAL
        Password = '\12345678'
    }

    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
        ServerMaxReceivePduSize = 1224
        CipheringStyle = GENERAL
    }
}

// SMS security elements

```

```

// Mandatory
SMSSecurityElements = {
    PreEstablished = {
        Policy = AUTHENTICATION_AND_ENCRYPTION
        ServerMaxReceivePDUSize = 138
        CipherringStyle = GENERAL
    }
}

// Mandatory parameters of the ''Local'' HDLC Profile
HDLCProfile =
{

    PhysicalLayer =
    {
        OpeningMode = DIRECT_HDLC // or MODE_E
        HdlcBaud = 9600
    }

    DataLinkLayer =
    {
        InactivityTimeout = 120000
        InterFrameTimeout = 100
        ResponseTimeout = 10000
        DISCToNDMTimeout = 4000
        AddressingSchemes = [TWO_BYTES_ADDRESSING] // TWO_BYTES_ADDRESSING,
FOUR_BYTES_ADDRESSING
        // For TWO and FOUR bytes addressing schemes, we have to specify also a
ServerLowerMACAddress
        ServerLowerMACAddress = 0x11
    }
}

// Mandatory parameters of the ''Remote'' TCP Profile
TCPProfile =
{
    ServerTCPPort = 4059
    ResponseTimeout = 15000
    ConnectTimeout = 5000
    DisconnectToConnectDelay = 5000
}

// Mandatory parameters of the ''Remote'' G3-PLC profile
G3PLCProfile = {
    FrequencyBand = FCC
    ResponseTimeout = 15000
    UDPPort = 61616
    ConnectTimeout =10000
    PSK = "000000000000000059544C50534B0000"
}

*****
* Miscellaneous *
*****

```

TestMode: G3-PLC  
Test Plan Signature: A46C9F4C6C407A1AE595D8394F5BD244  
Object Model: IDIS-S02-002 - object model Pack2 Ed2.0 - V2.29  
(20200831).xlsx  
DUT system title: 59544C6700002711  
Run number: 1548